

Grand Aggregate

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW	Total	
The DCRA Challenge Shield, The N.R.A. Gold Cross, a Gold Bar and £200.00														
1	Mr JC Underwood	XS	75.12v	75.7v	50.5v	49.5v	49.6v	50.7v	50.7v	75.11v	105.17v	47.3v	75.11v	700.91v £ 4
The N.R.A. Silver Cross, a Silver Bar and £175.00														
2	Dr GCD Barnett	XS	75.9v	75.9v	50.9v	49.6v	50.7v	49.6v	49.3v	75.14v	105.11v	48.3v	72.7v	697.84v £ 4
The N.R.A. Bronze Cross, a Bronze Bar and £150.00														
3	Mr BA Horwood	X	74.13v	73.8v	50.7v	47.4v	50.5v	50.8v	49.6v	75.9v	105.14v	48.4v	75.12v	696.90v
An N.R.A. Bronze Cross, a Bronze Bar and £125.00														
4	Mr PB Bromley	XS	74.12v	74.13v	50.9v	48.6v	49.9v	49.5v	46.4v	74.12v	105.9v	50.3v	75.11v	694.93v £ 4
An N.R.A. Bronze Cross, a Bronze Bar and £100.00														
5	Mr AR Wilde	XS	75.7v	72.7v	50.9v	48.5v	50.10v	50.4v	46.2v	74.12v	104.10v	50.5v	75.12v	694.83v £ 4
6	Miss JH Messer	XS	75.9v	74.6v	49.4v	48.4v	50.6v	49.5v	48.6v	74.9v	103.9v	50.5v	74.10v	694.73v £ 4
An N.R.A. Bronze Cross, a Bronze Bar and £80.00														
7	Mr NJ Ball	XS	75.12v	74.9v	49.6v	50.6v	50.7v	50.8v	48.3v	75.12v	102.11v	47.4v	73.11v	693.89v £ 4
8	Mr DR Armstrong	XS	75.11v	74.10v	49.6v	45.4v	49.6v	49.5v	49.4v	75.12v	104.11v	50.4v	74.12v	693.85v £ 4
9	Mr DFP Richards	X	74.11v	75.9v	49.5v	47.2v	50.7v	48.6v	50.4v	75.11v	102.10v	50.7v	73.7v	693.79v
10	Mr PM Jory	X	74.11v	75.9v	50.5v	50.6v	50.5v	49.5v	49.4v	75.12v	99.9v	50.2v	72.8v	693.76v
An N.R.A. Bronze Cross and 60.00														
11	Mr DC Luckman	XS	74.10v	74.8v	48.3v	49.7v	49.7v	50.6v	48.3v	75.12v	103.13v	47.6v	75.12v	692.87v £ 4
12	Mr DG Young	XS	75.11v	72.5v	50.5v	49.6v	49.5v	48.5v	47.5v	73.10v	105.14v	50.8v	74.10v	692.84v £ 4
13	Mr NC Mace	XS	74.9v	75.11v	49.3v	47.4v	50.7v	50.8v	49.4v	75.11v	100.11v	49.4v	74.9v	692.81v £ 4
14	Mr WCP Richards	XS	75.12v	72.9v	50.7v	49.4v	50.6v	50.4v	48.5v	72.7v	103.14v	49.3v	74.9v	692.80v
15	Wg Cdr DP Calvert	XS	74.10v	71.7v	49.5v	48.2v	49.5v	50.7v	50.6v	75.11v	103.11v	48.5v	75.9v	692.78v
16	Dr CD Haley	X	73.6v	74.7v	48.6v	50.5v	49.6v	47.7v	49.3v	75.10v	103.11v	49.5v	75.9v	692.75v
17	Mr JGM Webster	XS	75.11v	72.10v	49.6v	49.6v	49.6v	49.5v	47.5v	74.10v	103.7v	50.7v	74.9v	691.82v
18	Mr AD Le Cheminant	XS	74.11v	71.7v	50.7v	50.5v	49.6v	49.5v	50.5v	75.14v	102.8v	48.6v	73.7v	691.81v
19	Mr JPL Sweet	AS	75.13v	72.5v	49.6v	50.6v	50.9v	49.8v	49.3v	72.8v	102.8v	49.4v	74.8v	691.78v £ 4
20	Mr S Young	X	74.9v	71.7v	49.5v	49.3v	49.8v	50.5v	49.4v	74.8v	102.14v	49.3v	75.12v	691.78v
The Olle Beckett Memorial Trophy														
An N.R.A. Bronze Cross, a Bronze Bar and £40.00														
21	Mr PD Griggs	A	75.8v	71.9v	48.4v	50.7v	50.7v	49.7v	46.7v	75.13v	103.6v	49.6v	74.8v	690.82v
22	Mr JA Watson	XS	73.7v	71.5v	50.4v	50.8v	48.6v	49.7v	47.4v	75.13v	103.10v	49.5v	75.10v	690.79v
23	Dr JG Robertson	XS	74.9v	72.7v	49.3v	50.8v	50.7v	48.3v	46.5v	75.12v	103.9v	48.4v	75.11v	690.78v
24	Mr J Grant-Jones	O	73.9v	73.6v	49.4v	50.6v	50.8v	46.4v	49.3v	75.10v	101.9v	49.6v	75.10v	690.75v
25	Mr RM Roberts	XS	73.7v	72.5v	49.6v	48.7v	49.5v	50.4v	50.6v	75.10v	104.12v	46.4v	74.9v	690.75v
26	Mr ASH McCullough	XS	75.11v	74.9v	49.8v	49.3v	50.8v	48.8v	48.4v	75.12v	97.7v	50.7v	74.11v	689.88v
27	Mr TA Ringer	XS	74.13v	74.10v	48.2v	48.6v	49.6v	49.8v	50.9v	75.11v	103.13v	47.3v	72.7v	689.88v
28	Mr PG Kent	XS	75.9v	73.6v	48.6v	47.5v	50.8v	50.8v	46.6v	75.12v	103.12v	47.5v	75.10v	689.87v
29	Mr JR Tuck	X	74.10v	72.8v	50.7v	48.4v	48.7v	49.5v	46.2v	75.11v	103.13v	50.6v	74.10v	689.83v
30	Mr TLW Kidner	XS	73.8v	73.7v	49.4v	49.7v	50.7v	48.3v	48.4v	75.11v	103.12v	48.6v	73.8v	689.77v
31	Mr JR Davies	O	72.6v	73.10v	48.3v	49.2v	49.7v	49.8v	48.1v	75.13v	104.9v	48.6v	74.11v	689.76v
32	Sgt SJ Hier	AS	72.9v	73.6v	46.4v	49.5v	49.4v	50.7v	49.5v	75.11v	103.10v	49.4v	74.10v	689.75v £ 4
33	Mr SA Thomas	XS	73.8v	72.6v	48.4v	50.5v	49.6v	50.6v	49.5v	74.10v	103.13v	47.2v	74.9v	689.74v
34	Mr CN Tremlett	XS	74.8v	74.12v	48.4v	46.3v	50.9v	50.6v	49.7v	75.12v	102.10v	46.1v	74.8v	688.80v
35	Mr AP Barnes	A	74.10v	74.9v	49.6v	49.5v	49.4v	50.7v	42.3v	75.10v	102.10v	49.7v	75.8v	688.79v
An N.R.A. Bronze Cross, a Bronze Bar and £20.00														
36	Mr JCT Kent	XS	73.7v	74.9v	50.6v	45.3v	49.6v	49.7v	48.7v	75.9v	103.14v	49.2v	73.9v	688.79v
37	Mr DA Richardson	XS	73.7v	74.7v	46.4v	48.4v	49.6v	48.6v	48.7v	75.8v	105.13v	48.5v	74.12v	688.79v
38	Mr RAH Vary	OS	75.9v	73.8v	49.4v	49.6v	48.5v	48.5v	47.4v	75.14v	102.10v	48.5v	74.9v	688.79v £ 4
39	E Gauvin	X	75.11v	72.6v	48.6v	45.2v	50.6v	49.6v	49.2v	75.11v	102.12v	48.4v	75.9v	688.75v
40	Miss MM Gallagher	X	70.7v	74.11v	47.3v	50.5v	50.6v	50.3v	46.6v	75.8v	102.10v	49.4v	75.11v	688.74v
41	Mr JWE Lothian	AS	74.7v	72.8v	49.4v	48.6v	48.6v	49.3v	48.3v	75.13v	103.8v	49.6v	73.9v	688.73v £ 4
42	Mr A Coetzee	A	74.4v	74.10v	49.7v	50.4v	48.5v	50.8v	47.2v	75.12v	103.9v	47.3v	71.6v	688.70v
43	Mr NRJ Brasier	XS	73.8v	73.11v	46.6v	47.6v	50.8v	49.6v	50.7v	74.12v	101.10v	50.7v	74.9v	687.90v
44	Mr TG Rylands	XS	75.12v	72.7v	48.5v	50.7v	50.8v	49.4v	47.5v	75.13v	102.9v	47.4v	72.8v	687.82v
45	Mr J Corbett	X	72.7v	74.9v	48.5v	48.4v	50.8v	49.8v	48.4v	75.12v	101.8v	48.3v	74.12v	687.80v
46	Mr RA Benest	XS	75.10v	73.8v	49.8v	47.3v	50.8v	49.7v	44.3v	74.9v	103.11v	49.3v	74.9v	687.79v
47	Dr JD Warburton	XS	74.11v	70.6v	48.5v	49.5v	50.5v	50.6v	48.5v	72.9v	104.15v	48.4v	74.7v	687.78v
48	Mr ERT Jeens	XS	74.9v	73.7v	48.5v	46.5v	48.5v	49.6v	47.7v	75.8v	104.12v	49.6v	74.6v	687.76v
49	Mr BMA Stevens	AS	74.9v	72.7v	49.5v	48.7v	49.5v	49.5v	48.4v	74.7v	104.13v	48.3v	72.9v	687.74v £ 4
50	Mr T Steele	XS	75.9v	73.7v	49.4v	48.2v	50.4v	49.6v	49.6v	73.9v	100.9v	46.5v	75.7v	687.68v

Winners of a Bronze Bar

51	Dr PD Sykes	XS	73.6v	71.10v	50.8v	48.7v	50.4v	50.7v	48.4v	74.9v	102.11v	48.7v	72.8v	686.81v	
52	Miss SP Ward	A	75.11v	70.5v	48.5v	45.1v	49.6v	50.9v	48.5v	75.11v	104.14v	48.3v	74.10v	686.80v	
53	Mr AA Williams	O	74.12v	69.5v	48.1v	50.9v	48.5v	48.5v	49.4v	74.9v	103.15v	48.4v	75.10v	686.79v	
54	Miss DS Hume	A	73.10v	74.9v	49.7v	47.6v	49.3v	48.4v	50.9v	74.9v	103.7v	45.2v	74.12v	686.78v	
55	Dr AJ Pilgrim	X	74.9v	70.7v	50.6v	48.4v	50.5v	49.7v	46.5v	74.11v	100.8v	50.5v	75.10v	686.77v	
56	Maj AG McLean	XS	73.8v	74.8v	47.4v	47.4v	48.6v	50.8v	50.7v	73.8v	102.12v	49.4v	73.8v	686.77v	
57	Mr MA Kirkillo-Stacewicz	AS	72.8v	74.13v	48.5v	50.3v	50.7v	50.4v	47.4v	75.11v	100.8v	45.3v	75.10v	686.76v	£ 4
58	Wg Cdr RJS Clark	AS	73.12v	72.4v	48.6v	50.6v	49.4v	48.3v	48.5v	73.8v	103.13v	49.4v	73.10v	686.75v	
59	Mr D Le Quesne	XS	74.6v	71.4v	49.6v	48.3v	50.7v	48.6v	50.8v	74.12v	103.11v	45.3v	74.9v	686.75v	
60	Mr TW Hunter	XS	74.7v	72.7v	48.4v	48.4v	50.8v	50.6v	50.3v	75.12v	102.11v	45.1v	72.10v	686.73v	
61	Mr JMA Thompson	XS	73.9v	74.8v	48.6v	49.4v	49.5v	49.4v	48.3v	72.10v	104.8v	47.5v	73.9v	686.71v	
62	Mr C Fitzpatrick	X	73.9v	72.5v	49.4v	48.3v	49.6v	50.6v	48.3v	73.10v	102.9v	50.7v	72.7v	686.69v	
63	Mr MH Shaw	AS	75.8v	73.8v	49.5v	50.6v	50.6v	49.3v	45.2v	72.5v	99.6v	49.4v	75.8v	686.61v	
64	Mr P Patel	XS	74.14v	74.9v	49.6v	45.2v	50.7v	46.4v	47.5v	75.14v	102.13v	48.6v	75.9v	685.89v	
65	Mr ITG Shaw	XS	75.9v	70.6v	47.4v	50.8v	49.8v	47.5v	49.7v	74.12v	101.11v	48.5v	75.9v	685.84v	
66	Mr BA Young	AS	73.10v	72.8v	50.6v	47.7v	49.7v	49.7v	47.4v	75.10v	100.10v	49.4v	74.9v	685.82v	
67	Mr RE Ellis	A	74.9v	75.10v	47.2v	48.7v	50.6v	49.7v	48.5v	73.11v	102.10v	44.2v	75.11v	685.80v	
68	Miss MZJ Boston	XS	71.8v	73.8v	48.6v	46.4v	50.7v	49.3v	50.7v	75.9v	102.11v	49.8v	72.6v	685.77v	
69	Mr EC Dickson	AS	73.8v	70.7v	48.3v	48.4v	49.6v	50.8v	50.7v	74.8v	100.11v	49.6v	74.9v	685.77v	
70	Mr JWE Lewis	XS	73.9v	74.8v	48.3v	49.5v	49.5v	47.6v	49.7v	74.10v	102.11v	46.2v	74.9v	685.75v	
71	Mr RA Jobson	OS	75.9v	71.8v	45.0v	47.4v	50.4v	50.5v	47.5v	74.9v	102.13v	50.9v	74.8v	685.74v	£ 4
72	Mr DE Nuthall	XS	75.10v	72.6v	46.2v	46.4v	50.7v	50.4v	49.4v	73.11v	101.11v	48.5v	75.10v	685.74v	
73	Mr AJ Luckman	XS	73.7v	74.7v	50.6v	48.5v	49.6v	49.5v	50.7v	74.8v	101.11v	46.4v	71.8v	685.74v	
74	Mrs LK Mace	X	74.9v	73.6v	49.7v	48.5v	49.7v	50.6v	46.5v	74.9v	102.11v	46.2v	74.5v	685.72v	
75	Mr AW Lothian	X	74.8v	73.3v	48.3v	48.6v	48.6v	49.6v	49.4v	74.10v	101.11v	47.2v	74.11v	685.70v	
76	Mr ACH Bryson	O	72.7v	72.4v	49.3v	47.3v	48.5v	49.7v	50.7v	75.11v	101.11v	49.4v	73.7v	685.69v	
77	Mr PR Coley	A	75.10v	74.5v	50.4v	46.5v	50.4v	48.5v	48.4v	73.5v	100.7v	48.6v	73.10v	685.65v	
78	Mr RK Betts	AS	73.5v	75.9v	47.5v	48.6v	50.8v	49.5v	49.5v	73.8v	103.8v	47.1v	71.3v	685.63v	
79	Major AR McLeod	X	71.8v	73.10v	47.6v	50.9v	50.10v	50.7v	50.8v	74.12v	99.9v	47.4v	73.8v	684.91v	
80	Mr SE Frost	XS	74.8v	73.9v	50.6v	49.5v	47.6v	48.6v	48.4v	74.11v	102.13v	46.5v	73.11v	684.84v	
81	Mr CW Slator	A	70.4v	74.7v	49.7v	48.5v	46.4v	49.7v	49.7v	75.12v	102.10v	47.6v	75.14v	684.83v	
82	Mr LM Peden	AS	75.11v	73.9v	48.4v	48.3v	49.7v	49.8v	47.6v	74.8v	99.8v	49.5v	73.8v	684.77v	
83	Lt Col AJW Sturrock	OS	71.7v	73.10v	47.5v	49.4v	48.6v	48.5v	49.5v	74.9v	102.10v	48.4v	75.12v	684.77v	£ 4
84	Mr NJ Branch	XS	75.9v	72.4v	48.4v	45.4v	49.6v	49.5v	48.6v	74.9v	102.13v	47.5v	75.12v	684.77v	
85	Mr DA Taylor	AS	74.10v	70.7v	50.5v	49.4v	48.2v	49.8v	46.3v	75.13v	103.11v	46.2v	74.9v	684.74v	
86	Mr RW Shaw	A	72.6v	74.7v	49.7v	48.5v	50.5v	49.7v	45.2v	75.14v	100.5v	47.4v	75.10v	684.72v	
87	Mr NBS Logan	A	75.12v	73.4v	48.4v	48.7v	49.4v	49.4v	45.3v	73.8v	101.9v	50.7v	73.8v	684.70v	
88	Mr PG Cann	XS	75.9v	72.7v	47.5v	48.4v	49.5v	48.6v	50.5v	73.8v	101.9v	48.4v	73.6v	684.68v	
89	Mr H Ball	A	74.11v	72.8v	46.1v	48.7v	50.8v	50.7v	47.5v	74.14v	101.10v	49.5v	72.10v	683.86v	
90	Zulkeflee Hamsan	X	74.11v	72.11v	49.6v	47.4v	50.7v	49.7v	49.3v	75.12v	96.10v	49.4v	73.10v	683.85v	
91	Mr AM Gent	OS	71.6v	74.7v	47.2v	48.4v	50.9v	49.9v	44.2v	74.10v	102.13v	49.6v	75.11v	683.79v	£ 4
92	Mr JP Tapster	XS	72.6v	71.7v	49.5v	50.6v	49.6v	50.7v	45.6v	74.8v	103.14v	47.5v	73.8v	683.78v	
93	Mr RBC Baker	A	73.11v	73.8v	47.4v	47.4v	48.6v	48.6v	49.3v	73.9v	103.14v	48.6v	74.6v	683.77v	
94	Dr JR Deane	AS	74.10v	73.7v	49.3v	46.4v	47.4v	48.4v	46.5v	75.13v	102.13v	49.5v	74.7v	683.75v	
95	Dr AM Jory	XS	73.7v	73.11v	48.4v	48.4v	50.6v	49.8v	49.3v	74.9v	99.13v	48.1v	72.9v	683.75v	
96	Mr GMLN Gilpin	XS	72.4v	73.10v	49.6v	49.6v	50.6v	49.7v	48.5v	73.6v	98.10v	49.6v	73.7v	683.73v	
97	Mr ER Welford	AS	75.7v	73.5v	47.5v	49.6v	48.5v	49.6v	47.4v	72.8v	102.12v	46.2v	75.13v	683.73v	
98	Mr JRO Boyd	AS	71.7v	74.7v	50.6v	47.4v	50.6v	49.7v	45.2v	75.10v	101.6v	46.4v	75.11v	683.70v	
99	Ms SER Carlton	XS	72.8v	73.10v	48.5v	48.4v	49.6v	47.3v	50.4v	75.7v	101.9v	48.5v	72.7v	683.68v	
100	Mr WR Steward	O	75.7v	73.7v	50.5v	47.5v	47.4v	49.6v	48.3v	73.8v	99.10v	47.3v	75.9v	683.67v	
101	Mr J Pugsley	XS	74.10v	72.8v	48.5v	45.4v	49.8v	46.3v	48.6v	74.10v	104.15v	48.2v	74.11v	682.82v	
102	Mr RC Oxford	OS	73.10v	72.9v	50.8v	46.5v	49.6v	49.5v	49.7v	72.11v	101.10v	47.3v	74.7v	682.81v	£ 4
103	Mr DC Dyson	X	73.7v	69.6v	49.6v	49.5v	49.7v	50.5v	45.2v	75.10v	103.16v	50.5v	70.7v	682.76v	
104	Flt Lt KP Cressy	X	75.10v	72.9v	48.3v	47.5v	50.5v	48.4v	47.6v	74.10v	103.9v	44.4v	74.9v	682.74v	
105	Mr R McQuillan	XS	74.7v	73.8v	47.4v	48.6v	50.6v	49.6v	48.6v	75.11v	100.11v	50.3v	68.5v	682.73v	
106	Mr H Sanders	A	73.7v	73.11v	48.6v	46.5v	50.7v	49.5v	47.3v	74.9v	101.7v	47.2v	74.11v	682.73v	
107	Flt Lt IW Robertson	A	73.9v	72.9v	49.6v	46.1v	50.4v	49.7v	48.6v	74.8v	102.10v	48.4v	71.8v	682.72v	
108	Mr J Payne	A	73.9v	72.7v	48.6v	50.8v	49.2v	48.4v	43.1v	72.8v	103.9v	50.6v	74.7v	682.67v	
109	Mr TJ Roberts	OS	74.9v	74.8v	45.3v	47.3v	50.6v	49.4v	46.4v	74.7v	100.7v	49.5v	74.9v	682.65v	£ 4
110	Mr LC James	TS	73.6v	73.9v	47.6v	49.3v	48.5v	49.4v	44.3v	75.11v	102.11v	47.2v	75.5v	682.65v	£ 4
111	Mr P Lucey	A	73.9v	74.5v	48.4v	47.2v	49.5v	50.7v	46.3v	74.10v	102.10v	47.2v	72.5v	682.62v	
112	Mr JAM Paton	XS	72.9v	75.12v	43.7v	46.5v	50.7v	48.5v	48.4v	75.11v	101.11v	49.6v	74.13v	681.90v	
113	Mr TM Green	X	69.6v	71.8v	49.4v	47.6v	49.6v	49.8v	49.9v	75.11v	103.13v	45.3v	75.11v	681.85v	
114	Mr GA Cann	XS	74.9v	73.9v	46.4v	48.7v	49.8v	49.5v	47.6v	74.11v	100.12v	49.4v	72.8v	681.83v	
115	Mrs MM Norman	X	73.8v	71.6v	48.6v	44.3v	50.7v	49.4v	48.8v	74.12v	100.10v	49.7v	75.10v	681.81v	
116	Mr DC Crispin	X	73.9v	73.5v	48.7v	47.4v	49.8v	47.6v	47.6v	74.9v	101.9v	49.5v	73.9v	681.77v	
117	Mr MJ Barlow	XS	72.8v	71.6v	47.5v	50.7v	50.7v	49.6v	49.4v	75.12v	103.6v	42.3v	73.10v	681.74v	
118	Mr AF Powell	XS	74.8v	70.3v	49.5v	49.6v	49.7v	47.6v	46.3v	75.12v	101.12v	47.3v	74.8v	681.73v	
119	Prof AR Horrocks	XS	74.9v	70.5v	49.6v	41.2v	49.5v	49.8v	48.6v	74.5v	103.6v	49.8v	75.12v	681.72v	
120	Mr GK Alexander	AS	71.6v	73.9v	47.4v	48.5v	48.5v	50.4v	50.9v	75.10v	100.10v	48.4v	71.6v	681.72v	
121	Mr TAD Lilley	O	74.9v	72.8v	49.5v	48.4v	49.8v	48.5v	47.3v	73.11v	100.8v	47.4v	74.7v	681.72v	
122	Mr R Birtwistle	A	73.7v	70.8v	48.8v	48.4v	50.5v	48.7v	46.1v	75.11v	103.12v	47.2v	73.7v	681.72v	
123	Capt JRW Postle	A	75.8v	70.7v	46.4v	44.5v	49.4v	49.3v	50.3v	75.13v	103.14v	46.2v	74.9v	681.72v	
124	Mrs CJ Clifford-Evans	OS	74.10v	71.5v	49.6v	47.3v	50.8v	50.7v	48.6v	74.6v	97.7v	48.5v	73.7v	681.70v	£ 4
125	Mr CS Lamont	X	74.9v	73.11v	47.4v	48.6v	49.6v	47.4v	49.4v	72.8v	102.7v	47.2v	73.8v	681.69v	
126	Mr PJ Johnson	AS	75.8v	71.6v	49.4v	46.3v	50.6v	47.5v	48.3v	75.9v	103.12v	45.4v	72.9v	681.69v	
127	Mr R Kloosterman	A	73.8v	72.9v	45.3v	46.4v	49.8v	49.5v	50.4v	73.8v	102.9v	50.3v	72.6v	681.67v	
128	Mr A Chown	A	75.10v	71.5v	48.5v	46.1v	49.7v	50.3v	48.4v	71.5v	99.6v	49.6v	75.13v	681.65v	

129	Mr SNS Penrose	X	73.8v	74.8v	48.4v	45.1v	48.5v	46.3v	49.6v	74.8v	102.9v	49.7v	73.5v	681.64v	
130	Mr RJ Hull	TS	74.11v	74.9v	46.4v	48.4v	48.4v	47.4v	49.3v	73.8v	100.6v	48.2v	74.7v	681.62v	£ 4
131	Ms LA Johnson	O	73.6v	73.5v	45.2v	48.5v	49.6v	48.4v	47.5v	75.11v	103.9v	45.3v	75.6v	681.62v	
132	Mr SJ Whitby	A	72.7v	70.5v	49.3v	48.3v	48.6v	50.5v	47.4v	74.4v	102.10v	48.4v	73.10v	681.61v	
133	Mr AS Fraser	O	73.7v	73.5v	49.5v	47.1v	48.4v	49.6v	49.6v	73.7v	99.8v	47.4v	74.8v	681.61v	
134	Mr ND Stangroom	X	73.9v	69.6v	47.3v	50.5v	49.5v	49.4v	49.2v	73.6v	101.6v	48.5v	73.6v	681.57v	
135	Mr RL Sampson	OS	71.7v	74.10v	47.3v	47.4v	49.8v	49.7v	48.5v	73.10v	100.13v	48.7v	74.9v	680.83v	£ 4
136	Mr SJ Bissonnette	XS	74.10v	71.7v	50.7v	44.2v	50.8v	49.7v	49.5v	74.11v	101.7v	44.1v	74.13v	680.78v	
137	Mr AD Hunter	X	75.11v	70.6v	48.1v	48.5v	50.7v	48.7v	47.3v	75.14v	105.11v	40.2v	74.10v	680.77v	
138	Mr RG Faulkner	AS	71.7v	75.8v	48.7v	48.3v	48.7v	48.6v	48.6v	73.9v	100.8v	48.5v	73.10v	680.76v	
139	Mr LT Wicker	X	72.7v	73.6v	50.6v	48.4v	50.7v	48.7v	46.5v	73.8v	104.16v	44.1v	72.7v	680.74v	
140	Mr KWD Ramsey	XS	71.4v	71.6v	46.4v	48.5v	50.6v	49.9v	46.2v	74.10v	101.10v	49.6v	75.11v	680.73v	
141	Mr A Burton	X	75.12v	72.7v	48.5v	47.5v	50.3v	48.2v	50.7v	73.11v	99.8v	44.3v	74.10v	680.73v	
142	Mr RP Elvins	OS	74.11v	74.11v	49.3v	46.4v	50.6v	48.6v	49.4v	70.7v	103.10v	45.3v	72.7v	680.72v	£ 4
143	Mr C Cotillard	XS	75.7v	73.9v	47.3v	49.6v	50.5v	48.4v	42.3v	74.13v	99.8v	49.3v	74.10v	680.71v	
144	Mr CJ Morton	XS	72.6v	71.7v	50.7v	47.5v	50.7v	50.8v	49.5v	75.12v	99.8v	47.4v	70.2v	680.71v	
145	Mr JRJ Hinde	A	75.12v	70.8v	47.6v	46.3v	49.7v	48.5v	49.4v	74.7v	102.10v	47.2v	73.7v	680.71v	
146	Mr R de V Chase	XS	70.8v	72.3v	48.6v	48.5v	48.4v	47.5v	47.5v	73.9v	103.10v	50.6v	74.9v	680.70v	
147	Mr JA Lindsay III	OS	72.8v	69.5v	48.5v	48.4v	49.5v	48.5v	49.6v	72.10v	102.7v	48.7v	75.8v	680.70v	£ 4
148	Mr JA Anderson	XS	74.8v	72.8v	47.4v	49.6v	49.7v	49.7v	48.5v	74.8v	101.9v	46.3v	71.5v	680.70v	
149	Mr CES Dickenson	X	75.5v	68.6v	49.7v	47.4v	50.6v	49.7v	48.3v	73.9v	103.10v	45.3v	73.9v	680.69v	
150	Mr JA Haward	XS	74.10v	73.10v	49.5v	46.2v	47.2v	49.3v	48.4v	74.8v	99.11v	49.4v	72.8v	680.67v	
151	Mr S Robinson	A	73.8v	72.4v	48.4v	47.4v	50.7v	49.6v	47.6v	73.5v	99.7v	47.5v	75.10v	680.66v	
152	Mr A Thomson	A	75.10v	73.7v	46.4v	49.3v	49.5v	45.2v	47.6v	73.9v	102.9v	47.4v	74.6v	680.65v	
153	Mr KM Willingale	O	74.5v	72.4v	49.3v	48.5v	48.6v	50.6v	48.5v	70.9v	101.9v	48.5v	72.7v	680.64v	
154	Cdt R Paquette	A	72.4v	70.8v	48.3v	49.4v	49.6v	48.4v	49.4v	72.8v	100.10v	48.5v	75.7v	680.63v	
155	Mr TA Chapman	A	72.5v	71.6v	48.2v	49.5v	50.7v	50.5v	48.5v	71.7v	100.9v	48.4v	73.8v	680.63v	
156	Mr KR Trowbridge	XS	72.6v	72.7v	49.4v	49.2v	47.4v	48.3v	48.2v	74.11v	101.9v	47.6v	73.9v	680.63v	
157	Mr DJ Gass	XS	73.8v	71.8v	47.6v	49.5v	49.5v	47.4v	47.6v	75.10v	102.12v	45.2v	74.12v	679.78v	
158	Mr ANR Walker	X	71.6v	70.4v	49.7v	47.3v	50.7v	50.8v	44.2v	74.13v	101.11v	48.5v	75.9v	679.75v	
159	Miss RL Furniss	A	74.5v	69.8v	48.5v	47.4v	49.6v	49.5v	45.3v	75.11v	101.10v	48.3v	74.13v	679.73v	
160	Mr JM Taylor	A	73.8v	71.6v	47.4v	47.4v	50.6v	47.5v	47.2v	74.9v	102.11v	47.5v	74.12v	679.72v	
161	Mr JB Hull	O	73.8v	74.8v	48.3v	46.4v	49.7v	49.8v	48.3v	74.10v	100.12v	46.2v	72.7v	679.72v	
162	Mr D Blake	O	71.7v	73.7v	47.5v	49.4v	50.2v	48.4v	47.6v	75.12v	104.10v	41.5v	74.10v	679.72v	
163	Mr SC Postins	X	71.7v	71.9v	48.4v	50.5v	49.6v	48.7v	47.4v	75.7v	102.7v	44.3v	74.10v	679.69v	
164	Dr SA Hebbes	OS	73.8v	68.6v	49.6v	49.7v	50.8v	49.5v	47.4v	70.7v	100.8v	49.2v	75.7v	679.68v	£ 4
165	Mr HL Hunter	OS	75.10v	73.6v	46.6v	48.6v	48.4v	45.1v	48.3v	74.10v	102.9v	47.3v	73.10v	679.68v	£ 4
166	Miss LV Rylands	A	72.9v	72.6v	48.2v	49.8v	49.4v	48.5v	48.3v	71.6v	102.12v	46.3v	74.10v	679.68v	
167	Mr SJ Carson	OS	70.6v	72.6v	48.5v	44.3v	49.6v	48.7v	49.6v	75.11v	101.5v	49.6v	74.6v	679.67v	£ 4
168	Cdt Sgt ER Johnson	X	73.7v	72.9v	48.5v	45.2v	50.4v	49.4v	49.4v	72.8v	102.11v	48.5v	71.8v	679.67v	
169	Mr SH Cox	OS	75.6v	69.5v	44.2v	49.4v	50.6v	49.7v	48.4v	73.10v	101.10v	47.4v	74.9v	679.67v	£ 4
170	Mr P Westlake	XS	74.6v	71.6v	49.6v	43.4v	50.4v	47.2v	48.4v	72.10v	103.11v	49.5v	73.8v	679.66v	
171	Mr T Keen	O	73.10v	72.6v	47.3v	46.3v	47.6v	47.2v	48.4v	74.12v	101.9v	49.4v	75.7v	679.66v	
172	Mr MJ MacKeith	X	72.8v	72.7v	47.4v	45.1v	49.6v	50.7v	48.2v	74.11v	103.10v	46.3v	73.6v	679.65v	
173	Mr Al Brown	O	74.9v	70.7v	46.3v	47.1v	49.9v	49.5v	46.4v	72.5v	102.6v	49.5v	75.10v	679.64v	
174	Mr AR Langley	XS	72.8v	73.8v	47.4v	46.3v	49.4v	47.2v	45.3v	75.7v	103.8v	48.4v	74.12v	679.63v	
175	Mr CR Aitken	A	73.9v	73.6v	47.2v	48.3v	49.8v	50.6v	47.4v	74.8v	98.8v	48.3v	72.5v	679.62v	
176	Mr RJ Cade	O	75.7v	68.5v	46.4v	50.5v	47.5v	49.4v	49.4v	75.10v	100.7v	46.4v	74.7v	679.62v	
177	SAC SDJ Glanville	T	73.7v	70.8v	48.2v	46.1v	49.4v	49.4v	48.4v	70.7v	105.10v	49.7v	72.7v	679.61v	
178	Mr BV Cambray	AS	74.7v	71.3v	50.4v	45.4v	49.6v	49.9v	47.3v	74.3v	101.11v	46.4v	73.7v	679.61v	
179	Mr ML Millar	X	74.10v	68.6v	47.5v	45.2v	49.6v	50.8v	48.5v	74.10v	102.14v	46.4v	75.11v	678.81v	
180	Mr RCT Jeens	XS	72.7v	74.9v	48.6v	43.3v	49.6v	49.6v	47.5v	74.10v	102.12v	46.4v	74.11v	678.79v	
181	Mr KO Pugh	OS	73.10v	73.8v	47.6v	48.7v	47.4v	46.2v	48.4v	74.14v	104.11v	47.2v	71.9v	678.77v	
182	Mr MW Silver	X	74.12v	73.8v	50.7v	44.0v	50.8v	48.7v	48.5v	74.10v	99.8v	46.2v	72.8v	678.75v	
183	Mr PS Gray	OS	71.6v	71.8v	50.6v	46.4v	50.4v	47.4v	46.3v	73.7v	102.15v	49.6v	73.11v	678.74v	
184	Mr J Cload	XS	74.8v	71.9v	48.5v	47.2v	49.7v	49.6v	47.5v	75.11v	97.9v	49.2v	72.8v	678.72v	
185	Mr DJ Tracey	AS	71.8v	72.7v	48.2v	43.2v	50.7v	50.4v	49.6v	75.12v	101.12v	47.5v	72.7v	678.72v	
186	Mr CP Weeden	X	71.8v	73.5v	48.4v	48.4v	49.8v	49.8v	47.6v	75.8v	97.9v	47.1v	74.11v	678.72v	
187	Mr RJ Quay	A	74.7v	69.6v	47.4v	46.2v	47.3v	48.4v	50.4v	74.12v	103.13v	49.7v	71.9v	678.71v	
188	Mr S Pearson	AS	75.11v	73.9v	45.4v	48.6v	49.6v	49.4v	46.3v	73.6v	100.10v	47.4v	73.8v	678.71v	
189	Mr ATB Tompson	X	74.8v	73.9v	49.7v	48.4v	49.8v	49.7v	45.3v	73.8v	101.9v	47.3v	70.5v	678.71v	
190	Mr DGM Coleman	X	74.6v	75.8v	48.7v	46.3v	50.6v	49.8v	49.3v	70.9v	99.7v	45.3v	73.11v	678.71v	
191	Cdt HP McCullough	TS	71.11v	70.6v	47.5v	47.4v	50.7v	49.5v	46.4v	73.6v	104.9v	47.4v	74.9v	678.70v	£ 4
192	Mr MJJ Charlton	X	72.8v	70.8v	48.5v	47.5v	48.5v	49.7v	46.2v	74.8v	104.10v	46.4v	74.8v	678.70v	
193	Mr CC Mallett Jnr	XS	74.6v	71.8v	45.4v	49.4v	49.5v	47.4v	48.6v	73.10v	101.9v	46.3v	75.10v	678.69v	
194	Mr N Healy	XS	69.3v	74.8v	49.6v	44.1v	49.5v	48.4v	48.3v	75.11v	100.12v	50.5v	72.9v	678.67v	
195	Miss KAN Jack	X	71.8v	75.10v	47.4v	47.2v	50.6v	48.5v	47.4v	75.11v	97.8v	48.2v	73.7v	678.67v	
196	Mr D Purcell	O	73.5v	71.5v	49.3v	45.3v	45.4v	50.8v	50.6v	71.7v	102.10v	47.4v	75.11v	678.66v	
197	Dr AF Aspin	OS	73.8v	72.5v	47.5v	48.4v	49.8v	50.6v	48.6v	73.6v	97.6v	47.4v	74.7v	678.65v	
198	Mr CD Heales	AS	71.5v	71.4v	47.3v	46.4v	50.6v	47.2v	49.6v	75.12v	102.11v	47.4v	73.8v	678.65v	
199	Mr RSF Shouler	X	73.5v	74.7v	48.3v	45.1v	49.6v	47.5v	47.4v	72.7v	100.9v	49.5v	74.11v	678.63v	
200	Miss IRJD Stevenson	O	75.10v	75.10v	48.6v	44.0v	50.5v	49.2v	47.5v	74.11v	100.6v	43.1v	73.7v	678.63v	

NRA 140th Imperial Meeting Grand Aggregate

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW	Total	
1	Mr JC Underwood	X	75.12v	75.7v	50.5v	49.5v	49.6v	50.7v	50.7v	75.11v	105.17v	47.3v	75.11v	700.91v
2	Dr GCD Barnett	X	75.9v	75.9v	50.9v	49.6v	50.7v	49.6v	49.3v	75.14v	105.11v	48.3v	72.7v	697.84v
3	Mr BA Horwood	X	74.13v	73.8v	50.7v	47.4v	50.5v	50.8v	49.6v	75.9v	105.14v	48.4v	75.12v	696.90v
4	Mr PB Bromley	X	74.12v	74.13v	50.9v	48.6v	49.9v	49.5v	46.4v	74.12v	105.9v	50.3v	75.11v	694.93v
5	Mr AR Wilde	X	75.7v	72.7v	50.9v	48.5v	50.10v	50.4v	46.2v	74.12v	104.10v	50.5v	75.12v	694.83v
6	Miss JH Messer	X	75.9v	74.6v	49.4v	48.4v	50.6v	49.5v	48.6v	74.9v	103.9v	50.5v	74.10v	694.73v
7	Mr NJ Ball	X	75.12v	74.9v	49.6v	50.6v	50.7v	50.8v	48.3v	75.12v	102.11v	47.4v	73.11v	693.89v
8	Mr DR Armstrong	X	75.11v	74.10v	49.6v	45.4v	49.6v	49.5v	49.4v	75.12v	104.11v	50.4v	74.12v	693.85v
9	Mr DFP Richards	X	74.11v	75.9v	49.5v	47.2v	50.7v	48.6v	50.4v	75.11v	102.10v	50.7v	73.7v	693.79v
10	Mr PM Jory	X	74.11v	75.9v	50.5v	50.6v	50.5v	49.5v	49.4v	75.12v	99.9v	50.2v	72.8v	693.76v
11	Mr DC Luckman	X	74.10v	74.8v	48.3v	49.7v	49.7v	50.6v	48.3v	75.12v	103.13v	47.6v	75.12v	692.87v
12	Mr DG Young	X	75.11v	72.5v	50.5v	49.6v	49.5v	48.5v	47.5v	73.10v	105.14v	50.8v	74.10v	692.84v
13	Mr NC Mace	X	74.9v	75.11v	49.3v	47.4v	50.7v	50.8v	49.4v	75.11v	100.11v	49.4v	74.9v	692.81v
14	Mr WCP Richards	X	75.12v	72.9v	50.7v	49.4v	50.6v	50.4v	48.5v	72.7v	103.14v	49.3v	74.9v	692.80v
15	Wg Cdr DP Calvert	X	74.10v	71.7v	49.5v	48.2v	49.5v	50.7v	50.6v	75.11v	103.11v	48.5v	75.9v	692.78v
16	Dr CD Haley	X	73.6v	74.7v	48.6v	50.5v	49.6v	47.7v	49.3v	75.10v	103.11v	49.5v	75.9v	692.75v
17	Mr JGM Webster	X	75.11v	72.10v	49.6v	49.6v	49.6v	49.5v	47.5v	74.10v	103.7v	50.7v	74.9v	691.82v
18	Mr AD Le Cheminant	X	74.11v	71.7v	50.7v	50.5v	49.6v	49.5v	50.5v	75.14v	102.8v	48.6v	73.7v	691.81v
19	Mr JPL Sweet	A	75.13v	72.5v	49.6v	50.6v	50.9v	49.8v	49.3v	72.8v	102.8v	49.4v	74.8v	691.78v
20	Mr S Young	X	74.9v	71.7v	49.5v	49.3v	49.8v	50.5v	49.4v	74.8v	102.14v	49.3v	75.12v	691.78v
21	Mr PD Griggs	A	75.8v	71.9v	48.4v	50.7v	50.7v	49.7v	46.7v	75.13v	103.6v	49.6v	74.8v	690.82v
22	Mr JA Watson	X	73.7v	71.5v	50.4v	50.8v	48.6v	49.7v	47.4v	75.13v	103.10v	49.5v	75.10v	690.79v
23	Dr JG Robertson	X	74.9v	72.7v	49.3v	50.8v	50.7v	48.3v	46.5v	75.12v	103.9v	48.4v	75.11v	690.78v
24	Mr J Grant-Jones	O	73.9v	73.6v	49.4v	50.6v	50.8v	46.4v	49.3v	75.10v	101.9v	49.6v	75.10v	690.75v
25	Mr RM Roberts	X	73.7v	72.5v	49.6v	48.7v	49.5v	50.4v	50.6v	75.10v	104.12v	46.4v	74.9v	690.75v
26	Mr ASH McCullough	X	75.11v	74.9v	49.8v	49.3v	50.8v	48.8v	48.4v	75.12v	97.7v	50.7v	74.11v	689.88v
27	Mr TA Ringer	X	74.13v	74.10v	48.2v	48.6v	49.6v	49.8v	50.9v	75.11v	103.13v	47.3v	72.7v	689.88v
28	Mr PG Kent	X	75.9v	73.6v	48.6v	47.5v	50.8v	50.8v	46.6v	75.12v	103.12v	47.5v	75.10v	689.87v
29	Mr JR Tuck	X	74.10v	72.8v	50.7v	48.4v	48.7v	49.5v	46.2v	75.11v	103.13v	50.6v	74.10v	689.83v
30	Mr TLW Kidner	X	73.8v	73.7v	49.4v	49.7v	50.7v	48.3v	48.4v	75.11v	103.12v	48.6v	73.8v	689.77v
31	Mr JR Davies	O	72.6v	73.10v	48.3v	49.2v	49.7v	49.8v	48.1v	75.13v	104.9v	48.6v	74.11v	689.76v
32	Sgt SJ Hier	A	72.9v	73.6v	46.4v	49.5v	49.4v	50.7v	49.5v	75.11v	103.10v	49.4v	74.10v	689.75v
33	Mr SA Thomas	X	73.8v	72.6v	48.4v	50.5v	49.6v	50.6v	49.5v	74.10v	103.13v	47.2v	74.9v	689.74v
34	Mr CN Tremlett	X	74.8v	74.12v	48.4v	46.3v	50.9v	50.6v	49.7v	75.12v	102.10v	46.1v	74.8v	688.80v
35	Mr AP Barnes	A	74.10v	74.9v	49.6v	49.5v	49.4v	50.7v	42.3v	75.10v	102.10v	49.7v	75.8v	688.79v
36	Mr JCT Kent	X	73.7v	74.9v	50.6v	45.3v	49.6v	49.7v	48.7v	75.9v	103.14v	49.2v	73.9v	688.79v
37	Mr DA Richardson	X	73.7v	74.7v	46.4v	48.4v	49.6v	48.6v	48.7v	75.8v	105.13v	48.5v	74.12v	688.79v
38	Mr RAH Vary	O	75.9v	73.8v	49.4v	49.6v	48.5v	48.5v	47.4v	75.14v	102.10v	48.5v	74.9v	688.79v
39	E Gauvin	X	75.11v	72.6v	48.6v	45.2v	50.6v	49.6v	49.2v	75.11v	102.12v	48.4v	75.9v	688.75v
40	Miss MM Gallagher	X	70.7v	74.11v	47.3v	50.5v	50.6v	50.3v	46.6v	75.8v	102.10v	49.4v	75.11v	688.74v
41	Mr JWE Lothian	A	74.7v	72.8v	49.4v	48.6v	48.6v	49.3v	48.3v	75.13v	103.8v	49.6v	73.9v	688.73v
42	Mr A Coetzee	A	74.4v	74.10v	49.7v	50.4v	48.5v	50.8v	47.2v	75.12v	103.9v	47.3v	71.6v	688.70v
43	Mr NRJ Brasier	X	73.8v	73.11v	46.6v	47.6v	50.8v	49.6v	50.7v	74.12v	101.10v	50.7v	74.9v	687.90v
44	Mr TG Rylands	X	75.12v	72.7v	48.5v	50.7v	50.8v	49.4v	47.5v	75.13v	102.9v	47.4v	72.8v	687.82v
45	Mr J Corbett	X	72.7v	74.9v	48.5v	48.4v	50.8v	49.8v	48.4v	75.12v	101.8v	48.3v	74.12v	687.80v
46	Mr RA Benest	X	75.10v	73.8v	49.8v	47.3v	50.8v	49.7v	44.3v	74.9v	103.11v	49.3v	74.9v	687.79v
47	Dr JD Warburton	X	74.11v	70.6v	48.5v	49.5v	50.5v	50.6v	48.5v	72.9v	104.15v	48.4v	74.7v	687.78v
48	Mr ERT Jeens	X	74.9v	73.7v	48.5v	46.5v	48.5v	49.6v	47.7v	75.8v	104.12v	49.6v	74.6v	687.76v
49	Mr BMA Stevens	A	74.9v	72.7v	49.5v	48.7v	49.5v	49.5v	48.4v	74.7v	104.13v	48.3v	72.9v	687.74v
50	Mr T Steele	X	75.9v	73.7v	49.4v	48.2v	50.4v	49.6v	49.6v	73.9v	100.9v	46.5v	75.7v	687.68v
51	Dr PD Sykes	X	73.6v	71.10v	50.8v	48.7v	50.4v	50.7v	48.4v	74.9v	102.11v	48.7v	72.8v	686.81v
52	Miss SP Ward	A	75.11v	70.5v	48.5v	45.1v	49.6v	50.9v	48.5v	75.11v	104.14v	48.3v	74.10v	686.80v
53	Mr AA Williams	O	74.12v	69.5v	48.1v	50.9v	48.5v	48.5v	49.4v	74.9v	103.15v	48.4v	75.10v	686.79v
54	Miss DS Hume	A	73.10v	74.9v	49.7v	47.6v	49.3v	48.4v	50.9v	74.9v	103.7v	45.2v	74.12v	686.78v
55	Dr AJ Pilgrim	X	74.9v	70.7v	50.6v	48.4v	50.5v	49.7v	46.5v	74.11v	100.8v	50.5v	75.10v	686.77v
56	Maj AG McLean	X	73.8v	74.8v	47.4v	47.4v	48.6v	50.8v	50.7v	73.8v	102.12v	49.4v	73.8v	686.77v
57	Mr MA Kirkillo-Stacewicz	A	72.8v	74.13v	48.5v	50.3v	50.7v	50.4v	47.4v	75.11v	100.8v	45.3v	75.10v	686.76v
58	Wg Cdr RJS Clark	A	73.12v	72.4v	48.6v	50.6v	49.4v	48.3v	48.5v	73.8v	103.13v	49.4v	73.10v	686.75v

59	Mr D Le Quesne	X	74.6v	71.4v	49.6v	48.3v	50.7v	48.6v	50.8v	74.12v	103.11v	45.3v	74.9v	686.75v
60	Mr TW Hunter	X	74.7v	72.7v	48.4v	48.4v	50.8v	50.6v	50.3v	75.12v	102.11v	45.1v	72.10v	686.73v
61	Mr JMA Thompson	X	73.9v	74.8v	48.6v	49.4v	49.5v	49.4v	48.3v	72.10v	104.8v	47.5v	73.9v	686.71v
62	Mr C Fitzpatrick	X	73.9v	72.5v	49.4v	48.3v	49.6v	50.6v	48.3v	73.10v	102.9v	50.7v	72.7v	686.69v
63	Mr MH Shaw	A	75.8v	73.8v	49.5v	50.6v	50.6v	49.3v	45.2v	72.5v	99.6v	49.4v	75.8v	686.61v
64	Mr P Patel	X	74.14v	74.9v	49.6v	45.2v	50.7v	46.4v	47.5v	75.14v	102.13v	48.6v	75.9v	685.89v
65	Mr ITG Shaw	X	75.9v	70.6v	47.4v	50.8v	49.8v	47.5v	49.7v	74.12v	101.11v	48.5v	75.9v	685.84v
66	Mr BA Young	A	73.10v	72.8v	50.6v	47.7v	49.7v	49.7v	47.4v	75.10v	100.10v	49.4v	74.9v	685.82v
67	Mr RE Ellis	A	74.9v	75.10v	47.2v	48.7v	50.6v	49.7v	48.5v	73.11v	102.10v	44.2v	75.11v	685.80v
68	Miss MZJ Boston	X	71.8v	73.8v	48.6v	46.4v	50.7v	49.3v	50.7v	75.9v	102.11v	49.8v	72.6v	685.77v
69	Mr EC Dickson	A	73.8v	70.7v	48.3v	48.4v	49.6v	50.8v	50.7v	74.8v	100.11v	49.6v	74.9v	685.77v
70	Mr JWE Lewis	X	73.9v	74.8v	48.3v	49.5v	49.5v	47.6v	49.7v	74.10v	102.11v	46.2v	74.9v	685.75v
71	Mr RA Jobson	O	75.9v	71.8v	45.0v	47.4v	50.4v	50.5v	47.5v	74.9v	102.13v	50.9v	74.8v	685.74v
72	Mr DE Nuthall	X	75.10v	72.6v	46.2v	46.4v	50.7v	50.4v	49.4v	73.11v	101.11v	48.5v	75.10v	685.74v
73	Mr AJ Luckman	X	73.7v	74.7v	50.6v	48.5v	49.6v	49.5v	50.7v	74.8v	101.11v	46.4v	71.8v	685.74v
74	Mrs LK Mace	X	74.9v	73.6v	49.7v	48.5v	49.7v	50.6v	46.5v	74.9v	102.11v	46.2v	74.5v	685.72v
75	Mr AW Lothian	X	74.8v	73.3v	48.3v	48.6v	48.6v	49.6v	49.4v	74.10v	101.11v	47.2v	74.11v	685.70v
76	Mr ACH Bryson	O	72.7v	72.4v	49.3v	47.3v	48.5v	49.7v	50.7v	75.11v	101.11v	49.4v	73.7v	685.69v
77	Mr PR Coley	A	75.10v	74.5v	50.4v	46.5v	50.4v	48.5v	48.4v	73.5v	100.7v	48.6v	73.10v	685.65v
78	Mr RK Betts	A	73.5v	75.9v	47.5v	48.6v	50.8v	49.5v	49.5v	73.8v	103.8v	47.1v	71.3v	685.63v
79	Major AR McLeod	X	71.8v	73.10v	47.6v	50.9v	50.10v	50.7v	50.8v	74.12v	99.9v	47.4v	73.8v	684.91v
80	Mr SE Frost	X	74.8v	73.9v	50.6v	49.5v	47.6v	48.6v	48.4v	74.11v	102.13v	46.5v	73.11v	684.84v
81	Mr CW Slator	A	70.4v	74.7v	49.7v	48.5v	46.4v	49.7v	49.7v	75.12v	102.10v	47.6v	75.14v	684.83v
82	Mr LM Peden	A	75.11v	73.9v	48.4v	48.3v	49.7v	49.8v	47.6v	74.8v	99.8v	49.5v	73.8v	684.77v
83	Lt Col AJW Sturrock	O	71.7v	73.10v	47.5v	49.4v	48.6v	48.5v	49.5v	74.9v	102.10v	48.4v	75.12v	684.77v
84	Mr NJ Branch	X	75.9v	72.4v	48.4v	45.4v	49.6v	49.5v	48.6v	74.9v	102.13v	47.5v	75.12v	684.77v
85	Mr DA Taylor	A	74.10v	70.7v	50.5v	49.4v	48.2v	49.8v	46.3v	75.13v	103.11v	46.2v	74.9v	684.74v
86	Mr RW Shaw	A	72.6v	74.7v	49.7v	48.5v	50.5v	49.7v	45.2v	75.14v	100.5v	47.4v	75.10v	684.72v
87	Mr NBS Logan	A	75.12v	73.4v	48.4v	48.7v	49.4v	49.4v	45.3v	73.8v	101.9v	50.7v	73.8v	684.70v
88	Mr PG Cann	X	75.9v	72.7v	47.5v	48.4v	49.5v	48.6v	50.5v	73.8v	101.9v	48.4v	73.6v	684.68v
89	Mr H Ball	A	74.11v	72.8v	46.1v	48.7v	50.8v	50.7v	47.5v	74.14v	101.10v	49.5v	72.10v	683.86v
90	Zulkeflee Hamsan	X	74.11v	72.11v	49.6v	47.4v	50.7v	49.7v	49.3v	75.12v	96.10v	49.4v	73.10v	683.85v
91	Mr AM Gent	O	71.6v	74.7v	47.2v	48.4v	50.9v	49.9v	44.2v	74.10v	102.13v	49.6v	75.11v	683.79v
92	Mr JP Tapster	X	72.6v	71.7v	49.5v	50.6v	49.6v	50.7v	45.6v	74.8v	103.14v	47.5v	73.8v	683.78v
93	Mr RBC Baker	A	73.11v	73.8v	47.4v	47.4v	48.6v	48.6v	49.3v	73.9v	103.14v	48.6v	74.6v	683.77v
94	Dr JR Deane	A	74.10v	73.7v	49.3v	46.4v	47.4v	48.4v	46.5v	75.13v	102.13v	49.5v	74.7v	683.75v
95	Dr AM Jory	X	73.7v	73.11v	48.4v	48.4v	50.6v	49.8v	49.3v	74.9v	99.13v	48.1v	72.9v	683.75v
96	Mr GMLN Gilpin	X	72.4v	73.10v	49.6v	49.6v	50.6v	49.7v	48.5v	73.6v	98.10v	49.6v	73.7v	683.73v
97	Mr ER Welford	A	75.7v	73.5v	47.5v	49.6v	48.5v	49.6v	47.4v	72.8v	102.12v	46.2v	75.13v	683.73v
98	Mr JRO Boyd	A	71.7v	74.7v	50.6v	47.4v	50.6v	49.7v	45.2v	75.10v	101.6v	46.4v	75.11v	683.70v
99	Ms SER Carlton	X	72.8v	73.10v	48.5v	48.4v	49.6v	47.3v	50.4v	75.7v	101.9v	48.5v	72.7v	683.68v
100	Mr WR Steward	O	75.7v	73.7v	50.5v	47.5v	47.4v	49.6v	48.3v	73.8v	99.10v	47.3v	75.9v	683.67v
101	Mr J Pugsley	X	74.10v	72.8v	48.5v	45.4v	49.8v	46.3v	48.6v	74.10v	104.15v	48.2v	74.11v	682.82v
102	Mr RC Oxford	O	73.10v	72.9v	50.8v	46.5v	49.6v	49.5v	49.7v	72.11v	101.10v	47.3v	74.7v	682.81v
103	Mr DC Dyson	X	73.7v	69.6v	49.6v	49.5v	49.7v	50.5v	45.2v	75.10v	103.16v	50.5v	70.7v	682.76v
104	Flt Lt KP Cressy	X	75.10v	72.9v	48.3v	47.5v	50.5v	48.4v	47.6v	74.10v	103.9v	44.4v	74.9v	682.74v
105	Mr R McQuillan	X	74.7v	73.8v	47.4v	48.6v	50.6v	49.6v	48.6v	75.11v	100.11v	50.3v	68.5v	682.73v
106	Mr H Sanders	A	73.7v	73.11v	48.6v	46.5v	50.7v	49.5v	47.3v	74.9v	101.7v	47.2v	74.11v	682.73v
107	Flt Lt IW Robertson	A	73.9v	72.9v	49.6v	46.1v	50.4v	49.7v	48.6v	74.8v	102.10v	48.4v	71.8v	682.72v
108	Mr J Payne	A	73.9v	72.7v	48.6v	50.8v	49.2v	48.4v	43.1v	72.8v	103.9v	50.6v	74.7v	682.67v
109	Mr TJ Roberts	O	74.9v	74.8v	45.3v	47.3v	50.6v	49.4v	46.4v	74.7v	100.7v	49.5v	74.9v	682.65v
110	Mr LC James	T	73.6v	73.9v	47.6v	49.3v	48.5v	49.4v	44.3v	75.11v	102.11v	47.2v	75.5v	682.65v
111	Mr P Lucey	A	73.9v	74.5v	48.4v	47.2v	49.5v	50.7v	46.3v	74.10v	102.10v	47.2v	72.5v	682.62v
112	Mr JAM Paton	X	72.9v	75.12v	43.7v	46.5v	50.7v	48.5v	48.4v	75.11v	101.11v	49.6v	74.13v	681.90v
113	Mr TM Green	X	69.6v	71.8v	49.4v	47.6v	49.6v	49.8v	49.9v	75.11v	103.13v	45.3v	75.11v	681.85v
114	Mr GA Cann	X	74.9v	73.9v	46.4v	48.7v	49.8v	49.5v	47.6v	74.11v	100.12v	49.4v	72.8v	681.83v
115	Mrs MM Norman	X	73.8v	71.6v	48.6v	44.3v	50.7v	49.4v	48.8v	74.12v	100.10v	49.7v	75.10v	681.81v
116	Mr DC Crispin	X	73.9v	73.5v	48.7v	47.4v	49.8v	47.6v	47.6v	74.9v	101.9v	49.5v	73.9v	681.77v
117	Mr MJ Barlow	X	72.8v	71.6v	47.5v	50.7v	50.7v	49.6v	49.4v	75.12v	103.6v	42.3v	73.10v	681.74v
118	Mr AF Powell	X	74.8v	70.3v	49.5v	49.6v	49.7v	47.6v	46.3v	75.12v	101.12v	47.3v	74.8v	681.73v
119	Prof AR Horrocks	X	74.9v	70.5v	49.6v	41.2v	49.5v	49.8v	48.6v	74.5v	103.6v	49.8v	75.12v	681.72v
120	Mr GK Alexander	A	71.6v	73.9v	47.4v	48.5v	48.5v	50.4v	50.9v	75.10v	100.10v	48.4v	71.6v	681.72v
121	Mr TAD Lilley	O	74.9v	72.8v	49.5v	48.4v	49.8v	48.5v	47.3v	73.11v	100.8v	47.4v	74.7v	681.72v
122	Mr R Birtwistle	A	73.7v	70.8v	48.8v	48.4v	50.5v	48.7v	46.1v	75.11v	103.12v	47.2v	73.7v	681.72v
123	Capt JRW Postle	A	75.8v	70.7v	46.4v	44.5v	49.4v	49.3v	50.3v	75.13v	103.14v	46.2v	74.9v	681.72v
124	Mrs CJ Clifford-Evans	O	74.10v	71.5v	49.6v	47.3v	50.8v	50.7v	48.6v	74.6v	97.7v	48.5v	73.7v	681.70v
125	Mr CS Lamont	X	74.9v	73.11v	47.4v	48.6v	49.6v	47.4v	49.4v	72.8v	102.7v	47.2v	73.8v	681.69v
126	Mr PJ Johnston	A	75.8v	71.6v	49.4v	46.3v	50.6v	47.5v	48.3v	75.9v	103.12v	45.4v	72.9v	681.69v
127	Mr R Kloosterman	A	73.8v	72.9v	45.3v	46.4v	49.8v	49.5v	50.4v	73.8v	102.9v	50.3v	72.6v	681.67v
128	Mr A Chown	A	75.10v	71.5v	48.5v	46.1v	49.7v	50.3v	48.4v	71.5v	99.6v	49.6v	75.13v	681.65v
129	Mr SNS Penrose	X	73.8v	74.8v	48.4v	45.1v	48.5v	46.3v	49.6v	74.8v	102.9v	49.7v	73.5v	681.64v
130	Mr RJ Hull	T	74.11v	74.9v	46.4v	48.4v	48.4v	47.4v	49.3v	73.8v	100.6v	48.2v	74.7v	681.62v

131	Ms LA Johnson	O	73.6v	73.5v	45.2v	48.5v	49.6v	48.4v	47.5v	75.11v	103.9v	45.3v	75.6v	681.62v
132	Mr SJ Whitby	A	72.7v	70.5v	49.3v	48.3v	48.6v	50.5v	47.4v	74.4v	102.10v	48.4v	73.10v	681.61v
133	Mr AS Fraser	O	73.7v	73.5v	49.5v	47.1v	48.4v	49.6v	49.6v	73.7v	99.8v	47.4v	74.8v	681.61v
134	Mr ND Stangroom	X	73.9v	69.6v	47.3v	50.5v	49.5v	49.4v	49.2v	73.6v	101.6v	48.5v	73.6v	681.57v
135	Mr RL Sampson	O	71.7v	74.10v	47.3v	47.4v	49.8v	49.7v	48.5v	73.10v	100.13v	48.7v	74.9v	680.83v
136	Mr SJ Bissonnette	X	74.10v	71.7v	50.7v	44.2v	50.8v	49.7v	49.5v	74.11v	101.7v	44.1v	74.13v	680.78v
137	Mr AD Hunter	X	75.11v	70.6v	48.1v	48.5v	50.7v	48.7v	47.3v	75.14v	105.11v	40.2v	74.10v	680.77v
138	Mr RG Faulkner	A	71.7v	75.8v	48.7v	48.3v	48.7v	48.6v	48.6v	73.9v	100.8v	48.5v	73.10v	680.76v
139	Mr LT Wicker	X	72.7v	73.6v	50.6v	48.4v	50.7v	48.7v	46.5v	73.8v	104.16v	44.1v	72.7v	680.74v
140	Mr KWD Ramsey	X	71.4v	71.6v	46.4v	48.5v	50.6v	49.9v	46.2v	74.10v	101.10v	49.6v	75.11v	680.73v
141	Mr A Burton	X	75.12v	72.7v	48.5v	47.5v	50.3v	48.2v	50.7v	73.11v	99.8v	44.3v	74.10v	680.73v
142	Mr RP Elvins	O	74.11v	74.11v	49.3v	47.4v	50.6v	48.6v	49.4v	70.7v	103.10v	45.3v	72.7v	680.72v
143	Mr C Cotillard	X	75.7v	73.9v	47.3v	49.6v	50.5v	48.4v	42.3v	74.13v	99.8v	49.3v	74.10v	680.71v
144	Mr CJ Morton	X	72.6v	71.7v	50.7v	47.5v	50.7v	50.8v	49.5v	75.12v	99.8v	47.4v	70.2v	680.71v
145	Mr JRJ Hinde	A	75.12v	70.8v	47.6v	46.3v	49.7v	48.5v	49.4v	74.7v	102.10v	47.2v	73.7v	680.71v
146	Mr R de V Chase	X	70.8v	72.3v	48.6v	48.5v	48.4v	47.5v	47.5v	73.9v	103.10v	50.6v	74.9v	680.70v
147	Mr JA Lindsay III	O	72.8v	69.5v	48.5v	48.4v	49.5v	48.5v	49.6v	72.10v	102.7v	48.7v	75.8v	680.70v
148	Mr JA Anderson	X	74.8v	72.8v	47.4v	49.6v	49.7v	49.7v	48.5v	74.8v	101.9v	46.3v	71.5v	680.70v
149	Mr CES Dickenson	X	75.5v	68.6v	49.7v	47.4v	50.6v	49.7v	48.3v	73.9v	103.10v	45.3v	73.9v	680.69v
150	Mr JA Haward	X	74.10v	73.10v	49.5v	46.2v	47.2v	49.3v	48.4v	74.8v	99.11v	49.4v	72.8v	680.67v
151	Mr S Robinson	A	73.8v	72.4v	48.4v	47.4v	50.7v	49.6v	47.6v	73.5v	99.7v	47.5v	75.10v	680.66v
152	Mr A Thomson	A	75.10v	73.7v	46.4v	49.3v	49.5v	45.2v	47.6v	73.9v	102.9v	47.4v	74.6v	680.65v
153	Mr KM Willingale	O	74.5v	72.4v	49.3v	48.5v	48.6v	50.6v	48.5v	70.9v	101.9v	48.5v	72.7v	680.64v
154	Cdt R Paquette	A	72.4v	70.8v	48.3v	49.4v	49.6v	48.4v	49.4v	72.8v	100.10v	48.5v	75.7v	680.63v
155	Mr TA Chapman	A	72.5v	71.6v	48.2v	49.5v	50.7v	50.5v	48.5v	71.7v	100.9v	48.4v	73.8v	680.63v
156	Mr KR Trowbridge	X	72.6v	72.7v	49.4v	49.2v	47.4v	48.3v	48.2v	74.11v	101.9v	47.6v	73.9v	680.63v
157	Mr DJ Gass	X	73.8v	71.8v	47.6v	49.5v	49.5v	47.4v	47.6v	75.10v	102.12v	45.2v	74.12v	679.78v
158	Mr ANR Walker	X	71.6v	70.4v	49.7v	47.3v	50.7v	50.8v	44.2v	74.13v	101.11v	48.5v	75.9v	679.75v
159	Miss RL Furniss	A	74.5v	69.8v	48.5v	47.4v	49.6v	49.5v	45.3v	75.11v	101.10v	48.3v	74.13v	679.73v
160	Mr JM Taylor	A	73.8v	71.6v	47.4v	47.4v	50.6v	47.5v	47.2v	74.9v	102.11v	47.5v	74.12v	679.72v
161	Mr JB Hull	O	73.8v	74.8v	48.3v	46.4v	49.7v	49.8v	48.3v	74.10v	100.12v	46.2v	72.7v	679.72v
162	Mr D Blake	O	71.7v	73.7v	47.5v	49.4v	50.2v	48.4v	47.6v	75.12v	104.10v	41.5v	74.10v	679.72v
163	Mr SC Postins	X	71.7v	71.9v	48.4v	50.5v	49.6v	48.7v	47.4v	75.7v	102.7v	44.3v	74.10v	679.69v
164	Dr SA Hebbes	O	73.8v	68.6v	49.6v	49.7v	50.8v	49.5v	47.4v	70.7v	100.8v	49.2v	75.7v	679.68v
165	Mr HL Hunter	O	75.10v	73.6v	46.6v	48.6v	48.4v	45.1v	48.3v	74.10v	102.9v	47.3v	73.10v	679.68v
166	Miss LV Rylands	A	72.9v	72.6v	48.2v	49.8v	49.4v	48.5v	48.3v	71.6v	102.12v	46.3v	74.10v	679.68v
167	Mr SJ Ryson	O	70.6v	72.6v	48.5v	44.3v	49.6v	48.7v	49.6v	75.11v	101.5v	49.6v	74.6v	679.67v
168	Cdt Sgt ER Johnson	X	73.7v	72.9v	48.5v	45.2v	50.4v	49.4v	49.4v	72.8v	102.11v	48.5v	71.8v	679.67v
169	Mr SH Cox	O	75.6v	69.5v	44.2v	49.4v	50.6v	49.7v	48.4v	73.10v	101.10v	47.4v	74.9v	679.67v
170	Mr P Westlake	X	74.6v	71.6v	49.6v	43.4v	50.4v	47.2v	48.4v	72.10v	103.11v	49.5v	73.8v	679.66v
171	Mr T Keen	O	73.10v	72.6v	47.3v	46.3v	47.6v	47.2v	48.4v	74.12v	101.9v	49.4v	75.7v	679.66v
172	Mr MJ MacKeith	X	72.8v	72.7v	47.4v	45.1v	49.6v	50.7v	48.2v	74.11v	103.10v	46.3v	73.6v	679.65v
173	Mr AI Brown	O	74.9v	70.7v	46.3v	47.1v	49.9v	49.5v	46.4v	72.5v	102.6v	49.5v	75.10v	679.64v
174	Mr AR Langley	X	72.8v	73.8v	47.4v	46.3v	49.4v	47.2v	45.3v	75.7v	103.8v	48.4v	74.12v	679.63v
175	Mr CR Aitken	A	73.9v	73.6v	47.2v	48.3v	49.8v	50.6v	47.4v	74.8v	98.8v	48.3v	72.5v	679.62v
176	Mr RJ Cade	O	75.7v	68.5v	46.4v	50.5v	47.5v	49.4v	49.4v	75.10v	100.7v	46.4v	74.7v	679.62v
177	SAC SDJ Glanville	T	73.7v	70.8v	48.2v	46.1v	49.4v	49.4v	48.4v	70.7v	105.10v	49.7v	72.7v	679.61v
178	Mr BV Bray	A	74.7v	71.3v	50.4v	45.4v	49.6v	49.9v	47.3v	74.3v	101.11v	46.4v	73.7v	679.61v
179	Mr ML Millar	X	74.10v	68.6v	47.5v	45.2v	49.6v	50.8v	48.5v	74.10v	102.14v	46.4v	75.11v	678.81v
180	Mr RCT Jeens	X	72.7v	74.9v	48.6v	43.3v	49.6v	49.6v	47.5v	74.10v	102.12v	46.4v	74.11v	678.79v
181	Mr KO Pugh	O	73.10v	73.8v	47.6v	48.7v	47.4v	46.2v	48.4v	74.14v	104.11v	47.2v	71.9v	678.77v
182	Mr MW Silver	X	74.12v	73.8v	50.7v	44.0v	50.8v	48.7v	48.5v	74.10v	99.8v	46.2v	72.8v	678.75v
183	Mr PS Gray	O	71.6v	71.8v	50.6v	46.4v	50.4v	47.4v	46.3v	73.7v	102.15v	49.6v	73.11v	678.74v
184	Mr J Clod	X	74.8v	71.9v	48.5v	47.2v	49.7v	49.6v	47.5v	75.11v	99.9v	49.2v	72.8v	678.72v
185	Mr DJ Tracey	A	71.8v	72.7v	48.2v	43.2v	50.7v	50.4v	49.6v	75.12v	101.12v	47.5v	72.7v	678.72v
186	Mr CP Weeden	X	71.8v	73.5v	48.4v	48.4v	49.8v	49.8v	47.6v	75.8v	97.9v	47.1v	74.11v	678.72v
187	Mr RJ Quay	A	74.7v	69.6v	47.4v	46.2v	47.3v	48.4v	50.4v	74.12v	103.13v	49.7v	71.9v	678.71v
188	Mr S Pearson	A	75.11v	73.9v	45.4v	48.6v	49.6v	49.4v	46.3v	73.6v	100.10v	47.4v	73.8v	678.71v
189	Mr ATB Tompson	X	74.8v	73.9v	49.7v	48.4v	49.8v	49.7v	45.3v	73.8v	101.9v	47.3v	70.5v	678.71v
190	Mr DGM Coleman	X	74.6v	75.8v	48.7v	46.3v	50.6v	49.8v	49.3v	70.9v	99.7v	45.3v	73.11v	678.71v
191	Cdt HP McCullough	T	71.11v	70.6v	47.5v	47.4v	50.7v	49.5v	46.4v	73.6v	104.9v	47.4v	74.9v	678.70v
192	Mr MJJ Charlton	X	72.8v	70.8v	48.5v	47.5v	48.5v	49.7v	46.2v	74.8v	104.10v	46.4v	74.8v	678.70v
193	Mr CC Mallett Jnr	X	74.6v	71.8v	45.4v	49.4v	49.5v	47.4v	48.6v	73.10v	101.9v	46.3v	75.10v	678.69v
194	Mr N Healy	X	69.3v	74.8v	49.6v	44.1v	49.5v	48.4v	48.3v	75.11v	100.12v	50.5v	72.9v	678.67v
195	Miss KAN Jack	X	71.8v	75.10v	47.4v	47.2v	50.6v	48.5v	47.4v	75.11v	97.8v	48.2v	73.7v	678.67v
196	Mr D Purcell	O	73.5v	71.5v	49.3v	45.3v	45.4v	50.8v	50.6v	71.7v	102.10v	47.4v	75.11v	678.66v
197	Dr AF Aspin	O	73.8v	72.5v	47.5v	48.4v	49.8v	50.6v	48.6v	73.6v	97.6v	47.4v	74.7v	678.65v
198	Mr CD Heales	A	71.5v	71.4v	47.3v	46.4v	50.6v	47.2v	49.6v	75.12v	102.11v	47.4v	73.8v	678.65v
199	Mr RSF Shouler	X	73.5v	74.7v	48.3v	45.1v	49.6v	47.5v	47.4v	72.7v	100.9v	49.5v	74.11v	678.63v
200	Miss IRJD Stevenson	O	75.10v	75.10v	48.6v	44.0v	50.5v	49.2v	47.5v	74.11v	100.6v	43.1v	73.7v	678.63v
201	Cdt PCA Slater	O	74.9v	70.8v	45.5v	47.5v	49.7v	48.7v	49.3v	75.10v	101.8v	45.4v	74.10v	677.76v
202	Mr SKC Hunter	O	75.11v	72.7v	47.3v	47.4v	48.4v	47.3v	48.6v	74.12v	100.9v	45.3v	74.12v	677.74v

203	Cdt E Vaillancourt	T	75.8v	70.9v	46.4v	49.4v	50.6v	48.5v	47.3v	75.8v	96.9v	47.4v	74.11v	677.71v
204	Mr SHJ Harley	A	71.7v	74.9v	49.6v	44.1v	48.4v	50.5v	47.5v	75.13v	100.7v	46.2v	73.11v	677.70v
205	Mr RAV Hebblethwaite	X	74.10v	73.9v	48.4v	45.4v	49.5v	49.5v	46.2v	75.10v	101.9v	44.3v	73.9v	677.70v
206	Mr MJM Black	A	71.8v	73.6v	49.5v	48.3v	49.3v	50.9v	43.2v	73.9v	100.10v	46.5v	75.9v	677.69v
207	Mr SME Hayton	O	69.4v	72.8v	43.3v	48.3v	50.9v	49.6v	46.1v	75.13v	102.12v	49.5v	74.4v	677.68v
208	CSM PM Lanigan	X	73.7v	69.6v	47.1v	47.5v	49.5v	49.9v	49.5v	75.12v	100.8v	47.3v	72.7v	677.68v
209	Mr C Mallett	X	73.8v	69.5v	47.5v	45.3v	49.5v	49.6v	49.3v	72.9v	102.12v	47.3v	75.9v	677.68v
210	Mr KB Hill	O	73.9v	70.7v	50.5v	44.3v	47.6v	49.5v	50.8v	73.4v	102.12v	45.2v	74.7v	677.68v
211	Mr AG Harrison	A	74.9v	70.7v	46.2v	48.5v	48.5v	50.5v	46.6v	75.9v	101.10v	45.2v	74.8v	677.68v
212	Zainal Abidin Md Zain	X	73.10v	72.5v	49.5v	46.0v	48.3v	49.8v	49.4v	73.11v	100.11v	46.2v	72.8v	677.67v
213	Mr AS Errey	A	74.11v	72.8v	47.6v	45.2v	49.7v	49.5v	49.2v	71.7v	99.7v	48.3v	74.8v	677.66v
214	Miss SG Adamson	O	70.5v	74.8v	48.4v	49.5v	49.5v	49.5v	48.6v	73.8v	99.6v	45.4v	73.8v	677.64v
215	Mr T Drysdale	O	72.6v	71.6v	47.5v	49.7v	49.6v	48.3v	47.6v	74.9v	101.8v	47.2v	72.5v	677.63v
216	Mr C Mitchell	O	72.5v	72.5v	48.5v	47.4v	50.5v	49.3v	47.4v	75.10v	102.10v	42.3v	73.9v	677.63v
217	Mr PJ Haines	O	70.6v	72.5v	47.3v	45.4v	50.5v	49.4v	48.4v	74.7v	100.9v	47.4v	75.10v	677.61v
218	Insp E Legei	X	73.6v	71.6v	48.3v	46.1v	50.5v	48.5v	45.4v	73.10v	103.8v	47.1v	73.9v	677.58v
219	Mr AJ Sims	X	69.8v	71.7v	44.5v	49.7v	49.4v	50.7v	46.4v	73.9v	102.9v	49.6v	74.12v	676.78v
220	Dr IT Matsumoto	O	70.7v	70.9v	47.3v	49.9v	49.4v	46.4v	45.1v	74.9v	102.11v	49.5v	75.12v	676.74v
221	Mr DJ Archer	A	72.8v	74.8v	48.5v	45.3v	45.4v	49.6v	47.2v	74.11v	99.11v	49.6v	74.7v	676.71v
222	Mr HJ Golaszewski	A	73.9v	67.5v	49.7v	48.6v	49.6v	50.5v	47.4v	74.10v	102.13v	47.1v	70.5v	676.71v
223	Maj P Mathenge	X	74.12v	72.6v	47.3v	47.5v	45.3v	47.4v	49.5v	73.11v	104.11v	46.1v	72.9v	676.70v
224	Mr JR Stirland	O	71.8v	70.9v	47.5v	49.4v	49.4v	49.4v	46.4v	74.11v	102.8v	47.5v	72.6v	676.68v
225	Flt Lt BN Roth	X	75.8v	72.5v	50.6v	46.6v	46.5v	50.6v	46.4v	75.11v	102.7v	44.3v	70.7v	676.68v
226	Mr MR Frost	O	74.6v	72.7v	43.2v	48.6v	49.6v	48.4v	49.5v	75.9v	100.11v	46.3v	72.8v	676.67v
227	Mrs A Tracey	A	74.8v	74.10v	44.0v	49.6v	50.6v	48.5v	44.2v	75.10v	99.5v	48.7v	71.6v	676.65v
228	Mr RI Nelson	A	74.10v	71.5v	45.1v	48.4v	50.5v	49.3v	47.5v	73.12v	100.8v	46.2v	73.10v	676.65v
229	Mr CA White	A	73.6v	71.4v	47.3v	46.2v	49.6v	48.5v	50.7v	72.8v	98.9v	47.1v	75.13v	676.64v
230	Mr RG Scott	O	73.8v	71.5v	47.5v	48.3v	47.3v	47.3v	48.6v	74.10v	102.12v	46.2v	73.7v	676.64v
231	Mr CD Atkins	O	72.2v	68.4v	47.3v	48.4v	49.6v	48.6v	48.4v	73.10v	103.10v	46.4v	74.10v	676.63v
232	Mr D Davies	X	71.7v	72.7v	47.1v	48.3v	50.9v	47.3v	46.5v	73.6v	100.10v	49.3v	73.8v	676.62v
233	Mr AJCB de Launay	O	72.7v	71.7v	49.6v	49.7v	48.2v	47.4v	48.2v	69.4v	102.13v	48.4v	73.6v	676.62v
234	Mr TL Bedwell	A	71.4v	72.7v	45.4v	50.6v	50.6v	49.6v	47.6v	70.5v	101.7v	47.2v	74.9v	676.62v
235	Mr GE Morris	X	69.6v	72.6v	46.1v	47.5v	49.5v	50.6v	50.3v	75.7v	103.11v	47.4v	68.7v	676.61v
236	Mr RJ Waters	X	73.6v	74.6v	47.3v	41.1v	50.7v	48.4v	48.3v	74.8v	101.13v	46.3v	74.7v	676.61v
237	Dr GP Nelson	A	75.10v	72.6v	48.6v	46.2v	49.8v	49.4v	46.3v	69.3v	100.7v	49.5v	73.6v	676.60v
238	Mr CBC Brook	O	73.7v	73.3v	45.4v	48.2v	48.3v	49.2v	45.4v	74.12v	100.9v	46.4v	75.10v	676.60v
239	Sgt O Ahmed	T	68.3v	71.7v	48.6v	47.4v	47.3v	48.3v	50.7v	72.8v	103.9v	50.2v	72.7v	676.59v
240	Mr D Rose	X	71.9v	72.4v	50.4v	46.4v	49.5v	47.1v	47.5v	74.13v	99.3v	47.3v	74.7v	676.58v
241	Mr MSE Firman	A	75.8v	73.3v	47.3v	42.1v	48.5v	49.6v	49.5v	74.8v	101.8v	45.1v	73.7v	676.55v
242	Mr JEM Bellringer	X	74.13v	68.7v	48.3v	44.5v	50.7v	48.6v	48.6v	72.9v	101.12v	47.3v	75.9v	675.80v
243	Mr MG Whicher	A	70.9v	73.10v	46.3v	47.5v	49.6v	49.4v	49.6v	73.12v	103.9v	44.4v	72.9v	675.77v
244	Mr JDI Hossack	A	74.11v	68.4v	47.4v	47.5v	49.9v	49.7v	50.8v	75.13v	101.6v	48.4v	67.5v	675.76v
245	Mr RA Hyndman	O	71.9v	69.5v	49.6v	47.2v	49.8v	48.7v	47.4v	71.5v	103.15v	48.4v	73.8v	675.73v
246	Mr DMJ Coutts	X	71.7v	70.8v	49.5v	49.8v	47.5v	50.2v	48.3v	74.10v	99.11v	45.3v	73.7v	675.69v
247	Mr A Lakhani	O	67.3v	74.9v	48.5v	44.3v	50.3v	49.6v	49.6v	72.10v	101.9v	49.5v	72.9v	675.68v
248	Miss HA Pugsley	T	74.9v	73.7v	48.4v	44.2v	50.8v	49.3v	49.6v	71.8v	101.11v	46.3v	70.7v	675.68v
249	Mr TP Hammond	A	74.11v	72.3v	46.3v	46.6v	50.6v	48.5v	46.2v	73.8v	101.10v	44.1v	75.13v	675.68v
250	Mr MJ Ensor	A	72.9v	71.7v	47.4v	48.6v	48.5v	50.7v	49.4v	73.5v	96.8v	46.3v	75.9v	675.67v
251	Mr GR Bowman	X	74.9v	69.6v	48.5v	49.4v	50.3v	49.6v	44.5v	74.10v	105.9v	41.2v	72.8v	675.67v
252	Mr CM Brooks	O	72.6v	71.6v	48.6v	44.3v	48.5v	48.3v	50.7v	74.9v	100.9v	46.4v	74.7v	675.65v
253	Mr AJ Haggerty	O	74.7v	70.3v	45.5v	48.6v	50.6v	49.6v	47.4v	73.8v	100.8v	45.1v	74.11v	675.65v
254	Mr RA Dix	X	71.6v	73.9v	48.6v	46.3v	46.2v	49.7v	48.4v	72.7v	101.8v	48.4v	73.6v	675.62v
255	Dr MW Wrigley	A	72.5v	72.10v	48.5v	46.3v	48.3v	50.7v	46.2v	75.9v	101.9v	46.3v	71.6v	675.62v
256	Mr AN Tongue	O	70.5v	73.5v	47.5v	48.5v	50.5v	47.3v	48.2v	71.7v	102.11v	48.6v	71.7v	675.61v
257	Cdt V Carter	O	74.9v	72.7v	46.4v	44.1v	50.6v	50.4v	44.2v	73.9v	100.11v	47.2v	75.6v	675.61v
258	Mr DF Williams	O	71.7v	70.6v	49.5v	45.3v	50.4v	49.4v	49.3v	74.8v	100.9v	45.3v	73.9v	675.61v
259	Mr A Leech	O	72.7v	72.7v	48.2v	47.3v	48.5v	49.5v	45.4v	72.7v	103.10v	46.2v	73.7v	675.59v
260	Mr MG Reid	A	72.9v	73.7v	48.3v	46.2v	50.2v	49.4v	47.2v	72.10v	100.9v	45.5v	73.6v	675.59v
261	Mr ADE Grounds	X	75.8v	72.4v	47.3v	45.1v	49.5v	48.0v	50.6v	73.9v	98.9v	47.6v	71.5v	675.56v
262	Miss EJ Nuttall	X	72.7v	74.10v	50.7v	46.5v	50.9v	49.7v	41.1v	74.13v	99.9v	46.6v	73.9v	674.83v
263	Mr A Marion	X	72.9v	74.9v	48.6v	46.6v	47.5v	49.6v	49.7v	72.7v	100.6v	48.6v	69.7v	674.74v
264	Mr E McConnell	O	74.11v	73.9v	46.3v	48.6v	49.7v	45.3v	46.4v	74.11v	100.11v	48.4v	71.5v	674.74v
265	Mr CT Leyden	O	73.8v	69.6v	46.5v	42.1v	50.7v	50.4v	48.5v	75.11v	100.12v	47.3v	74.12v	674.74v
266	Mr RM Hatcher	X	71.5v	72.8v	48.6v	48.4v	49.4v	48.7v	47.5v	73.8v	100.13v	50.8v	68.5v	674.73v
267	Eur Ing CA Painting	X	70.4v	70.5v	48.6v	50.6v	49.6v	49.7v	46.2v	73.12v	100.12v	44.1v	75.8v	674.69v
268	Mr SFD Dash	O	70.3v	70.4v	49.7v	46.5v	45.4v	49.6v	48.3v	73.12v	104.10v	45.4v	75.10v	674.68v
269	Mr SL Larter-Whitcher	O	71.8v	71.7v	46.2v	50.7v	50.8v	47.3v	47.6v	73.10v	100.10v	45.2v	74.5v	674.68v
270	Dr PR Wheeler	O	72.9v	71.5v	46.5v	48.3v	48.6v	48.7v	46.2v	73.7v	103.11v	47.3v	72.7v	674.65v
271	Dr JC Jobling	O	74.9v	72.9v	48.4v	42.4v	49.4v	49.3v	49.3v	74.9v	98.8v	45.3v	74.9v	674.65v
272	Mr WJ Rowland	A	72.6v	73.9v	46.3v	48.4v	49.6v	49.4v	48.3v	71.6v	99.11v	45.2v	74.11v	674.65v
273	Miss TJ Fitzsimons	A	73.8v	71.5v	49.3v	44.5v	48.5v	48.5v	49.6v	74.8v	97.8v	47.3v	74.8v	674.64v
274	Mr NP Haley	O	71.5v	72.9v	47.3v	48.6v	47.3v	47.5v	47.1v	73.8v	100.9v	49.3v	73.11v	674.63v

275	Mr RI Coventry	O	73.5v	70.9v	46.3v	46.2v	50.9v	49.7v	48.4v	73.7v	99.7v	47.4v	73.6v	674.63v
276	Mr WBP Hutton	T	72.7v	71.6v	48.5v	45.2v	48.4v	47.5v	50.3v	73.8v	100.14v	47.3v	73.5v	674.62v
277	Mr IRM Brown	A	73.9v	71.6v	46.4v	46.4v	49.5v	48.5v	50.5v	72.9v	100.6v	47.1v	72.8v	674.62v
278	Mr JA Borland	O	73.5v	73.5v	49.5v	44.3v	50.8v	49.7v	47.3v	72.8v	102.11v	44.2v	71.5v	674.62v
279	Miss GC O'Leary	X	71.7v	70.6v	47.5v	50.6v	50.7v	48.4v	49.4v	69.5v	100.8v	49.2v	71.6v	674.60v
280	Cdt GWD Davies	A	73.8v	74.7v	48.5v	42.1v	48.3v	50.5v	48.3v	75.9v	98.8v	46.3v	72.7v	674.59v
281	S Otundo	X	70.7v	72.5v	47.4v	46.3v	48.4v	46.4v	46.3v	75.4v	101.11v	48.3v	75.10v	674.58v
282	Cpl A Godliman	O	73.8v	71.5v	47.4v	46.3v	48.4v	50.7v	47.4v	73.9v	99.3v	46.3v	74.7v	674.57v
283	Mr NJ Burnip	X	71.4v	72.4v	49.6v	48.2v	48.5v	50.5v	48.6v	73.5v	99.7v	48.5v	68.5v	674.54v
284	Mr JW Alexander	O	72.4v	71.8v	49.4v	44.4v	50.6v	48.3v	50.4v	73.10v	100.4v	47.4v	70.3v	674.54v
285	Mr NH Burton	X	73.7v	71.6v	49.3v	46.1v	47.4v	49.4v	49.4v	73.6v	101.9v	46.5v	70.5v	674.54v
286	Mr P De Voil	A	75.5v	72.9v	46.3v	48.5v	47.2v	50.6v	46.4v	73.3v	98.6v	48.4v	71.6v	674.53v
287	Mr S Belither	X	73.11v	71.8v	47.5v	47.6v	50.6v	47.3v	43.2v	74.13v	100.10v	47.6v	74.9v	673.79v
288	Mr TJD Raincock	X	73.10v	73.11v	47.3v	47.5v	49.5v	48.6v	48.6v	73.11v	95.7v	45.0v	75.13v	673.77v
289	Cdt GJF Ogden	A	75.8v	67.4v	49.7v	46.5v	50.8v	49.8v	47.5v	73.8v	98.9v	46.2v	73.8v	673.72v
290	Mr NT Davies	O	70.8v	73.5v	48.6v	47.7v	49.5v	47.6v	46.5v	72.7v	97.7v	50.5v	74.9v	673.70v
291	Mr JF Jackman	O	75.12v	71.6v	43.3v	47.0v	49.6v	50.9v	47.3v	73.8v	98.11v	46.3v	74.7v	673.68v
292	Sgt SG Rose	A	69.2v	71.6v	46.4v	46.6v	49.4v	48.4v	48.6v	75.10v	103.17v	44.1v	74.8v	673.68v
293	Mr EM Brice	O	72.7v	69.5v	46.5v	48.3v	48.4v	49.8v	44.0v	73.8v	102.13v	49.4v	73.10v	673.67v
294	Mr SJ East	X	67.5v	73.7v	48.6v	49.5v	49.9v	44.4v	47.3v	74.6v	100.10v	48.3v	74.9v	673.67v
295	Mr PR Bain	X	74.12v	68.5v	46.3v	48.6v	50.4v	50.8v	44.2v	74.7v	101.7v	45.2v	73.11v	673.67v
296	Mr AF Downer	O	71.8v	71.6v	47.1v	49.6v	48.6v	50.6v	47.4v	73.6v	98.10v	45.2v	74.10v	673.65v
297	Mr MT Phipps	O	74.8v	69.6v	46.3v	48.1v	49.8v	49.5v	46.2v	72.8v	102.11v	46.4v	72.8v	673.64v
298	Miss SV Kent	X	73.10v	72.9v	46.3v	47.5v	49.6v	48.2v	47.3v	72.6v	101.6v	46.3v	72.7v	673.60v
299	Mr MF Martel	X	68.5v	73.7v	46.4v	49.4v	49.3v	50.5v	50.5v	75.11v	97.9v	45.3v	71.4v	673.60v
300	Ms BM Moore	O	71.4v	71.5v	48.4v	49.5v	46.2v	48.3v	46.6v	72.8v	102.9v	47.4v	73.9v	673.59v
301	Mr MP Watkins	O	72.6v	73.11v	45.2v	47.1v	47.4v	48.2v	50.4v	73.10v	100.11v	45.2v	73.5v	673.58v
302	Mr MR Fugeman	X	74.9v	70.7v	46.3v	45.1v	49.4v	50.5v	46.1v	73.8v	99.7v	46.4v	75.6v	673.55v
303	Mr DJF Rees	X	72.10v	70.6v	45.3v	48.4v	49.7v	49.5v	48.6v	73.10v	103.14v	41.3v	74.10v	672.78v
304	Mr WH Putter	O	74.9v	69.6v	47.1v	45.5v	47.4v	47.6v	47.5v	74.12v	101.11v	47.6v	74.10v	672.75v
305	Dr CI Johnston	A	75.7v	72.9v	48.5v	41.3v	49.5v	49.8v	45.3v	75.11v	102.12v	43.3v	73.8v	672.74v
306	Mr JC Evans	O	72.7v	72.8v	47.5v	49.7v	48.7v	48.7v	49.4v	72.6v	96.6v	47.2v	72.8v	672.67v
307	Miss CJ Dee	O	74.6v	65.4v	45.4v	48.6v	48.6v	50.6v	48.3v	74.8v	99.8v	49.5v	72.9v	672.65v
308	Mr WLL Lewis	A	74.7v	74.5v	46.3v	45.5v	49.7v	47.5v	43.3v	72.7v	101.9v	47.3v	74.9v	672.63v
309	Dr JS Rennie	A	70.7v	72.6v	44.3v	48.5v	49.2v	48.3v	48.5v	75.9v	101.10v	46.5v	71.8v	672.63v
310	Mr SD Spinney	X	73.7v	71.5v	49.2v	44.3v	50.10v	48.5v	44.4v	74.10v	100.6v	44.2v	75.9v	672.63v
311	Mr AGM Fyfe	O	74.10v	72.8v	49.4v	46.5v	50.8v	48.4v	43.1v	72.5v	96.6v	48.5v	74.6v	672.62v
312	Mr M Liversage	O	73.8v	72.3v	48.3v	48.3v	48.4v	44.2v	48.5v	70.7v	102.15v	45.3v	74.9v	672.62v
313	Mr C Griffin	A	72.8v	66.2v	46.2v	49.6v	48.4v	47.7v	50.6v	73.9v	102.4v	44.3v	75.11v	672.62v
314	Dr KW Genders	O	73.9v	72.9v	48.3v	48.6v	48.4v	50.6v	48.3v	74.5v	97.8v	41.0v	73.9v	672.62v
315	Miss TD Duhre	A	73.9v	68.6v	46.3v	46.3v	49.6v	49.5v	46.2v	72.2v	101.12v	49.6v	73.7v	672.61v
316	Mr KG Ellett	O	73.8v	71.5v	45.1v	47.6v	50.7v	48.4v	49.5v	70.6v	99.8v	47.5v	73.6v	672.61v
317	Mr G Harris	X	72.12v	69.6v	49.4v	45.2v	50.6v	47.2v	47.5v	71.4v	104.7v	45.5v	73.8v	672.61v
318	Mr OC Collas	T	71.8v	70.3v	47.4v	47.4v	49.1v	50.5v	45.5v	70.8v	102.8v	46.2v	75.11v	672.59v
319	Mr G Trembath	A	72.8v	69.4v	48.5v	47.5v	49.3v	46.2v	48.3v	73.6v	101.9v	48.4v	71.9v	672.58v
320	Mr RA Mullin	X	70.7v	72.4v	48.5v	48.3v	48.5v	48.4v	47.3v	75.11v	99.6v	47.2v	70.8v	672.58v
321	Mr RHG Riley	O	71.3v	74.11v	46.4v	50.3v	49.5v	45.5v	48.1v	72.6v	97.6v	46.5v	74.7v	672.56v
322	Mr J Dugas	X	73.4v	67.3v	48.5v	48.0v	49.5v	48.6v	47.4v	71.4v	102.10v	47.5v	72.6v	672.52v
323	Mr APW Daw	A	73.2v	73.7v	45.1v	47.5v	46.3v	47.5v	49.4v	74.8v	98.7v	49.5v	71.3v	672.50v
324	Mr HA Day	X	74.7v	72.8v	46.3v	45.5v	50.10v	47.3v	46.4v	73.8v	101.12v	44.4v	73.9v	671.73v
325	Mr BJ Page	A	75.14v	74.9v	44.5v	40.3v	49.6v	48.5v	49.5v	71.6v	103.8v	46.2v	72.8v	671.71v
326	LCpl WJD Broad	O	73.12v	73.5v	47.5v	47.5v	49.4v	50.6v	44.2v	75.12v	99.9v	41.2v	73.9v	671.71v
327	Mr SC Williamson	X	72.9v	72.8v	47.4v	44.2v	48.4v	47.4v	48.5v	72.8v	101.14v	48.3v	72.9v	671.70v
328	Mr MJ Wood	A	74.8v	70.6v	47.3v	46.2v	49.6v	50.5v	42.2v	75.10v	101.11v	42.3v	75.12v	671.68v
329	Mr ES Compton	X	71.6v	70.6v	46.3v	46.1v	48.6v	50.6v	45.6v	73.9v	102.10v	47.3v	73.10v	671.66v
330	Mr JEC Branch	T	74.13v	72.7v	45.2v	45.4v	47.1v	49.7v	47.6v	73.6v	101.11v	47.2v	71.7v	671.66v
331	Mr SD Shouler	X	73.11v	70.7v	47.3v	45.2v	45.5v	48.3v	44.2v	73.9v	103.12v	49.5v	74.6v	671.65v
332	Mr PR Thompson	O	74.9v	73.6v	45.2v	44.4v	48.5v	48.5v	47.4v	75.10v	99.9v	44.2v	74.9v	671.65v
333	Mr RH Gardiner	O	70.5v	70.4v	45.3v	46.2v	49.7v	48.7v	49.5v	74.9v	100.11v	47.3v	73.8v	671.64v
334	Mr S Harding	X	72.5v	69.4v	48.6v	44.4v	48.3v	48.5v	45.1v	74.9v	100.9v	49.6v	74.11v	671.63v
335	Mr TP Clarke	X	75.11v	75.6v	46.4v	49.5v	49.7v	50.4v	41.3v	72.5v	96.4v	44.2v	74.8v	671.59v
336	Cpl PI Perry	O	67.4v	74.6v	49.4v	43.4v	49.5v	49.4v	48.5v	75.8v	100.5v	46.2v	71.10v	671.57v
337	Tpr G Jarret	O	70.2v	72.7v	45.2v	46.3v	47.6v	50.6v	47.3v	75.8v	101.10v	46.2v	72.6v	671.55v
338	Mr RJ Booth	X	73.7v	66.3v	49.5v	46.3v	49.6v	49.4v	48.5v	73.5v	99.6v	44.0v	75.11v	671.55v
339	Miss HL Landrum	O	69.6v	74.7v	48.3v	47.3v	47.5v	49.5v	48.4v	72.5v	100.9v	45.1v	72.5v	671.53v
340	Mr M Persaud	O	73.6v	71.0v	47.3v	45.3v	48.6v	50.5v	49.3v	72.8v	101.9v	45.3v	70.6v	671.52v
341	Mr AJK Knight	T	73.10v	70.4v	48.1v	49.2v	49.5v	47.1v	44.2v	71.6v	100.10v	47.2v	73.7v	671.50v
342	Mr B Jones	A	74.10v	71.7v	49.7v	47.3v	48.5v	47.4v	49.5v	72.9v	100.10v	39.0v	74.11v	670.71v
343	Mr WDH Burden	X	69.7v	74.10v	49.6v	45.4v	48.5v	50.5v	46.2v	74.12v	99.9v	44.3v	72.6v	670.69v
344	Mr MR Cosway	A	75.8v	69.6v	47.4v	48.4v	50.5v	43.3v	44.3v	70.7v	102.11v	48.4v	74.10v	670.65v
345	Mr D Lowe	O	74.10v	71.9v	48.5v	47.3v	48.2v	48.5v	46.4v	69.6v	99.10v	48.3v	72.8v	670.65v
346	Mr JF Lawrie	A	73.10v	73.9v	47.4v	43.2v	49.5v	48.5v	49.3v	72.6v	99.9v	44.3v	73.9v	670.65v

347	Mr TH Emck	O	70.6v	71.6v	48.4v	48.4v	49.8v	48.6v	45.3v	73.7v	99.7v	47.3v	72.9v	670.63v
348	Mr PJ Chance	X	71.5v	70.7v	48.3v	49.4v	48.6v	46.2v	45.4v	73.8v	99.9v	47.5v	74.9v	670.62v
349	Mr RF Barrington	A	70.5v	71.9v	49.6v	47.4v	47.3v	48.6v	49.2v	71.6v	103.10v	45.4v	70.6v	670.61v
350	Mr PJS Bysshe	A	71.4v	71.8v	49.5v	42.4v	48.4v	50.5v	47.3v	73.6v	100.9v	48.6v	71.5v	670.59v
351	Insp G Muturi	X	73.9v	68.5v	47.1v	46.4v	48.7v	48.5v	48.4v	73.8v	101.10v	45.0v	73.6v	670.59v
352	WO2 M Carberry	O	72.6v	72.6v	48.5v	47.4v	48.4v	49.2v	49.5v	72.9v	96.8v	43.2v	74.8v	670.59v
353	Mr JST Turley	O	73.6v	75.5v	47.4v	45.2v	48.6v	49.4v	45.3v	74.10v	97.6v	45.4v	72.8v	670.58v
354	Mr MD Joyce	O	73.3v	68.7v	46.3v	46.4v	48.4v	49.5v	48.5v	75.10v	101.11v	45.0v	71.6v	670.58v
355	Mr B Hirst	O	71.5v	72.5v	45.2v	46.2v	50.7v	46.2v	47.4v	74.9v	100.10v	45.5v	74.6v	670.57v
356	Mr MJ Brister	A	72.7v	70.5v	48.3v	46.1v	48.6v	49.4v	48.4v	70.6v	101.11v	44.0v	74.10v	670.57v
357	Mr KG Firth	O	72.5v	70.5v	48.6v	47.4v	45.1v	49.5v	48.6v	72.3v	98.6v	46.2v	75.9v	670.52v
358	Mr TEO Richards	O	73.7v	68.5v	49.4v	48.2v	48.4v	46.1v	47.1v	70.7v	100.11v	49.3v	72.4v	670.49v
359	Mr RW Large	O	74.6v	73.4v	48.3v	48.3v	48.5v	44.3v	42.2v	74.6v	97.7v	48.3v	74.7v	670.49v
360	Mr ARN Kinross	A	69.1v	68.4v	46.4v	49.2v	49.5v	49.5v	47.3v	72.4v	100.10v	47.2v	74.8v	670.48v
361	Mr MR Ebbetts	O	67.6v	73.4v	49.5v	47.2v	50.3v	48.2v	46.3v	75.7v	95.2v	47.4v	73.9v	670.47v
362	Mr JCF Marshall	O	71.8v	73.6v	47.4v	44.4v	49.7v	49.5v	47.4v	71.11v	98.6v	48.5v	72.9v	669.69v
363	Mr RN Stebbings	O	75.12v	72.6v	46.6v	47.7v	49.6v	47.3v	46.3v	74.9v	101.10v	41.0v	71.5v	669.67v
364	Mr CJ Watson	X	72.9v	68.4v	46.3v	49.2v	50.7v	49.7v	45.2v	74.10v	104.14v	42.2v	70.6v	669.66v
365	Cdt CJF Rivett-Carnac	O	71.5v	74.10v	47.6v	46.1v	47.4v	48.7v	47.5v	72.8v	97.8v	47.3v	73.8v	669.65v
366	TP Wharram	A	71.7v	71.9v	46.4v	46.5v	47.5v	48.3v	47.3v	72.8v	102.9v	48.5v	71.6v	669.64v
367	Dr SL Rosling	O	73.9v	73.6v	45.3v	47.7v	50.8v	46.3v	47.3v	71.6v	100.8v	45.3v	72.8v	669.64v
368	Mr R Cole	O	67.4v	70.5v	48.3v	48.3v	47.2v	47.6v	45.3v	74.8v	101.11v	48.7v	74.11v	669.63v
369	Mr DW Baker	X	73.7v	72.4v	47.3v	48.3v	49.7v	50.5v	36.2v	71.9v	104.9v	45.4v	74.10v	669.63v
370	Flt Lt NP Moxon	A	74.8v	73.8v	45.3v	46.2v	50.8v	46.3v	48.4v	70.7v	101.9v	47.4v	69.6v	669.62v
371	Mr DH Allen	O	72.7v	72.8v	50.9v	44.1v	48.2v	49.5v	49.5v	68.8v	97.7v	46.3v	74.7v	669.62v
372	Cdt FX Cluche	T	72.6v	71.9v	47.2v	49.3v	49.6v	47.6v	46.2v	70.6v	100.9v	47.5v	71.7v	669.61v
373	Miss CE Huxter	O	70.6v	69.4v	47.2v	47.5v	46.4v	49.8v	48.5v	74.7v	100.10v	47.4v	72.6v	669.61v
374	Mr JI Jobson	O	71.7v	68.5v	47.3v	46.3v	47.5v	50.4v	46.5v	74.11v	100.7v	48.4v	72.6v	669.60v
375	Mr JIB Halahan	A	71.8v	73.6v	47.2v	48.4v	48.5v	46.2v	47.4v	72.8v	102.10v	42.2v	73.9v	669.60v
376	Mr B Taylor	X	71.6v	71.5v	48.4v	45.3v	48.6v	48.4v	49.5v	71.6v	99.10v	48.4v	71.6v	669.59v
377	Mr SW Cullinan	X	73.8v	74.7v	48.2v	43.2v	49.3v	50.6v	46.3v	72.9v	100.10v	44.3v	70.6v	669.59v
378	Cdt Sgt MJ Purdy	O	71.7v	71.4v	47.5v	45.4v	49.6v	48.6v	47.3v	75.9v	100.8v	43.0v	73.7v	669.59v
379	Mr CL Leighton	O	71.5v	70.5v	46.6v	48.4v	48.2v	48.7v	44.4v	71.7v	103.9v	48.3v	72.6v	669.58v
380	Mr FJT Puckle Hobbs	O	73.10v	71.5v	47.3v	43.3v	48.4v	47.4v	46.2v	75.8v	98.5v	47.4v	74.9v	669.57v
381	Mr RCQ Martin	A	71.8v	70.5v	45.1v	47.4v	48.3v	48.5v	49.2v	73.9v	101.11v	43.1v	74.8v	669.57v
382	Mr PB Cutts	O	72.6v	73.7v	48.4v	45.4v	50.5v	45.2v	41.3v	74.5v	101.9v	46.3v	74.8v	669.56v
383	Mr JE White	A	71.5v	69.5v	49.5v	44.1v	49.7v	47.3v	48.4v	73.6v	97.7v	48.4v	74.7v	669.54v
384	Mr M Stewart	O	72.4v	70.3v	49.5v	49.4v	48.5v	50.6v	49.4v	72.7v	98.8v	39.1v	73.6v	669.53v
385	Mrs FK Day	O	71.5v	72.8v	47.2v	48.6v	48.4v	48.4v	49.4v	72.8v	97.5v	47.2v	70.4v	669.52v
386	Mr ISL Dampney	X	69.4v	71.6v	48.5v	44.2v	49.4v	49.4v	47.2v	73.5v	104.10v	42.0v	73.6v	669.48v
387	Mr RW Hallows	O	74.8v	71.7v	45.1v	49.6v	49.6v	48.8v	46.4v	74.8v	99.12v	46.3v	67.6v	668.69v
388	Mr J Howard Davies	O	69.4v	70.6v	46.3v	46.5v	50.7v	48.6v	48.4v	72.8v	101.11v	44.3v	74.10v	668.67v
389	Mr S Glen	X	70.6v	71.8v	49.5v	45.2v	48.4v	46.5v	45.3v	73.9v	101.11v	47.0v	73.9v	668.62v
390	Miss S Williams	O	75.9v	70.4v	47.4v	48.2v	48.5v	50.5v	49.6v	75.12v	90.4v	44.1v	72.10v	668.62v
391	Mr RK Sheead	A	70.7v	71.7v	47.5v	46.5v	48.4v	49.4v	48.5v	71.8v	102.10v	44.1v	72.6v	668.62v
392	Mr AC Haley	A	73.9v	68.4v	46.3v	44.2v	48.4v	48.3v	47.4v	74.11v	101.9v	49.5v	70.7v	668.61v
393	Mr CS Milton	T	75.8v	71.8v	46.3v	47.2v	48.4v	49.5v	48.5v	72.8v	97.10v	43.3v	72.5v	668.61v
394	Mr MJL Lidgitt	T	73.9v	71.6v	43.3v	45.3v	50.6v	50.3v	47.3v	74.6v	99.8v	42.2v	74.8v	668.57v
395	Mr G Wright	A	67.4v	69.5v	47.3v	48.3v	49.5v	47.5v	48.2v	73.6v	100.11v	48.4v	72.8v	668.56v
396	Mr T Bulmer	T	73.8v	71.7v	47.2v	47.3v	48.6v	49.5v	46.1v	74.7v	99.9v	44.1v	70.7v	668.56v
397	Mr PS Holmes	O	72.7v	71.6v	45.4v	46.1v	47.3v	47.3v	47.1v	73.9v	100.6v	45.4v	75.11v	668.55v
398	Mr NC Granger	O	74.7v	69.3v	49.5v	43.1v	49.2v	48.5v	48.5v	73.10v	101.9v	42.1v	72.7v	668.55v
399	Miss JE Ouston	O	71.9v	73.6v	50.7v	42.2v	48.4v	49.4v	44.3v	74.6v	100.6v	48.2v	69.5v	668.54v
400	Cdt AC Brooker	T	69.5v	72.9v	47.4v	48.4v	48.5v	48.2v	50.3v	73.7v	96.7v	47.3v	70.5v	668.54v
401	Mr HWR Gilbert	O	72.7v	68.3v	48.2v	47.4v	48.5v	48.5v	47.2v	70.5v	102.9v	45.1v	73.11v	668.54v
402	Mr AJC Wilson	A	70.3v	68.4v	50.5v	48.3v	46.1v	48.3v	46.4v	72.7v	100.9v	47.5v	73.7v	668.51v
403	Mr W Hooper	O	67.3v	69.1v	47.3v	48.2v	49.4v	45.3v	47.1v	75.5v	99.10v	48.4v	74.10v	668.46v
404	Mr M Millar	O	73.9v	70.8v	48.4v	45.2v	50.7v	45.3v	41.1v	74.10v	100.12v	47.4v	74.11v	667.71v
405	Mr GW Robinson	O	70.8v	69.4v	45.3v	45.2v	48.3v	48.4v	48.6v	73.9v	98.10v	48.6v	75.8v	667.63v
406	Miss DL Fenn	O	72.8v	71.6v	50.5v	46.3v	50.8v	48.5v	44.3v	75.8v	95.6v	47.4v	69.7v	667.63v
407	Mr AG Mitchell	A	71.7v	69.8v	46.5v	46.3v	49.5v	48.4v	49.4v	73.5v	96.6v	45.3v	75.12v	667.62v
408	Miss HM Taylor	O	66.5v	71.3v	44.4v	48.3v	47.3v	46.3v	47.3v	72.9v	102.10v	49.5v	75.12v	667.60v
409	Mr JA Dallas	O	68.7v	73.6v	50.5v	46.3v	48.5v	48.5v	48.4v	72.10v	94.5v	48.4v	72.6v	667.60v
410	Cdt L/Cpl HAD Howard	T	72.6v	69.4v	45.2v	50.3v	49.5v	49.6v	46.4v	75.10v	98.9v	43.1v	71.10v	667.60v
411	Mr GC Childs	X	72.6v	70.7v	46.3v	46.5v	50.3v	48.5v	47.2v	74.9v	98.7v	43.4v	73.7v	667.58v
412	Miss AL Kent	O	74.8v	69.6v	47.6v	46.3v	47.2v	48.4v	49.1v	72.8v	98.7v	44.3v	73.8v	667.56v
413	Mr DJD Dick	T	70.5v	71.7v	48.7v	46.3v	46.1v	49.3v	47.3v	72.7v	99.8v	46.3v	73.7v	667.54v
414	Mr IF Luckman	O	71.5v	72.5v	49.5v	40.1v	50.4v	46.2v	46.3v	74.11v	102.10v	45.1v	72.7v	667.54v
415	Mr TJ Brooking	A	70.4v	69.4v	48.4v	47.5v	47.4v	48.5v	48.4v	74.9v	98.6v	47.4v	71.4v	667.53v
416	Mr HRM Bailie	A	72.5v	72.5v	46.3v	49.4v	49.3v	49.4v	44.3v	72.7v	97.7v	43.1v	74.5v	667.47v
417	Mr RW McVeigh	O	75.9v	68.5v	49.8v	48.3v	48.4v	49.6v	44.3v	74.11v	97.10v	43.4v	71.6v	666.69v
418	Mr JD Ward	A	70.6v	73.9v	47.6v	47.5v	46.7v	45.4v	47.4v	73.7v	99.9v	44.0v	75.8v	666.65v

419	Mr G French	O	72.7v	70.7v	47.3v	45.5v	47.3v	48.2v	48.6v	73.11v	98.7v	47.5v	71.6v	666.62v
420	Mr DJ Painting	A	73.9v	70.5v	48.4v	45.4v	48.4v	49.7v	46.1v	70.6v	99.10v	48.5v	70.5v	666.60v
421	Mr PA Kelly	O	71.5v	71.9v	42.2v	48.4v	48.6v	46.5v	48.4v	73.9v	101.8v	45.2v	73.6v	666.60v
422	Cdt CGD Dickson	T	73.7v	72.7v	47.4v	43.3v	46.5v	47.3v	47.5v	75.7v	100.10v	45.0v	71.8v	666.59v
423	Miss NJS Sarafilovic	A	73.9v	72.9v	46.2v	46.3v	49.6v	48.6v	49.7v	70.5v	99.7v	44.3v	70.2v	666.59v
424	Mr AJD Saunders	O	72.4v	73.8v	48.6v	44.3v	46.2v	48.3v	48.4v	70.7v	102.8v	47.6v	68.7v	666.58v
425	Mr J Purdy	O	72.8v	71.7v	46.6v	47.1v	46.3v	49.4v	43.1v	71.7v	99.9v	47.4v	75.7v	666.57v
426	Mr RA Welford	O	70.7v	70.4v	46.2v	43.2v	50.6v	50.5v	48.4v	73.5v	100.10v	45.4v	71.7v	666.56v
427	Miss HA Foster	X	74.9v	66.3v	46.1v	48.6v	48.5v	48.5v	48.3v	72.6v	99.7v	46.3v	71.6v	666.54v
428	Mrs KM Young	O	69.5v	70.3v	46.4v	48.5v	48.5v	48.5v	48.2v	74.8v	98.9v	46.2v	71.6v	666.54v
429	Mrs SG Sirett	X	73.7v	71.7v	48.3v	47.2v	46.4v	47.4v	47.4v	71.8v	101.9v	46.1v	69.5v	666.54v
430	Mr CA Skellett	T	73.8v	68.4v	46.3v	42.2v	49.4v	44.2v	48.3v	73.8v	101.7v	47.4v	75.8v	666.53v
431	Mr JC Holdsworth	O	69.0v	72.7v	48.4v	47.2v	47.0v	43.7v	45.1v	72.10v	102.12v	46.4v	75.6v	666.53v
432	Mr T Horrocks	O	71.7v	72.6v	46.5v	46.3v	49.5v	48.3v	46.3v	75.8v	94.2v	45.1v	74.10v	666.53v
433	Ms MU Burger	O	72.7v	70.3v	49.5v	43.1v	48.2v	49.7v	46.3v	72.6v	100.9v	45.4v	72.5v	666.52v
434	Mr GH Porter	A	71.3v	72.7v	44.1v	47.4v	47.4v	46.4v	49.5v	74.8v	98.6v	45.3v	73.6v	666.51v
435	Mr CRM Asquith	A	72.8v	67.3v	46.3v	47.3v	47.6v	48.1v	49.3v	74.11v	97.3v	46.2v	73.6v	666.49v
436	Mr GAE Lacombe	O	73.3v	68.2v	47.5v	46.4v	48.2v	47.2v	49.3v	70.3v	98.7v	47.4v	73.10v	666.45v
437	Mr CP Goad	O	71.8v	71.6v	47.3v	46.4v	49.5v	46.2v	45.5v	71.7v	100.12v	46.5v	73.8v	665.65v
438	Mr N Cole-Hawkins	A	74.8v	72.7v	47.3v	47.4v	46.3v	47.6v	50.5v	71.8v	92.10v	45.2v	74.6v	665.62v
439	Hon D Cooper	A	73.9v	68.4v	43.4v	49.5v	50.5v	47.4v	42.1v	73.7v	101.13v	46.2v	73.7v	665.61v
440	Mr NW Penn	A	71.6v	72.8v	46.2v	45.2v	48.7v	47.3v	46.4v	68.6v	102.8v	48.5v	72.7v	665.58v
441	Mr TW Tatchell	T	75.10v	69.2v	50.7v	48.4v	49.5v	49.5v	45.1v	71.8v	96.9v	46.4v	67.3v	665.58v
442	Mr P Todd	O	73.5v	68.5v	45.4v	47.4v	44.4v	48.5v	46.2v	72.7v	102.11v	45.3v	75.8v	665.58v
443	Mr R Kitson	O	72.3v	70.8v	47.4v	47.3v	47.4v	49.4v	45.5v	71.7v	97.7v	47.4v	73.8v	665.57v
444	Mr MJ Judge	O	72.7v	73.8v	47.3v	48.2v	46.3v	47.5v	49.5v	71.7v	96.7v	45.3v	71.7v	665.57v
445	Cdt S McEvoy	T	70.5v	71.5v	47.4v	47.2v	48.4v	50.4v	40.1v	74.10v	100.12v	49.4v	69.5v	665.56v
446	Mr AM Bullen	A	72.5v	70.5v	47.3v	43.1v	46.3v	49.7v	49.5v	73.7v	98.5v	46.4v	72.11v	665.56v
447	Mr N Beesley	O	73.7v	68.3v	50.4v	46.4v	48.5v	48.6v	46.3v	72.9v	97.6v	46.3v	71.6v	665.56v
448	Cpl A Poulter	T	69.2v	70.3v	49.7v	46.3v	50.8v	46.4v	46.2v	74.10v	100.7v	42.2v	73.8v	665.56v
449	Mr RA Fullerton	T	73.6v	71.5v	45.3v	42.4v	49.3v	48.4v	48.3v	74.11v	96.4v	45.3v	74.9v	665.55v
450	Mr H Rumbelow	O	71.8v	70.2v	47.3v	49.6v	49.3v	44.5v	45.3v	73.8v	101.8v	45.2v	71.7v	665.55v
451	Fg Off MR Leyman	O	69.3v	69.4v	45.4v	48.1v	49.5v	49.5v	45.3v	73.8v	100.10v	44.3v	74.9v	665.55v
452	Mr OP Henry	A	66.3v	70.5v	46.6v	49.6v	49.5v	47.3v	45.3v	72.6v	102.6v	46.3v	73.7v	665.53v
453	Miss EH Barr	O	70.7v	70.3v	49.3v	45.3v	49.8v	46.2v	48.5v	71.7v	98.7v	46.3v	73.5v	665.53v
454	Mr A Mabon	O	68.6v	70.3v	48.5v	47.5v	48.3v	48.3v	46.4v	74.8v	101.8v	44.2v	71.5v	665.52v
455	Mr JT Boyd	T	72.7v	70.2v	46.2v	44.0v	49.4v	47.3v	48.4v	74.6v	98.3v	47.4v	70.5v	665.40v
456	Mr JFJ Bryson	O	74.10v	68.3v	44.3v	49.5v	47.5v	46.5v	43.3v	71.9v	100.11v	48.4v	74.8v	664.66v
457	Cdt AW Dowle	T	72.7v	71.8v	46.4v	47.6v	48.6v	47.4v	46.1v	72.5v	98.6v	45.4v	72.11v	664.62v
458	Mr SL Cleveland	O	67.10v	69.3v	47.4v	48.5v	48.6v	47.4v	49.6v	72.5v	101.9v	45.1v	71.9v	664.62v
459	Cdr MF Jordan	X	70.3v	66.2v	46.3v	49.8v	48.8v	49.4v	46.5v	71.6v	99.9v	46.1v	74.12v	664.61v
460	Mr H Hattingh	T	71.6v	75.9v	47.5v	45.1v	48.7v	47.5v	44.2v	74.9v	102.9v	44.3v	67.4v	664.60v
461	Mr GR Atkinson	O	72.6v	69.4v	49.6v	46.5v	49.6v	46.4v	46.6v	73.9v	99.3v	42.3v	73.8v	664.60v
462	Miss LCP-L Watson	O	73.7v	70.4v	46.6v	46.3v	46.2v	48.6v	46.4v	71.6v	99.5v	47.3v	72.10v	664.56v
463	Mr HN Watson	O	73.6v	70.5v	49.3v	48.6v	44.3v	47.3v	44.5v	74.9v	99.8v	46.4v	70.4v	664.56v
464	J Ihugo	X	72.7v	69.7v	46.3v	46.5v	48.6v	48.2v	49.4v	75.8v	97.9v	44.1v	70.4v	664.56v
465	Mr WFS Stewart	O	74.6v	71.9v	46.1v	44.1v	49.6v	45.1v	44.3v	73.8v	102.5v	47.5v	69.8v	664.53v
466	Mrs LJ Brister	A	71.7v	68.5v	47.5v	48.2v	49.5v	48.4v	47.1v	71.5v	96.8v	47.4v	72.7v	664.53v
467	Mr MJ Creber	O	72.9v	70.6v	48.6v	47.0v	49.3v	47.4v	46.4v	73.10v	97.7v	45.1v	70.3v	664.53v
468	Mr DA de Vere	O	73.7v	68.5v	50.4v	46.4v	49.5v	48.3v	42.0v	73.8v	98.6v	44.2v	73.9v	664.53v
469	Cdt D St-Cyr Brossard	T	71.7v	71.9v	48.4v	49.3v	48.3v	45.2v	46.3v	66.5v	100.12v	47.0v	73.4v	664.52v
470	Cdt KX Zhao	T	73.5v	72.3v	44.3v	43.1v	49.3v	47.5v	44.2v	72.6v	98.9v	48.3v	74.11v	664.51v
471	Mr CA Awong	O	72.6v	71.4v	46.1v	47.2v	47.2v	49.3v	44.4v	73.5v	97.11v	46.4v	72.7v	664.49v
472	FK Kinyua	X	72.5v	69.3v	46.2v	48.6v	46.4v	48.4v	47.1v	73.7v	102.12v	41.0v	72.5v	664.49v
473	Mrs RMS Merridew	O	72.10v	66.2v	50.4v	45.3v	49.2v	46.2v	47.2v	71.6v	99.6v	46.2v	73.9v	664.48v
474	Mr PM Weston	O	69.3v	72.1v	48.3v	47.5v	48.4v	48.5v	43.2v	71.5v	98.6v	46.2v	74.9v	664.45v
475	Mr RP Rosling	O	73.10v	69.6v	47.7v	43.3v	48.5v	46.3v	47.6v	72.8v	101.12v	47.3v	70.7v	663.70v
476	Mr R Winney	O	70.9v	71.6v	46.3v	49.8v	49.8v	49.6v	47.4v	72.5v	95.9v	44.4v	71.7v	663.69v
477	Cdt JWB Ball	T	73.11v	69.6v	49.5v	42.1v	46.6v	49.4v	46.4v	71.6v	102.7v	43.1v	73.11v	663.62v
478	Miss DE Andrews	T	72.5v	71.4v	44.2v	47.3v	49.7v	48.6v	43.2v	68.8v	100.9v	47.4v	74.11v	663.61v
479	Wg Cdr MJ Gregory	A	71.4v	72.6v	46.4v	46.5v	47.5v	48.6v	46.3v	69.8v	100.11v	45.2v	73.7v	663.61v
480	Mr OJ Siddall	O	70.2v	68.7v	44.2v	47.4v	47.6v	48.3v	47.2v	73.10v	101.11v	43.2v	75.12v	663.61v
481	Wg Cdr CJ Hockley	O	66.4v	73.6v	48.5v	40.2v	50.6v	48.5v	50.7v	73.8v	97.8v	46.4v	72.5v	663.60v
482	LCpl C Atherton	T	72.9v	73.6v	45.1v	44.3v	49.8v	43.3v	47.3v	73.10v	100.7v	46.2v	71.8v	663.60v
483	Mr IR Thomson	O	69.8v	65.4v	45.3v	44.1v	49.7v	47.5v	45.2v	75.10v	101.9v	48.3v	75.6v	663.58v
484	Sjt D Taylor	T	71.6v	72.3v	47.6v	44.4v	48.5v	49.5v	47.3v	72.9v	97.11v	45.1v	71.4v	663.57v
485	Mr PGW Purdy	O	70.3v	69.5v	49.6v	49.4v	46.2v	47.4v	45.5v	72.7v	99.9v	46.4v	71.7v	663.56v
486	Mr ERT Torrance	T	72.8v	69.4v	47.3v	43.4v	44.2v	48.5v	48.5v	73.9v	101.10v	46.0v	72.6v	663.56v
487	Mr MJG Neal	T	75.7v	70.6v	48.2v	48.4v	49.8v	47.5v	46.4v	67.7v	97.6v	46.2v	70.4v	663.55v
488	Mr OEJ Spencer	O	70.5v	68.5v	43.2v	43.1v	49.6v	50.4v	49.5v	74.8v	101.10v	45.4v	71.5v	663.55v
489	Mr MG Grimdsell	O	73.8v	71.5v	45.3v	47.5v	48.4v	48.5v	43.2v	72.4v	98.8v	48.2v	70.7v	663.53v
490	Mr DQM Harvey	O	75.9v	69.4v	46.5v	48.4v	46.1v	46.3v	45.1v	73.9v	99.5v	47.5v	69.7v	663.53v

491	Mr JP Mackay	O	67.7v	72.7v	47.4v	45.2v	50.3v	46.5v	46.2v	73.8v	102.8v	44.2v	71.5v	663.53v
492	Mr GR Capell	O	70.7v	72.3v	47.4v	47.5v	43.2v	48.4v	41.2v	75.9v	101.6v	49.6v	70.4v	663.52v
493	Mr MP Perez	O	73.8v	73.7v	47.1v	48.5v	48.5v	46.3v	45.1v	72.5v	96.5v	43.2v	72.5v	663.47v
494	Mr SCW Dixon	O	71.2v	68.3v	46.2v	49.6v	46.4v	47.4v	48.4v	74.8v	97.6v	45.2v	72.4v	663.45v
495	Miss S Ponter	T	70.4v	67.4v	46.1v	46.3v	47.4v	46.7v	48.5v	71.7v	99.8v	49.6v	73.9v	662.58v
496	Cdt A Boyd	T	73.10v	69.4v	46.4v	45.4v	49.4v	48.5v	47.0v	75.11v	95.7v	47.3v	68.6v	662.58v
497	Mr TF Kurn	O	69.5v	74.7v	46.1v	46.3v	50.5v	48.5v	38.3v	71.7v	101.7v	46.5v	73.6v	662.54v
498	Mr SW Maris	O	74.9v	73.8v	45.3v	47.4v	44.2v	45.2v	48.2v	70.4v	100.10v	44.2v	72.8v	662.54v
499	Mr RJR Mott	A	73.9v	73.5v	45.4v	44.1v	46.4v	47.4v	47.5v	68.4v	101.6v	44.1v	74.10v	662.53v
500	Mr PS Calvert	T	72.4v	64.2v	47.4v	47.4v	47.4v	49.5v	47.4v	71.5v	100.10v	46.2v	72.6v	662.50v
501	Mr JMP Fitzsimons	O	70.3v	71.5v	44.3v	46.4v	50.8v	45.1v	48.3v	72.6v	96.6v	46.4v	74.5v	662.48v
502	Miss CA Staples	T	70.4v	72.6v	45.4v	42.1v	49.5v	46.2v	45.1v	73.6v	103.9v	45.1v	72.7v	662.46v
503	Mr DS Murray	X	68.3v	71.6v	48.3v	44.0v	48.5v	45.2v	48.2v	72.8v	101.5v	46.3v	71.6v	662.43v
504	Miss OC Newhouse	O	72.5v	66.3v	46.2v	47.3v	48.5v	45.1v	45.1v	73.5v	101.6v	45.2v	74.10v	662.43v
505	Mr ML Cotillard	X	71.8v	67.4v	46.3v	43.2v	49.7v	46.4v	47.3v	74.10v	98.7v	48.5v	72.9v	661.62v
506	Dr BJ Winney	O	74.8v	68.5v	47.6v	43.4v	47.4v	43.4v	46.4v	72.7v	100.12v	48.3v	73.5v	661.62v
507	Mr AF Donald	O	75.9v	63.5v	47.6v	48.6v	49.6v	48.4v	42.2v	72.5v	97.6v	46.3v	74.10v	661.62v
508	Mr V Robertshaw	O	68.9v	66.5v	47.2v	47.5v	49.5v	49.5v	47.2v	75.10v	98.8v	45.6v	70.5v	661.62v
509	Mr R Harwood	O	74.11v	66.2v	47.5v	44.1v	47.1v	50.6v	43.3v	70.8v	100.12v	46.4v	74.6v	661.59v
510	Mr JA Garnett	A	69.5v	68.4v	46.3v	44.0v	49.6v	48.5v	47.3v	70.8v	99.11v	47.4v	74.7v	661.56v
511	Cdt K Letendre	T	69.6v	73.5v	43.2v	50.6v	50.7v	48.6v	45.2v	70.7v	95.4v	44.4v	74.7v	661.56v
512	Mr DN Webber	O	71.5v	74.7v	48.3v	47.5v	49.6v	46.4v	46.1v	72.10v	94.5v	45.3v	69.6v	661.55v
513	Miss LMA Bogie	A	70.6v	71.5v	46.3v	45.4v	46.2v	45.3v	46.4v	74.6v	100.9v	46.4v	72.8v	661.54v
514	Mr GL Clarke	A	73.8v	69.4v	46.2v	44.3v	47.3v	48.4v	49.7v	73.7v	99.7v	41.1v	72.8v	661.54v
515	Mr AD Mcdougall	X	71.6v	68.7v	48.1v	45.2v	41.2v	48.2v	48.4v	74.10v	99.9v	47.4v	72.6v	661.53v
516	RSM B Humphreys	T	73.8v	68.2v	48.4v	49.7v	44.3v	48.7v	41.2v	73.4v	99.7v	45.1v	73.8v	661.53v
517	Mr AGH Van Koetsveld	X	72.6v	67.4v	47.4v	46.3v	48.4v	46.1v	47.3v	73.8v	102.12v	44.1v	69.6v	661.52v
518	Mr CR Hirst	O	72.6v	67.3v	48.4v	45.4v	47.2v	47.3v	46.1v	73.7v	99.6v	45.2v	72.7v	661.45v
519	Mr RJ Coffin	O	75.11v	74.8v	44.3v	46.2v	49.7v	47.5v	44.5v	73.9v	95.6v	41.2v	72.7v	660.65v
520	Mr MR Rewston	O	74.8v	71.7v	40.3v	47.5v	50.7v	47.3v	44.2v	73.9v	95.8v	45.3v	74.7v	660.62v
521	Mr GRP Shapland	O	73.10v	70.5v	46.1v	45.3v	47.6v	47.5v	45.4v	73.7v	98.12v	45.1v	71.7v	660.61v
522	Mr EM Sloane	X	74.4v	72.9v	44.4v	47.4v	48.4v	44.5v	43.1v	71.6v	100.12v	45.3v	72.5v	660.57v
523	Dr MJ Schwarz	O	70.5v	71.8v	43.2v	50.6v	47.2v	49.6v	41.4v	72.7v	103.6v	40.1v	74.10v	660.57v
524	Mr GH Pretorius	T	70.7v	70.4v	47.4v	48.4v	48.7v	44.0v	43.3v	75.12v	102.10v	45.2v	68.3v	660.56v
525	Mr A Brunton-Reed	T	71.8v	66.4v	46.5v	48.2v	48.4v	49.3v	47.4v	71.7v	98.10v	41.2v	75.7v	660.56v
526	Mrs SR Hinde	O	70.4v	72.8v	44.0v	48.5v	47.4v	48.5v	46.4v	73.7v	95.6v	47.3v	70.3v	660.49v
527	Mr CRF Leather	O	72.8v	63.2v	49.4v	46.2v	50.4v	46.2v	44.1v	71.3v	101.9v	44.4v	74.8v	660.47v
528	Mr HCG Ives	O	69.4v	72.5v	48.2v	48.4v	44.3v	45.1v	47.3v	72.5v	96.7v	47.2v	72.7v	660.43v
529	SM NM Taylor	T	70.8v	72.6v	46.4v	43.3v	47.6v	49.3v	46.4v	72.6v	97.6v	47.5v	70.7v	659.58v
530	Mr KL Murray	O	73.10v	68.4v	47.4v	46.5v	46.5v	49.4v	47.4v	69.5v	102.10v	40.0v	72.7v	659.58v
531	Mr DN Lindsay	O	71.5v	71.8v	48.4v	47.3v	48.4v	45.3v	44.3v	70.7v	96.6v	46.2v	73.8v	659.53v
532	Mr MK Townsend	O	72.6v	72.8v	46.5v	49.2v	46.4v	48.4v	46.5v	69.5v	97.5v	45.2v	69.6v	659.52v
533	Mr G Williams	X	72.4v	71.4v	46.1v	47.4v	39.2v	49.3v	46.4v	74.9v	99.5v	46.5v	70.8v	659.49v
534	Sjt L Waude	T	74.6v	68.3v	43.0v	45.4v	47.3v	48.6v	48.3v	71.5v	99.7v	42.3v	74.9v	659.49v
535	Mr TS McDowell	O	70.3v	70.3v	47.4v	47.3v	47.4v	47.3v	48.3v	71.9v	96.5v	44.1v	72.8v	659.46v
536	Mr C Waldron	T	74.11v	71.4v	48.5v	45.2v	46.3v	49.4v	46.1v	67.3v	97.4v	43.3v	73.6v	659.46v
537	Flt Lt CM Fopp	O	68.2v	69.0v	48.3v	48.4v	50.4v	47.3v	42.2v	71.9v	101.9v	42.2v	73.6v	659.44v
538	Mr BN Craig	O	70.5v	67.1v	47.3v	41.2v	50.5v	46.3v	50.2v	71.10v	100.4v	44.1v	73.4v	659.40v
539	Mr K Hardyman	O	72.7v	70.9v	46.4v	46.2v	49.7v	48.5v	44.2v	75.8v	98.9v	38.3v	72.11v	658.67v
540	Mr AP Smith	A	69.6v	69.8v	48.3v	48.5v	47.4v	45.3v	44.2v	74.11v	99.7v	43.3v	72.9v	658.61v
541	Cdt Sgt T Marsh	T	73.5v	71.4v	48.4v	44.5v	47.4v	47.4v	47.6v	66.5v	96.6v	47.4v	72.9v	658.56v
542	Mr DAF Parkinson	O	73.9v	69.6v	48.6v	43.3v	48.3v	47.4v	46.4v	73.9v	94.5v	46.4v	71.3v	658.56v
543	Mr P Cameron Taylor	A	70.4v	70.3v	47.4v	44.5v	48.6v	49.7v	47.3v	71.7v	99.8v	40.0v	73.9v	658.56v
544	Cpl TS Smith	T	73.8v	64.3v	45.4v	45.1v	49.6v	49.6v	43.2v	71.8v	102.9v	46.4v	71.4v	658.55v
545	Mr DGF Evans	O	72.7v	67.3v	44.3v	45.2v	46.5v	44.3v	49.3v	73.9v	98.8v	46.2v	74.9v	658.54v
546	Mr TC Rylands	O	71.8v	65.6v	46.3v	42.1v	47.3v	50.5v	48.5v	70.4v	99.9v	46.3v	74.6v	658.53v
547	Rozli Muhammad	O	70.3v	72.4v	47.4v	45.5v	50.6v	49.3v	48.6v	68.3v	103.12v	40.1v	66.6v	658.53v
548	Mr J Gould	O	71.7v	72.6v	42.2v	45.5v	49.6v	48.2v	45.2v	69.3v	99.11v	46.2v	72.6v	658.52v
549	Major RJ Aitken	O	70.4v	73.7v	46.3v	45.3v	50.4v	48.5v	46.1v	72.9v	99.9v	42.1v	67.6v	658.52v
550	WOII E Muleyi	X	73.6v	69.6v	44.2v	45.4v	47.2v	47.2v	46.4v	72.6v	102.9v	44.3v	69.6v	658.50v
551	Mr CST Lehmann	O	70.4v	69.5v	45.2v	48.5v	47.4v	46.4v	47.3v	68.6v	101.9v	44.2v	73.4v	658.48v
552	Mr PR Sirett	X	71.5v	72.5v	49.4v	45.2v	45.4v	48.5v	45.2v	70.7v	101.6v	45.2v	67.4v	658.46v
553	Mr BR Shouler	O	69.5v	70.3v	44.3v	47.3v	47.3v	49.5v	45.3v	73.6v	96.6v	46.3v	72.5v	658.45v
554	Mr BR Ebbetts	O	71.3v	69.8v	47.4v	47.4v	48.4v	45.1v	48.5v	73.5v	95.4v	44.0v	71.6v	658.44v
555	Mr RF Burden	O	67.2v	71.4v	46.3v	48.4v	48.3v	46.3v	47.1v	71.6v	96.7v	48.5v	70.3v	658.41v
556	Mr RM Allan	O	69.5v	69.5v	46.5v	39.1v	48.4v	46.6v	46.2v	74.11v	102.10v	46.4v	72.9v	657.62v
557	Miss RL Laird	O	73.9v	67.4v	47.3v	44.3v	50.6v	49.3v	44.1v	75.11v	98.12v	44.3v	66.4v	657.59v
558	Mr AJ Horton	O	65.2v	69.4v	45.2v	49.4v	45.4v	47.5v	46.4v	74.10v	98.5v	47.4v	72.10v	657.54v
559	Cdt J Martin	T	70.6v	66.3v	48.5v	47.3v	49.5v	47.5v	46.3v	71.8v	99.8v	43.2v	71.6v	657.54v
560	Mr C Hughes	O	69.7v	72.9v	48.3v	42.3v	47.4v	46.6v	46.2v	74.6v	96.7v	48.2v	69.4v	657.53v
561	Mr A Alvey	O	72.8v	68.6v	46.1v	46.3v	50.6v	47.5v	44.3v	74.7v	100.7v	40.1v	70.4v	657.51v
562	Mr FCP Mostyn	T	70.6v	73.7v	46.3v	47.2v	46.2v	48.4v	46.2v	65.2v	96.7v	47.4v	73.6v	657.45v

563	Mr RE Clarke	O	70.6v	69.4v	45.1v	41.1v	49.6v	49.5v	46.4v	72.6v	96.6v	47.1v	73.5v	657.45v
564	Mr CA Stewart	O	70.3v	71.6v	49.3v	45.1v	48.4v	47.4v	45.3v	70.6v	96.2v	42.1v	74.10v	657.43v
565	Mr BJ Benest	T	65.4v	71.9v	47.4v	48.4v	47.4v	46.4v	46.5v	68.5v	100.12v	43.2v	75.8v	656.61v
566	Mr SR Davis	O	70.10v	71.5v	50.6v	42.1v	48.3v	46.5v	47.4v	67.4v	98.10v	46.3v	71.7v	656.58v
567	Major N Stebbings	O	69.6v	69.5v	45.4v	45.2v	45.3v	49.5v	46.2v	72.9v	103.15v	41.0v	72.7v	656.58v
568	Mr CJ Sherratt	O	73.10v	66.4v	46.1v	48.1v	47.7v	47.5v	49.4v	70.7v	97.7v	47.1v	66.7v	656.54v
569	Mr DP Cole	O	69.8v	68.6v	49.4v	47.5v	48.5v	46.5v	48.5v	70.4v	97.6v	42.0v	72.5v	656.53v
570	Cdt OL Ryndziewicz	T	70.4v	70.6v	48.3v	41.3v	48.6v	47.4v	45.2v	75.10v	99.6v	40.2v	73.7v	656.53v
571	Mr DCW Lloyd	X	69.3v	68.4v	46.2v	45.4v	46.5v	46.5v	47.5v	70.5v	99.6v	47.4v	73.9v	656.52v
572	Mr R Jackson	O	70.5v	72.10v	49.6v	43.0v	48.6v	46.4v	45.2v	73.6v	99.7v	43.1v	68.5v	656.52v
573	Mr JG Powell	X	71.2v	71.6v	48.4v	43.3v	47.6v	46.5v	45.2v	70.5v	99.7v	44.2v	72.5v	656.47v
574	Cpl C Ndegwa	X	70.8v	71.6v	44.0v	47.3v	46.2v	47.2v	48.2v	72.5v	96.8v	46.2v	69.8v	656.46v
575	Flt Lt RL Douglas	T	70.5v	73.8v	47.6v	47.2v	49.6v	48.3v	48.0v	67.4v	96.6v	44.2v	67.1v	656.43v
576	Mr JR Lindsay	O	72.7v	70.3v	47.4v	48.4v	47.6v	48.5v	48.7v	65.5v	95.7v	44.3v	71.8v	655.59v
577	Mr JR Green	O	71.5v	71.8v	47.5v	41.0v	46.4v	49.5v	44.2v	74.10v	98.10v	44.2v	70.6v	655.57v
578	Cdt T Hassan	T	71.7v	71.4v	46.3v	45.2v	49.5v	48.6v	45.3v	73.5v	89.4v	45.3v	73.10v	655.52v
579	Mr RGM Newman	O	68.5v	71.7v	45.3v	44.2v	44.3v	49.3v	47.4v	72.6v	99.7v	43.1v	73.8v	655.49v
580	Mr ADJ Stewart	O	69.7v	58.4v	45.0v	45.4v	49.4v	50.4v	47.2v	74.7v	96.7v	49.6v	73.5v	655.47v
581	M P Ginestet	O	68.3v	70.6v	45.1v	40.2v	49.6v	47.4v	44.2v	73.5v	101.11v	47.1v	71.5v	655.46v
582	Mr A Coakes	O	69.4v	68.2v	45.0v	45.2v	48.7v	49.6v	45.2v	72.7v	97.8v	46.4v	71.4v	655.46v
583	Mr AK Fitch	O	71.7v	71.3v	49.3v	48.4v	46.4v	44.3v	42.0v	70.6v	100.9v	45.2v	69.5v	655.46v
584	Mr DG Kumbang	T	67.2v	69.3v	50.4v	46.2v	50.5v	48.7v	41.0v	72.6v	98.6v	48.3v	66.6v	655.44v
585	Miss HR Mackintosh	O	71.7v	68.4v	46.3v	40.1v	49.4v	49.6v	47.4v	71.6v	96.3v	47.2v	71.3v	655.43v
586	Mr J Holmes	O	68.2v	71.4v	48.4v	45.1v	48.6v	46.4v	47.3v	69.3v	97.6v	44.2v	72.7v	655.42v
587	2Lt RJ Kellett	T	68.5v	70.4v	47.3v	45.2v	48.2v	47.5v	43.3v	66.2v	100.8v	48.1v	73.6v	655.41v
588	D Surmat	X	69.6v	71.6v	47.4v	47.4v	46.3v	45.5v	45.3v	72.8v	99.10v	43.2v	70.9v	654.60v
589	Mr TR Webster	A	72.7v	68.3v	46.3v	43.1v	47.4v	46.4v	48.6v	71.10v	98.11v	46.4v	69.6v	654.59v
590	Mr BW Cairns	O	70.5v	70.8v	49.8v	48.2v	46.3v	47.5v	45.3v	72.7v	98.10v	39.1v	70.5v	654.57v
591	Mr PT Dwyer	A	71.7v	69.3v	47.6v	48.2v	47.4v	42.1v	41.0v	72.8v	98.8v	49.7v	70.8v	654.54v
592	Miss FM Hinson	O	70.5v	68.5v	45.4v	46.4v	46.1v	49.4v	44.2v	72.6v	99.12v	44.2v	71.9v	654.54v
593	Mr JA Cummings	O	71.8v	68.2v	43.2v	47.3v	49.7v	47.3v	45.4v	72.7v	102.8v	42.1v	68.6v	654.51v
594	Mr JBE Personne	X	70.3v	67.3v	42.3v	48.4v	50.6v	48.2v	44.3v	74.8v	98.10v	42.2v	71.6v	654.50v
595	Mr MAJ Barber	T	71.6v	62.4v	49.3v	48.5v	48.2v	43.1v	43.1v	74.9v	96.9v	46.2v	74.7v	654.49v
596	Mr JP Hakim	O	70.3v	69.3v	41.2v	47.4v	49.6v	45.1v	47.3v	71.7v	93.4v	47.4v	75.11v	654.48v
597	Cdt B Garnett	T	73.5v	69.3v	44.3v	50.7v	47.3v	46.3v	47.1v	68.4v	96.8v	45.3v	69.6v	654.46v
598	Mr PJ Chapman-Sheath	O	73.8v	71.3v	43.1v	45.3v	49.5v	43.3v	48.3v	74.5v	97.9v	45.1v	66.3v	654.44v
599	Mr AC Grant	O	73.6v	69.3v	45.3v	46.4v	47.2v	47.4v	46.5v	71.3v	96.6v	41.1v	73.7v	654.44v
600	Mr T Hembrow	O	68.4v	70.3v	46.3v	44.3v	46.4v	48.4v	49.5v	70.4v	93.5v	46.1v	74.6v	654.42v
601	P Lepariyo	X	65.4v	73.5v	46.1v	44.4v	48.2v	44.2v	49.6v	73.5v	95.8v	45.1v	72.4v	654.42v
602	Mr TE Hirst	T	71.8v	65.2v	48.5v	44.1v	49.6v	46.5v	46.5v	68.7v	99.10v	47.4v	70.6v	653.59v
603	Mr JRJ Kennedy	O	72.6v	71.6v	41.3v	43.2v	48.6v	50.4v	48.4v	72.8v	98.10v	42.2v	68.7v	653.58v
604	Mr ND Gomez	A	71.7v	71.7v	46.3v	42.3v	47.4v	46.5v	46.5v	71.6v	98.9v	40.0v	75.9v	653.58v
605	Mr R Shaw	O	71.9v	71.8v	47.3v	45.2v	44.2v	49.6v	43.2v	71.5v	96.7v	42.1v	74.12v	653.57v
606	Mr BH Jones	O	70.5v	67.5v	43.2v	47.6v	46.6v	45.3v	46.2v	73.7v	96.6v	47.4v	73.7v	653.53v
607	Mr S Sehmi	X	68.6v	69.4v	40.1v	43.3v	47.4v	45.4v	48.3v	74.12v	101.7v	45.4v	73.5v	653.53v
608	Miss C Peacock	T	65.4v	70.7v	48.4v	47.2v	46.2v	49.6v	48.3v	69.7v	99.7v	42.2v	70.9v	653.53v
609	Sjt M House	O	70.6v	69.4v	44.0v	45.2v	47.4v	47.3v	44.4v	72.10v	96.7v	49.6v	70.5v	653.51v
610	Mr M Robson	O	67.4v	63.1v	45.6v	45.1v	49.3v	46.3v	46.5v	73.6v	99.9v	45.1v	75.8v	653.47v
611	Mrs T Newbold	O	70.5v	71.4v	46.3v	45.3v	48.4v	48.2v	41.2v	71.7v	93.4v	46.2v	74.9v	653.45v
612	PC J Serem	X	70.1v	62.1v	45.5v	46.3v	48.4v	48.4v	44.2v	74.11v	101.4v	46.3v	69.4v	653.42v
613	Cpl P Calvert	T	69.0v	68.2v	46.1v	48.5v	48.6v	47.3v	48.2v	70.6v	100.8v	47.2v	62.1v	653.36v
614	LRM Irungu	X	63.2v	70.6v	43.1v	46.4v	46.6v	47.4v	46.2v	73.9v	98.9v	49.5v	71.5v	652.53v
615	Mr MD Jenvey	O	72.6v	70.9v	40.0v	47.3v	46.3v	50.4v	46.1v	72.8v	94.4v	42.1v	73.8v	652.47v
616	N Mringie	X	70.4v	70.3v	42.1v	46.4v	47.4v	43.2v	47.4v	72.6v	97.6v	46.3v	72.9v	652.46v
617	Mr AR Smith	T	70.4v	72.9v	47.2v	46.3v	48.6v	45.3v	49.4v	70.4v	95.6v	44.3v	66.2v	652.46v
618	Mr FM Evers	O	70.6v	67.5v	47.1v	48.2v	42.1v	46.3v	44.4v	71.5v	97.7v	49.5v	71.6v	652.45v
619	Mr SD Benest	X	68.4v	70.2v	43.1v	44.3v	49.8v	46.4v	46.1v	70.3v	98.9v	44.2v	74.8v	652.45v
620	Mr D Ferdinand	O	62.1v	69.5v	44.1v	49.3v	43.2v	48.2v	47.4v	69.6v	103.9v	48.0v	70.4v	652.37v
621	Mr PJS Smith	O	69.6v	69.7v	47.4v	43.4v	50.5v	46.4v	47.4v	70.8v	94.9v	44.2v	72.5v	651.58v
622	Miss EL Hoolahan	T	74.7v	72.3v	45.3v	46.4v	49.6v	47.4v	45.3v	73.7v	97.12v	31.2v	72.6v	651.57v
623	Miss S Cheslyn-Curtis	O	71.9v	69.5v	47.3v	47.2v	46.4v	48.5v	41.2v	73.7v	100.10v	38.0v	71.8v	651.55v
624	Mr M Ayling	O	74.7v	71.7v	47.3v	44.2v	47.4v	47.3v	45.5v	70.6v	95.9v	42.1v	69.5v	651.52v
625	Miss RR Davis	T	74.6v	72.5v	43.3v	45.3v	47.4v	47.4v	44.3v	70.7v	92.4v	43.2v	74.9v	651.50v
626	Sgt G Kariuki	X	70.5v	70.5v	46.4v	47.3v	44.1v	48.5v	44.3v	69.7v	93.5v	46.3v	74.8v	651.49v
627	Mr G Gee	A	71.4v	70.6v	43.3v	45.1v	45.3v	48.6v	46.4v	74.8v	92.5v	46.3v	71.6v	651.49v
628	S Ndambuki	X	69.4v	68.4v	48.6v	44.4v	48.4v	43.2v	41.1v	72.6v	101.11v	46.1v	71.6v	651.49v
629	Mr A Cummings	T	68.4v	70.6v	43.4v	45.0v	47.2v	48.4v	46.2v	70.8v	100.6v	45.5v	69.5v	651.46v
630	Mr ID Macdonald	O	69.5v	68.5v	43.2v	42.1v	47.3v	44.0v	47.3v	72.8v	101.6v	47.5v	71.7v	651.45v
631	Mr JM Jarritt	O	72.6v	64.3v	48.4v	46.2v	45.2v	47.5v	46.2v	72.0v	96.9v	43.2v	72.8v	651.43v
632	Mr RCG Knight	T	65.4v	68.5v	45.9v	44.3v	48.3v	42.3v	49.5v	73.7v	96.7v	47.5v	73.11v	650.62v
633	Mr CJ Napier	O	71.6v	68.4v	45.3v	47.6v	46.3v	45.5v	45.4v	71.8v	101.9v	37.2v	74.10v	650.60v
634	Mr HW Orpen-Smellie	O	74.8v	71.4v	49.2v	44.3v	46.6v	49.6v	31.0v	73.9v	100.6v	40.2v	73.8v	650.54v

635	Mr MR Place	O	69.5v	67.2v	46.5v	44.1v	48.4v	46.5v	44.2v	73.11v	98.8v	43.2v	72.8v	650.53v
636	Cpl RL Johnson	O	72.8v	69.4v	46.3v	47.3v	49.7v	45.2v	48.2v	70.8v	96.9v	41.2v	67.5v	650.53v
637	Mr P Merry	O	68.2v	65.2v	47.4v	47.5v	45.5v	46.5v	46.3v	70.6v	98.5v	45.4v	73.9v	650.50v
638	Mr D Cottrill	T	70.5v	71.7v	45.3v	46.4v	47.4v	46.3v	46.2v	71.6v	96.10v	40.1v	72.5v	650.50v
639	Mr AE Corner	T	69.6v	70.5v	44.4v	50.5v	49.6v	49.4v	45.1v	70.5v	96.4v	40.1v	68.7v	650.48v
640	Cdt T Sangster	T	62.5v	65.1v	43.1v	45.3v	49.2v	49.4v	46.3v	75.8v	98.9v	45.3v	73.8v	650.47v
641	Mr RJA Ritchie	O	72.7v	67.2v	45.2v	45.4v	42.3v	46.2v	47.6v	71.5v	97.6v	45.3v	73.6v	650.46v
642	Mr HR Donaldson	O	69.5v	68.4v	47.2v	47.4v	48.3v	45.0v	46.4v	69.4v	96.7v	44.3v	71.8v	650.44v
643	Mr ID Markwell	O	67.4v	69.4v	45.3v	42.2v	49.4v	46.3v	46.0v	73.8v	98.6v	46.4v	69.5v	650.43v
644	Mr RB Fields	O	68.5v	70.4v	46.2v	47.2v	47.2v	49.5v	47.4v	69.3v	98.7v	40.1v	69.5v	650.40v
645	Mr LJ Potgiter	T	71.7v	72.8v	46.3v	34.0v	48.7v	49.9v	48.4v	72.8v	91.3v	46.3v	72.5v	649.57v
646	Mr RW Needham	O	73.8v	69.5v	45.5v	44.2v	46.3v	50.7v	47.5v	73.8v	95.9v	42.1v	65.0v	649.53v
647	Mr P Lusted	T	67.5v	71.6v	42.4v	44.3v	44.1v	49.7v	45.4v	72.6v	96.7v	47.5v	72.4v	649.52v
648	Mr ND Anderson	O	73.5v	72.8v	44.2v	42.0v	47.6v	47.6v	43.2v	68.8v	96.8v	44.3v	73.4v	649.52v
649	Mr NCM Fyfe	O	67.2v	71.5v	42.1v	43.2v	47.3v	46.3v	47.7v	72.11v	100.7v	43.2v	71.5v	649.48v
650	Mr PJ Holden	O	68.5v	68.4v	47.2v	47.2v	49.3v	45.3v	47.5v	70.7v	94.6v	43.1v	71.8v	649.46v
651	S Letoya	X	71.6v	67.4v	45.1v	43.1v	49.6v	47.3v	44.3v	72.7v	98.6v	45.0v	68.3v	649.40v
652	Mr CRW Downing	T	73.5v	66.1v	44.2v	42.1v	44.3v	47.3v	48.4v	72.4v	96.5v	47.4v	70.3v	649.35v
653	Mr NR Wells	O	67.3v	67.6v	44.5v	45.3v	46.3v	47.5v	46.4v	71.7v	97.12v	47.5v	71.7v	648.60v
654	Cdt L/Cpl HCM Bennett	O	73.6v	73.10v	47.4v	35.0v	49.5v	48.4v	44.5v	72.8v	101.11v	41.2v	65.3v	648.58v
655	Mr CSJ Marlow	O	67.3v	64.5v	44.2v	46.6v	48.4v	46.3v	47.4v	72.7v	95.7v	46.2v	73.9v	648.52v
656	Mr WJS Hayman	T	68.3v	69.5v	46.5v	43.2v	47.6v	45.2v	46.3v	70.6v	97.7v	48.5v	69.5v	648.49v
657	Mr ET Egne	T	68.5v	71.2v	45.1v	46.4v	46.6v	45.3v	49.6v	72.7v	94.6v	44.2v	68.4v	648.46v
658	Mr S Mortimer	O	73.8v	67.2v	46.1v	38.0v	44.3v	48.7v	46.2v	73.8v	99.5v	43.3v	71.7v	648.46v
659	Mr DJ Rowland	O	69.6v	68.5v	48.4v	44.3v	46.3v	46.3v	47.5v	73.7v	95.4v	43.1v	69.5v	648.46v
660	Cdt HJG Green	T	68.4v	70.7v	43.2v	46.2v	49.5v	49.4v	48.6v	69.5v	93.4v	44.1v	69.5v	648.45v
661	Mr NS Suffield-Jones	O	73.8v	72.8v	47.4v	46.5v	45.3v	45.1v	45.3v	66.2v	95.6v	44.1v	70.4v	648.45v
662	Mrs TH Luckman	O	70.5v	70.3v	48.5v	40.3v	46.4v	49.4v	47.3v	68.1v	95.6v	48.4v	67.4v	648.42v
663	Sgt J Macaulay	T	72.8v	67.2v	47.4v	44.0v	49.4v	47.4v	47.2v	65.3v	95.6v	45.2v	70.6v	648.41v
664	Dr AE Morris	O	64.4v	70.7v	47.4v	48.5v	48.6v	44.0v	44.2v	71.7v	95.10v	46.4v	70.7v	647.56v
665	Mr G Hart	T	62.1v	71.5v	43.3v	46.1v	45.2v	46.4v	45.3v	72.9v	100.11v	43.2v	74.5v	647.46v
666	Cpl C Moylan	T	69.4v	67.6v	40.2v	46.2v	43.2v	46.1v	45.3v	73.9v	98.5v	47.5v	73.3v	647.42v
667	Mstr SJ Jauncey	T	67.2v	66.2v	45.1v	47.5v	47.3v	47.3v	46.5v	67.8v	100.9v	46.2v	69.2v	647.42v
668	Mr OCIK Kember	T	71.2v	70.5v	43.1v	48.6v	48.4v	46.3v	44.2v	67.1v	98.7v	40.1v	72.9v	647.41v
669	Mr DF Robinson	O	70.2v	69.3v	45.1v	49.3v	43.1v	47.1v	45.2v	71.4v	95.5v	40.1v	73.6v	647.29v
670	Cpl T Hendriks	T	68.3v	67.3v	45.3v	40.3v	45.5v	44.5v	50.5v	70.7v	96.7v	46.1v	75.10v	646.52v
671	Cdt J Atherton	T	68.3v	71.7v	47.3v	43.1v	50.6v	45.2v	42.3v	66.8v	97.8v	46.3v	71.5v	646.49v
672	Mr CW Freeman	T	69.5v	68.4v	44.1v	49.3v	46.5v	44.3v	46.4v	70.7v	93.5v	45.4v	72.8v	646.49v
673	Cpl N Tucker	T	68.4v	65.3v	45.3v	46.4v	41.0v	48.5v	47.5v	70.7v	100.10v	45.4v	71.4v	646.49v
674	Mr AR Morris	T	72.4v	68.4v	46.2v	40.1v	39.3v	47.3v	46.4v	71.7v	104.12v	40.0v	73.9v	646.49v
675	Mr P Waldron	O	69.7v	69.4v	42.2v	48.3v	47.4v	46.5v	44.2v	67.7v	99.8v	45.1v	70.3v	646.46v
676	Cdt P Champagne	T	70.6v	68.6v	43.1v	42.2v	43.1v	44.1v	48.4v	71.3v	99.11v	46.5v	72.5v	646.45v
677	Mr TW Harrison	O	70.3v	67.4v	43.0v	46.4v	49.5v	47.5v	43.0v	71.6v	102.7v	39.0v	69.7v	646.41v
678	Cdt C Beynon	T	68.3v	66.3v	45.2v	43.1v	47.3v	49.5v	49.2v	73.4v	95.4v	41.2v	70.8v	646.37v
679	Cdt N Beaulne	T	71.6v	67.5v	44.3v	46.2v	48.5v	47.5v	48.3v	73.8v	99.10v	31.0v	71.4v	645.51v
680	RSM GPR Hall	O	70.2v	68.5v	43.3v	47.6v	42.2v	48.3v	49.4v	63.4v	99.11v	47.4v	69.5v	645.49v
681	Mr HGM Mooiman	O	65.4v	71.4v	38.0v	47.3v	45.2v	48.4v	49.7v	72.8v	99.10v	45.1v	66.5v	645.48v
682	Cpl M Cheruyiot	X	69.4v	69.4v	47.2v	45.1v	47.5v	44.3v	41.2v	69.7v	96.8v	45.3v	73.8v	645.47v
683	Mr IE Stolk	O	68.5v	72.6v	45.3v	45.3v	50.6v	47.4v	46.2v	64.2v	94.8v	48.4v	66.2v	645.45v
684	Cdt Sgt A Durrant	T	70.8v	73.5v	42.3v	45.4v	45.4v	48.1v	46.0v	69.3v	94.6v	42.2v	71.7v	645.43v
685	Dr J Mehta	O	71.8v	67.2v	42.1v	42.0v	45.2v	46.2v	46.1v	73.7v	98.8v	44.4v	71.6v	645.41v
686	Mrs AM Mcdougall	X	67.3v	69.7v	46.1v	48.3v	45.1v	47.2v	46.4v	68.6v	94.7v	44.2v	71.5v	645.41v
687	Cdt Cpl J Balson	T	68.4v	69.3v	45.3v	35.1v	48.3v	47.4v	44.2v	74.6v	100.5v	43.3v	72.7v	645.41v
688	Cdt RJ Stilgoe	T	68.5v	71.3v	46.5v	42.2v	45.4v	47.1v	44.2v	71.7v	99.5v	40.4v	72.3v	645.41v
689	Miss HC Kent	T	72.6v	68.3v	47.3v	38.1v	44.3v	48.2v	45.2v	71.3v	102.12v	39.1v	71.5v	645.41v
690	Mr COB Perkins	T	71.5v	66.3v	45.3v	45.2v	49.4v	45.2v	42.1v	68.2v	99.5v	43.0v	72.10v	645.37v
691	Cpl T Ford	T	68.5v	73.5v	45.2v	46.1v	46.2v	45.1v	46.2v	72.6v	95.4v	41.2v	68.4v	645.34v
692	Miss A Calvert	O	73.7v	68.6v	48.2v	41.2v	47.5v	48.6v	49.4v	73.7v	89.4v	43.3v	65.2v	644.48v
693	Sgt A Sladek	T	68.6v	68.4v	40.1v	47.3v	48.4v	46.3v	49.4v	71.6v	97.8v	43.2v	67.4v	644.45v
694	Mr CA Mandella	O	62.3v	72.5v	47.6v	46.5v	48.3v	41.2v	43.2v	71.7v	98.5v	45.1v	71.4v	644.43v
695	Mr MAS Robson	O	68.4v	70.5v	49.4v	44.2v	49.6v	47.5v	43.0v	69.5v	92.5v	43.2v	70.5v	644.43v
696	Mr MW Brown	O	67.3v	67.2v	44.1v	46.4v	45.3v	49.5v	46.3v	71.6v	99.4v	42.5v	68.3v	644.39v
697	Mr JS Ritchie	O	72.7v	70.2v	45.2v	44.1v	48.4v	44.2v	47.3v	69.6v	93.4v	46.1v	66.2v	644.34v
698	Mr DM Smith	O	72.8v	67.4v	48.7v	42.2v	48.4v	48.8v	46.4v	71.5v	92.6v	37.2v	72.4v	643.54v
699	Mr RW Smith	T	72.6v	68.5v	49.3v	47.5v	49.7v	48.7v	40.2v	66.5v	91.3v	45.2v	68.6v	643.51v
700	Mr DJ Stewart	O	69.6v	70.4v	45.5v	43.2v	46.2v	49.6v	44.3v	70.8v	96.7v	44.3v	67.5v	643.51v
701	Mr RS Mason	O	72.8v	68.5v	46.4v	46.3v	46.3v	40.1v	45.4v	69.7v	97.7v	41.1v	73.7v	643.50v
702	Miss L Lewin	T	70.6v	68.2v	46.1v	45.2v	46.5v	45.4v	47.4v	69.5v	93.5v	42.2v	69.5v	643.41v
703	Mr SW Jones	T	71.6v	62.2v	42.3v	43.3v	46.3v	47.5v	49.3v	71.3v	97.7v	43.1v	72.4v	643.40v
704	Judge AP Powell	O	70.6v	71.4v	46.2v	44.3v	48.7v	46.3v	46.3v	66.2v	98.2v	41.0v	67.3v	643.35v
705	Cdt CAE Evans	T	69.6v	68.5v	45.2v	42.1v	44.5v	46.2v	49.4v	71.5v	97.3v	42.2v	69.7v	642.42v
706	Cdt R Deveau	T	70.4v	68.3v	43.2v	47.2v	44.1v	46.5v	46.2v	66.3v	95.4v	48.2v	69.4v	642.32v

707	Mr J Tuffen	O	73.10v	70.6v	45.3v	46.5v	48.6v	49.7v	41.2v	71.3v	89.3v	39.2v	70.4v	641.51v
708	Cpl M Devine	T	66.6v	68.2v	46.3v	43.2v	47.4v	44.1v	45.4v	66.5v	102.12v	42.3v	72.6v	641.48v
709	Mr ML Wilks	T	64.4v	70.5v	42.1v	42.1v	48.6v	45.0v	46.3v	74.9v	98.6v	40.3v	72.10v	641.48v
710	Mr RG Evans	T	67.5v	68.5v	46.3v	45.4v	45.1v	43.2v	43.1v	72.5v	96.8v	47.4v	69.6v	641.44v
711	Mr KG Garside	O	69.4v	65.2v	47.2v	44.2v	48.7v	44.2v	45.2v	68.3v	94.9v	46.3v	71.8v	641.44v
712	Mr BF Witts	O	74.9v	70.6v	44.4v	45.4v	42.2v	45.0v	43.2v	68.5v	97.6v	45.1v	68.2v	641.41v
713	Mr BSC Kelso	T	69.3v	67.4v	48.6v	40.1v	44.2v	47.5v	42.3v	70.5v	100.7v	46.3v	67.7v	640.46v
714	Mr CP Moon	O	73.7v	68.4v	46.3v	45.3v	40.2v	45.2v	47.6v	66.5v	93.6v	46.4v	71.2v	640.44v
715	Mr WF De Beer	T	69.5v	69.1v	47.4v	45.3v	47.4v	43.3v	47.5v	67.5v	96.4v	40.3v	70.5v	640.42v
716	Cdt O Oppelt	T	65.1v	67.2v	44.3v	42.2v	43.4v	45.3v	47.3v	71.6v	97.7v	48.3v	71.5v	640.39v
717	Mr NS Roberts	O	72.6v	66.2v	47.0v	47.4v	46.3v	47.6v	46.2v	66.2v	99.6v	44.1v	60.3v	640.35v
718	Mrs CIM Le Poidevin	T	73.4v	64.3v	44.2v	43.3v	46.2v	44.3v	48.6v	69.6v	93.6v	45.2v	70.8v	639.45v
719	Mr FE Neale	O	68.5v	69.5v	47.4v	45.3v	47.5v	46.3v	48.4v	69.5v	95.4v	35.0v	70.5v	639.43v
720	Cdt K Wathier	T	70.6v	70.7v	44.3v	42.1v	47.5v	42.1v	47.4v	67.5v	98.3v	43.0v	69.7v	639.42v
721	Sgt D Lambert	T	71.7v	69.4v	46.4v	41.1v	44.4v	47.3v	49.4v	67.2v	90.4v	46.2v	69.6v	639.41v
722	Mr FJ Carlin	O	68.4v	69.7v	43.1v	37.1v	47.4v	48.2v	44.1v	69.5v	97.7v	43.1v	73.7v	638.40v
723	Mr MD Williams	T	70.6v	68.6v	44.1v	46.0v	44.0v	46.5v	46.2v	64.3v	99.7v	39.1v	72.9v	638.40v
724	J Glen	T	70.5v	68.4v	46.4v	44.3v	47.5v	45.4v	45.3v	69.2v	91.1v	48.1v	65.5v	638.37v
725	Miss JE Harris	T	72.5v	71.5v	43.0v	43.1v	46.3v	48.2v	42.2v	65.5v	94.9v	45.1v	69.4v	638.37v
726	Mr GD Moffatt	O	69.5v	65.3v	47.4v	45.3v	46.2v	45.1v	45.0v	72.5v	97.5v	39.3v	68.4v	638.35v
727	Cdt CK Skelton	T	73.12v	71.4v	42.3v	46.1v	47.3v	45.3v	41.0v	65.3v	95.8v	45.6v	67.2v	637.45v
728	Cpl C Livingstone	T	70.3v	70.5v	45.3v	42.2v	48.4v	46.2v	35.1v	71.7v	98.10v	39.1v	73.7v	637.45v
729	Mr SIG Gluck	O	69.3v	70.4v	47.2v	41.0v	47.5v	48.7v	47.3v	72.3v	88.6v	44.3v	64.3v	637.39v
730	Sgt M Smart	T	69.4v	66.4v	48.3v	44.1v	43.2v	49.5v	31.2v	72.8v	99.9v	42.3v	73.7v	636.48v
731	Mr RG Hilyard	O	69.4v	69.5v	42.1v	47.3v	45.6v	46.4v	42.2v	72.5v	96.7v	43.2v	65.3v	636.42v
732	Mr MH Roberts	O	73.9v	71.5v	43.6v	46.2v	47.3v	43.2v	46.2v	70.5v	96.4v	32.0v	69.4v	636.42v
733	Mrs RKE Penrose	O	67.4v	68.2v	45.2v	45.4v	43.2v	46.3v	47.3v	70.5v	93.7v	43.0v	69.4v	636.36v
734	Cpl E Odeo	X	70.4v	70.5v	45.1v	44.1v	45.4v	45.2v	44.3v	71.4v	91.5v	44.2v	67.2v	636.33v
735	Mr M Ford	A	73.10v	71.6v	47.5v	46.2v	47.2v	5.0v	49.6v	74.7v	102.9v	47.5v	74.9v	635.61v
736	Miss HV Southall	T	66.4v	68.7v	42.0v	35.0v	48.6v	47.3v	46.4v	73.9v	98.8v	46.4v	66.1v	635.46v
737	Mr RM Culverwell	O	67.3v	70.6v	46.3v	48.3v	44.2v	46.2v	46.4v	67.9v	89.6v	47.6v	65.1v	635.45v
738	Cdt HSJC Cubbin	T	71.6v	68.4v	42.2v	44.3v	46.4v	44.3v	45.5v	74.11v	94.4v	40.1v	67.2v	635.45v
739	Mr D Morris	O	71.7v	68.4v	41.2v	43.3v	45.1v	47.1v	47.1v	62.4v	96.6v	45.4v	70.4v	635.37v
740	Sgt OS Ridd	T	63.2v	68.1v	40.1v	41.0v	49.5v	48.4v	47.4v	71.5v	92.6v	44.2v	72.3v	635.33v
741	M Dida	X	66.4v	70.6v	47.4v	44.1v	45.2v	45.3v	43.2v	68.2v	96.3v	41.2v	70.4v	635.33v
742	Mr PA Cullimore	O	70.5v	67.7v	44.1v	46.5v	44.3v	49.4v	45.2v	64.5v	94.8v	42.1v	69.6v	634.47v
743	Mr A Robertson	O	72.9v	69.6v	41.1v	46.4v	43.4v	44.2v	44.2v	71.3v	96.9v	42.2v	66.3v	634.45v
744	Mr KC Marshall	O	65.4v	67.2v	44.4v	46.5v	45.4v	48.5v	45.4v	73.6v	93.5v	40.1v	68.5v	634.45v
745	Mr LP Davison	T	65.3v	69.5v	39.2v	45.4v	47.5v	45.3v	45.2v	64.5v	97.8v	46.3v	72.3v	634.43v
746	Cdt OTP Purdy	T	72.8v	64.0v	47.4v	43.3v	35.1v	48.5v	46.5v	73.5v	95.6v	42.2v	69.2v	634.41v
747	Mr SJ Ayres	O	68.5v	68.3v	42.1v	42.2v	47.2v	45.4v	46.6v	73.7v	90.0v	40.2v	73.9v	634.41v
748	Mr GB Tompson	O	68.4v	71.7v	44.3v	41.2v	46.4v	42.1v	48.3v	71.5v	89.2v	41.2v	73.6v	634.39v
749	Sgt KE Pope	T	70.1v	68.5v	47.4v	47.2v	47.2v	45.0v	47.1v	71.7v	84.5v	41.0v	67.3v	634.30v
750	Mr IMR Power	T	72.7v	73.6v	47.5v	0.0v	48.3v	48.5v	50.3v	73.8v	102.9v	46.5v	74.10v	633.61v
751	Sgt JN Lowe	T	69.5v	61.2v	48.4v	43.1v	46.3v	42.2v	46.4v	72.8v	91.6v	45.3v	70.6v	633.44v
752	Dr C Wall	O	67.3v	66.4v	42.4v	43.3v	47.4v	46.4v	43.1v	71.5v	94.7v	44.3v	70.4v	633.42v
753	Mr YS Sakakibara	X	66.5v	71.5v	43.2v	46.5v	47.4v	49.4v	45.1v	62.4v	92.6v	48.2v	64.3v	633.41v
754	Miss F Tancred-Holmes	T	70.4v	68.4v	43.5v	43.1v	39.0v	47.3v	44.1v	75.10v	95.6v	41.0v	68.6v	633.40v
755	Miss K Uphill	T	74.8v	70.6v	47.5v	31.1v	44.3v	45.2v	48.3v	68.5v	91.5v	41.2v	73.10v	632.50v
756	N Bonaya	X	69.5v	69.6v	46.3v	44.3v	44.1v	47.2v	42.1v	68.6v	93.1v	43.2v	67.5v	632.35v
757	Mr FS Stewart	T	63.2v	67.1v	45.4v	47.3v	45.3v	44.2v	47.1v	69.4v	95.6v	48.3v	62.3v	632.32v
758	Cdt FEP Purdy	T	70.4v	69.5v	45.3v	42.1v	42.1v	47.7v	39.1v	69.4v	99.12v	42.2v	67.2v	631.42v
759	Mr DT O'Leary	O	62.2v	65.4v	44.3v	48.4v	48.3v	48.4v	44.2v	73.6v	96.8v	43.0v	60.3v	631.39v
760	Cdt S Pelletier	T	69.6v	63.0v	48.3v	40.1v	48.4v	44.2v	49.6v	69.3v	88.5v	42.2v	71.6v	631.38v
761	Mr P Wale	O	69.7v	69.6v	46.3v	43.3v	46.1v	47.4v	45.1v	62.1v	97.3v	40.2v	67.5v	631.36v
762	Mr JS Chapman	X	71.5v	69.7v	45.2v	47.1v	45.4v	45.3v	43.1v	64.2v	93.3v	42.0v	67.4v	631.32v
763	Mr DA Smith	O	68.5v	69.1v	47.7v	47.6v	43.2v	46.3v	40.1v	68.5v	92.6v	44.3v	66.4v	630.43v
764	Cpl BG Mulvey	T	66.2v	67.4v	46.4v	46.0v	43.6v	48.5v	46.4v	68.3v	99.7v	29.0v	72.5v	630.40v
765	Mr J Fong Yew	O	67.4v	63.1v	43.3v	44.3v	48.3v	43.4v	42.1v	70.5v	94.5v	45.3v	71.7v	630.39v
766	Miss CPD Pearce	T	68.3v	72.6v	41.0v	46.4v	41.1v	41.1v	46.4v	70.4v	96.8v	44.3v	65.3v	630.37v
767	Mr SJ Clark	O	67.6v	66.2v	46.1v	44.2v	45.4v	43.1v	46.4v	68.6v	96.7v	39.0v	70.4v	630.37v
768	Mr JDJ Webber	T	70.4v	69.3v	44.2v	38.1v	43.2v	47.2v	46.5v	71.3v	97.7v	36.0v	69.6v	630.35v
769	WOII J Mwebia	X	70.2v	70.3v	40.0v	45.2v	41.1v	43.2v	39.0v	68.1v	99.6v	45.3v	70.4v	630.24v
770	Mrs I Pioche	O	69.3v	67.4v	39.1v	42.3v	42.2v	48.5v	42.1v	71.5v	98.7v	43.3v	68.6v	629.40v
771	Miss M Miller	T	63.3v	69.4v	45.4v	43.2v	44.2v	49.6v	45.3v	65.5v	95.3v	41.3v	70.4v	629.39v
772	Mr CJ Anyan	O	68.4v	61.0v	47.5v	47.4v	41.1v	45.2v	44.3v	63.1v	97.7v	45.2v	71.5v	629.34v
773	Mr JW Anderson	T	65.0v	65.1v	47.3v	43.5v	43.1v	45.3v	42.2v	65.1v	98.6v	44.1v	72.4v	629.27v
774	Mr RL Passmore	T	63.2v	69.6v	40.2v	44.2v	46.3v	45.3v	47.4v	66.6v	96.7v	44.3v	68.4v	628.42v
775	Mr J Britz	T	71.6v	67.6v	44.3v	37.1v	43.0v	45.2v	41.0v	73.5v	95.8v	42.1v	70.5v	628.37v
776	Mr RJH Hurdle	T	65.5v	63.1v	44.2v	41.2v	45.1v	48.2v	47.2v	68.5v	91.3v	47.5v	69.8v	628.36v
777	Mr J Paul	T	67.3v	66.0v	47.3v	41.4v	41.1v	40.2v	48.2v	65.3v	99.6v	44.2v	70.2v	628.28v
778	Mr F Bilton	O	71.6v	67.5v	50.5v	49.4v	0.0v	48.6v	48.1v	72.3v	100.11v	48.4v	74.8v	627.53v

779	Sgt JR Kennedy	T	74.10v	69.2v	41.2v	33.3v	43.3v	44.2v	44.1v	70.6v	98.9v	45.1v	66.3v	627.42v
780	Mr K Todd	T	62.0v	69.5v	45.2v	46.4v	44.3v	42.0v	45.1v	68.7v	93.5v	46.4v	67.3v	627.34v
781	Cdt RJ Argo	T	68.3v	66.6v	46.1v	45.1v	49.4v	39.4v	42.2v	68.7v	95.7v	43.1v	65.3v	626.39v
782	Mr T Galliers	O	71.6v	66.4v	44.2v	45.2v	40.2v	46.4v	41.1v	63.4v	95.4v	47.3v	68.5v	626.37v
783	E Ngetich	X	70.3v	70.4v	41.0v	38.0v	45.5v	46.3v	41.1v	66.4v	98.9v	45.3v	66.5v	626.37v
784	Mr WT Bridger	O	72.7v	63.2v	45.3v	41.0v	47.4v	49.6v	40.2v	67.6v	95.2v	43.1v	64.1v	626.34v
785	Mr H Buitelaar	O	67.5v	68.3v	46.3v	36.0v	43.3v	45.2v	45.3v	68.1v	94.5v	45.2v	68.5v	625.32v
786	Flt Sgt A Clark	T	58.2v	67.4v	41.2v	38.1v	45.4v	43.3v	44.1v	71.5v	101.8v	42.0v	74.7v	624.37v
787	Mr T Horsfield	O	69.5v	65.2v	46.3v	41.2v	48.6v	48.2v	43.0v	68.3v	93.9v	35.0v	68.5v	624.37v
788	Mr DJ Curtis	O	70.5v	67.4v	49.7v	4.1v	50.3v	45.4v	48.5v	73.8v	101.13v	45.3v	70.7v	622.60v
789	SSgt E Kimisik	X	57.3v	72.5v	44.1v	47.2v	45.3v	46.5v	41.3v	68.3v	88.1v	44.3v	70.4v	622.33v
790	Mr RP Birch	T	66.0v	67.3v	40.0v	40.2v	44.3v	46.3v	47.6v	68.4v	98.8v	41.1v	65.0v	622.30v
791	Mr RJ Dare	O	69.4v	68.5v	40.2v	46.2v	49.5v	43.2v	44.2v	64.5v	89.5v	38.3v	71.7v	621.42v
792	Cpl H Walker	T	67.4v	63.1v	48.7v	42.2v	45.2v	47.3v	47.5v	66.5v	92.4v	37.3v	67.6v	621.42v
793	Mr AJ Bryant	O	66.2v	65.2v	46.3v	42.4v	41.1v	47.5v	48.5v	63.2v	87.2v	47.4v	69.9v	621.39v
794	Mr JA Horton	O	68.3v	66.4v	42.1v	45.3v	42.1v	45.3v	42.4v	67.4v	89.4v	45.4v	70.2v	621.33v
795	Mr JL Poulin	X	66.4v	66.2v	49.3v	40.1v	44.2v	45.1v	44.1v	69.6v	86.2v	44.4v	68.4v	621.30v
796	Miss ME Wicker	O	68.6v	68.4v	41.2v	45.3v	46.4v	46.3v	48.6v	62.5v	92.5v	42.4v	62.3v	620.45v
797	Cdt P Urquhart	T	74.6v	65.4v	41.1v	42.1v	47.4v	40.1v	41.2v	66.3v	93.6v	42.1v	69.6v	620.35v
798	Mr J Bradshaw	T	66.4v	61.2v	40.2v	49.4v	47.3v	43.0v	46.3v	66.4v	90.2v	41.2v	71.5v	620.31v
799	Mr AW Sainter	O	65.3v	66.3v	46.3v	41.1v	47.2v	43.3v	42.1v	67.6v	94.5v	41.1v	68.3v	620.31v
800	Mr JPS Bloomfield	O	73.8v	72.4v	43.1v	49.5v	48.6v	48.4v	0.0v	71.7v	101.8v	40.0v	74.6v	619.49v
801	Mr AW Coupland	O	66.4v	68.3v	45.2v	44.1v	47.3v	49.4v	45.4v	65.4v	92.3v	34.1v	64.3v	619.32v
802	Cdt OJN Lyon	T	70.3v	71.7v	43.2v	47.3v	48.5v	48.6v	0.0v	74.6v	99.14v	46.4v	72.10v	618.60v
803	Mr AJM Mazumdar	T	66.7v	66.0v	45.2v	42.0v	46.3v	43.1v	45.3v	64.3v	93.7v	38.1v	70.4v	618.31v
804	LBdr A Shead	T	66.4v	63.3v	40.0v	41.0v	49.4v	41.2v	44.3v	69.6v	94.3v	42.1v	69.4v	618.30v
805	Cdt GBA Astin	T	69.4v	72.5v	44.4v	33.0v	46.2v	42.1v	42.3v	73.7v	92.5v	39.1v	65.4v	617.36v
806	Mr AJ Ball	O	65.4v	66.2v	42.1v	42.0v	43.1v	48.5v	42.2v	64.3v	98.6v	43.2v	64.3v	617.29v
807	Mr J Le Cheminant	O	64.2v	68.3v	42.2v	46.5v	44.1v	43.3v	47.3v	64.3v	94.3v	40.1v	65.3v	617.29v
808	Mr PH Gardner	O	65.3v	61.1v	41.2v	38.1v	44.1v	48.3v	44.4v	68.3v	92.4v	45.1v	70.6v	616.29v
809	Cdt LAE Crowson	T	69.11v	70.4v	48.6v	45.3v	49.7v	45.3v	0.0v	72.5v	99.5v	45.3v	73.9v	615.56v
810	Dr CM Sturges	O	69.5v	71.5v	46.3v	45.3v	47.4v	47.3v	46.4v	72.7v	98.10v	0.0v	74.10v	615.54v
811	Mr EK Kerfoot	T	62.3v	64.2v	40.0v	43.2v	40.0v	45.3v	48.4v	69.4v	89.3v	48.4v	67.5v	615.30v
812	Mr MDA Bentata	O	57.0v	69.5v	48.4v	39.1v	46.4v	46.2v	43.2v	67.2v	96.5v	34.0v	70.4v	615.29v
813	Mr JSW Hunter	O	68.5v	45.2v	48.5v	48.2v	44.1v	48.4v	44.3v	67.4v	92.7v	44.2v	66.7v	614.42v
814	Miss RC Stevens	T	69.6v	64.2v	40.2v	38.1v	45.2v	48.3v	42.2v	49.7v	100.7v	47.1v	72.8v	614.41v
815	Miss E Stewart	T	69.3v	66.2v	42.0v	46.4v	40.2v	45.2v	47.1v	67.3v	90.4v	32.0v	70.4v	614.25v
816	Mr D Hanson	O	71.5v	68.5v	46.6v	45.1v	49.6v	46.2v	0.0v	74.6v	97.6v	46.3v	71.7v	613.47v
817	Miss ZE Woodroffe	T	69.7v	69.4v	45.3v	35.0v	46.2v	48.4v	42.2v	65.12v	86.3v	40.1v	68.4v	613.42v
818	Mrs MJ Van Strien	O	68.1v	67.4v	38.2v	38.2v	34.2v	42.0v	44.2v	74.8v	97.8v	40.1v	71.8v	613.38v
819	Miss EK Gibson	T	75.10v	62.4v	46.4v	45.4v	47.2v	39.2v	19.0v	70.6v	93.7v	45.2v	71.2v	612.43v
820	Dr R Pizer	O	67.5v	70.5v	36.0v	42.1v	42.2v	46.4v	45.2v	62.3v	91.2v	45.2v	66.3v	612.29v
821	Cdt H Nash	T	67.3v	61.1v	44.3v	40.0v	43.3v	46.3v	47.1v	68.4v	92.5v	44.1v	60.2v	612.26v
822	Mr RJS Curtis	X	0.0v	72.7v	49.5v	45.3v	50.7v	50.5v	48.3v	73.8v	103.16v	47.3v	74.8v	611.65v
823	WO2 DN Budden	T	67.1v	70.3v	43.2v	45.2v	44.3v	47.5v	44.3v	73.10v	64.2v	44.4v	70.6v	611.41v
824	Mr MJB Benning	T	64.3v	70.1v	42.1v	48.4v	47.4v	46.5v	45.3v	72.5v	62.6v	44.3v	71.6v	611.41v
825	Mrs SM Mott	O	71.4v	70.5v	45.4v	29.1v	47.3v	46.2v	43.3v	66.5v	86.4v	41.1v	67.4v	611.36v
826	Mr CAS Penrose	T	70.4v	67.5v	38.0v	44.3v	42.2v	38.1v	45.2v	65.3v	94.8v	41.1v	67.4v	611.33v
827	Miss AMG Ogilvie	X	72.5v	0.0v	48.5v	47.6v	50.8v	48.6v	49.3v	75.8v	101.12v	46.5v	74.11v	610.69v
828	Cpl P Munene	X	69.2v	68.3v	48.4v	46.3v	46.4v	46.3v	42.4v	69.3v	102.12v	0.0v	74.7v	610.45v
829	Miss M Ang	T	69.7v	48.3v	44.2v	37.0v	43.2v	46.4v	47.1v	68.4v	93.5v	41.2v	73.7v	609.37v
830	Mr K Gladding	T	69.2v	65.3v	46.4v	36.0v	47.3v	46.2v	39.2v	64.2v	94.3v	33.0v	70.4v	609.25v
831	Mr NJ Atkins	T	68.4v	68.5v	44.3v	46.3v	42.1v	45.4v	40.2v	62.4v	88.6v	41.2v	64.3v	608.37v
832	Sgt A Lloyd	T	65.3v	64.3v	38.2v	44.2v	43.4v	42.2v	46.4v	66.5v	92.4v	40.2v	68.6v	608.37v
833	Cpl J Crease	T	70.6v	71.8v	44.1v	46.2v	47.1v	11.0v	41.2v	72.8v	93.8v	40.1v	71.5v	606.42v
834	Mr RS Pool	O	70.6v	69.6v	38.1v	44.1v	40.3v	46.4v	43.2v	67.4v	85.2v	38.1v	66.5v	606.35v
835	Mr HJM Awin	T	61.3v	64.1v	41.1v	43.4v	44.0v	43.3v	39.0v	71.7v	95.10v	38.2v	66.2v	605.33v
836	Cdt H Macrae	T	63.1v	67.2v	43.1v	42.2v	43.3v	43.1v	43.2v	60.4v	95.5v	41.2v	65.3v	605.26v
837	Cdt SM Amin	T	66.3v	60.2v	39.1v	43.3v	47.2v	36.1v	46.3v	67.3v	84.5v	45.5v	71.7v	604.35v
838	Cdt TA Arrowsmith	T	64.2v	66.3v	40.3v	43.0v	41.2v	46.3v	27.0v	71.5v	95.5v	44.3v	67.3v	604.29v
839	Mr WRD Mott	O	72.5v	73.8v	47.4v	45.1v	48.4v	47.4v	48.4v	73.8v	39.7v	45.2v	66.4v	603.51v
840	Mr PA Wilson	O	68.5v	67.3v	44.2v	48.5v	45.4v	45.3v	6.0v	68.5v	93.6v	47.4v	72.5v	603.42v
841	Mr BGS Bush	O	66.3v	66.2v	47.5v	44.1v	39.0v	42.1v	45.4v	67.5v	87.2v	33.1v	67.6v	603.30v
842	Cdt PS Lehmann	T	64.4v	68.3v	47.3v	42.2v	44.2v	47.2v	45.2v	64.3v	86.3v	46.2v	50.2v	603.28v
843	Mr JR Allum	T	48.4v	72.7v	46.5v	43.4v	43.1v	49.4v	43.0v	65.6v	88.6v	35.0v	69.6v	601.43v
844	Mr R Grafton	O	72.10v	74.5v	48.2v	47.4v	49.4v	50.7v	44.2v	73.9v	98.11v	44.3v	0.0v	599.57v
845	Miss C Halleran	O	73.9v	70.5v	42.4v	44.3v	44.1v	41.0v	44.4v	69.6v	65.5v	39.0v	68.4v	599.41v
846	Mr BJ Godwell	T	69.5v	70.6v	49.4v	46.3v	43.2v	48.5v	0.0v	68.4v	92.5v	42.1v	72.5v	599.40v
847	Mr JA Corrall	T	68.5v	62.2v	42.1v	36.0v	39.1v	39.1v	40.3v	66.6v	93.6v	44.2v	69.7v	598.34v
848	Mr EJE Mearns	T	64.1v	65.4v	42.2v	39.2v	39.1v	42.2v	45.3v	56.0v	95.7v	42.1v	69.4v	598.27v
849	Mr FC Hummert	T	68.5v	60.0v	42.3v	43.2v	30.0v	46.3v	46.3v	61.0v	93.3v	45.3v	64.1v	598.23v
850	Miss JF Hossack	A	72.5v	0.0v	48.6v	49.7v	45.3v	48.3v	43.0v	68.1v	100.7v	49.5v	75.10v	597.47v

851	Mr DP Marshall	T	62.6v	68.2v	41.1v	39.2v	39.1v	43.1v	47.3v	64.4v	95.8v	33.0v	66.5v	597.33v
852	Mr MR Ball	X	74.4v	70.7v	47.4v	50.7v	49.6v	48.6v	47.3v	70.7v	96.8v	45.5v	0.0v	596.57v
853	Mr P Dawes	A	0.0v	70.3v	47.2v	48.4v	47.4v	47.4v	48.3v	73.7v	98.7v	45.2v	73.7v	596.43v
854	Mr JT Kennedy	T	59.1v	54.2v	38.0v	45.2v	42.1v	46.2v	47.4v	66.4v	94.7v	42.1v	63.6v	596.30v
855	Mr TCE Elworthy	T	61.0v	69.3v	43.2v	40.1v	40.1v	46.3v	33.0v	62.3v	91.8v	43.3v	68.5v	596.29v
856	Mr SA Ruddell	O	70.7v	73.9v	49.6v	45.3v	50.8v	49.5v	42.2v	75.12v	100.6v	42.3v	0.0v	595.61v
857	Mr DDR Warner	T	58.1v	65.3v	43.2v	44.2v	36.0v	42.2v	46.2v	61.3v	93.2v	46.3v	60.3v	594.23v
858	Cdt L Thirlaway	T	68.2v	65.3v	44.2v	34.1v	44.1v	43.2v	43.2v	59.4v	90.3v	40.0v	64.1v	594.21v
859	Mr WP Hanley	O	70.7v	73.9v	47.3v	47.4v	47.5v	45.2v	44.0v	74.11v	99.10v	47.2v	0.0v	593.53v
860	Miss AL Lamont	T	58.0v	67.2v	42.2v	34.1v	38.1v	43.2v	40.0v	70.2v	95.7v	37.0v	69.5v	593.22v
861	Mr PCW Rose	O	71.7v	73.8v	46.1v	42.2v	48.6v	44.3v	49.6v	74.11v	100.10v	45.1v	0.0v	592.55v
862	Mr SG Hunter	A	69.7v	71.4v	47.3v	47.3v	47.4v	49.6v	49.4v	70.3v	98.11v	45.4v	0.0v	592.49v
863	Cdt E Bedard	T	69.6v	70.3v	45.1v	42.1v	46.2v	37.0v	19.0v	69.3v	88.6v	36.0v	71.8v	592.30v
864	Mr JG Bennett	X	72.6v	71.5v	41.1v	48.2v	47.4v	48.6v	44.0v	72.8v	100.6v	47.4v	0.0v	590.42v
865	Mr PERD Hunt	T	67.2v	62.1v	31.1v	44.1v	43.4v	36.1v	45.1v	70.5v	94.8v	34.2v	63.6v	589.32v
866	Mr ME Barr	O	71.5v	67.2v	49.6v	43.4v	49.4v	45.2v	48.6v	71.6v	100.8v	45.2v	0.0v	588.45v
867	Miss LE Kennedy	T	69.3v	65.2v	41.3v	44.1v	46.4v	40.0v	35.2v	66.3v	98.6v	34.1v	50.0v	588.25v
868	Mr AME Adams	O	66.3v	70.10v	44.3v	46.1v	49.6v	49.7v	44.3v	72.6v	98.6v	49.5v	0.0v	587.50v
869	Miss H McLoughlin	T	66.6v	70.7v	30.1v	48.5v	49.3v	49.3v	39.1v	71.9v	94.7v	5.0v	66.1v	587.43v
870	Mr P Barber	O	71.6v	67.2v	45.2v	48.5v	45.3v	48.4v	48.5v	69.8v	102.10v	43.1v	0.0v	586.46v
871	Miss L Saxton	T	62.2v	64.2v	42.3v	38.1v	44.3v	43.2v	30.0v	62.0v	91.5v	45.0v	65.4v	586.22v
872	Mr WA O'Dair	O	63.2v	67.5v	44.3v	46.1v	38.2v	43.3v	43.0v	55.3v	85.1v	40.1v	60.2v	584.23v
873	Mr AM Norman	O	56.0v	63.1v	41.1v	42.1v	44.1v	42.1v	45.2v	60.4v	87.3v	41.2v	63.4v	584.20v
874	Mr WH Handley	O	66.2v	69.3v	44.2v	35.0v	0.0v	47.3v	44.2v	71.6v	97.6v	41.3v	69.6v	583.33v
875	Mr CB Stone	O	46.3v	60.2v	42.0v	45.2v	41.4v	38.2v	47.4v	66.4v	87.3v	43.1v	68.3v	583.28v
876	Cpl C Beddow	T	68.3v	69.6v	44.2v	43.4v	43.3v	3.0v	43.1v	70.5v	94.4v	33.0v	72.5v	582.33v
877	Mr TG Gordon	T	69.6v	69.7v	34.0v	43.2v	47.4v	43.2v	43.3v	62.2v	99.8v	0.0v	70.6v	579.40v
878	Flt Lt HM French	T	67.4v	66.3v	36.4v	46.3v	37.2v	46.5v	43.2v	64.5v	69.0v	41.1v	64.3v	579.32v
879	C/Sgt P Hunter	T	63.2v	61.1v	45.2v	40.1v	42.3v	42.3v	40.1v	60.3v	94.4v	26.2v	66.1v	579.23v
880	Cdt A Carruthers	T	63.3v	65.4v	40.0v	43.0v	35.0v	42.0v	35.0v	67.6v	87.5v	29.1v	70.5v	576.24v
881	Mr MJ Cronje	T	67.2v	72.7v	0.0v	45.1v	47.5v	47.5v	13.0v	74.7v	100.10v	38.3v	72.8v	575.48v
882	Cdt CAS Lucas	T	62.1v	55.2v	32.0v	41.1v	46.2v	42.3v	43.0v	71.3v	94.6v	39.0v	49.4v	574.22v
883	Cpl J Gould	T	66.3v	72.7v	40.1v	24.1v	40.1v	48.3v	44.2v	72.9v	100.6v	0.0v	67.2v	573.35v
884	Cpl U Qazi	T	55.0v	58.3v	37.2v	43.1v	38.2v	43.2v	42.3v	68.4v	90.0v	32.2v	66.4v	572.23v
885	Mr AE Le Page	X	0.0v	72.8v	45.4v	45.4v	46.5v	41.2v	44.1v	67.4v	100.12v	42.2v	68.8v	570.50v
886	Mr JH Molesworth	T	54.1v	63.3v	42.0v	37.0v	39.1v	43.1v	37.1v	61.2v	94.5v	35.1v	64.5v	569.20v
887	Mr S Moss	T	68.5v	4.0v	44.4v	37.1v	46.4v	41.2v	48.6v	67.5v	96.4v	45.2v	72.5v	568.38v
888	Sgt JT McKay	T	60.2v	64.4v	44.2v	35.0v	39.1v	48.4v	47.4v	64.0v	96.6v	4.0v	67.5v	568.28v
889	Mr DB Harrison	O	66.1v	66.2v	41.2v	0.0v	41.1v	43.2v	45.3v	73.7v	87.2v	41.3v	65.4v	568.27v
890	Mr JJ Jalili	T	72.8v	64.2v	42.3v	45.2v	46.3v	49.4v	38.1v	71.6v	98.7v	42.2v	0.0v	567.38v
891	Mr DMF Sharp	A	65.1v	62.0v	41.1v	43.3v	38.1v	38.0v	32.0v	57.1v	86.4v	40.2v	64.4v	566.17v
892	Mr DF Nesbitt	O	67.5v	63.1v	47.2v	47.4v	43.2v	41.3v	42.3v	68.5v	99.12v	47.2v	0.0v	564.39v
893	Mr PMJ Tooley	T	68.4v	72.5v	34.0v	0.0v	42.2v	47.5v	38.2v	74.8v	96.5v	36.1v	57.1v	564.33v
894	Cpl C Butler	T	60.1v	56.0v	41.3v	41.1v	36.1v	46.2v	39.2v	60.1v	86.4v	37.1v	61.2v	563.18v
895	Mr BJA Parke	O	56.1v	60.0v	40.0v	43.4v	37.0v	42.2v	41.2v	59.1v	85.2v	42.1v	58.3v	563.16v
896	Miss L McKibbin	T	63.1v	63.0v	35.2v	23.0v	41.4v	43.2v	34.1v	63.3v	86.1v	34.0v	75.5v	560.19v
897	Dr NG Jeffs	O	70.3v	71.8v	43.2v	45.3v	0.0v	41.2v	50.3v	67.3v	66.2v	43.0v	63.2v	559.28v
898	Mr NM Duncan	T	72.7v	68.5v	45.1v	0.0v	0.0v	47.3v	45.3v	70.3v	96.7v	44.3v	71.8v	558.40v
899	Mr GW Clarke	A	71.9v	74.7v	45.4v	48.3v	49.6v	0.0v	48.5v	74.10v	98.6v	49.4v	0.0v	556.54v
900	Cpl A Pattison	T	62.2v	64.2v	44.2v	34.0v	41.1v	48.3v	39.1v	68.3v	76.1v	23.0v	56.2v	555.17v
901	Mr G Irish	T	70.6v	65.3v	38.0v	39.1v	43.1v	39.1v	44.1v	59.3v	92.6v	0.0v	65.3v	554.25v
902	Mr F Zeresenai	T	59.1v	62.2v	41.2v	34.1v	44.3v	42.3v	35.1v	63.2v	84.3v	33.0v	56.3v	553.21v
903	Mr S Heard	T	0.0v	69.3v	0.0v	47.5v	48.6v	48.5v	46.6v	73.11v	99.10v	45.4v	73.9v	548.59v
904	Miss RM Camm	T	67.5v	0.0v	39.1v	43.3v	44.4v	43.1v	46.1v	62.2v	88.2v	45.2v	68.3v	545.24v
905	Mr T Waycott	T	61.3v	65.4v	0.0v	41.3v	43.1v	45.1v	45.5v	57.1v	81.3v	41.1v	65.3v	544.25v
906	Mr C Downer	T	63.0v	51.0v	27.0v	39.1v	36.1v	29.0v	49.2v	40.1v	96.2v	43.3v	68.4v	541.14v
907	Cdt C Buchanan	T	72.4v	62.1v	38.2v	29.2v	46.4v	47.3v	0.0v	71.5v	98.9v	0.0v	74.8v	537.38v
908	Mr TJG Greenhalgh	T	64.3v	73.7v	45.1v	44.3v	0.0v	43.2v	47.4v	72.4v	99.8v	47.4v	0.0v	534.36v
909	Miss J Simpson	O	63.2v	62.3v	39.0v	37.0v	29.1v	29.0v	39.1v	57.3v	80.2v	35.0v	60.1v	530.13v
910	Mr B Jarvis	T	68.6v	58.1v	40.1v	42.1v	45.3v	42.2v	41.2v	70.2v	82.1v	40.1v	0.0v	528.20v
911	Cpl C Veich	T	61.4v	65.1v	30.1v	39.2v	36.0v	39.2v	41.2v	48.0v	79.4v	21.0v	58.3v	517.19v
912	Mr AEC Briant	O	69.5v	0.0v	47.3v	44.2v	47.4v	48.4v	44.4v	72.7v	100.6v	45.2v	0.0v	516.37v
913	Mr JE Diviney	O	71.7v	68.5v	43.2v	46.3v	49.5v	47.5v	46.4v	0.0v	99.9v	46.2v	0.0v	515.42v
914	Mr P Stanley	T	60.1v	56.1v	37.3v	43.1v	34.1v	26.1v	39.0v	47.3v	82.3v	35.0v	55.2v	514.16v
915	Mr D Odutola	T	67.4v	30.5v	46.4v	42.2v	38.1v	40.1v	41.2v	59.1v	60.2v	20.0v	63.5v	506.27v
916	L Cpl LA Volkwein	T	55.1v	68.5v	43.3v	37.1v	45.4v	36.1v	36.0v	56.2v	90.4v	36.0v	0.0v	502.21v
917	Capt S Stebbings	T	46.1v	50.0v	36.2v	34.1v	40.1v	34.2v	40.2v	56.3v	84.3v	27.2v	49.3v	496.20v
918	Cdt GA Buchanan	T	68.0v	66.3v	44.2v	40.1v	46.1v	43.2v	0.0v	0.0v	85.1v	35.2v	67.4v	494.16v
919	Mr BH Yates	O	0.0v	67.2v	42.2v	46.4v	44.2v	48.8v	43.0v	63.2v	95.7v	44.4v	0.0v	492.31v
920	Mr R Mcilveen	O	71.7v	70.4v	43.3v	45.3v	0.0v	0.0v	43.4v	74.11v	65.7v	0.0v	72.11v	483.50v
921	Mr DRJF Forster	T	64.3v	65.2v	43.1v	37.0v	31.1v	44.3v	38.0v	62.2v	92.5v	0.0v	0.0v	476.17v
922	Dr NP Tucker	O	63.1v	67.5v	48.3v	43.2v	43.2v	42.1v	0.0v	71.9v	25.1v	43.2v	0.0v	445.26v

