

NRA 150th Anniversary Meeting

Grand Aggregate (as at Monday, 19th July 2010)

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW	Total	
1	Mr GE Morris	X	74.8v	74.13v	50.6v	49.3v	50.7v	50.4v	0.0v	0.0v	0.0v	50.6v	0.0v	397.47v
2	Mr JC Underwood	X	75.12v	74.13v	49.8v	48.6v	50.8v	49.5v	0.0v	0.0v	0.0v	50.6v	0.0v	395.58v
3	Mr DC Luckman	X	72.9v	75.11v	50.6v	50.8v	50.9v	49.7v	0.0v	0.0v	0.0v	49.7v	0.0v	395.57v
4	Dr GCD Barnett	X	75.6v	74.8v	49.6v	50.6v	50.8v	49.3v	0.0v	0.0v	0.0v	48.2v	0.0v	395.39v
5	Mr TA Ringer	X	74.10v	74.8v	49.8v	49.7v	49.6v	49.5v	0.0v	0.0v	0.0v	50.9v	0.0v	394.53v
6	Mr J Pugsley	X	74.9v	75.12v	50.7v	50.6v	49.8v	48.3v	0.0v	0.0v	0.0v	48.4v	0.0v	394.49v
7	Mr JCT Kent	X	75.8v	75.13v	50.6v	49.6v	50.8v	48.4v	0.0v	0.0v	0.0v	47.3v	0.0v	394.48v
8	Mr WCP Richards	X	74.9v	74.8v	48.6v	49.7v	50.8v	49.4v	0.0v	0.0v	0.0v	50.5v	0.0v	394.47v
9	Mr C Fitzpatrick	X	73.10v	75.10v	49.3v	50.5v	49.3v	49.5v	0.0v	0.0v	0.0v	49.5v	0.0v	394.41v
10	Mr TM Green	X	72.10v	75.10v	50.7v	49.9v	50.6v	49.5v	0.0v	0.0v	0.0v	48.5v	0.0v	393.52v
11	Mr S Young	X	73.7v	74.11v	49.7v	50.9v	50.7v	50.4v	0.0v	0.0v	0.0v	47.3v	0.0v	393.48v
12	Mr JWE Lewis	X	75.10v	75.11v	50.6v	50.7v	49.4v	47.4v	0.0v	0.0v	0.0v	47.3v	0.0v	393.45v
13	Mr D Lowe	O	75.11v	73.6v	49.7v	50.6v	49.4v	48.4v	0.0v	0.0v	0.0v	49.6v	0.0v	393.44v
14	Dr PD Sykes	X	74.7v	74.12v	50.4v	48.2v	50.9v	49.5v	0.0v	0.0v	0.0v	48.4v	0.0v	393.43v
15	Mr AC Haley	A	74.12v	73.7v	50.4v	49.8v	50.6v	50.3v	0.0v	0.0v	0.0v	47.3v	0.0v	393.43v
16	Mr SJ Cane	X	73.9v	74.12v	50.9v	49.6v	50.7v	49.7v	0.0v	0.0v	0.0v	47.2v	0.0v	392.52v
17	Dr HHG Pollock	A	74.9v	72.9v	49.7v	50.6v	49.8v	49.3v	0.0v	0.0v	0.0v	49.6v	0.0v	392.48v
18	Mr CN Tremlett	X	74.9v	75.10v	46.3v	49.3v	50.7v	48.5v	0.0v	0.0v	0.0v	50.10v	0.0v	392.47v
19	Mr MJ Ensor	A	72.7v	75.9v	49.7v	47.5v	50.6v	50.7v	0.0v	0.0v	0.0v	49.5v	0.0v	392.46v
20	Sgt SJ Hier	X	73.8v	73.6v	50.6v	49.7v	49.8v	49.5v	0.0v	0.0v	0.0v	49.3v	0.0v	392.43v
21	Mr ANR Walker	X	75.8v	75.11v	47.4v	50.9v	49.7v	50.6v	0.0v	0.0v	0.0v	45.6v	0.0v	391.51v
22	Miss JH Messer	X	73.7v	72.11v	49.7v	50.6v	49.7v	48.4v	0.0v	0.0v	0.0v	50.5v	0.0v	391.47v
23	Dr JG Robertson	X	74.9v	74.8v	47.5v	50.6v	49.8v	47.4v	0.0v	0.0v	0.0v	50.6v	0.0v	391.46v
24	Mr ASH McCullough	X	73.9v	75.8v	48.4v	47.5v	50.9v	49.6v	0.0v	0.0v	0.0v	49.5v	0.0v	391.46v
25	Mr JAM Paton	X	75.12v	73.9v	49.7v	50.6v	49.5v	48.4v	0.0v	0.0v	0.0v	47.3v	0.0v	391.46v
26	Mr PB Bromley	X	72.10v	75.8v	50.8v	49.4v	50.6v	49.6v	0.0v	0.0v	0.0v	46.3v	0.0v	391.45v
27	Mr JRO Boyd	A	74.12v	72.4v	48.7v	49.7v	49.6v	49.6v	0.0v	0.0v	0.0v	50.2v	0.0v	391.44v
28	Mr GA Cann	X	74.6v	73.9v	49.6v	48.5v	48.4v	50.7v	0.0v	0.0v	0.0v	49.7v	0.0v	391.44v
29	Mr JMA Thompson	X	75.9v	70.6v	49.5v	49.5v	50.7v	49.8v	0.0v	0.0v	0.0v	49.4v	0.0v	391.44v
30	Mr DC Crispin	X	73.4v	73.10v	48.5v	49.6v	50.7v	49.5v	0.0v	0.0v	0.0v	49.4v	0.0v	391.41v
31	Mr PG Kent	X	75.10v	73.10v	50.7v	50.6v	45.7v	48.7v	0.0v	0.0v	0.0v	49.8v	0.0v	390.55v
32	Mr J Corbett	X	75.13v	73.9v	49.5v	50.9v	49.5v	46.5v	0.0v	0.0v	0.0v	48.5v	0.0v	390.51v
33	Mr MT Phipps	O	73.8v	72.12v	49.5v	49.5v	50.7v	49.6v	0.0v	0.0v	0.0v	48.7v	0.0v	390.50v
34	Wg Cdr DP Calvert	X	75.11v	75.12v	49.6v	48.3v	50.8v	48.3v	0.0v	0.0v	0.0v	45.4v	0.0v	390.47v
35	Mr AJ Wilson	X	72.9v	73.12v	46.3v	50.7v	49.8v	50.4v	0.0v	0.0v	0.0v	50.3v	0.0v	390.46v
36	Cdt HP McCullough	X	75.10v	72.8v	50.4v	46.5v	49.5v	49.8v	0.0v	0.0v	0.0v	49.6v	0.0v	390.46v
37	Mr N Cole-Hawkins	A	72.7v	73.10v	50.7v	49.6v	50.8v	47.2v	0.0v	0.0v	0.0v	49.5v	0.0v	390.45v
38	Mr CA Brook	X	72.8v	75.11v	48.5v	50.5v	50.6v	47.4v	0.0v	0.0v	0.0v	48.5v	0.0v	390.44v
39	Mr CJ Morton	X	74.8v	74.9v	48.6v	49.6v	50.7v	48.6v	0.0v	0.0v	0.0v	47.2v	0.0v	390.44v
40	Mr A Burton	A	73.11v	75.10v	48.4v	48.4v	50.5v	50.6v	0.0v	0.0v	0.0v	46.3v	0.0v	390.43v
41	Mr MJM Black	A	73.9v	75.9v	47.5v	50.8v	50.8v	49.3v	0.0v	0.0v	0.0v	46.1v	0.0v	390.43v
42	Mr JGM Webster	X	74.9v	75.6v	50.8v	48.4v	48.5v	45.4v	0.0v	0.0v	0.0v	50.5v	0.0v	390.41v
43	Mr DA Taylor	A	73.7v	73.7v	49.4v	49.6v	49.5v	49.6v	0.0v	0.0v	0.0v	48.6v	0.0v	390.41v
44	Mr FWA Coetzee	X	73.9v	74.9v	50.5v	47.2v	50.5v	48.6v	0.0v	0.0v	0.0v	48.4v	0.0v	390.40v
45	Mrs MM Norman	A	73.8v	73.4v	48.7v	50.6v	50.6v	49.5v	0.0v	0.0v	0.0v	47.4v	0.0v	390.40v
46	Mr RC Oxford	A	73.5v	73.9v	49.6v	50.7v	49.4v	50.5v	0.0v	0.0v	0.0v	46.4v	0.0v	390.40v
47	Mr DRG Rich	X	74.8v	75.5v	47.5v	50.6v	48.7v	48.5v	0.0v	0.0v	0.0v	48.2v	0.0v	390.38v
48	Sgt. HJ Golaszewski	A	74.9v	74.6v	47.3v	47.4v	50.7v	49.3v	0.0v	0.0v	0.0v	49.4v	0.0v	390.36v
49	Mr P Patel	X	73.9v	73.9v	49.7v	48.8v	50.9v	48.5v	0.0v	0.0v	0.0v	48.5v	0.0v	389.52v
50	Miss KAN Jack	X	74.11v	73.8v	50.8v	49.7v	49.7v	47.6v	0.0v	0.0v	0.0v	47.3v	0.0v	389.50v
51	Mr CJ Watson	X	74.11v	75.12v	48.7v	49.3v	50.9v	48.3v	0.0v	0.0v	0.0v	45.5v	0.0v	389.50v
52	Miss EJ Nuttall	X	73.8v	75.11v	49.7v	46.4v	50.8v	49.4v	0.0v	0.0v	0.0v	47.7v	0.0v	389.49v
53	Dr AM Jory	X	74.10v	73.8v	50.7v	48.5v	48.7v	48.4v	0.0v	0.0v	0.0v	48.5v	0.0v	389.46v
54	Mr RJW Smeltzer	X	75.8v	73.9v	49.8v	46.4v	49.7v	47.3v	0.0v	0.0v	0.0v	50.6v	0.0v	389.45v

55	Mr AF Powell	X	73.8v	74.9v	48.4v	50.6v	49.6v	48.6v	0.0v	0.0v	0.0v	47.6v	0.0v	389.45v
56	Mr AJ Luckman	X	72.9v	73.10v	50.6v	50.4v	50.10v	50.6v	0.0v	0.0v	0.0v	44.0v	0.0v	389.45v
57	Mr SKC Hunter	O	72.6v	73.8v	49.4v	49.7v	49.8v	49.6v	0.0v	0.0v	0.0v	48.5v	0.0v	389.44v
58	Mr IT Jones	O	75.13v	72.9v	50.5v	46.3v	50.5v	48.4v	0.0v	0.0v	0.0v	48.5v	0.0v	389.44v
59	Mr JH Wood	O	75.9v	70.6v	49.6v	48.6v	50.7v	49.4v	0.0v	0.0v	0.0v	48.4v	0.0v	389.42v
60	Zulkeflee Hamsan	X	74.10v	74.9v	49.6v	47.1v	50.8v	48.4v	0.0v	0.0v	0.0v	47.4v	0.0v	389.42v
61	Mr NBS Logan	A	74.11v	73.5v	48.5v	50.4v	48.7v	48.4v	0.0v	0.0v	0.0v	46.3v	0.0v	389.42v
62	Miss JM Rankin	O	75.7v	75.8v	49.8v	49.5v	50.5v	45.4v	0.0v	0.0v	0.0v	46.4v	0.0v	389.41v
63	Mr JP Tapster	X	75.9v	75.9v	50.7v	46.3v	50.6v	48.4v	0.0v	0.0v	0.0v	45.3v	0.0v	389.41v
64	Mr CTS Belk	A	74.9v	72.10v	47.4v	48.2v	48.6v	50.4v	0.0v	0.0v	0.0v	50.5v	0.0v	389.40v
65	Mr JA Watson	X	72.8v	73.6v	47.4v	48.5v	50.7v	50.6v	0.0v	0.0v	0.0v	49.4v	0.0v	389.40v
66	Mr MG Whicher	A	74.6v	72.7v	49.7v	48.5v	50.7v	48.4v	0.0v	0.0v	0.0v	48.4v	0.0v	389.40v
67	Mr MF Martel	X	74.11v	73.5v	50.6v	49.4v	50.7v	48.4v	0.0v	0.0v	0.0v	45.3v	0.0v	389.40v
68	Mr RSF Shouler	X	74.13v	71.3v	50.7v	49.4v	49.7v	47.3v	0.0v	0.0v	0.0v	49.2v	0.0v	389.39v
69	Miss S-J Binder	X	70.6v	75.8v	47.3v	49.5v	50.8v	50.6v	0.0v	0.0v	0.0v	48.3v	0.0v	389.39v
70	Mr JB Hull	X	72.10v	74.9v	50.5v	48.4v	50.6v	45.1v	0.0v	0.0v	0.0v	50.3v	0.0v	389.38v
71	Mr RCT Jeens	X	72.6v	74.9v	49.5v	50.5v	50.6v	46.4v	0.0v	0.0v	0.0v	48.3v	0.0v	389.38v
72	Mr JA Anderson	X	73.7v	71.7v	49.6v	48.3v	49.7v	50.4v	0.0v	0.0v	0.0v	49.3v	0.0v	389.37v
73	Mrs SV Luckman	A	75.7v	73.10v	48.5v	50.5v	47.5v	49.3v	0.0v	0.0v	0.0v	47.2v	0.0v	389.37v
74	Cdt MJ Purdy	A	71.4v	71.4v	49.6v	49.3v	50.6v	50.8v	0.0v	0.0v	0.0v	49.4v	0.0v	389.35v
75	Mr M Fray	O	74.4v	73.3v	48.5v	46.3v	50.6v	49.6v	0.0v	0.0v	0.0v	49.5v	0.0v	389.32v
76	Mr J Cload	X	73.10v	73.12v	49.8v	49.7v	50.7v	47.5v	0.0v	0.0v	0.0v	47.5v	0.0v	388.54v
77	Mr GMLN Gilpin	X	72.7v	75.11v	50.5v	46.5v	48.7v	48.7v	0.0v	0.0v	0.0v	49.3v	0.0v	388.45v
78	Mr PG Oxnam	A	72.9v	74.11v	49.5v	49.4v	48.6v	49.5v	0.0v	0.0v	0.0v	47.5v	0.0v	388.45v
79	Mr E Malleson	O	74.9v	73.8v	49.6v	47.5v	50.5v	47.5v	0.0v	0.0v	0.0v	48.6v	0.0v	388.44v
80	Mr NJ Ball	X	73.10v	72.9v	49.2v	49.7v	50.8v	49.4v	0.0v	0.0v	0.0v	46.4v	0.0v	388.44v
81	Mr DG Young	X	70.5v	74.10v	50.8v	49.5v	50.7v	48.5v	0.0v	0.0v	0.0v	47.3v	0.0v	388.43v
82	Mr RBC Baker	A	75.9v	72.7v	48.6v	48.4v	49.6v	50.4v	0.0v	0.0v	0.0v	46.5v	0.0v	388.41v
83	Mr JPL Sweet	X	71.7v	73.4v	48.5v	49.4v	48.5v	49.7v	0.0v	0.0v	0.0v	50.7v	0.0v	388.39v
84	Mr RA Benest	X	73.6v	72.9v	49.5v	48.5v	50.5v	49.6v	0.0v	0.0v	0.0v	47.3v	0.0v	388.39v
85	Dr JS Rennie	X	72.4v	72.7v	48.6v	49.4v	50.6v	47.4v	0.0v	0.0v	0.0v	50.6v	0.0v	388.37v
86	Flt Lt IW Robertson	A	74.6v	73.11v	49.4v	46.4v	50.3v	49.4v	0.0v	0.0v	0.0v	47.5v	0.0v	388.37v
87	Cpl JP Nice	A	73.7v	75.7v	50.6v	46.3v	48.5v	49.6v	0.0v	0.0v	0.0v	47.3v	0.0v	388.37v
88	Lt AW Gill	O	72.6v	73.5v	48.4v	48.1v	49.6v	50.8v	0.0v	0.0v	0.0v	48.3v	0.0v	388.33v
89	Mr ATB Tompson	X	74.7v	73.5v	48.4v	48.3v	50.6v	48.4v	0.0v	0.0v	0.0v	47.2v	0.0v	388.31v
90	Cdt Cpl HAD Howard	O	73.2v	74.7v	48.3v	49.7v	48.6v	49.5v	0.0v	0.0v	0.0v	47.1v	0.0v	388.31v
91	Mr IP Davison	X	73.10v	72.8v	47.6v	49.9v	50.8v	49.5v	0.0v	0.0v	0.0v	47.6v	0.0v	387.52v
92	Mr KWD Ramsey	X	73.12v	73.7v	47.5v	49.7v	50.8v	48.6v	0.0v	0.0v	0.0v	47.4v	0.0v	387.49v
93	Mr DGEM Mutter	O	73.6v	74.11v	50.8v	48.6v	48.5v	49.7v	0.0v	0.0v	0.0v	45.5v	0.0v	387.48v
94	Mr AJ Sims	X	72.11v	72.7v	47.6v	48.4v	49.3v	49.6v	0.0v	0.0v	0.0v	50.10v	0.0v	387.47v
95	Mrs CJ Clifford-Evans	X	74.11v	71.8v	48.5v	50.9v	48.2v	48.6v	0.0v	0.0v	0.0v	48.5v	0.0v	387.46v
96	Mr GC Childs	X	73.7v	72.10v	48.5v	50.5v	48.6v	49.8v	0.0v	0.0v	0.0v	47.5v	0.0v	387.46v
97	Mrs BA Bell	A	73.8v	71.8v	48.5v	50.5v	50.9v	48.3v	0.0v	0.0v	0.0v	47.5v	0.0v	387.43v
98	Mr TLW Kidner	X	74.9v	73.8v	49.6v	48.6v	49.7v	48.5v	0.0v	0.0v	0.0v	46.2v	0.0v	387.43v
99	Cdt CS Milton	O	73.8v	74.11v	50.5v	47.5v	50.7v	47.5v	0.0v	0.0v	0.0v	46.2v	0.0v	387.43v
100	Mr DR Armstrong	X	73.10v	74.10v	49.6v	47.3v	50.8v	48.5v	0.0v	0.0v	0.0v	46.1v	0.0v	387.43v
101	Mr ND Stangroom	X	72.9v	73.8v	47.3v	50.7v	49.5v	49.5v	0.0v	0.0v	0.0v	47.5v	0.0v	387.42v
102	Mr TJD Raincock	X	74.9v	71.5v	48.5v	48.3v	49.8v	48.5v	0.0v	0.0v	0.0v	49.6v	0.0v	387.41v
103	Cdt GW Davies	A	74.6v	71.10v	47.3v	47.4v	50.7v	49.7v	0.0v	0.0v	0.0v	49.4v	0.0v	387.41v
104	Mr AJC Wilson	A	72.7v	74.8v	48.4v	49.7v	47.4v	49.6v	0.0v	0.0v	0.0v	48.5v	0.0v	387.41v
105	Mr C Mitchell	O	73.9v	73.8v	49.4v	48.5v	48.6v	48.4v	0.0v	0.0v	0.0v	48.5v	0.0v	387.41v
106	Mr R Kloosterman	A	71.5v	70.7v	50.7v	50.6v	49.5v	50.7v	0.0v	0.0v	0.0v	47.4v	0.0v	387.41v
107	Mr SD Shouler	X	74.11v	75.7v	49.7v	48.5v	49.6v	45.1v	0.0v	0.0v	0.0v	47.4v	0.0v	387.41v
108	Mrs LK Mace	X	73.6v	75.8v	49.8v	48.5v	49.5v	47.5v	0.0v	0.0v	0.0v	46.4v	0.0v	387.41v
109	Mr LM Peden	A	72.8v	73.5v	49.5v	48.4v	50.9v	50.6v	0.0v	0.0v	0.0v	45.4v	0.0v	387.41v
110	Mr DFP Richards	X	72.10v	72.7v	50.6v	48.7v	49.5v	48.2v	0.0v	0.0v	0.0v	48.3v	0.0v	387.40v
111	Mr CES Dickenson	X	72.8v	73.7v	47.5v	49.7v	49.7v	50.5v	0.0v	0.0v	0.0v	47.1v	0.0v	387.40v
112	Dr AJ Pilgrim	X	72.7v	73.12v	48.4v	50.5v	50.4v	48.6v	0.0v	0.0v	0.0v	46.2v	0.0v	387.40v
113	Mrs JA Wagland	X	72.7v	72.10v	49.4v	49.6v	49.5v	47.3v	0.0v	0.0v	0.0v	49.4v	0.0v	387.39v
114	Mr KR Trowbridge	X	72.8v	72.6v	49.8v	49.6v	49.6v	47.2v	0.0v	0.0v	0.0v	49.3v	0.0v	387.39v
115	Mr RJ Waters	A	73.5v	72.8v	48.5v	49.4v	49.8v	48.5v	0.0v	0.0v	0.0v	48.4v	0.0v	387.39v
116	Mr DA Richardson	X	73.9v	75.10v	48.7v	48.4v	50.6v	45.1v	0.0v	0.0v	0.0v	48.2v	0.0v	387.39v
117	Mr KO Pugh	A	72.7v	74.6v	46.5v	50.6v	50.7v	48.5v	0.0v	0.0v	0.0v	47.3v	0.0v	387.39v
118	Eur Ing CA Painting	X	73.8v	73.7v	50.6v	48.5v	50.5v	50.7v	0.0v	0.0v	0.0v	43.1v	0.0v	387.39v
119	Mr MCJ Button	X	72.6v	73.6v	47.4v	50.4v	50.7v	48.5v	0.0v	0.0v	0.0v	47.6v	0.0v	387.38v
120	Mr RdeV Chase	X	72.5v	74.10v	49.6v	49.5v	50.7v	46.2v	0.0v	0.0v	0.0v	47.3v	0.0v	387.38v
121	Mr MI Buchanan	X	75.8v	72.8v	49.5v	48.4v	50.9v	47.2v	0.0v	0.0v	0.0v	46.2v	0.0v	387.38v
122	Mr M Woolger	X	75.10v	74.8v	49.6v	47.3v	49.4v	48.2v	0.0v	0.0v	0.0v	45.5v	0.0v	387.38v
123	Dr JDS Langley	X	73.8v	72.6v	45.2v	49.5v	50.8v	48.2v	0.0v	0.0v	0.0v	50.5v	0.0v	387.36v
124	Cdt AW Boyd	O	72.8v	74.6v	47.6v	49.5v	49.3v	49.6v	0.0v	0.0v	0.0v	47.2v	0.0v	387.36v
125	Mr RF Barrington	A	74.10v	73.7v	47.3v	48.3v	50.7v	47.4v	0.0v	0.0v	0.0v	48.1v	0.0v	387.35v

126	Miss JE Ouston	O	74.8v	75.10v	50.4v	49.5v	45.2v	48.4v	0.0v	0.0v	0.0v	46.1v	0.0v	387.34v
127	Mr RR Goodluck	O	74.6v	72.6v	49.7v	48.3v	48.3v	47.4v	0.0v	0.0v	0.0v	49.4v	0.0v	387.33v
128	Mr SH Cox	A	72.6v	74.4v	49.5v	47.5v	50.5v	50.5v	0.0v	0.0v	0.0v	45.2v	0.0v	387.32v
129	Cdt LAE Crowson	T	74.11v	74.11v	49.6v	49.6v	47.4v	44.4v	0.0v	0.0v	0.0v	49.5v	0.0v	386.47v
130	Mr AS Errey	A	73.10v	75.11v	49.6v	48.6v	50.8v	47.2v	0.0v	0.0v	0.0v	44.4v	0.0v	386.47v
131	Mr JEM Bellringer	X	71.9v	74.9v	49.4v	48.4v	48.7v	48.7v	0.0v	0.0v	0.0v	48.5v	0.0v	386.45v
132	Mr BW Schlam	X	72.8v	74.10v	48.5v	48.6v	49.8v	48.5v	0.0v	0.0v	0.0v	47.3v	0.0v	386.45v
133	Flt Lt NP Moxon	A	74.8v	74.13v	49.5v	50.6v	48.4v	44.4v	0.0v	0.0v	0.0v	47.4v	0.0v	386.44v
134	Mr GK Alexander	X	72.6v	74.13v	49.7v	46.4v	50.6v	49.5v	0.0v	0.0v	0.0v	46.3v	0.0v	386.44v
135	Mr NC Mace	X	73.9v	73.8v	49.8v	49.3v	50.8v	47.5v	0.0v	0.0v	0.0v	45.3v	0.0v	386.44v
136	Mr DGP Vamplew	X	73.9v	70.6v	48.7v	49.7v	49.6v	49.3v	0.0v	0.0v	0.0v	48.4v	0.0v	386.42v
137	Mr DGM Coleman	X	71.8v	74.8v	50.6v	48.4v	49.6v	49.5v	0.0v	0.0v	0.0v	45.5v	0.0v	386.42v
138	Mr NW Penn	A	70.6v	74.9v	48.4v	48.6v	48.6v	49.6v	0.0v	0.0v	0.0v	49.4v	0.0v	386.41v
139	Mr MJ Barlow	X	74.9v	72.8v	48.4v	49.4v	46.4v	49.5v	0.0v	0.0v	0.0v	48.7v	0.0v	386.41v
140	Mr TP Clarke	A	73.11v	73.5v	49.7v	48.6v	50.7v	47.3v	0.0v	0.0v	0.0v	46.2v	0.0v	386.41v
141	Mr RJS Curtis	X	72.6v	74.9v	48.6v	49.6v	50.8v	48.4v	0.0v	0.0v	0.0v	45.2v	0.0v	386.41v
142	Flt Lt BN Roth	X	73.7v	74.9v	48.7v	46.3v	49.6v	48.3v	0.0v	0.0v	0.0v	48.5v	0.0v	386.40v
143	Mr PJ Johnson	X	74.9v	73.7v	49.7v	47.5v	49.4v	48.3v	0.0v	0.0v	0.0v	46.5v	0.0v	386.40v
144	Mr ML Millar	X	73.10v	75.9v	47.3v	46.4v	50.7v	49.3v	0.0v	0.0v	0.0v	46.4v	0.0v	386.40v
145	Mr CRM Asquith	A	73.8v	73.10v	50.6v	48.4v	49.4v	45.2v	0.0v	0.0v	0.0v	48.5v	0.0v	386.39v
146	Mr JC Evans	O	69.5v	75.9v	49.2v	50.7v	48.7v	47.5v	0.0v	0.0v	0.0v	48.4v	0.0v	386.39v
147	Mr MH Shaw	A	74.8v	73.10v	48.2v	50.6v	48.5v	46.2v	0.0v	0.0v	0.0v	47.6v	0.0v	386.39v
148	Mr SC Postins	X	70.5v	73.9v	50.7v	48.5v	50.3v	48.6v	0.0v	0.0v	0.0v	47.4v	0.0v	386.39v
149	Mr MJ MacKeith	A	74.10v	71.4v	49.6v	50.7v	50.6v	46.4v	0.0v	0.0v	0.0v	46.2v	0.0v	386.39v
150	Mr TP Hammond	A	74.9v	72.7v	49.7v	49.6v	48.5v	48.3v	0.0v	0.0v	0.0v	46.2v	0.0v	386.39v
151	Dr CD Haley	X	73.8v	74.10v	49.4v	44.1v	50.8v	48.4v	0.0v	0.0v	0.0v	48.3v	0.0v	386.38v
152	Mr TJ Roberts	A	71.8v	73.6v	48.5v	48.3v	50.8v	49.6v	0.0v	0.0v	0.0v	47.2v	0.0v	386.38v
153	Dr JD Warburton	X	73.7v	74.8v	49.6v	45.5v	50.7v	48.3v	0.0v	0.0v	0.0v	47.2v	0.0v	386.38v
154	Mr LT Wicker	X	71.5v	71.7v	50.6v	49.6v	48.2v	49.5v	0.0v	0.0v	0.0v	48.6v	0.0v	386.37v
155	Mr GC Baylis	O	73.7v	70.4v	47.5v	50.4v	50.8v	48.5v	0.0v	0.0v	0.0v	48.4v	0.0v	386.37v
156	Mr S Harding	X	72.9v	72.5v	50.6v	48.3v	48.5v	47.2v	0.0v	0.0v	0.0v	49.6v	0.0v	386.36v
157	Miss RJA Argo	T	75.9v	72.7v	50.3v	48.4v	48.4v	49.6v	0.0v	0.0v	0.0v	44.3v	0.0v	386.36v
158	Prof AR Horrocks	X	75.11v	73.9v	48.2v	49.3v	48.4v	47.3v	0.0v	0.0v	0.0v	46.3v	0.0v	386.35v
159	Mr P Dawes	O	73.7v	72.5v	50.9v	49.8v	50.4v	46.2v	0.0v	0.0v	0.0v	46.0v	0.0v	386.35v
160	Mr J Huber	X	72.7v	74.7v	50.7v	46.4v	49.3v	50.4v	0.0v	0.0v	0.0v	45.2v	0.0v	386.34v
161	Mr AM Bullen	A	72.8v	74.8v	49.5v	46.1v	50.1v	47.5v	0.0v	0.0v	0.0v	48.3v	0.0v	386.31v
162	Mr NRJ Brasier	X	71.9v	75.12v	49.5v	48.7v	49.7v	48.7v	0.0v	0.0v	0.0v	45.5v	0.0v	385.52v
163	Miss HA Foster	A	72.8v	75.12v	47.7v	49.5v	46.3v	50.7v	0.0v	0.0v	0.0v	46.4v	0.0v	385.46v
164	Mr RN Stebbings	O	72.11v	73.7v	48.5v	49.4v	49.6v	47.6v	0.0v	0.0v	0.0v	47.6v	0.0v	385.45v
165	Mr B Taylor	X	72.8v	73.10v	49.7v	50.8v	48.6v	47.4v	0.0v	0.0v	0.0v	46.2v	0.0v	385.45v
166	Mr PRD Stock	A	70.8v	72.7v	50.6v	49.7v	49.8v	47.4v	0.0v	0.0v	0.0v	48.4v	0.0v	385.44v
167	Mr PM Jory	X	74.9v	73.8v	49.6v	48.5v	50.8v	44.4v	0.0v	0.0v	0.0v	47.3v	0.0v	385.43v
168	Cdt HCM Bennett	O	72.7v	73.8v	48.5v	46.3v	50.8v	48.5v	0.0v	0.0v	0.0v	48.6v	0.0v	385.42v
169	Mr AC Griffin	A	73.11v	71.9v	49.3v	50.4v	49.7v	46.4v	0.0v	0.0v	0.0v	47.4v	0.0v	385.42v
170	Mr BA Horwood	X	71.8v	75.11v	48.4v	48.6v	48.4v	48.5v	0.0v	0.0v	0.0v	47.4v	0.0v	385.42v
171	Mr C Mallett	X	73.7v	73.10v	50.5v	47.4v	49.7v	49.7v	0.0v	0.0v	0.0v	44.2v	0.0v	385.42v
172	Mr ML Pozzebon	O	73.10v	73.7v	48.3v	50.8v	49.5v	48.5v	0.0v	0.0v	0.0v	44.3v	0.0v	385.41v
173	Mr RI Nelson	A	74.9v	72.8v	47.6v	49.7v	49.6v	50.4v	0.0v	0.0v	0.0v	44.1v	0.0v	385.41v
174	Mr JP Barry	O	71.7v	73.10v	45.0v	47.2v	50.7v	49.6v	0.0v	0.0v	0.0v	50.8v	0.0v	385.40v
175	Mr D Blake	X	72.9v	74.8v	47.5v	48.5v	48.5v	48.3v	0.0v	0.0v	0.0v	48.5v	0.0v	385.40v
176	Mr PJ Westlake	X	73.8v	72.8v	49.5v	47.5v	50.7v	47.4v	0.0v	0.0v	0.0v	47.3v	0.0v	385.40v
177	Mr ACH Bryson	X	74.8v	72.9v	48.4v	48.4v	48.3v	46.5v	0.0v	0.0v	0.0v	49.6v	0.0v	385.39v
178	Mr RJ Booth	O	71.7v	70.6v	48.7v	49.4v	49.6v	50.5v	0.0v	0.0v	0.0v	48.4v	0.0v	385.39v
179	Zainal Md Zain	X	71.5v	73.7v	49.4v	47.5v	50.9v	47.6v	0.0v	0.0v	0.0v	48.3v	0.0v	385.39v
180	Mr JR Davies	X	72.6v	73.8v	49.5v	49.6v	49.8v	50.4v	0.0v	0.0v	0.0v	43.2v	0.0v	385.39v
181	Mr ISL Dampney	X	70.6v	73.7v	50.8v	46.4v	50.8v	48.2v	0.0v	0.0v	0.0v	48.3v	0.0v	385.38v
182	Mr RK Sheead	A	71.8v	72.5v	50.4v	49.7v	49.5v	47.3v	0.0v	0.0v	0.0v	47.6v	0.0v	385.38v
183	Mr T Steele	X	72.4v	73.8v	48.5v	49.7v	48.5v	48.5v	0.0v	0.0v	0.0v	47.4v	0.0v	385.38v
184	Mr RJ Coffin	O	72.5v	73.8v	49.6v	47.4v	50.4v	48.7v	0.0v	0.0v	0.0v	46.4v	0.0v	385.38v
185	Mr GA Larcombe	O	71.7v	74.12v	47.3v	47.2v	49.5v	47.4v	0.0v	0.0v	0.0v	50.4v	0.0v	385.37v
186	Mr SJ Carson	A	71.7v	75.9v	48.4v	49.2v	50.8v	46.3v	0.0v	0.0v	0.0v	46.3v	0.0v	385.36v
187	Mr G Grosskreutz	X	74.4v	73.10v	49.7v	49.5v	49.5v	47.3v	0.0v	0.0v	0.0v	44.2v	0.0v	385.36v
188	Miss SP Ward	X	71.7v	73.6v	48.3v	47.3v	48.4v	48.6v	0.0v	0.0v	0.0v	50.6v	0.0v	385.35v
189	Mr AP Barnes	X	70.6v	72.3v	50.8v	49.5v	49.6v	48.4v	0.0v	0.0v	0.0v	47.3v	0.0v	385.35v
190	Mr S Belither	A	74.12v	73.6v	45.4v	49.1v	49.4v	48.6v	0.0v	0.0v	0.0v	47.2v	0.0v	385.35v
191	Mr HA Day	X	71.4v	74.8v	48.2v	49.3v	50.7v	47.5v	0.0v	0.0v	0.0v	46.4v	0.0v	385.33v
192	Dr AF Aspin	A	71.4v	72.6v	50.7v	47.2v	50.5v	48.4v	0.0v	0.0v	0.0v	47.4v	0.0v	385.32v
193	Mr WDH Burden	X	74.9v	73.6v	49.4v	48.2v	49.4v	47.5v	0.0v	0.0v	0.0v	45.2v	0.0v	385.32v
194	Mr B Jones	A	75.9v	73.8v	48.3v	48.4v	50.4v	49.0v	0.0v	0.0v	0.0v	42.3v	0.0v	385.31v
195	Mr ERT Jeens	X	72.7v	74.10v	47.5v	46.3v	50.8v	48.6v	0.0v	0.0v	0.0v	47.4v	0.0v	384.43v
196	Mr GW Woodman	X	73.8v	73.12v	48.6v	46.1v	49.8v	48.6v	0.0v	0.0v	0.0v	47.2v	0.0v	384.43v

197	Mr GC Edser	X	72.10v	74.8v	48.4v	48.6v	48.7v	49.6v	0.0v	0.0v	0.0v	45.2v	0.0v	384.43v
198	Mrs GD Webb-Enslin	X	74.9v	73.9v	47.3v	49.4v	50.8v	44.3v	0.0v	0.0v	0.0v	47.6v	0.0v	384.42v
199	C Saina	O	74.8v	72.9v	48.5v	47.6v	50.6v	46.4v	0.0v	0.0v	0.0v	47.4v	0.0v	384.42v
200	Mr J Payne	A	75.12v	73.10v	48.7v	49.4v	47.3v	45.3v	0.0v	0.0v	0.0v	47.3v	0.0v	384.42v
201	Mr SHJ Harley	X	71.8v	73.9v	50.7v	48.6v	50.3v	47.6v	0.0v	0.0v	0.0v	45.3v	0.0v	384.42v
202	Mr GS Cotton	X	72.8v	74.8v	49.6v	48.6v	50.7v	48.5v	0.0v	0.0v	0.0v	43.2v	0.0v	384.42v
203	Lt Col CR Claridge	O	72.5v	74.10v	47.5v	47.4v	50.10v	48.4v	0.0v	0.0v	0.0v	46.3v	0.0v	384.41v
204	Wg Cdr RJS Clark	A	72.7v	72.6v	49.6v	50.8v	49.8v	49.4v	0.0v	0.0v	0.0v	43.2v	0.0v	384.41v
205	Mr OP Henry	A	70.7v	73.6v	48.6v	49.6v	50.5v	46.5v	0.0v	0.0v	0.0v	48.5v	0.0v	384.40v
206	Mr RE Ellis	A	72.8v	75.6v	50.9v	46.4v	49.5v	45.4v	0.0v	0.0v	0.0v	47.4v	0.0v	384.40v
207	Mr R Birtwistle	A	73.9v	73.7v	45.3v	47.6v	49.6v	48.4v	0.0v	0.0v	0.0v	49.4v	0.0v	384.39v
208	Mr SA Williamson	X	74.8v	73.10v	48.3v	49.6v	49.8v	46.2v	0.0v	0.0v	0.0v	45.2v	0.0v	384.39v
209	Mr MA Kirkillo-Stacewicz	A	73.10v	74.8v	49.5v	46.4v	50.7v	47.3v	0.0v	0.0v	0.0v	45.2v	0.0v	384.39v
210	Major JRW Postle	A	74.6v	74.11v	48.3v	48.6v	50.7v	47.5v	0.0v	0.0v	0.0v	43.1v	0.0v	384.39v
211	Mr SM Smallwood	X	72.5v	73.5v	48.6v	48.5v	50.8v	46.3v	0.0v	0.0v	0.0v	47.6v	0.0v	384.38v
212	Mr JPS Bloomfield	X	74.7v	73.5v	46.5v	46.5v	49.7v	49.5v	0.0v	0.0v	0.0v	47.4v	0.0v	384.38v
213	Mr DC Dyson	X	75.12v	72.5v	47.5v	48.3v	50.7v	46.3v	0.0v	0.0v	0.0v	46.3v	0.0v	384.38v
214	Mr RA Jobson	A	71.6v	74.6v	49.5v	46.1v	50.7v	48.5v	0.0v	0.0v	0.0v	46.7v	0.0v	384.37v
215	Mr AA Williams	A	73.7v	71.6v	49.6v	49.5v	50.8v	46.4v	0.0v	0.0v	0.0v	46.1v	0.0v	384.37v
216	Mr R Winney	O	72.8v	71.6v	48.5v	49.4v	48.7v	48.3v	0.0v	0.0v	0.0v	48.3v	0.0v	384.36v
217	Mr MJJ Charlton	X	70.6v	74.9v	47.5v	48.4v	49.6v	49.3v	0.0v	0.0v	0.0v	47.3v	0.0v	384.36v
218	Hon D Cooper	A	73.5v	73.9v	49.6v	49.5v	46.2v	48.5v	0.0v	0.0v	0.0v	46.3v	0.0v	384.35v
219	Cdt AEC Corner	O	70.6v	73.6v	49.4v	48.7v	49.5v	49.4v	0.0v	0.0v	0.0v	46.3v	0.0v	384.35v
220	Mr TG Rylands	X	73.7v	74.8v	49.4v	43.3v	47.6v	49.2v	0.0v	0.0v	0.0v	49.4v	0.0v	384.34v
221	Cpl WJD Broad	A	72.4v	75.7v	47.4v	48.5v	49.6v	47.3v	0.0v	0.0v	0.0v	46.5v	0.0v	384.34v
222	Mr BGE Picton	O	70.6v	75.8v	48.3v	46.3v	50.6v	50.5v	0.0v	0.0v	0.0v	45.3v	0.0v	384.34v
223	Mr D Fulmer	X	72.5v	73.4v	46.5v	50.6v	48.5v	48.5v	0.0v	0.0v	0.0v	47.2v	0.0v	384.32v
224	Mr GJ Dyson	A	72.6v	72.6v	46.5v	49.5v	49.4v	47.3v	0.0v	0.0v	0.0v	49.2v	0.0v	384.31v
225	Ms LA Johnson	A	74.5v	74.7v	48.4v	45.1v	49.5v	48.7v	0.0v	0.0v	0.0v	46.2v	0.0v	384.31v
226	Mr MR Fugeman	X	70.3v	74.8v	48.5v	47.3v	50.4v	50.6v	0.0v	0.0v	0.0v	45.2v	0.0v	384.31v
227	Mr S Robinson	A	74.5v	73.10v	47.4v	47.3v	50.4v	48.3v	0.0v	0.0v	0.0v	45.2v	0.0v	384.31v
228	Mr N Maynard	O	74.8v	73.7v	48.3v	46.3v	49.6v	49.3v	0.0v	0.0v	0.0v	45.1v	0.0v	384.31v
229	Lt RK Whalen	X	70.2v	70.6v	47.4v	49.5v	50.7v	48.2v	0.0v	0.0v	0.0v	50.4v	0.0v	384.30v
230	Mr AG Mitchell	A	74.8v	74.6v	49.5v	50.5v	46.2v	48.2v	0.0v	0.0v	0.0v	43.1v	0.0v	384.29v
231	Mr JA Bullock	X	74.9v	73.8v	50.8v	46.3v	48.6v	48.7v	0.0v	0.0v	0.0v	44.4v	0.0v	383.45v
232	Mr SA Thomas	X	74.9v	67.9v	47.4v	48.6v	50.8v	48.3v	0.0v	0.0v	0.0v	49.4v	0.0v	383.43v
233	Mr HN Watson	X	72.10v	72.5v	47.5v	48.6v	48.6v	46.3v	0.0v	0.0v	0.0v	50.7v	0.0v	383.42v
234	Mr P De Voil	A	74.9v	72.9v	48.6v	47.5v	49.6v	47.4v	0.0v	0.0v	0.0v	46.3v	0.0v	383.42v
235	Mr NJ Burnip	O	72.9v	71.6v	49.6v	47.4v	49.6v	48.7v	0.0v	0.0v	0.0v	47.3v	0.0v	383.41v
236	Mr PJ Chapman-Sheath	O	71.8v	70.5v	50.3v	49.7v	49.7v	47.6v	0.0v	0.0v	0.0v	47.4v	0.0v	383.40v
237	Mr T Keen	A	72.9v	72.7v	49.4v	50.4v	48.5v	47.7v	0.0v	0.0v	0.0v	45.4v	0.0v	383.40v
238	Mr DJ Gass	X	74.7v	72.7v	49.7v	44.4v	49.5v	48.6v	0.0v	0.0v	0.0v	47.3v	0.0v	383.39v
239	Mr R McQuillan	X	74.9v	75.10v	48.4v	44.2v	50.5v	48.6v	0.0v	0.0v	0.0v	44.3v	0.0v	383.39v
240	Capt BW Yarmoshuk	O	70.3v	73.11v	49.7v	48.3v	49.7v	47.4v	0.0v	0.0v	0.0v	47.3v	0.0v	383.38v
241	Mr SJ Comins	A	70.6v	69.8v	48.6v	50.8v	49.3v	50.6v	0.0v	0.0v	0.0v	47.1v	0.0v	383.38v
242	Mr PAE Charlton	A	71.6v	74.12v	49.3v	46.2v	49.6v	48.6v	0.0v	0.0v	0.0v	46.3v	0.0v	383.38v
243	Miss HM Taylor	A	72.7v	74.9v	47.5v	49.5v	48.5v	49.4v	0.0v	0.0v	0.0v	44.3v	0.0v	383.38v
244	Mr APW Daw	A	67.7v	72.8v	50.7v	49.4v	50.6v	46.1v	0.0v	0.0v	0.0v	49.4v	0.0v	383.37v
245	Mr G Williams	X	72.7v	74.10v	50.4v	44.6v	50.2v	47.3v	0.0v	0.0v	0.0v	46.5v	0.0v	383.37v
246	Mr CM Brooks	O	72.10v	72.8v	49.5v	46.2v	48.6v	48.2v	0.0v	0.0v	0.0v	48.3v	0.0v	383.36v
247	Lt Col AJW Sturrock	A	73.8v	71.7v	49.6v	45.3v	49.4v	49.6v	0.0v	0.0v	0.0v	47.2v	0.0v	383.36v
248	Mr WH Putter	O	74.9v	72.8v	48.5v	49.3v	48.6v	47.3v	0.0v	0.0v	0.0v	45.2v	0.0v	383.36v
249	Mr PS Gray	A	71.7v	74.9v	49.3v	50.4v	48.6v	48.6v	0.0v	0.0v	0.0v	43.1v	0.0v	383.36v
250	Mr KM Willingale	A	73.5v	71.7v	46.4v	47.3v	49.4v	48.5v	0.0v	0.0v	0.0v	49.7v	0.0v	383.35v
251	Mr OL Ryndziewicz	O	72.7v	73.4v	47.4v	45.2v	50.6v	48.5v	0.0v	0.0v	0.0v	48.7v	0.0v	383.35v
252	Mr C Rivett-Carnac	O	72.9v	72.4v	49.5v	49.5v	49.5v	46.3v	0.0v	0.0v	0.0v	46.4v	0.0v	383.35v
253	Mr PD Griggs	X	74.11v	69.3v	48.4v	49.5v	49.6v	48.3v	0.0v	0.0v	0.0v	46.3v	0.0v	383.35v
254	Mr KB Hill	O	71.7v	72.7v	47.2v	50.6v	49.5v	49.5v	0.0v	0.0v	0.0v	45.3v	0.0v	383.35v
255	Mr WA Langley	A	71.6v	74.6v	47.4v	47.3v	48.4v	48.6v	0.0v	0.0v	0.0v	48.5v	0.0v	383.34v
256	Mr IF Luckman	O	70.5v	75.8v	46.4v	49.7v	48.3v	50.4v	0.0v	0.0v	0.0v	45.3v	0.0v	383.34v
257	Mr SJ East	A	72.7v	71.6v	48.3v	49.6v	48.6v	50.4v	0.0v	0.0v	0.0v	45.2v	0.0v	383.34v
258	Mr ID Markwell	O	72.7v	71.6v	49.5v	48.5v	49.6v	49.3v	0.0v	0.0v	0.0v	45.2v	0.0v	383.34v
259	Mr PCA Slater	O	71.6v	73.7v	48.6v	48.4v	48.4v	47.4v	0.0v	0.0v	0.0v	48.2v	0.0v	383.33v
260	Mr A Tikkanen	X	71.5v	70.7v	50.4v	49.8v	48.3v	49.4v	0.0v	0.0v	0.0v	46.2v	0.0v	383.33v
261	Mr AR Wilde	X	72.7v	74.5v	49.6v	46.3v	50.7v	46.3v	0.0v	0.0v	0.0v	46.2v	0.0v	383.33v
262	Miss S Ponter	O	74.8v	72.5v	49.5v	47.3v	46.5v	49.2v	0.0v	0.0v	0.0v	46.3v	0.0v	383.31v
263	Mr PJR Holden	X	72.5v	69.2v	50.5v	49.2v	50.2v	49.4v	0.0v	0.0v	0.0v	44.1v	0.0v	383.21v
264	Mr D Le Quesne	X	73.9v	71.9v	50.7v	45.6v	49.4v	47.5v	0.0v	0.0v	0.0v	47.6v	0.0v	382.46v
265	Dr JR Deane	X	71.8v	72.7v	50.9v	48.4v	49.8v	47.4v	0.0v	0.0v	0.0v	45.5v	0.0v	382.45v
266	Mr EC Dickson	X	74.7v	73.9v	49.7v	49.6v	50.8v	45.5v	0.0v	0.0v	0.0v	42.1v	0.0v	382.43v
267	Mr GW Robinson	A	71.8v	72.8v	48.3v	47.4v	49.7v	48.6v	0.0v	0.0v	0.0v	47.5v	0.0v	382.41v

268	Miss AMG Ogilvie	O	73.8v	69.7v	50.6v	48.3v	49.7v	48.7v	0.0v	0.0v	0.0v	45.3v	0.0v	382.41v
269	Mr CP Weeden	X	71.7v	68.4v	48.5v	49.7v	49.7v	49.5v	0.0v	0.0v	0.0v	48.5v	0.0v	382.40v
270	Cdt MJ Lidgitt	O	72.6v	73.11v	46.4v	49.5v	50.8v	45.3v	0.0v	0.0v	0.0v	47.3v	0.0v	382.40v
271	Mr JR Tuck	X	71.6v	74.10v	48.2v	45.3v	50.9v	48.5v	0.0v	0.0v	0.0v	46.4v	0.0v	382.39v
272	Mr WLL Lewis	A	72.10v	71.6v	50.6v	49.7v	47.4v	47.3v	0.0v	0.0v	0.0v	46.3v	0.0v	382.39v
273	Mr CD Heales	A	73.11v	72.8v	46.3v	49.5v	48.4v	49.7v	0.0v	0.0v	0.0v	45.1v	0.0v	382.39v
274	Mr DJ Curtis	A	69.5v	73.6v	48.7v	45.4v	49.6v	49.3v	0.0v	0.0v	0.0v	49.7v	0.0v	382.38v
275	Mr NA Cock	X	73.9v	73.9v	48.4v	46.3v	48.7v	50.6v	0.0v	0.0v	0.0v	44.0v	0.0v	382.38v
276	Mr AP Smith	O	73.9v	70.6v	48.4v	48.4v	50.5v	48.5v	0.0v	0.0v	0.0v	45.4v	0.0v	382.37v
277	Mr JI Jobson	O	71.8v	72.9v	49.6v	48.3v	49.5v	48.3v	0.0v	0.0v	0.0v	45.3v	0.0v	382.37v
278	Mr JM Taylor	A	73.8v	73.10v	48.3v	47.5v	50.8v	46.2v	0.0v	0.0v	0.0v	45.1v	0.0v	382.37v
279	Mr IMR Power	O	73.8v	73.5v	50.7v	47.3v	47.4v	49.6v	0.0v	0.0v	0.0v	43.4v	0.0v	382.37v
280	Mr AP Sykes	X	72.8v	73.7v	50.7v	47.3v	49.5v	48.5v	0.0v	0.0v	0.0v	43.2v	0.0v	382.37v
281	Major P Mathenge	X	70.4v	73.10v	50.8v	45.3v	50.7v	45.2v	0.0v	0.0v	0.0v	49.2v	0.0v	382.36v
282	Mr RH Gardiner	O	73.7v	69.4v	50.6v	48.6v	48.5v	47.3v	0.0v	0.0v	0.0v	47.5v	0.0v	382.36v
283	Miss DE Andrews	O	73.9v	73.6v	48.5v	47.5v	45.4v	50.6v	0.0v	0.0v	0.0v	46.1v	0.0v	382.36v
284	Miss KA Berman	X	68.5v	72.5v	49.8v	49.4v	49.5v	50.6v	0.0v	0.0v	0.0v	45.3v	0.0v	382.36v
285	Mr JA Dallas	O	72.5v	72.9v	48.5v	48.4v	47.5v	49.5v	0.0v	0.0v	0.0v	46.2v	0.0v	382.35v
286	Mr SNS Penrose	X	73.9v	69.4v	50.5v	47.3v	48.4v	47.5v	0.0v	0.0v	0.0v	48.4v	0.0v	382.34v
287	Miss S Cheslyn-Curtis	O	69.6v	74.9v	49.4v	45.3v	49.6v	48.5v	0.0v	0.0v	0.0v	48.1v	0.0v	382.34v
288	Miss RC Stevens	T	72.7v	73.10v	46.3v	47.3v	49.5v	48.2v	0.0v	0.0v	0.0v	47.4v	0.0v	382.34v
289	Mr RAH Harwood	O	73.5v	73.6v	49.7v	46.1v	48.6v	48.4v	0.0v	0.0v	0.0v	45.5v	0.0v	382.34v
290	Mrs MJ van Strien-Buitelaar	O	74.8v	70.5v	47.3v	49.4v	50.6v	48.5v	0.0v	0.0v	0.0v	44.3v	0.0v	382.34v
291	Mr ER Johnson	X	74.6v	73.8v	49.6v	49.4v	49.5v	46.3v	0.0v	0.0v	0.0v	42.2v	0.0v	382.34v
292	Mr DA Whalan	O	72.8v	72.3v	47.5v	50.7v	45.1v	49.5v	0.0v	0.0v	0.0v	47.4v	0.0v	382.33v
293	Mr BMA Stevens	X	73.8v	73.6v	49.7v	46.3v	48.3v	47.4v	0.0v	0.0v	0.0v	46.2v	0.0v	382.33v
294	Mr WJ Rowland	A	75.8v	75.9v	47.2v	47.5v	49.6v	44.1v	0.0v	0.0v	0.0v	45.2v	0.0v	382.33v
295	Mr PR Coley	A	71.5v	72.7v	48.3v	50.6v	48.4v	49.5v	0.0v	0.0v	0.0v	44.3v	0.0v	382.33v
296	Mr DCW Lloyd	O	72.7v	74.5v	47.4v	47.5v	50.8v	48.4v	0.0v	0.0v	0.0v	44.0v	0.0v	382.33v
297	Mr AT Pettigrew	O	71.6v	68.5v	50.5v	49.5v	49.3v	49.4v	0.0v	0.0v	0.0v	46.4v	0.0v	382.32v
298	Mr GW Clarke	O	73.5v	74.6v	47.5v	49.5v	50.7v	45.2v	0.0v	0.0v	0.0v	44.2v	0.0v	382.32v
299	Mr HWR Gilbert	O	69.4v	71.5v	48.5v	50.7v	49.5v	48.3v	0.0v	0.0v	0.0v	47.2v	0.0v	382.31v
300	Mr G French	O	72.6v	74.3v	48.4v	49.6v	50.6v	43.3v	0.0v	0.0v	0.0v	46.3v	0.0v	382.31v
301	Mr RM Hatcher	X	73.7v	72.6v	49.4v	49.5v	48.4v	46.3v	0.0v	0.0v	0.0v	45.2v	0.0v	382.31v
302	Mr JE White	A	74.5v	70.3v	47.3v	47.4v	47.5v	50.6v	0.0v	0.0v	0.0v	47.4v	0.0v	382.30v
303	Mr TL Bedwell	O	71.6v	72.6v	49.2v	46.4v	48.5v	48.4v	0.0v	0.0v	0.0v	48.2v	0.0v	382.29v
304	Cdt DSC Chadwick	T	71.6v	67.3v	49.3v	49.5v	48.6v	50.5v	0.0v	0.0v	0.0v	48.1v	0.0v	382.29v
305	Capt G-M T Strachan-Heyes	O	70.3v	74.5v	47.5v	48.4v	48.4v	49.4v	0.0v	0.0v	0.0v	46.4v	0.0v	382.29v
306	Mr MJ Wood	X	72.3v	70.3v	49.7v	46.3v	50.2v	48.5v	0.0v	0.0v	0.0v	47.5v	0.0v	382.28v
307	Pte KTS Burden	O	72.3v	70.7v	49.3v	49.5v	50.3v	49.6v	0.0v	0.0v	0.0v	43.0v	0.0v	382.27v
308	E Legei	O	72.6v	74.8v	46.0v	47.2v	49.3v	45.1v	0.0v	0.0v	0.0v	49.6v	0.0v	382.26v
309	Mr H Ball	A	70.7v	72.10v	48.8v	47.4v	50.6v	49.5v	0.0v	0.0v	0.0v	45.5v	0.0v	381.45v
310	Mr BA Young	A	73.11v	74.12v	49.3v	44.3v	49.6v	48.7v	0.0v	0.0v	0.0v	44.3v	0.0v	381.45v
311	Prof MJ Guille	O	73.9v	72.9v	47.5v	50.6v	46.6v	47.6v	0.0v	0.0v	0.0v	46.2v	0.0v	381.43v
312	Mr RL Mundy	O	69.8v	73.10v	48.6v	50.4v	49.6v	49.6v	0.0v	0.0v	0.0v	43.3v	0.0v	381.43v
313	Mr JA Haward	X	74.9v	74.6v	48.6v	48.5v	49.7v	48.6v	0.0v	0.0v	0.0v	40.2v	0.0v	381.41v
314	Mr ARN Kinross	A	73.9v	70.3v	49.7v	50.6v	49.9v	44.3v	0.0v	0.0v	0.0v	46.3v	0.0v	381.40v
315	Mr DV Enslin	X	73.5v	71.9v	48.6v	48.4v	49.6v	48.6v	0.0v	0.0v	0.0v	44.4v	0.0v	381.40v
316	Mr G Harris	A	74.5v	72.9v	49.8v	42.2v	50.7v	50.6v	0.0v	0.0v	0.0v	44.3v	0.0v	381.40v
317	Mr MD Joyce	A	73.6v	71.8v	49.7v	46.2v	50.7v	47.7v	0.0v	0.0v	0.0v	45.2v	0.0v	381.39v
318	Mr MR Place	O	71.10v	71.5v	45.5v	49.3v	50.3v	48.7v	0.0v	0.0v	0.0v	47.5v	0.0v	381.38v
319	Mr PJ Chance	X	71.7v	74.8v	49.7v	45.3v	48.6v	49.5v	0.0v	0.0v	0.0v	45.2v	0.0v	381.38v
320	Mr SL Larter-Whitcher	O	72.8v	68.4v	47.4v	48.6v	48.6v	50.4v	0.0v	0.0v	0.0v	48.5v	0.0v	381.37v
321	Mr RW Hallows	O	72.6v	71.7v	48.5v	48.6v	47.4v	47.7v	0.0v	0.0v	0.0v	48.2v	0.0v	381.37v
322	Mr T Horrocks	O	74.9v	68.2v	50.7v	48.7v	49.4v	48.6v	0.0v	0.0v	0.0v	44.2v	0.0v	381.37v
323	Mr NG Smith	O	72.8v	74.11v	50.4v	47.2v	50.7v	46.3v	0.0v	0.0v	0.0v	42.2v	0.0v	381.37v
324	Mr R Sandlant	X	73.7v	72.6v	49.4v	47.5v	48.6v	45.4v	0.0v	0.0v	0.0v	47.4v	0.0v	381.36v
325	Mr RH Kitson	O	72.6v	73.7v	47.6v	47.4v	50.6v	46.4v	0.0v	0.0v	0.0v	46.3v	0.0v	381.36v
326	Mr FA Ellis	X	70.5v	74.8v	49.5v	47.4v	50.9v	45.3v	0.0v	0.0v	0.0v	46.2v	0.0v	381.36v
327	Mr GW Morgan	O	67.6v	74.6v	48.5v	49.5v	50.6v	48.5v	0.0v	0.0v	0.0v	45.3v	0.0v	381.36v
328	Mr ML Wilks	T	72.7v	73.10v	48.2v	48.5v	44.4v	49.3v	0.0v	0.0v	0.0v	47.4v	0.0v	381.35v
329	Mr NJ Branch	X	72.8v	73.6v	47.5v	49.4v	48.4v	48.5v	0.0v	0.0v	0.0v	44.3v	0.0v	381.35v
330	Mr MG Reid	A	71.6v	71.7v	46.5v	48.4v	50.7v	47.2v	0.0v	0.0v	0.0v	48.3v	0.0v	381.34v
331	Mr K Dauncey	T	72.7v	73.5v	49.5v	49.7v	47.5v	45.3v	0.0v	0.0v	0.0v	46.2v	0.0v	381.34v
332	Mr MC Parker	O	74.10v	71.5v	47.3v	49.6v	48.4v	45.2v	0.0v	0.0v	0.0v	47.3v	0.0v	381.33v
333	Major N Stebbings	O	73.5v	75.11v	42.3v	48.3v	48.2v	48.6v	0.0v	0.0v	0.0v	47.3v	0.0v	381.33v
334	Mrs A Tracey	A	73.6v	75.9v	46.1v	48.7v	50.8v	44.0v	0.0v	0.0v	0.0v	45.2v	0.0v	381.33v
335	Mr AD Hunter	X	72.5v	72.6v	47.5v	48.4v	50.8v	47.3v	0.0v	0.0v	0.0v	45.0v	0.0v	381.31v
336	Mr ME Barr	O	71.4v	73.8v	49.4v	50.5v	46.3v	49.5v	0.0v	0.0v	0.0v	43.2v	0.0v	381.31v
337	Mr RAV Hebblethwaite	X	74.7v	74.7v	49.9v	44.0v	50.4v	48.3v	0.0v	0.0v	0.0v	42.1v	0.0v	381.31v
338	CSjt D Taylor	O	73.5v	71.6v	47.2v	49.5v	49.5v	49.4v	0.0v	0.0v	0.0v	43.3v	0.0v	381.30v

339	Mr E McConnell	O	72.6v	71.4v	47.2v	49.5v	49.6v	45.2v	0.0v	0.0v	0.0v	48.3v	0.0v	381.28v
340	Dr NP Tucker	O	69.5v	72.6v	48.3v	50.4v	49.5v	47.3v	0.0v	0.0v	0.0v	46.2v	0.0v	381.28v
341	Mr AF Donald	O	74.5v	71.3v	47.5v	48.3v	48.4v	47.4v	0.0v	0.0v	0.0v	46.0v	0.0v	381.24v
342	Mr DH Allen	O	73.10v	71.11v	43.3v	50.6v	49.4v	47.5v	0.0v	0.0v	0.0v	47.6v	0.0v	380.45v
343	Mr EBD Reis	A	73.8v	73.10v	50.6v	47.6v	49.8v	42.2v	0.0v	0.0v	0.0v	46.3v	0.0v	380.43v
344	Cdt JW Alexander	O	72.6v	74.8v	50.5v	47.6v	49.8v	47.6v	0.0v	0.0v	0.0v	41.4v	0.0v	380.43v
345	Mr SJ Bissonnette	X	71.6v	73.11v	41.1v	50.8v	49.6v	49.7v	0.0v	0.0v	0.0v	47.3v	0.0v	380.42v
346	Cdt AW Dowle	T	72.5v	75.7v	50.8v	49.6v	49.8v	45.5v	0.0v	0.0v	0.0v	40.3v	0.0v	380.42v
347	Mr RP Rosling	O	71.7v	72.9v	49.5v	47.3v	49.5v	49.6v	0.0v	0.0v	0.0v	43.6v	0.0v	380.41v
348	Miss DS Hume	A	74.7v	74.11v	48.4v	47.6v	48.7v	46.4v	0.0v	0.0v	0.0v	43.2v	0.0v	380.41v
349	Mr S Glen	X	74.7v	74.11v	49.7v	48.4v	50.6v	48.4v	0.0v	0.0v	0.0v	37.2v	0.0v	380.41v
350	Mr P Waldron	O	70.7v	74.10v	48.5v	49.7v	46.4v	45.2v	0.0v	0.0v	0.0v	48.4v	0.0v	380.39v
351	Miss C Choquette	T	70.5v	72.7v	50.5v	47.5v	47.5v	47.5v	0.0v	0.0v	0.0v	47.6v	0.0v	380.38v
352	Miss D O'Kelly	O	70.6v	69.6v	47.4v	48.5v	49.7v	49.3v	0.0v	0.0v	0.0v	48.5v	0.0v	380.36v
353	Mr JIB Halahan	A	71.7v	73.8v	49.7v	45.1v	49.4v	45.4v	0.0v	0.0v	0.0v	48.5v	0.0v	380.36v
354	Mr CC Chevrier	T	74.7v	69.3v	48.4v	49.7v	50.8v	44.3v	0.0v	0.0v	0.0v	46.4v	0.0v	380.36v
355	Mr OC Collas	X	74.6v	72.6v	50.9v	46.6v	48.3v	45.4v	0.0v	0.0v	0.0v	45.2v	0.0v	380.36v
356	Mr DS Goodwin	O	72.8v	72.7v	46.1v	48.3v	50.8v	48.6v	0.0v	0.0v	0.0v	44.2v	0.0v	380.35v
357	Mr EI Cartwright	O	69.3v	74.9v	50.7v	46.5v	50.6v	46.2v	0.0v	0.0v	0.0v	45.2v	0.0v	380.34v
358	Mr RW Shaw	A	73.6v	73.8v	47.3v	46.4v	50.6v	46.5v	0.0v	0.0v	0.0v	45.2v	0.0v	380.34v
359	Mrs MF Barry	O	71.6v	69.3v	49.6v	48.6v	46.2v	50.6v	0.0v	0.0v	0.0v	47.4v	0.0v	380.33v
360	Mr CR Hirst	O	72.5v	75.10v	47.5v	48.4v	48.5v	44.3v	0.0v	0.0v	0.0v	46.1v	0.0v	380.33v
361	Mr AJD Saunders	O	73.7v	75.10v	47.2v	48.4v	47.5v	47.3v	0.0v	0.0v	0.0v	43.2v	0.0v	380.33v
362	Mr JDI Hossack	O	71.5v	73.4v	49.7v	47.4v	49.7v	49.4v	0.0v	0.0v	0.0v	42.2v	0.0v	380.33v
363	Mr S Pearson	A	74.7v	72.6v	43.0v	50.6v	50.8v	43.3v	0.0v	0.0v	0.0v	48.2v	0.0v	380.32v
364	Mr PJS Bysshe	A	70.3v	72.3v	48.4v	47.5v	50.8v	48.5v	0.0v	0.0v	0.0v	45.4v	0.0v	380.32v
365	Mr PMJ Tooley	T	70.6v	73.5v	47.5v	48.4v	47.5v	47.6v	0.0v	0.0v	0.0v	48.0v	0.0v	380.31v
366	Mr JA Borland	O	71.7v	73.10v	49.6v	47.4v	48.6v	47.5v	0.0v	0.0v	0.0v	44.3v	0.0v	379.41v
367	Mr RW McVeigh	O	73.8v	73.8v	49.5v	50.8v	49.6v	44.4v	0.0v	0.0v	0.0v	41.1v	0.0v	379.40v
368	Mr ITG Shaw	X	69.7v	73.7v	49.3v	45.6v	50.7v	47.5v	0.0v	0.0v	0.0v	46.4v	0.0v	379.39v
369	Mr RHG Riley	O	72.11v	72.7v	47.5v	47.3v	47.5v	48.5v	0.0v	0.0v	0.0v	46.2v	0.0v	379.38v
370	Mr CC Mallett Jnr	A	73.9v	74.8v	47.3v	49.7v	49.6v	47.4v	0.0v	0.0v	0.0v	40.1v	0.0v	379.38v
371	Mr DJ Tracey	A	73.9v	71.7v	46.5v	48.4v	49.7v	46.2v	0.0v	0.0v	0.0v	46.3v	0.0v	379.37v
372	Mr DS Murray	X	70.8v	73.9v	49.5v	49.5v	50.5v	48.5v	0.0v	0.0v	0.0v	40.0v	0.0v	379.37v
373	Mr TA Chapman	A	70.6v	72.8v	50.5v	47.3v	48.5v	45.4v	0.0v	0.0v	0.0v	47.4v	0.0v	379.35v
374	S Letoya	O	72.4v	71.7v	47.6v	48.6v	48.5v	49.5v	0.0v	0.0v	0.0v	44.2v	0.0v	379.35v
375	Mr A Sladek	T	72.6v	73.8v	47.2v	49.6v	50.7v	46.4v	0.0v	0.0v	0.0v	42.2v	0.0v	379.35v
376	Mr DMC Dodds	X	74.6v	72.8v	48.5v	49.6v	50.6v	45.3v	0.0v	0.0v	0.0v	41.1v	0.0v	379.35v
377	Mr P Barber	O	69.7v	71.7v	48.7v	47.1v	46.2v	49.5v	0.0v	0.0v	0.0v	49.5v	0.0v	379.34v
378	Mr NC Granger	O	72.9v	73.7v	47.2v	46.1v	49.8v	43.2v	0.0v	0.0v	0.0v	49.5v	0.0v	379.34v
379	Mr BW Macdonald	O	72.7v	70.4v	50.5v	46.3v	49.7v	48.4v	0.0v	0.0v	0.0v	44.4v	0.0v	379.34v
380	Mr CDP Pocock	O	74.9v	74.8v	47.4v	48.2v	47.5v	45.4v	0.0v	0.0v	0.0v	44.2v	0.0v	379.34v
381	Mrs T Newbold	O	75.7v	71.6v	48.4v	46.1v	47.6v	48.5v	0.0v	0.0v	0.0v	44.3v	0.0v	379.32v
382	Mr DR Cadden	X	74.6v	70.5v	50.6v	48.6v	49.6v	47.2v	0.0v	0.0v	0.0v	41.1v	0.0v	379.32v
383	Mr M Liversage	O	75.8v	69.5v	46.3v	50.6v	49.3v	46.3v	0.0v	0.0v	0.0v	44.3v	0.0v	379.31v
384	Mr MT Dodd	O	70.3v	71.7v	47.1v	49.6v	49.6v	46.3v	0.0v	0.0v	0.0v	47.4v	0.0v	379.30v
385	Mr CP Goad	O	69.5v	69.4v	48.2v	50.7v	48.5v	46.2v	0.0v	0.0v	0.0v	49.4v	0.0v	379.29v
386	Mrs JR Elcombe	O	68.3v	72.7v	46.2v	48.5v	47.3v	49.6v	0.0v	0.0v	0.0v	49.3v	0.0v	379.29v
387	Mr MJ Creber	X	70.3v	74.10v	49.5v	45.3v	47.2v	48.2v	0.0v	0.0v	0.0v	46.4v	0.0v	379.29v
388	Mr JP Mackay	A	71.4v	72.3v	49.5v	48.5v	47.4v	48.4v	0.0v	0.0v	0.0v	44.3v	0.0v	379.28v
389	Mr MR Cosway	A	70.7v	71.6v	49.4v	48.3v	50.4v	47.2v	0.0v	0.0v	0.0v	44.1v	0.0v	379.27v
390	Mstr SJ Jauncey	T	72.3v	71.9v	50.3v	47.4v	48.5v	47.3v	0.0v	0.0v	0.0v	44.0v	0.0v	379.27v
391	Wg Cdr CR Smith	A	70.5v	73.6v	47.5v	49.4v	47.1v	47.3v	0.0v	0.0v	0.0v	46.2v	0.0v	379.26v
392	Mr BJ Page	A	73.11v	73.9v	47.4v	48.4v	49.6v	48.8v	0.0v	0.0v	0.0v	40.1v	0.0v	378.43v
393	Mr RB Morgan	O	73.10v	73.8v	49.4v	44.8v	49.6v	47.4v	0.0v	0.0v	0.0v	43.1v	0.0v	378.41v
394	Miss MU Burger	O	70.6v	73.10v	50.6v	47.5v	48.6v	45.3v	0.0v	0.0v	0.0v	45.4v	0.0v	378.40v
395	Mr EM Brice	O	72.9v	70.6v	49.6v	49.7v	49.6v	46.3v	0.0v	0.0v	0.0v	43.3v	0.0v	378.40v
396	Mr DW Baker	X	71.8v	70.5v	49.5v	44.2v	50.9v	46.4v	0.0v	0.0v	0.0v	48.6v	0.0v	378.39v
397	Mr ER Welford	A	68.6v	72.7v	47.5v	46.3v	50.9v	48.4v	0.0v	0.0v	0.0v	47.5v	0.0v	378.39v
398	Mr NJB Blunsom	T	73.8v	71.5v	47.6v	48.5v	49.6v	47.7v	0.0v	0.0v	0.0v	43.2v	0.0v	378.39v
399	Mr DE Nuthall	X	75.9v	72.6v	48.5v	45.4v	49.8v	47.3v	0.0v	0.0v	0.0v	42.4v	0.0v	378.39v
400	Mr MJLA Landreville	T	72.7v	68.5v	45.6v	48.7v	48.1v	48.5v	0.0v	0.0v	0.0v	49.6v	0.0v	378.37v
401	Mr PR Thompson	A	69.5v	73.7v	45.2v	48.5v	50.8v	49.6v	0.0v	0.0v	0.0v	44.3v	0.0v	378.36v
402	Mr RL Cuthbert	X	74.7v	72.10v	49.5v	46.2v	48.7v	46.3v	0.0v	0.0v	0.0v	43.2v	0.0v	378.36v
403	Mr DJ Stewart	O	72.10v	70.5v	46.4v	46.4v	47.2v	49.6v	0.0v	0.0v	0.0v	48.4v	0.0v	378.35v
404	Mr DL Wiles	O	71.7v	75.10v	47.3v	47.6v	49.4v	44.2v	0.0v	0.0v	0.0v	45.3v	0.0v	378.35v
405	Mr RI Coventry	O	72.6v	71.7v	49.7v	47.4v	50.6v	47.3v	0.0v	0.0v	0.0v	42.2v	0.0v	378.35v
406	Mr MSE Firman	A	74.7v	71.5v	48.3v	46.3v	48.5v	48.8v	0.0v	0.0v	0.0v	43.3v	0.0v	378.34v
407	Mr CA White	A	71.7v	73.10v	47.4v	48.6v	48.3v	49.2v	0.0v	0.0v	0.0v	42.2v	0.0v	378.34v
408	Mr I Francis	O	72.7v	71.7v	50.3v	50.6v	47.5v	49.5v	0.0v	0.0v	0.0v	39.1v	0.0v	378.34v
409	Miss SIM Anderson	O	73.10v	71.7v	46.3v	48.3v	48.3v	46.4v	0.0v	0.0v	0.0v	46.3v	0.0v	378.33v

410	Mr C Herter	X	72.9v	73.4v	48.3v	47.6v	49.4v	45.4v	0.0v	0.0v	0.0v	44.3v	0.0v	378.33v
411	Mr MJ Brister	X	72.7v	73.7v	46.3v	49.3v	48.4v	44.3v	0.0v	0.0v	0.0v	46.5v	0.0v	378.32v
412	Mr R Modenbach	X	69.2v	74.11v	47.6v	44.1v	50.5v	50.6v	0.0v	0.0v	0.0v	44.1v	0.0v	378.32v
413	Mr RJ Quay	A	73.7v	74.7v	49.4v	47.3v	48.6v	47.3v	0.0v	0.0v	0.0v	40.2v	0.0v	378.32v
414	Cdt Sgt HW Orpen-Smellie	O	70.7v	72.8v	49.3v	44.1v	50.7v	46.2v	0.0v	0.0v	0.0v	47.3v	0.0v	378.31v
415	Mr JF Lawrie	O	73.9v	73.6v	49.5v	46.3v	48.1v	45.3v	0.0v	0.0v	0.0v	44.4v	0.0v	378.31v
416	Mr IRM Brown	A	73.9v	72.6v	49.3v	47.4v	48.4v	46.4v	0.0v	0.0v	0.0v	43.1v	0.0v	378.31v
417	Mr MD Jenvey	O	71.5v	71.8v	46.4v	49.4v	48.4v	45.2v	0.0v	0.0v	0.0v	48.3v	0.0v	378.30v
418	Mr B Hirst	O	69.8v	71.6v	49.6v	47.2v	48.3v	46.3v	0.0v	0.0v	0.0v	48.2v	0.0v	378.30v
419	Mr PG Thurtell	X	69.3v	72.7v	48.4v	48.5v	50.7v	48.2v	0.0v	0.0v	0.0v	43.2v	0.0v	378.30v
420	Cdt CW Boag	T	72.4v	73.9v	49.4v	47.2v	47.4v	48.5v	0.0v	0.0v	0.0v	42.2v	0.0v	378.30v
421	Dr MJ Schwarz	O	73.8v	70.6v	45.2v	48.5v	48.4v	47.2v	0.0v	0.0v	0.0v	47.2v	0.0v	378.29v
422	Cdt WBP Hutton	O	71.7v	70.6v	45.3v	47.3v	49.4v	49.3v	0.0v	0.0v	0.0v	47.2v	0.0v	378.28v
423	Mr J Howard Davies	O	70.5v	72.5v	49.7v	48.5v	43.1v	49.4v	0.0v	0.0v	0.0v	47.1v	0.0v	378.28v
424	Mr DQM Harvey	O	72.5v	71.6v	48.4v	47.4v	49.5v	44.2v	0.0v	0.0v	0.0v	47.1v	0.0v	378.27v
425	Miss DL Fenn	X	70.8v	74.9v	48.7v	44.5v	49.7v	49.6v	0.0v	0.0v	0.0v	43.2v	0.0v	377.44v
426	Mr CA Skellett	O	71.7v	73.10v	50.7v	42.3v	50.7v	46.3v	0.0v	0.0v	0.0v	45.4v	0.0v	377.41v
427	S Williams	O	72.5v	73.12v	46.5v	45.4v	50.9v	48.4v	0.0v	0.0v	0.0v	43.2v	0.0v	377.41v
428	Miss GC O'Leary	X	71.7v	71.8v	47.5v	50.6v	50.6v	46.5v	0.0v	0.0v	0.0v	42.3v	0.0v	377.40v
429	Mr MR Ebbetts	O	72.8v	72.8v	49.6v	44.3v	48.6v	46.4v	0.0v	0.0v	0.0v	46.3v	0.0v	377.38v
430	Mr G Boehme	X	72.5v	71.9v	49.5v	47.2v	48.7v	47.5v	0.0v	0.0v	0.0v	43.1v	0.0v	377.34v
431	Mr HCG Ives	O	71.10v	69.6v	48.5v	48.5v	47.4v	47.2v	0.0v	0.0v	0.0v	47.1v	0.0v	377.33v
432	Mr L Chisholm	T	74.10v	71.6v	45.2v	45.2v	48.5v	46.1v	0.0v	0.0v	0.0v	48.6v	0.0v	377.32v
433	Lt Col DST Lehmann	A	73.5v	75.9v	48.6v	47.4v	46.4v	46.2v	0.0v	0.0v	0.0v	42.2v	0.0v	377.32v
434	Mr T DRYSDALE	O	73.9v	72.8v	45.3v	47.2v	47.3v	48.3v	0.0v	0.0v	0.0v	45.3v	0.0v	377.31v
435	Cdt JWB Ball	T	74.8v	73.6v	45.2v	47.5v	47.5v	48.4v	0.0v	0.0v	0.0v	43.1v	0.0v	377.31v
436	Mr RF Burden	O	73.7v	72.7v	48.3v	47.5v	48.6v	47.2v	0.0v	0.0v	0.0v	42.1v	0.0v	377.31v
437	Wg Cdr MJ Gregory	A	73.8v	73.7v	49.4v	46.4v	47.4v	43.2v	0.0v	0.0v	0.0v	46.1v	0.0v	377.30v
438	Wg Cdr CJ Hockley	O	73.8v	73.5v	47.3v	42.0v	49.8v	48.3v	0.0v	0.0v	0.0v	45.3v	0.0v	377.30v
439	Miss JF Hossack	O	71.4v	72.8v	48.6v	47.5v	49.2v	48.4v	0.0v	0.0v	0.0v	42.1v	0.0v	377.30v
440	Cdt TS Smith	O	68.5v	70.3v	47.3v	48.5v	47.4v	50.4v	0.0v	0.0v	0.0v	47.5v	0.0v	377.29v
441	Mr AJ Haggerty	O	70.4v	71.8v	48.2v	49.7v	47.2v	43.0v	0.0v	0.0v	0.0v	49.3v	0.0v	377.26v
442	Mr JMF Ford	A	70.3v	74.8v	49.5v	49.3v	48.4v	43.0v	0.0v	0.0v	0.0v	44.3v	0.0v	377.26v
443	Cdt MC Evans	T	71.4v	72.5v	46.4v	48.3v	45.2v	47.2v	0.0v	0.0v	0.0v	48.5v	0.0v	377.25v
444	Cdr MF Jordan	X	70.6v	69.3v	49.2v	47.3v	50.4v	45.4v	0.0v	0.0v	0.0v	47.3v	0.0v	377.25v
445	Mr J Dunn	X	72.7v	69.3v	49.5v	46.1v	46.3v	48.5v	0.0v	0.0v	0.0v	47.1v	0.0v	377.25v
446	Dr GP Nelson	A	67.10v	72.10v	47.6v	48.4v	47.7v	48.4v	0.0v	0.0v	0.0v	47.5v	0.0v	376.46v
447	Mr PM Lanigan	X	68.6v	74.11v	49.6v	44.4v	49.7v	49.6v	0.0v	0.0v	0.0v	43.3v	0.0v	376.43v
448	Cdt CA Staples	O	73.7v	74.10v	50.7v	39.2v	49.7v	46.5v	0.0v	0.0v	0.0v	45.4v	0.0v	376.42v
449	Miss A Durrant	T	68.5v	73.9v	46.2v	45.3v	50.8v	49.5v	0.0v	0.0v	0.0v	45.4v	0.0v	376.36v
450	Mr MAJ Barber	O	73.4v	72.8v	50.7v	46.5v	48.4v	43.5v	0.0v	0.0v	0.0v	44.3v	0.0v	376.36v
451	Mr JA Garnett	A	74.6v	74.11v	47.6v	47.4v	49.6v	44.3v	0.0v	0.0v	0.0v	41.0v	0.0v	376.36v
452	Mr TAD Lilley	A	73.7v	74.8v	46.5v	43.0v	49.8v	43.3v	0.0v	0.0v	0.0v	48.4v	0.0v	376.35v
453	Major AR McLeod	X	69.7v	73.8v	46.3v	49.4v	50.6v	44.4v	0.0v	0.0v	0.0v	45.3v	0.0v	376.35v
454	Miss SL Hayes	O	75.12v	70.6v	48.5v	49.5v	47.4v	44.2v	0.0v	0.0v	0.0v	43.1v	0.0v	376.35v
455	Mr RL Eayrs	O	69.6v	75.6v	47.5v	47.7v	48.6v	45.3v	0.0v	0.0v	0.0v	45.1v	0.0v	376.34v
456	Dr NG Jeffs	O	72.7v	67.4v	49.3v	49.4v	48.4v	44.5v	0.0v	0.0v	0.0v	47.6v	0.0v	376.33v
457	Mr TW Hunter	X	71.6v	74.7v	47.3v	45.4v	49.8v	46.4v	0.0v	0.0v	0.0v	44.1v	0.0v	376.33v
458	Mr AGH Van Koetsveld	X	71.5v	70.7v	48.4v	46.4v	49.7v	46.2v	0.0v	0.0v	0.0v	46.3v	0.0v	376.32v
459	Mr JWE Lothian	X	70.6v	72.4v	49.7v	46.4v	48.5v	46.2v	0.0v	0.0v	0.0v	45.3v	0.0v	376.31v
460	Cdt O Ahmed	O	68.6v	74.11v	50.4v	48.3v	50.2v	48.4v	0.0v	0.0v	0.0v	38.1v	0.0v	376.31v
461	Mr RW Smith	T	71.7v	71.3v	47.6v	46.2v	50.8v	44.3v	0.0v	0.0v	0.0v	47.1v	0.0v	376.30v
462	Dr IT Matsumoto	O	74.7v	69.4v	47.4v	49.4v	48.6v	43.2v	0.0v	0.0v	0.0v	46.3v	0.0v	376.30v
463	Mr CN McEachran	O	73.5v	71.6v	48.4v	44.3v	49.5v	46.4v	0.0v	0.0v	0.0v	45.3v	0.0v	376.30v
464	Mr JFJ Bryson	O	71.7v	72.7v	48.4v	45.3v	48.5v	49.4v	0.0v	0.0v	0.0v	43.0v	0.0v	376.30v
465	Mr RG Faulkner	A	71.3v	72.6v	45.2v	50.5v	47.6v	44.2v	0.0v	0.0v	0.0v	47.5v	0.0v	376.29v
466	Mr DJ Painting	A	72.5v	72.8v	47.2v	48.5v	46.4v	46.3v	0.0v	0.0v	0.0v	45.2v	0.0v	376.29v
467	Mr RJ Shehan	X	73.5v	74.8v	47.3v	47.3v	45.5v	46.2v	0.0v	0.0v	0.0v	44.3v	0.0v	376.29v
468	Mr WR Steward	A	69.4v	75.9v	48.7v	45.1v	50.3v	45.3v	0.0v	0.0v	0.0v	44.2v	0.0v	376.29v
469	Mr TR Webster	A	71.5v	73.8v	46.2v	48.2v	46.4v	43.5v	0.0v	0.0v	0.0v	49.2v	0.0v	376.28v
470	Mr GH Porter	O	71.7v	74.6v	47.2v	44.2v	48.5v	47.3v	0.0v	0.0v	0.0v	45.3v	0.0v	376.28v
471	Mr JRJ Kennedy	O	70.4v	70.6v	48.2v	48.4v	49.6v	48.4v	0.0v	0.0v	0.0v	43.2v	0.0v	376.28v
472	Mr JR Stirland	O	73.7v	72.5v	44.3v	49.3v	50.6v	46.3v	0.0v	0.0v	0.0v	42.1v	0.0v	376.28v
473	SD Spinney	X	73.8v	71.4v	47.2v	45.1v	48.4v	47.5v	0.0v	0.0v	0.0v	45.3v	0.0v	376.27v
474	Mr AJ Mayers	O	72.3v	72.5v	46.4v	48.6v	47.3v	47.5v	0.0v	0.0v	0.0v	44.1v	0.0v	376.27v
475	Mr DGF Evans	O	73.4v	71.7v	48.6v	48.4v	46.3v	47.2v	0.0v	0.0v	0.0v	43.1v	0.0v	376.27v
476	Miss HA Pugsley	O	72.5v	73.9v	47.3v	47.2v	49.3v	46.4v	0.0v	0.0v	0.0v	42.1v	0.0v	376.27v
477	Mr H Lottritz	X	73.6v	67.5v	49.2v	46.5v	46.4v	45.2v	0.0v	0.0v	0.0v	50.2v	0.0v	376.26v
478	Mr D Mesletzky	X	70.5v	69.4v	46.2v	47.1v	49.6v	47.2v	0.0v	0.0v	0.0v	48.5v	0.0v	376.25v
479	S Ndambuki	O	73.5v	74.5v	46.4v	45.2v	47.5v	45.1v	0.0v	0.0v	0.0v	46.3v	0.0v	376.25v
480	Mr WRD Mott	O	72.6v	71.6v	45.1v	49.4v	46.1v	48.5v	0.0v	0.0v	0.0v	45.1v	0.0v	376.24v

481	Mr CD Atkins	O	71.7v	75.11v	50.8v	49.6v	49.6v	46.3v	0.0v	0.0v	0.0v	35.0v	0.0v	375.41v
482	Mr DJ Archer	A	67.5v	72.6v	48.6v	49.7v	48.7v	46.3v	0.0v	0.0v	0.0v	45.4v	0.0v	375.38v
483	Mr MRM Millar	O	72.6v	72.8v	48.6v	42.3v	49.5v	45.5v	0.0v	0.0v	0.0v	47.4v	0.0v	375.37v
484	Mr A Wilson	O	71.6v	71.5v	46.3v	49.7v	46.5v	47.5v	0.0v	0.0v	0.0v	45.4v	0.0v	375.35v
485	Mr D Davies	X	72.8v	71.4v	45.3v	45.3v	49.7v	46.5v	0.0v	0.0v	0.0v	47.3v	0.0v	375.33v
486	Mr RJR Mott	A	69.7v	71.3v	50.6v	45.3v	48.5v	47.5v	0.0v	0.0v	0.0v	45.4v	0.0v	375.33v
487	Mr A Chown	A	75.9v	71.5v	47.5v	48.5v	47.4v	45.3v	0.0v	0.0v	0.0v	42.2v	0.0v	375.33v
488	Major AG McLean	X	71.9v	74.6v	46.4v	47.4v	49.6v	44.2v	0.0v	0.0v	0.0v	44.1v	0.0v	375.32v
489	Mr RG Scott	A	70.2v	73.11v	47.6v	46.4v	50.5v	46.4v	0.0v	0.0v	0.0v	43.0v	0.0v	375.32v
490	Mr ML Cotillard	O	72.6v	70.4v	48.7v	43.3v	50.5v	46.2v	0.0v	0.0v	0.0v	46.4v	0.0v	375.31v
491	Miss GJFO Ogden	A	71.4v	72.9v	48.5v	46.3v	48.4v	47.4v	0.0v	0.0v	0.0v	43.2v	0.0v	375.31v
492	Miss LMA Bogie	A	68.4v	74.5v	48.5v	47.4v	47.4v	47.5v	0.0v	0.0v	0.0v	44.3v	0.0v	375.30v
493	Mr P Lusted	O	67.2v	72.5v	50.8v	48.4v	46.3v	45.3v	0.0v	0.0v	0.0v	47.4v	0.0v	375.29v
494	Mr JJ Jalili	T	70.5v	73.9v	49.4v	45.2v	49.5v	45.3v	0.0v	0.0v	0.0v	44.1v	0.0v	375.29v
495	Miss CK Skelton	T	74.6v	71.6v	44.1v	49.5v	48.3v	42.3v	0.0v	0.0v	0.0v	47.4v	0.0v	375.28v
496	P Munene	O	69.6v	70.5v	49.3v	48.5v	50.6v	42.2v	0.0v	0.0v	0.0v	47.1v	0.0v	375.28v
497	Mr KG Ellett	O	71.4v	72.6v	48.5v	47.4v	48.5v	47.4v	0.0v	0.0v	0.0v	42.0v	0.0v	375.28v
498	Mr JR Lindsay	O	69.5v	73.7v	49.4v	46.4v	45.2v	47.4v	0.0v	0.0v	0.0v	46.1v	0.0v	375.27v
499	Mr G Trembath	A	70.5v	72.5v	49.7v	50.3v	45.3v	46.3v	0.0v	0.0v	0.0v	43.1v	0.0v	375.27v
500	Mr JA Marshall	A	68.2v	71.2v	50.7v	47.4v	46.4v	45.3v	0.0v	0.0v	0.0v	48.3v	0.0v	375.25v
501	Mr LW Belton	T	70.6v	71.5v	49.6v	45.2v	48.2v	44.1v	0.0v	0.0v	0.0v	48.3v	0.0v	375.25v
502	SL Otundo	O	68.4v	73.5v	47.6v	48.3v	46.4v	46.2v	0.0v	0.0v	0.0v	47.1v	0.0v	375.25v
503	M. P Ginestet	O	72.5v	70.7v	44.1v	47.4v	49.3v	47.3v	0.0v	0.0v	0.0v	46.2v	0.0v	375.25v
504	Mr RJ Cade	A	65.3v	74.6v	45.2v	49.2v	48.4v	48.4v	0.0v	0.0v	0.0v	46.2v	0.0v	375.23v
505	Mr J Pyne	O	73.10v	73.9v	44.4v	46.4v	49.8v	45.3v	0.0v	0.0v	0.0v	44.1v	0.0v	374.39v
506	Cdt SAJ Dowley	T	73.8v	71.8v	46.5v	48.3v	47.6v	47.5v	0.0v	0.0v	0.0v	42.4v	0.0v	374.39v
507	Cdt RL Johnson	O	72.7v	72.10v	48.4v	45.3v	48.8v	45.4v	0.0v	0.0v	0.0v	44.2v	0.0v	374.38v
508	Mr ADJ Stewart	O	72.8v	70.6v	48.7v	47.6v	48.5v	46.4v	0.0v	0.0v	0.0v	43.2v	0.0v	374.38v
509	Mr RJS Scoones	X	74.5v	69.4v	49.5v	38.4v	50.8v	47.6v	0.0v	0.0v	0.0v	47.5v	0.0v	374.37v
510	Mr DF Williams	O	70.6v	70.6v	48.5v	40.1v	50.8v	49.5v	0.0v	0.0v	0.0v	47.4v	0.0v	374.35v
511	Mr J Purdy	O	72.10v	71.6v	50.5v	40.2v	48.5v	47.2v	0.0v	0.0v	0.0v	46.5v	0.0v	374.35v
512	Mr AF Downer	O	72.7v	70.7v	48.6v	49.3v	48.5v	47.5v	0.0v	0.0v	0.0v	40.1v	0.0v	374.34v
513	Mr H Sanders	A	68.7v	71.7v	44.3v	48.5v	48.7v	46.0v	0.0v	0.0v	0.0v	49.4v	0.0v	374.33v
514	Mr RJ Ashton	X	74.11v	73.9v	45.2v	45.0v	48.4v	45.3v	0.0v	0.0v	0.0v	44.4v	0.0v	374.33v
515	Mr AM Norman	T	71.6v	72.8v	47.6v	48.4v	45.3v	48.4v	0.0v	0.0v	0.0v	43.2v	0.0v	374.33v
516	Mr A Alvey	O	70.5v	74.8v	46.2v	47.7v	48.6v	48.4v	0.0v	0.0v	0.0v	41.1v	0.0v	374.33v
517	Miss HV Southall	T	68.4v	72.8v	48.1v	46.4v	46.5v	48.5v	0.0v	0.0v	0.0v	46.5v	0.0v	374.32v
518	Mr TEW Ward	O	71.6v	66.3v	48.5v	48.2v	48.5v	47.7v	0.0v	0.0v	0.0v	46.4v	0.0v	374.32v
519	Mr AI Brown	A	69.5v	72.6v	48.6v	45.5v	49.4v	46.3v	0.0v	0.0v	0.0v	45.3v	0.0v	374.32v
520	Mr SJ Whitby	A	70.7v	73.8v	47.2v	49.4v	45.1v	47.6v	0.0v	0.0v	0.0v	43.4v	0.0v	374.32v
521	Mr J Golling	X	71.6v	71.8v	47.5v	50.3v	47.6v	45.3v	0.0v	0.0v	0.0v	43.1v	0.0v	374.32v
522	Mr B Lottritz	X	70.7v	71.7v	48.4v	46.5v	44.3v	47.1v	0.0v	0.0v	0.0v	48.3v	0.0v	374.30v
523	D Kirui	O	71.6v	75.6v	47.4v	48.3v	49.7v	44.4v	0.0v	0.0v	0.0v	40.0v	0.0v	374.30v
524	Miss CJ Dee	O	71.5v	73.7v	46.3v	43.2v	49.4v	45.4v	0.0v	0.0v	0.0v	47.4v	0.0v	374.29v
525	Mr AK Fitch	O	70.5v	71.7v	49.5v	46.1v	49.7v	47.4v	0.0v	0.0v	0.0v	42.0v	0.0v	374.29v
526	Mr AJ Horton	O	71.4v	68.4v	47.4v	47.4v	48.5v	44.3v	0.0v	0.0v	0.0v	49.4v	0.0v	374.28v
527	Mrs LJ Brister	A	70.6v	71.4v	48.3v	46.4v	46.3v	48.7v	0.0v	0.0v	0.0v	45.1v	0.0v	374.28v
528	Mr MTM Macleod	X	71.4v	71.8v	46.5v	47.2v	48.3v	47.3v	0.0v	0.0v	0.0v	44.3v	0.0v	374.28v
529	Mr BR Ebbetts	O	71.8v	69.5v	48.1v	50.6v	42.1v	46.1v	0.0v	0.0v	0.0v	48.5v	0.0v	374.27v
530	Cdt FE Purdy	T	71.7v	71.3v	47.2v	48.5v	45.1v	48.3v	0.0v	0.0v	0.0v	44.3v	0.0v	374.24v
531	Mr RW Needham	O	72.5v	71.4v	47.4v	47.3v	47.4v	46.2v	0.0v	0.0v	0.0v	44.2v	0.0v	374.24v
532	Mr TEO Richards	O	71.8v	70.7v	48.6v	47.4v	49.5v	47.3v	0.0v	0.0v	0.0v	41.4v	0.0v	373.37v
533	Mr A Thomson	A	67.7v	71.8v	48.4v	44.4v	49.3v	47.5v	0.0v	0.0v	0.0v	47.3v	0.0v	373.34v
534	Mr JD Dugal	T	64.3v	75.9v	50.4v	44.1v	48.8v	46.5v	0.0v	0.0v	0.0v	46.4v	0.0v	373.34v
535	Mr AJCB de Launay	A	73.8v	71.6v	46.5v	47.5v	48.6v	44.2v	0.0v	0.0v	0.0v	44.2v	0.0v	373.34v
536	Mr RL Sampson	A	73.9v	70.8v	47.3v	48.5v	48.5v	44.2v	0.0v	0.0v	0.0v	43.2v	0.0v	373.34v
537	Mr WHC Alexander	A	67.4v	72.9v	48.6v	47.4v	48.4v	50.6v	0.0v	0.0v	0.0v	41.1v	0.0v	373.34v
538	Mr D de Vere	O	70.6v	72.7v	45.4v	43.3v	49.7v	49.3v	0.0v	0.0v	0.0v	45.3v	0.0v	373.33v
539	Mr K Hardyman	O	68.5v	71.5v	47.3v	46.4v	49.6v	45.3v	0.0v	0.0v	0.0v	47.6v	0.0v	373.32v
540	Mr R Knapstein	X	67.5v	74.8v	44.4v	48.5v	48.5v	48.1v	0.0v	0.0v	0.0v	44.4v	0.0v	373.32v
541	Cdt MJG Neal	T	70.5v	71.7v	48.7v	48.5v	48.6v	44.1v	0.0v	0.0v	0.0v	44.1v	0.0v	373.32v
542	Mr BA Boyle	T	71.6v	70.6v	49.5v	48.5v	46.4v	46.5v	0.0v	0.0v	0.0v	43.1v	0.0v	373.32v
543	Mrs SG Sirett	O	71.6v	70.7v	47.5v	49.4v	49.8v	44.2v	0.0v	0.0v	0.0v	43.0v	0.0v	373.32v
544	Mr TH Emck	O	73.4v	72.7v	48.5v	48.5v	49.6v	46.2v	0.0v	0.0v	0.0v	37.2v	0.0v	373.31v
545	Lt CP Judge	T	71.5v	72.3v	43.4v	46.4v	49.8v	44.1v	0.0v	0.0v	0.0v	48.5v	0.0v	373.30v
546	Mr JA Lindsay III	A	73.3v	68.5v	45.4v	49.5v	44.8v	46.4v	0.0v	0.0v	0.0v	48.1v	0.0v	373.30v
547	Mr JS Chapman	O	71.7v	68.7v	49.4v	48.5v	46.1v	48.4v	0.0v	0.0v	0.0v	43.2v	0.0v	373.30v
548	Mr DEF Fields	O	71.5v	70.6v	48.4v	47.3v	48.5v	47.4v	0.0v	0.0v	0.0v	42.3v	0.0v	373.30v
549	Mr IDC Brechin	O	72.5v	72.6v	48.6v	48.5v	44.2v	43.1v	0.0v	0.0v	0.0v	46.4v	0.0v	373.29v
550	Dr PJ Morris	O	71.8v	71.3v	49.6v	46.2v	45.3v	47.5v	0.0v	0.0v	0.0v	44.2v	0.0v	373.29v
551	Mr CL Leighton	O	71.8v	68.3v	47.2v	49.7v	49.5v	48.2v	0.0v	0.0v	0.0v	41.2v	0.0v	373.29v

552	Cdt Sgt GC Coburn	T	71.5v	75.9v	47.3v	45.3v	48.5v	47.2v	0.0v	0.0v	0.0v	40.2v	0.0v	373.29v
553	Dr BJ Winney	O	69.6v	73.4v	44.2v	46.4v	49.6v	49.4v	0.0v	0.0v	0.0v	43.2v	0.0v	373.28v
554	Cdt LA Sutton	T	70.2v	72.9v	44.0v	48.4v	49.5v	45.5v	0.0v	0.0v	0.0v	45.2v	0.0v	373.27v
555	Mr MP Watkins	O	69.4v	73.7v	45.3v	47.2v	45.2v	48.6v	0.0v	0.0v	0.0v	46.2v	0.0v	373.26v
556	Mr KRN Nelson	O	71.5v	72.6v	45.2v	47.2v	48.7v	46.1v	0.0v	0.0v	0.0v	44.3v	0.0v	373.26v
557	D Kiprotich	O	68.2v	72.4v	49.2v	49.6v	47.5v	46.3v	0.0v	0.0v	0.0v	42.4v	0.0v	373.26v
558	Mrs RMS Merridew	O	72.5v	72.6v	47.3v	45.3v	48.3v	47.4v	0.0v	0.0v	0.0v	42.2v	0.0v	373.26v
559	Mrs JC Scott Langley	O	74.8v	70.5v	49.3v	45.2v	48.6v	45.2v	0.0v	0.0v	0.0v	42.0v	0.0v	373.26v
560	Mr ES Maclean	T	72.6v	71.5v	47.4v	49.3v	48.5v	45.1v	0.0v	0.0v	0.0v	41.1v	0.0v	373.25v
561	Mr SWH Huish	T	73.9v	71.1v	47.1v	48.3v	48.6v	46.4v	0.0v	0.0v	0.0v	40.1v	0.0v	373.25v
562	Mr DN Lindsay	O	73.5v	70.4v	49.8v	49.5v	45.1v	47.1v	0.0v	0.0v	0.0v	40.0v	0.0v	373.24v
563	Capt D Morris	O	69.4v	70.6v	49.4v	48.1v	50.5v	45.2v	0.0v	0.0v	0.0v	42.1v	0.0v	373.23v
564	Mr CW Slator	X	65.8v	75.8v	43.3v	48.3v	49.7v	48.6v	0.0v	0.0v	0.0v	44.5v	0.0v	372.40v
565	Mr DW Gardiner	O	72.6v	75.8v	49.5v	47.5v	50.7v	49.5v	0.0v	0.0v	0.0v	30.1v	0.0v	372.37v
566	Mr M Stewart	O	71.9v	71.2v	49.6v	47.4v	50.8v	48.5v	0.0v	0.0v	0.0v	36.1v	0.0v	372.35v
567	Mr MW Silver	X	71.6v	70.6v	46.3v	47.4v	50.10v	45.3v	0.0v	0.0v	0.0v	43.2v	0.0v	372.34v
568	Mr JF Jackman	O	70.6v	71.8v	46.1v	44.5v	50.8v	48.4v	0.0v	0.0v	0.0v	43.2v	0.0v	372.34v
569	Mr SG Hunter	O	70.5v	72.8v	48.6v	46.3v	47.5v	44.2v	0.0v	0.0v	0.0v	45.4v	0.0v	372.33v
570	Cdt ERT Torrance	T	73.4v	71.8v	49.5v	47.6v	48.6v	43.3v	0.0v	0.0v	0.0v	41.1v	0.0v	372.33v
571	Dr PR Wheeler	O	72.8v	70.4v	45.2v	46.5v	46.6v	47.3v	0.0v	0.0v	0.0v	46.3v	0.0v	372.31v
572	Mr JBC Corr	O	72.9v	73.9v	44.2v	45.3v	47.3v	47.4v	0.0v	0.0v	0.0v	44.1v	0.0v	372.31v
573	Dr N Hart	O	70.7v	68.5v	45.1v	48.6v	46.2v	46.3v	0.0v	0.0v	0.0v	49.6v	0.0v	372.30v
574	Mr KJ Aldridge	O	70.5v	73.6v	45.2v	46.4v	47.3v	46.5v	0.0v	0.0v	0.0v	45.4v	0.0v	372.29v
575	Miss EK Gibson	O	69.4v	74.7v	47.4v	48.3v	46.5v	44.3v	0.0v	0.0v	0.0v	44.3v	0.0v	372.29v
576	Mr DJ Dick	T	69.4v	74.8v	46.5v	46.4v	46.2v	46.2v	0.0v	0.0v	0.0v	45.3v	0.0v	372.28v
577	Mr BN Craig	O	68.2v	73.5v	49.6v	48.5v	48.7v	45.2v	0.0v	0.0v	0.0v	41.1v	0.0v	372.28v
578	Cdt AGP Poulter	O	71.8v	68.5v	48.3v	43.4v	47.4v	49.3v	0.0v	0.0v	0.0v	46.0v	0.0v	372.27v
579	Mr MA Atyeo	T	73.7v	68.5v	48.3v	49.4v	49.5v	45.1v	0.0v	0.0v	0.0v	40.2v	0.0v	372.27v
580	Mr J Tuffen	O	72.7v	69.5v	48.5v	46.3v	48.2v	49.5v	0.0v	0.0v	0.0v	40.0v	0.0v	372.27v
581	Cdt Cpl OL Lyon	O	71.6v	70.5v	47.4v	48.3v	44.2v	45.2v	0.0v	0.0v	0.0v	47.4v	0.0v	372.26v
582	Dr G Stevenson	O	72.9v	70.4v	47.2v	45.2v	46.4v	46.3v	0.0v	0.0v	0.0v	46.2v	0.0v	372.26v
583	Mr SR Davis	O	70.4v	71.7v	46.4v	47.0v	48.6v	46.3v	0.0v	0.0v	0.0v	44.2v	0.0v	372.26v
584	Mr WP Hanley	O	69.5v	70.5v	48.2v	48.3v	49.6v	47.3v	0.0v	0.0v	0.0v	41.2v	0.0v	372.26v
585	Cpl PS Lehmann	T	73.6v	72.8v	45.3v	47.3v	45.2v	42.0v	0.0v	0.0v	0.0v	48.3v	0.0v	372.25v
586	Mr ST Welsh	T	72.6v	66.2v	45.3v	50.4v	49.6v	45.3v	0.0v	0.0v	0.0v	45.1v	0.0v	372.25v
587	N Batai	O	71.4v	71.4v	48.4v	48.2v	48.3v	39.2v	0.0v	0.0v	0.0v	47.5v	0.0v	372.24v
588	Mr B Langille	T	73.7v	72.4v	48.4v	45.4v	44.1v	43.1v	0.0v	0.0v	0.0v	47.3v	0.0v	372.24v
589	Mr DN Webber	O	71.7v	70.2v	46.3v	48.3v	47.4v	45.2v	0.0v	0.0v	0.0v	45.3v	0.0v	372.24v
590	Mr RD Macmillan	O	71.0v	69.6v	45.3v	48.3v	49.3v	45.4v	0.0v	0.0v	0.0v	45.2v	0.0v	372.21v
591	Mr RA Mullin	A	68.10v	70.10v	49.4v	45.1v	46.5v	49.7v	0.0v	0.0v	0.0v	44.2v	0.0v	371.39v
592	Mr M Persaud	A	74.11v	70.9v	49.4v	48.6v	48.5v	39.2v	0.0v	0.0v	0.0v	43.2v	0.0v	371.39v
593	Cdt F-XC Cliche	O	70.6v	71.7v	46.4v	43.5v	50.6v	49.6v	0.0v	0.0v	0.0v	42.2v	0.0v	371.36v
594	Mr S Wiktorowski	O	74.6v	68.7v	47.5v	42.4v	49.7v	47.3v	0.0v	0.0v	0.0v	44.2v	0.0v	371.34v
595	Rozli Mohamad	X	71.9v	64.4v	47.3v	46.3v	48.8v	49.4v	0.0v	0.0v	0.0v	46.2v	0.0v	371.33v
596	Mr JG Bennett	X	69.4v	71.6v	48.4v	49.6v	47.4v	44.6v	0.0v	0.0v	0.0v	43.3v	0.0v	371.33v
597	Mr ID Macdonald	O	67.7v	73.8v	48.4v	42.2v	47.5v	46.3v	0.0v	0.0v	0.0v	48.3v	0.0v	371.32v
598	Miss EL Hoolahan	T	67.6v	72.8v	48.4v	49.5v	48.5v	48.3v	0.0v	0.0v	0.0v	39.1v	0.0v	371.32v
599	Mr SD Douglas	O	74.8v	69.5v	48.4v	48.6v	45.2v	45.3v	0.0v	0.0v	0.0v	42.3v	0.0v	371.31v
600	Mr MP Perez	O	67.4v	75.8v	49.6v	45.2v	48.5v	46.4v	0.0v	0.0v	0.0v	41.2v	0.0v	371.31v
601	Mr TJ Brooking	A	70.5v	73.6v	45.5v	44.2v	47.4v	44.3v	0.0v	0.0v	0.0v	48.5v	0.0v	371.30v
602	Mr MK Townsend	O	69.5v	70.4v	43.3v	50.5v	44.5v	47.4v	0.0v	0.0v	0.0v	48.4v	0.0v	371.30v
603	Mr B Humphreys	O	68.3v	71.7v	48.5v	46.3v	46.5v	44.3v	0.0v	0.0v	0.0v	48.4v	0.0v	371.30v
604	Miss A Calvert	O	69.5v	70.7v	46.3v	47.4v	46.3v	46.4v	0.0v	0.0v	0.0v	47.4v	0.0v	371.30v
605	Mr C Waldron	O	69.4v	72.8v	49.4v	41.2v	48.5v	46.5v	0.0v	0.0v	0.0v	46.1v	0.0v	371.29v
606	Mr MJ Judge	O	68.5v	70.4v	47.5v	48.6v	49.5v	44.2v	0.0v	0.0v	0.0v	45.1v	0.0v	371.28v
607	Mr TJ Bullock	T	70.6v	73.8v	49.6v	46.3v	43.0v	47.3v	0.0v	0.0v	0.0v	43.2v	0.0v	371.28v
608	Mr S Mortimer	O	71.7v	71.5v	49.3v	43.2v	47.4v	44.2v	0.0v	0.0v	0.0v	46.4v	0.0v	371.27v
609	Mr JG Powell	O	72.5v	70.3v	44.3v	45.2v	49.6v	48.5v	0.0v	0.0v	0.0v	43.3v	0.0v	371.27v
610	Mr TS McDowell	O	69.5v	71.6v	49.6v	49.3v	46.3v	45.2v	0.0v	0.0v	0.0v	42.2v	0.0v	371.27v
611	G Kariuki	O	70.3v	70.7v	47.4v	42.1v	50.4v	47.4v	0.0v	0.0v	0.0v	45.3v	0.0v	371.26v
612	Mr DA Smith	O	66.2v	71.5v	48.5v	46.4v	49.2v	48.5v	0.0v	0.0v	0.0v	43.1v	0.0v	371.24v
613	Mr GL Clarke	O	70.5v	70.5v	48.6v	47.3v	49.2v	46.1v	0.0v	0.0v	0.0v	41.1v	0.0v	371.23v
614	Mr RA Welford	O	72.8v	69.5v	46.3v	46.4v	49.7v	45.4v	0.0v	0.0v	0.0v	43.5v	0.0v	370.36v
615	Mrs RKE Penrose	O	69.6v	68.7v	44.2v	48.4v	47.3v	48.7v	0.0v	0.0v	0.0v	46.5v	0.0v	370.34v
616	Cpl T Ford	T	71.7v	70.6v	44.1v	49.5v	45.4v	47.7v	0.0v	0.0v	0.0v	44.4v	0.0v	370.34v
617	Mr J Gould	O	73.8v	65.3v	48.7v	49.6v	47.5v	45.4v	0.0v	0.0v	0.0v	43.1v	0.0v	370.34v
618	Mr ADE Grounds	X	71.8v	72.6v	46.4v	47.5v	48.7v	44.3v	0.0v	0.0v	0.0v	42.1v	0.0v	370.34v
619	Mr PB Cutts	O	73.9v	70.6v	47.3v	48.7v	49.4v	42.3v	0.0v	0.0v	0.0v	41.2v	0.0v	370.34v
620	Major M Geernaert-Davies	O	70.8v	66.5v	47.3v	47.5v	46.5v	47.3v	0.0v	0.0v	0.0v	47.4v	0.0v	370.33v
621	Cdt LCpl GM Irish	T	71.8v	69.6v	46.3v	48.5v	48.7v	44.1v	0.0v	0.0v	0.0v	44.0v	0.0v	370.30v
622	Mr ND Gomez	O	70.4v	71.7v	50.6v	43.2v	46.4v	48.5v	0.0v	0.0v	0.0v	42.2v	0.0v	370.30v

623	Sgt M Devine	O	71.7v	66.1v	45.3v	47.6v	47.5v	46.3v	0.0v	0.0v	0.0v	48.4v	0.0v	370.29v
624	Mr HRM Bailie	A	71.9v	71.6v	50.3v	41.2v	47.3v	44.4v	0.0v	0.0v	0.0v	46.2v	0.0v	370.29v
625	Mr PGW Purdy	O	68.5v	68.5v	49.4v	48.5v	46.3v	50.5v	0.0v	0.0v	0.0v	41.2v	0.0v	370.29v
626	Ms TC East	O	73.8v	69.6v	47.1v	45.2v	48.7v	44.3v	0.0v	0.0v	0.0v	44.1v	0.0v	370.28v
627	Mr DF Nesbitt	O	70.6v	70.5v	48.6v	47.3v	48.5v	47.3v	0.0v	0.0v	0.0v	40.0v	0.0v	370.28v
628	Mr JC Holdsworth	O	72.7v	67.4v	45.4v	50.5v	47.2v	45.3v	0.0v	0.0v	0.0v	44.2v	0.0v	370.27v
629	Mr DA Parkinson	O	72.7v	66.3v	49.2v	45.4v	46.5v	49.4v	0.0v	0.0v	0.0v	43.2v	0.0v	370.27v
630	Mr AS Fraser	A	70.5v	70.5v	47.1v	45.6v	50.6v	45.3v	0.0v	0.0v	0.0v	43.1v	0.0v	370.27v
631	Ms BM Moore	O	72.7v	68.4v	47.2v	48.5v	50.5v	47.2v	0.0v	0.0v	0.0v	38.2v	0.0v	370.27v
632	Mr MH Roberts	O	71.7v	68.4v	44.2v	45.3v	48.5v	47.4v	0.0v	0.0v	0.0v	47.1v	0.0v	370.26v
633	Mr DF Robinson	O	71.6v	71.6v	45.5v	41.2v	48.3v	48.1v	0.0v	0.0v	0.0v	46.3v	0.0v	370.26v
634	Mr AW Coupland	O	69.3v	71.6v	48.5v	45.3v	48.5v	44.2v	0.0v	0.0v	0.0v	45.1v	0.0v	370.25v
635	Mr SJ Dawes	O	68.4v	68.4v	47.4v	50.4v	48.2v	46.4v	0.0v	0.0v	0.0v	43.3v	0.0v	370.25v
636	Mr PS Calvert	T	66.6v	74.6v	43.1v	46.1v	49.7v	47.3v	0.0v	0.0v	0.0v	45.0v	0.0v	370.24v
637	Mr A Lakhani	O	71.5v	73.6v	49.3v	45.3v	46.3v	45.2v	0.0v	0.0v	0.0v	41.2v	0.0v	370.24v
638	Mr AC Morley	O	68.3v	69.4v	48.5v	49.2v	48.4v	48.3v	0.0v	0.0v	0.0v	40.1v	0.0v	370.22v
639	Mr J Balson	T	70.4v	70.3v	49.5v	46.2v	48.4v	45.2v	0.0v	0.0v	0.0v	42.1v	0.0v	370.21v
640	Mr CRW Downing	T	69.1v	69.3v	48.4v	48.3v	48.5v	43.1v	0.0v	0.0v	0.0v	45.2v	0.0v	370.19v
641	Cdt GA Astin	T	70.7v	69.6v	47.4v	47.3v	45.7v	47.5v	0.0v	0.0v	0.0v	44.2v	0.0v	369.34v
642	Miss IRJD Stevenson	A	72.7v	74.10v	49.5v	44.4v	48.5v	44.2v	0.0v	0.0v	0.0v	38.0v	0.0v	369.33v
643	Mr HD Werner	X	72.6v	74.9v	46.5v	42.4v	49.4v	42.1v	0.0v	0.0v	0.0v	44.3v	0.0v	369.32v
644	Mr HJG Green	T	71.6v	71.9v	45.4v	47.2v	49.6v	47.3v	0.0v	0.0v	0.0v	39.1v	0.0v	369.31v
645	Mr NS Suffield-Jones	O	70.7v	68.3v	44.4v	47.4v	45.3v	48.5v	0.0v	0.0v	0.0v	47.4v	0.0v	369.30v
646	Mr OCIK Kember	O	66.3v	72.7v	44.3v	48.4v	48.5v	45.3v	0.0v	0.0v	0.0v	46.4v	0.0v	369.29v
647	Mr HP Noss	X	67.4v	71.5v	45.5v	44.2v	49.6v	50.5v	0.0v	0.0v	0.0v	43.2v	0.0v	369.29v
648	Mr KH Tumschat	X	74.8v	72.7v	47.3v	44.1v	49.7v	42.1v	0.0v	0.0v	0.0v	41.2v	0.0v	369.29v
649	E Muleyi	O	66.3v	68.5v	45.3v	48.5v	48.5v	49.4v	0.0v	0.0v	0.0v	45.3v	0.0v	369.28v
650	Miss KMA Atkinson	T	68.5v	69.4v	48.5v	45.1v	47.3v	46.5v	0.0v	0.0v	0.0v	46.4v	0.0v	369.27v
651	Cdt CR Rancourt	T	69.5v	71.4v	49.4v	45.4v	44.5v	46.2v	0.0v	0.0v	0.0v	45.3v	0.0v	369.27v
652	Mr R Jackson	O	67.3v	71.5v	42.3v	49.4v	50.5v	49.5v	0.0v	0.0v	0.0v	41.2v	0.0v	369.27v
653	Mr P Papisideris	O	70.8v	70.4v	48.2v	47.3v	46.5v	47.5v	0.0v	0.0v	0.0v	41.0v	0.0v	369.27v
654	Mr A Rempel	O	70.4v	67.4v	45.2v	47.2v	47.5v	45.5v	0.0v	0.0v	0.0v	48.4v	0.0v	369.26v
655	Mr R Shaw	O	71.4v	70.6v	47.3v	43.3v	47.2v	47.3v	0.0v	0.0v	0.0v	44.4v	0.0v	369.25v
656	Mr SMW Clifford	T	68.4v	69.3v	44.1v	49.3v	49.7v	46.3v	0.0v	0.0v	0.0v	44.3v	0.0v	369.24v
657	Dr JC Jobling	O	65.2v	72.6v	47.5v	47.2v	47.4v	49.3v	0.0v	0.0v	0.0v	42.2v	0.0v	369.24v
658	Mr A Mabon	O	69.0v	73.9v	48.5v	42.2v	47.3v	46.3v	0.0v	0.0v	0.0v	44.1v	0.0v	369.23v
659	Miss JE Harris	O	70.6v	69.5v	46.3v	44.1v	49.4v	44.3v	0.0v	0.0v	0.0v	47.0v	0.0v	369.22v
660	Mr PM Weston	O	72.4v	70.6v	49.5v	46.2v	45.2v	45.2v	0.0v	0.0v	0.0v	42.1v	0.0v	369.22v
661	Miss LCP-L Watson	O	68.6v	74.8v	50.5v	41.3v	49.6v	42.3v	0.0v	0.0v	0.0v	44.4v	0.0v	368.35v
662	Mr CJ McCallum	O	71.8v	72.7v	47.7v	50.4v	48.5v	44.3v	0.0v	0.0v	0.0v	36.1v	0.0v	368.35v
663	Miss RR Davis	O	68.5v	70.6v	47.5v	43.4v	49.6v	50.5v	0.0v	0.0v	0.0v	41.2v	0.0v	368.33v
664	Mr IR Thomson	O	71.7v	70.5v	49.4v	49.6v	46.5v	41.2v	0.0v	0.0v	0.0v	42.3v	0.0v	368.32v
665	Miss CHM McKeever	T	69.9v	69.6v	47.3v	43.3v	49.5v	49.4v	0.0v	0.0v	0.0v	42.2v	0.0v	368.32v
666	Mr NC Boyde	O	74.8v	73.10v	41.1v	48.3v	50.6v	45.2v	0.0v	0.0v	0.0v	37.2v	0.0v	368.32v
667	JL Breeze	O	71.8v	72.9v	45.3v	45.2v	44.4v	46.2v	0.0v	0.0v	0.0v	45.3v	0.0v	368.31v
668	Mr DMJ Coutts	X	69.5v	71.7v	48.4v	46.5v	47.7v	44.2v	0.0v	0.0v	0.0v	43.1v	0.0v	368.31v
669	Mr MR Frost	O	74.8v	74.7v	46.5v	46.3v	44.4v	43.2v	0.0v	0.0v	0.0v	41.2v	0.0v	368.31v
670	Mr F Bilton	O	72.5v	67.9v	46.4v	45.2v	49.6v	49.3v	0.0v	0.0v	0.0v	40.2v	0.0v	368.31v
671	Mr DT O'Leary	O	72.7v	71.7v	42.2v	49.4v	43.2v	48.5v	0.0v	0.0v	0.0v	43.3v	0.0v	368.30v
672	Mr N Houle	T	72.7v	69.7v	45.3v	46.4v	49.6v	46.2v	0.0v	0.0v	0.0v	41.1v	0.0v	368.30v
673	Mr NT Davies	O	69.5v	70.8v	47.5v	49.2v	47.4v	39.1v	0.0v	0.0v	0.0v	47.4v	0.0v	368.29v
674	Mr FJ Carlin	O	69.3v	67.6v	46.4v	46.3v	45.3v	49.5v	0.0v	0.0v	0.0v	46.5v	0.0v	368.29v
675	Mr RJ Hull	A	69.6v	74.8v	44.2v	47.5v	46.3v	45.2v	0.0v	0.0v	0.0v	43.3v	0.0v	368.29v
676	Mr SW Maris	O	70.7v	63.3v	49.4v	47.4v	49.4v	48.5v	0.0v	0.0v	0.0v	42.1v	0.0v	368.28v
677	Mr JD Glen	O	71.4v	72.6v	46.4v	48.4v	49.6v	42.3v	0.0v	0.0v	0.0v	40.1v	0.0v	368.28v
678	Mr RJA Ritchie	O	68.4v	70.7v	46.6v	45.1v	46.5v	48.3v	0.0v	0.0v	0.0v	45.1v	0.0v	368.27v
679	Mr FF Lalear	O	70.6v	71.4v	46.2v	45.2v	45.3v	45.3v	0.0v	0.0v	0.0v	46.6v	0.0v	368.26v
680	Mr BW Cairns	O	72.6v	73.7v	50.5v	41.1v	45.3v	44.3v	0.0v	0.0v	0.0v	43.1v	0.0v	368.26v
681	Mr J Shanks	O	69.6v	67.5v	47.1v	48.5v	48.3v	44.2v	0.0v	0.0v	0.0v	45.3v	0.0v	368.25v
682	Mr A Coakes	O	72.6v	74.6v	47.4v	44.2v	46.0v	46.4v	0.0v	0.0v	0.0v	39.3v	0.0v	368.25v
683	Mr BH Jones	O	69.3v	69.7v	48.2v	43.3v	48.4v	47.3v	0.0v	0.0v	0.0v	44.2v	0.0v	368.24v
684	Mr E Stuart-Bamford	O	70.6v	64.1v	46.1v	49.5v	46.1v	46.5v	0.0v	0.0v	0.0v	47.4v	0.0v	368.23v
685	Mr SJ Frank	T	69.3v	71.4v	48.4v	47.4v	48.4v	40.1v	0.0v	0.0v	0.0v	45.3v	0.0v	368.23v
686	Mr FCP Mostyn	O	70.5v	72.6v	46.3v	47.2v	49.3v	41.2v	0.0v	0.0v	0.0v	43.1v	0.0v	368.22v
687	Mr AI Lawrie	O	72.1v	73.5v	49.3v	49.3v	47.2v	44.2v	0.0v	0.0v	0.0v	34.0v	0.0v	368.16v
688	Mr HGM Mooiman	O	74.9v	65.7v	44.2v	49.7v	46.4v	48.3v	0.0v	0.0v	0.0v	41.4v	0.0v	367.36v
689	Mr RS Mason	O	72.7v	73.10v	50.5v	43.1v	48.5v	46.6v	0.0v	0.0v	0.0v	35.0v	0.0v	367.34v
690	Mr BG White	O	71.7v	70.6v	43.5v	48.4v	47.5v	45.3v	0.0v	0.0v	0.0v	43.2v	0.0v	367.32v
691	Cdt JCpl CA Evans	T	69.7v	73.9v	45.4v	43.4v	49.5v	47.2v	0.0v	0.0v	0.0v	41.0v	0.0v	367.31v
692	Mr J Paul	O	66.3v	72.6v	48.4v	46.4v	48.6v	42.4v	0.0v	0.0v	0.0v	45.3v	0.0v	367.30v
693	Sgt DA Rowell	T	70.4v	72.9v	46.3v	47.3v	49.4v	46.5v	0.0v	0.0v	0.0v	37.2v	0.0v	367.30v

694	Mr K Gladding	O	69.3v	70.5v	45.2v	43.2v	48.7v	47.5v	0.0v	0.0v	0.0v	45.2v	0.0v	367.26v
695	Mr G Hart	O	71.5v	69.4v	46.4v	46.3v	47.6v	43.3v	0.0v	0.0v	0.0v	45.1v	0.0v	367.26v
696	Mr BR Shouler	O	69.4v	69.7v	48.3v	48.3v	45.3v	47.4v	0.0v	0.0v	0.0v	41.2v	0.0v	367.26v
697	Mr MB Grant	T	72.7v	69.7v	47.3v	45.3v	46.2v	47.2v	0.0v	0.0v	0.0v	41.2v	0.0v	367.26v
698	Mr TA Purvis	T	68.4v	65.3v	46.4v	45.1v	47.6v	48.4v	0.0v	0.0v	0.0v	48.3v	0.0v	367.25v
699	Mr CA Stewart	O	68.4v	69.4v	47.3v	47.5v	44.3v	48.5v	0.0v	0.0v	0.0v	44.1v	0.0v	367.25v
700	Mr JT Boyd	T	69.6v	70.6v	41.3v	45.2v	46.1v	49.4v	0.0v	0.0v	0.0v	47.2v	0.0v	367.24v
701	Mr K Todd	T	71.6v	70.5v	45.4v	46.3v	46.3v	44.3v	0.0v	0.0v	0.0v	45.0v	0.0v	367.24v
702	Mr TW Tatchell	O	70.4v	72.5v	47.5v	47.2v	46.2v	45.3v	0.0v	0.0v	0.0v	40.3v	0.0v	367.24v
703	J Serem	O	72.7v	68.3v	48.6v	47.3v	47.1v	46.3v	0.0v	0.0v	0.0v	39.1v	0.0v	367.24v
704	Mr JMP Fitzsimons	O	69.6v	67.4v	47.4v	46.3v	48.3v	47.1v	0.0v	0.0v	0.0v	43.2v	0.0v	367.23v
705	Mr SCW Dixon	O	70.6v	70.3v	46.3v	48.4v	46.4v	45.3v	0.0v	0.0v	0.0v	42.0v	0.0v	367.23v
706	Mr T Galliers	O	71.7v	70.3v	46.3v	47.2v	43.1v	46.3v	0.0v	0.0v	0.0v	44.3v	0.0v	367.22v
707	Mr D Cottrill	T	71.3v	71.6v	40.2v	46.2v	46.4v	49.4v	0.0v	0.0v	0.0v	44.0v	0.0v	367.21v
708	Mr ETE Egge	T	71.4v	70.3v	44.3v	47.4v	43.0v	44.4v	0.0v	0.0v	0.0v	48.2v	0.0v	367.20v
709	Mr AGM Fyfe	O	72.8v	69.3v	44.1v	47.4v	47.1v	46.0v	0.0v	0.0v	0.0v	42.0v	0.0v	367.17v
710	Mr MG Grimdsdell	O	70.7v	70.4v	47.6v	46.3v	40.5v	48.4v	0.0v	0.0v	0.0v	45.3v	0.0v	366.32v
711	Mr JS Ritchie	O	70.7v	68.6v	43.2v	47.3v	47.5v	46.4v	0.0v	0.0v	0.0v	45.4v	0.0v	366.31v
712	Mr D Rose	X	66.7v	71.7v	47.4v	43.4v	48.4v	46.2v	0.0v	0.0v	0.0v	45.2v	0.0v	366.30v
713	Miss TD Duhre	A	66.4v	72.7v	44.1v	47.5v	48.7v	45.6v	0.0v	0.0v	0.0v	44.0v	0.0v	366.30v
714	Cdt CG Dickson	O	71.7v	69.8v	46.4v	44.1v	47.4v	45.3v	0.0v	0.0v	0.0v	44.2v	0.0v	366.29v
715	Miss C Halleran	O	70.5v	71.6v	46.3v	45.6v	46.3v	48.4v	0.0v	0.0v	0.0v	40.2v	0.0v	366.29v
716	Mr G Hart	T	67.4v	69.6v	49.5v	47.5v	48.5v	39.2v	0.0v	0.0v	0.0v	47.1v	0.0v	366.28v
717	Mr TA French	T	69.4v	69.5v	47.5v	47.3v	47.4v	41.3v	0.0v	0.0v	0.0v	46.3v	0.0v	366.27v
718	Mr CSJ Marlow	O	70.7v	65.4v	48.5v	50.6v	46.3v	46.2v	0.0v	0.0v	0.0v	41.0v	0.0v	366.27v
719	Mr PD Pelly	O	64.5v	69.4v	48.5v	44.3v	48.2v	46.3v	0.0v	0.0v	0.0v	47.4v	0.0v	366.26v
720	Mr RB Fields	O	70.6v	69.5v	41.2v	47.4v	47.3v	46.6v	0.0v	0.0v	0.0v	46.0v	0.0v	366.26v
721	Mr RG Hilyard	O	69.3v	70.5v	49.6v	44.3v	47.4v	46.4v	0.0v	0.0v	0.0v	41.1v	0.0v	366.26v
722	J Birgen	O	70.7v	65.2v	45.1v	47.4v	47.4v	45.3v	0.0v	0.0v	0.0v	47.2v	0.0v	366.23v
723	Mr TSM Gordon	T	68.2v	74.8v	45.3v	45.3v	44.1v	46.4v	0.0v	0.0v	0.0v	44.2v	0.0v	366.23v
724	Mr FS Stewart	T	71.5v	68.3v	48.3v	46.4v	47.3v	43.2v	0.0v	0.0v	0.0v	43.3v	0.0v	366.23v
725	Mr GRP Shapland	O	69.7v	67.2v	48.4v	47.3v	44.2v	45.0v	0.0v	0.0v	0.0v	46.4v	0.0v	366.22v
726	Mr AC Grant	O	71.9v	69.7v	41.0v	46.1v	47.2v	47.3v	0.0v	0.0v	0.0v	45.0v	0.0v	366.22v
727	Mr RJ Dare	O	69.3v	73.6v	45.5v	46.2v	43.3v	44.1v	0.0v	0.0v	0.0v	46.1v	0.0v	366.21v
728	Mr U Soelzer	X	68.2v	70.5v	46.3v	46.3v	45.1v	46.2v	0.0v	0.0v	0.0v	45.4v	0.0v	366.20v
729	Dr MW Wrigley	A	70.2v	65.3v	49.5v	47.3v	46.2v	44.1v	0.0v	0.0v	0.0v	45.2v	0.0v	366.18v
730	Mr RE Clarke	O	71.4v	70.8v	47.6v	42.3v	43.3v	47.4v	0.0v	0.0v	0.0v	45.4v	0.0v	365.32v
731	Mr AG Harrison	O	66.6v	67.3v	49.7v	44.4v	49.4v	45.3v	0.0v	0.0v	0.0v	45.3v	0.0v	365.30v
732	Cdt A Southall	T	66.5v	70.4v	47.5v	47.5v	47.6v	45.2v	0.0v	0.0v	0.0v	43.3v	0.0v	365.30v
733	Mr B Newgard	T	68.5v	71.4v	45.5v	46.4v	47.4v	47.2v	0.0v	0.0v	0.0v	41.3v	0.0v	365.27v
734	Capt WF Squires	O	73.6v	72.8v	45.3v	40.2v	49.3v	45.3v	0.0v	0.0v	0.0v	41.2v	0.0v	365.27v
735	Mr RS Binns	T	66.4v	71.4v	47.3v	49.5v	48.7v	46.3v	0.0v	0.0v	0.0v	38.1v	0.0v	365.27v
736	Mr JEC Branch	X	70.5v	66.5v	47.4v	40.1v	46.3v	49.1v	0.0v	0.0v	0.0v	47.7v	0.0v	365.26v
737	Mr PL Redstone	A	69.3v	69.6v	46.4v	47.3v	48.5v	40.2v	0.0v	0.0v	0.0v	46.2v	0.0v	365.25v
738	Sjt CL Atherton	T	70.2v	69.3v	50.6v	47.5v	42.4v	42.2v	0.0v	0.0v	0.0v	45.3v	0.0v	365.25v
739	Mr RJS McIlveen	O	72.7v	68.4v	41.0v	47.6v	47.3v	46.3v	0.0v	0.0v	0.0v	44.2v	0.0v	365.25v
740	Mr TJB Barkel	T	67.5v	69.7v	46.0v	46.3v	47.2v	47.4v	0.0v	0.0v	0.0v	43.4v	0.0v	365.25v
741	Mr SE Frost	X	64.3v	71.6v	45.2v	48.6v	49.5v	44.2v	0.0v	0.0v	0.0v	44.0v	0.0v	365.24v
742	Mr SP Hill	O	69.5v	69.5v	47.3v	47.4v	44.2v	47.4v	0.0v	0.0v	0.0v	42.1v	0.0v	365.24v
743	W Odhiambo	O	73.7v	69.4v	47.3v	45.2v	48.5v	44.2v	0.0v	0.0v	0.0v	39.1v	0.0v	365.24v
744	Dr KW Genders	O	70.5v	67.4v	47.3v	43.1v	48.6v	43.1v	0.0v	0.0v	0.0v	47.3v	0.0v	365.23v
745	Mr ND Anderson	O	65.3v	73.7v	44.0v	49.6v	46.2v	43.2v	0.0v	0.0v	0.0v	45.3v	0.0v	365.23v
746	Miss ZL Latimer	T	68.5v	70.0v	47.2v	47.4v	48.8v	41.0v	0.0v	0.0v	0.0v	44.3v	0.0v	365.22v
747	Mr CN Jaynes	T	69.5v	69.3v	44.3v	48.3v	48.3v	44.3v	0.0v	0.0v	0.0v	43.2v	0.0v	365.22v
748	Miss RE Knight	O	66.5v	71.0v	48.6v	47.1v	47.3v	44.4v	0.0v	0.0v	0.0v	42.3v	0.0v	365.22v
749	Cdt FS T Marsh	T	72.10v	70.4v	49.6v	45.5v	49.5v	44.3v	0.0v	0.0v	0.0v	35.0v	0.0v	364.33v
750	Mr PS Holmes	O	74.11v	69.7v	49.3v	47.4v	46.4v	47.2v	0.0v	0.0v	0.0v	32.0v	0.0v	364.31v
751	Miss EG Joseph	O	71.4v	72.8v	47.4v	43.1v	49.8v	44.4v	0.0v	0.0v	0.0v	38.0v	0.0v	364.29v
752	Mr BK McFall	T	71.4v	72.5v	48.5v	45.4v	47.6v	46.2v	0.0v	0.0v	0.0v	35.3v	0.0v	364.29v
753	Mr NS Roberts	O	70.6v	67.4v	46.2v	47.4v	47.5v	44.4v	0.0v	0.0v	0.0v	43.3v	0.0v	364.28v
754	Mr MR Rewston	O	65.2v	69.8v	46.3v	43.1v	46.3v	48.4v	0.0v	0.0v	0.0v	47.6v	0.0v	364.27v
755	Mr JR Dodd	O	66.5v	68.4v	46.4v	48.2v	47.5v	48.4v	0.0v	0.0v	0.0v	41.2v	0.0v	364.26v
756	Mr RP Bawden	O	70.4v	69.5v	49.6v	46.4v	45.1v	48.4v	0.0v	0.0v	0.0v	37.1v	0.0v	364.25v
757	Mr DJ Pay	O	70.5v	67.4v	46.4v	50.4v	46.2v	41.1v	0.0v	0.0v	0.0v	44.4v	0.0v	364.24v
758	Mr C Downer	T	67.2v	69.2v	46.3v	48.6v	48.7v	42.2v	0.0v	0.0v	0.0v	44.2v	0.0v	364.24v
759	E Odeo	O	72.4v	67.4v	49.3v	46.4v	46.4v	44.4v	0.0v	0.0v	0.0v	40.1v	0.0v	364.24v
760	Miss CJ Moogk	T	65.4v	71.8v	46.2v	45.3v	49.3v	45.2v	0.0v	0.0v	0.0v	43.1v	0.0v	364.23v
761	Mr S McGinnis	X	68.5v	70.7v	49.5v	46.2v	48.2v	41.2v	0.0v	0.0v	0.0v	42.0v	0.0v	364.23v
762	E Kimisik	O	70.4v	70.6v	48.2v	43.2v	45.2v	43.3v	0.0v	0.0v	0.0v	45.3v	0.0v	364.22v
763	Dr CW Freeman	O	68.4v	71.5v	44.1v	43.1v	48.5v	47.4v	0.0v	0.0v	0.0v	43.1v	0.0v	364.21v
764	Mr DA Grant	O	71.3v	72.5v	45.2v	43.2v	47.4v	45.4v	0.0v	0.0v	0.0v	41.1v	0.0v	364.21v

765	Mr JSW Hunter	O	69.4v	67.3v	47.2v	46.4v	46.1v	45.1v	0.0v	0.0v	0.0v	44.5v	0.0v	364.20v
766	Mr PW Glen	T	68.1v	67.4v	47.3v	49.4v	47.2v	48.4v	0.0v	0.0v	0.0v	38.2v	0.0v	364.20v
767	Cdt ADP Partridge	T	69.4v	70.2v	47.3v	45.2v	50.5v	45.3v	0.0v	0.0v	0.0v	38.1v	0.0v	364.20v
768	Cdt NM Taylor	T	70.5v	70.4v	48.2v	47.2v	45.2v	44.3v	0.0v	0.0v	0.0v	40.1v	0.0v	364.19v
769	Cdt KD Dycer	T	66.1v	67.4v	44.2v	47.4v	47.3v	49.3v	0.0v	0.0v	0.0v	44.0v	0.0v	364.17v
770	Flt Lt G Basnett	T	69.5v	71.8v	46.6v	46.5v	42.3v	49.4v	0.0v	0.0v	0.0v	40.3v	0.0v	363.34v
771	Mr OCRB Ballsdon	T	68.7v	71.9v	47.2v	39.3v	47.6v	44.3v	0.0v	0.0v	0.0v	47.2v	0.0v	363.32v
772	Mr MJ Moran	O	67.4v	69.7v	47.4v	44.4v	50.6v	45.4v	0.0v	0.0v	0.0v	41.3v	0.0v	363.32v
773	Judge AP Powell	O	73.10v	67.5v	48.3v	49.8v	41.1v	45.4v	0.0v	0.0v	0.0v	40.0v	0.0v	363.31v
774	Miss CPD Pearce	T	63.2v	74.9v	48.4v	50.7v	46.2v	44.2v	0.0v	0.0v	0.0v	38.2v	0.0v	363.28v
775	Mr GS Strong	T	67.2v	71.8v	42.1v	46.7v	48.3v	48.3v	0.0v	0.0v	0.0v	41.3v	0.0v	363.27v
776	Mr P Merry	O	68.4v	67.2v	49.5v	47.4v	47.4v	47.7v	0.0v	0.0v	0.0v	38.1v	0.0v	363.27v
777	Mr FTG Amy	T	69.4v	70.6v	49.6v	47.3v	40.1v	41.1v	0.0v	0.0v	0.0v	47.4v	0.0v	363.25v
778	Miss RL Laird	A	69.5v	66.2v	46.4v	46.3v	43.2v	46.4v	0.0v	0.0v	0.0v	47.4v	0.0v	363.24v
779	Mr JW Webber	O	71.4v	69.4v	46.5v	48.3v	39.1v	45.3v	0.0v	0.0v	0.0v	45.4v	0.0v	363.24v
780	WO2 M Carberry	O	70.3v	65.4v	45.3v	43.1v	49.4v	50.5v	0.0v	0.0v	0.0v	41.3v	0.0v	363.23v
781	Mrs CIM Le Poidevin	O	70.3v	73.6v	50.4v	41.2v	46.4v	41.0v	0.0v	0.0v	0.0v	42.2v	0.0v	363.21v
782	Mr KG Garside	O	68.2v	73.5v	45.2v	44.2v	48.5v	44.1v	0.0v	0.0v	0.0v	41.3v	0.0v	363.20v
783	Mr R Kliger	X	68.4v	69.5v	45.1v	44.2v	48.4v	44.1v	0.0v	0.0v	0.0v	45.2v	0.0v	363.19v
784	Mr JE Fraser	O	66.4v	70.5v	39.1v	50.4v	46.0v	49.3v	0.0v	0.0v	0.0v	43.1v	0.0v	363.18v
785	Cdt Cpl J Thompstone	T	70.3v	67.1v	41.0v	43.1v	48.3v	48.4v	0.0v	0.0v	0.0v	46.3v	0.0v	363.15v
786	Miss ATJV Voorthuyzen	T	71.7v	66.4v	44.2v	45.3v	48.6v	45.4v	0.0v	0.0v	0.0v	43.4v	0.0v	362.30v
787	Mr MD Wright	T	64.3v	67.5v	45.3v	49.5v	49.5v	45.4v	0.0v	0.0v	0.0v	43.4v	0.0v	362.29v
788	Mr JW Anderson	T	71.6v	70.7v	45.5v	45.2v	44.3v	46.2v	0.0v	0.0v	0.0v	41.2v	0.0v	362.27v
789	Mr WJS Hayman	T	67.5v	69.4v	44.4v	48.4v	47.4v	46.4v	0.0v	0.0v	0.0v	41.1v	0.0v	362.26v
790	Mr F Roberts	O	69.4v	68.3v	47.6v	45.2v	47.4v	41.2v	0.0v	0.0v	0.0v	45.3v	0.0v	362.24v
791	Sjt P Tucker	T	68.3v	73.7v	48.5v	42.1v	44.5v	44.2v	0.0v	0.0v	0.0v	43.1v	0.0v	362.24v
792	Mr M Robson	O	71.4v	69.6v	45.3v	46.5v	48.2v	39.0v	0.0v	0.0v	0.0v	44.2v	0.0v	362.22v
793	Mr PD Le Poidevin	O	70.5v	69.4v	46.4v	44.1v	47.4v	44.3v	0.0v	0.0v	0.0v	42.1v	0.0v	362.22v
794	P Lepario	O	70.3v	72.6v	46.3v	44.3v	46.4v	41.1v	0.0v	0.0v	0.0v	43.1v	0.0v	362.21v
795	Mr PA Cullimore	O	68.5v	65.3v	46.4v	49.3v	44.1v	45.5v	0.0v	0.0v	0.0v	44.5v	0.0v	361.26v
796	Miss LE Kennedy	T	70.7v	71.5v	42.2v	44.3v	46.3v	45.2v	0.0v	0.0v	0.0v	43.2v	0.0v	361.24v
797	Mr MW Brown	O	71.4v	68.4v	45.1v	48.3v	47.4v	38.2v	0.0v	0.0v	0.0v	44.2v	0.0v	361.20v
798	Mr GK Goodwin	O	70.4v	69.2v	48.2v	47.4v	45.3v	45.1v	0.0v	0.0v	0.0v	37.1v	0.0v	361.17v
799	Mr JT Kennedy	T	68.5v	69.5v	45.2v	46.4v	48.6v	44.2v	0.0v	0.0v	0.0v	40.2v	0.0v	360.26v
800	Mr NM Duncan	T	73.6v	70.6v	47.3v	43.2v	42.3v	46.4v	0.0v	0.0v	0.0v	39.1v	0.0v	360.25v
801	Mr C Palfrey	T	67.5v	69.7v	44.2v	48.3v	43.1v	44.2v	0.0v	0.0v	0.0v	45.4v	0.0v	360.24v
802	Major RJ Aitken	O	71.6v	65.4v	48.5v	46.5v	43.2v	43.1v	0.0v	0.0v	0.0v	44.1v	0.0v	360.24v
803	Mr JL Poulin	O	67.4v	68.4v	47.4v	43.3v	44.1v	45.2v	0.0v	0.0v	0.0v	46.4v	0.0v	360.22v
804	Mr GR Capell	O	70.5v	68.3v	46.2v	44.3v	47.3v	45.5v	0.0v	0.0v	0.0v	40.1v	0.0v	360.22v
805	Cdt A Johnston	T	63.2v	71.4v	45.3v	45.4v	49.6v	47.2v	0.0v	0.0v	0.0v	40.0v	0.0v	360.21v
806	Miss ME Wicker	O	70.4v	71.6v	45.4v	45.1v	44.2v	46.2v	0.0v	0.0v	0.0v	39.2v	0.0v	360.21v
807	Mrs SM Mott	O	69.1v	69.6v	48.4v	49.5v	44.3v	38.0v	0.0v	0.0v	0.0v	43.1v	0.0v	360.20v
808	Mr COB Perkins	T	68.3v	72.6v	44.3v	44.2v	44.2v	43.1v	0.0v	0.0v	0.0v	45.2v	0.0v	360.19v
809	Mr KC Marshall	O	65.0v	70.6v	48.4v	42.1v	45.2v	45.3v	0.0v	0.0v	0.0v	45.1v	0.0v	360.17v
810	Mr LA Fisher	X	63.5v	67.2v	44.3v	49.4v	47.4v	43.4v	0.0v	0.0v	0.0v	46.4v	0.0v	359.26v
811	Mrs KD Robertson	O	70.6v	68.3v	43.3v	47.3v	46.4v	41.1v	0.0v	0.0v	0.0v	44.2v	0.0v	359.22v
812	Mr JA Horton	O	68.2v	68.4v	45.0v	44.4v	43.4v	44.2v	0.0v	0.0v	0.0v	47.5v	0.0v	359.21v
813	Mr AC Abrahams	T	67.4v	65.3v	45.2v	46.3v	47.4v	44.2v	0.0v	0.0v	0.0v	45.3v	0.0v	359.21v
814	Mr GCRG Greenbury	T	67.5v	69.3v	47.5v	43.1v	47.2v	46.4v	0.0v	0.0v	0.0v	40.0v	0.0v	359.20v
815	Mr GD Moffatt	O	66.2v	72.8v	46.4v	46.4v	44.2v	42.3v	0.0v	0.0v	0.0v	42.3v	0.0v	358.26v
816	Mr RCG Knight	O	70.6v	71.6v	46.1v	46.4v	47.6v	40.1v	0.0v	0.0v	0.0v	38.2v	0.0v	358.26v
817	F Mwema	O	63.1v	66.5v	47.3v	46.3v	48.4v	45.3v	0.0v	0.0v	0.0v	43.2v	0.0v	358.21v
818	Mr H Buitelaar	O	61.3v	69.4v	45.4v	46.2v	45.1v	47.3v	0.0v	0.0v	0.0v	45.3v	0.0v	358.20v
819	Miss R Werner	X	68.3v	69.6v	40.2v	49.4v	43.1v	44.2v	0.0v	0.0v	0.0v	45.2v	0.0v	358.20v
820	Mr BF Witts	O	69.4v	66.2v	45.2v	47.3v	45.3v	43.3v	0.0v	0.0v	0.0v	43.2v	0.0v	358.19v
821	Mr NJ Atkins	T	70.5v	68.3v	43.2v	45.2v	45.1v	43.2v	0.0v	0.0v	0.0v	44.2v	0.0v	358.17v
822	Mr TJ Goodger	O	70.7v	69.7v	48.5v	39.2v	46.4v	43.4v	0.0v	0.0v	0.0v	42.3v	0.0v	357.32v
823	Cdt HIM Macrae	T	66.4v	70.7v	45.2v	43.3v	49.6v	44.4v	0.0v	0.0v	0.0v	40.2v	0.0v	357.28v
824	Miss ER Lewin	O	69.5v	70.5v	47.5v	46.5v	43.2v	44.2v	0.0v	0.0v	0.0v	38.3v	0.0v	357.27v
825	K Kiarie	O	68.2v	69.5v	46.4v	45.4v	46.4v	41.3v	0.0v	0.0v	0.0v	42.4v	0.0v	357.26v
826	Sjt BG Mulvey	T	67.4v	71.4v	48.5v	43.2v	48.4v	42.3v	0.0v	0.0v	0.0v	38.1v	0.0v	357.23v
827	J Sichei	O	67.4v	70.6v	47.4v	45.3v	47.4v	44.2v	0.0v	0.0v	0.0v	37.0v	0.0v	357.23v
828	Mr PJ Holden	O	68.5v	65.3v	45.2v	49.7v	46.4v	43.1v	0.0v	0.0v	0.0v	41.0v	0.0v	357.22v
829	Miss JC Melling	T	61.0v	68.4v	40.0v	47.3v	46.5v	48.4v	0.0v	0.0v	0.0v	47.2v	0.0v	357.18v
830	Ms AM Strachan	T	67.3v	69.4v	48.4v	48.5v	44.1v	42.0v	0.0v	0.0v	0.0v	39.1v	0.0v	357.18v
831	Mr AJ Ball	O	66.3v	69.4v	46.4v	46.0v	48.3v	45.2v	0.0v	0.0v	0.0v	37.0v	0.0v	357.16v
832	Mr AJ Bryant	O	70.6v	68.1v	45.2v	46.1v	46.2v	38.2v	0.0v	0.0v	0.0v	44.1v	0.0v	357.15v
833	Mr L Gibbons	T	67.4v	66.4v	47.6v	45.5v	48.6v	43.2v	0.0v	0.0v	0.0v	40.1v	0.0v	356.28v
834	Sjt J McCreedy	T	69.7v	70.5v	47.5v	45.3v	32.0v	46.2v	0.0v	0.0v	0.0v	47.4v	0.0v	356.26v
835	Miss CM McKenzie	T	64.2v	70.8v	45.4v	49.5v	39.1v	48.1v	0.0v	0.0v	0.0v	41.3v	0.0v	356.24v

836	Mr SA Lippiatt	O	65.3v	66.6v	48.3v	47.3v	44.1v	45.4v	0.0v	0.0v	0.0v	41.1v	0.0v	356.21v
837	Miss IS O'Bryan	T	66.4v	68.4v	45.3v	47.3v	44.3v	40.0v	0.0v	0.0v	0.0v	46.3v	0.0v	356.20v
838	Mr FL Laberge	T	64.1v	70.4v	45.2v	46.4v	46.5v	43.2v	0.0v	0.0v	0.0v	42.2v	0.0v	356.20v
839	Mr T Hendriks	O	67.4v	67.2v	48.7v	48.2v	42.2v	41.1v	0.0v	0.0v	0.0v	43.1v	0.0v	356.19v
840	LCpl L Le Breuille	T	68.5v	67.3v	46.1v	47.4v	44.4v	47.2v	0.0v	0.0v	0.0v	37.0v	0.0v	356.19v
841	Cdt PI Mare	T	62.4v	72.5v	44.2v	43.1v	46.4v	44.0v	0.0v	0.0v	0.0v	45.2v	0.0v	356.18v
842	Miss HR Mackintosh	O	66.4v	72.4v	46.3v	38.1v	46.3v	46.1v	0.0v	0.0v	0.0v	42.2v	0.0v	356.18v
843	LCpl A Gray	T	70.7v	67.4v	48.3v	30.2v	49.6v	45.4v	0.0v	0.0v	0.0v	46.4v	0.0v	355.30v
844	Sgt CJ Beddow	T	67.5v	65.2v	44.3v	46.4v	46.4v	48.5v	0.0v	0.0v	0.0v	39.3v	0.0v	355.26v
845	Mr SHM Keith	T	67.5v	72.7v	45.1v	43.2v	47.5v	47.3v	0.0v	0.0v	0.0v	34.1v	0.0v	355.24v
846	L/Cpl B Turner	O	67.5v	67.2v	49.7v	46.1v	47.6v	45.3v	0.0v	0.0v	0.0v	34.0v	0.0v	355.24v
847	Cdt Cpl RJ Stilgoe	T	62.1v	66.3v	47.1v	41.3v	47.6v	47.4v	0.0v	0.0v	0.0v	45.4v	0.0v	355.22v
848	Miss C Clarke	O	69.6v	69.5v	40.2v	41.1v	45.2v	47.3v	0.0v	0.0v	0.0v	44.3v	0.0v	355.22v
849	LCpl EP Bryant	T	65.3v	68.4v	44.3v	46.4v	47.3v	45.3v	0.0v	0.0v	0.0v	40.1v	0.0v	355.21v
850	Miss E Stewart	T	62.0v	68.6v	43.1v	47.3v	46.4v	47.3v	0.0v	0.0v	0.0v	42.1v	0.0v	355.18v
851	J Kamau	O	64.4v	71.4v	44.2v	45.0v	44.1v	47.2v	0.0v	0.0v	0.0v	40.1v	0.0v	355.14v
852	Mr WT Bridger	O	69.5v	66.0v	45.1v	47.1v	42.1v	44.2v	0.0v	0.0v	0.0v	42.2v	0.0v	355.12v
853	Cdt SM Amin	T	71.7v	69.5v	46.3v	32.3v	47.4v	41.2v	0.0v	0.0v	0.0v	48.4v	0.0v	354.28v
854	Mr PT Dwyer	A	69.5v	66.3v	45.1v	47.3v	45.5v	46.3v	0.0v	0.0v	0.0v	36.1v	0.0v	354.21v
855	CSgt A McBain	T	68.5v	66.4v	45.3v	43.2v	45.0v	42.1v	0.0v	0.0v	0.0v	45.3v	0.0v	354.18v
856	Mr AE Le Page	X	67.3v	67.4v	46.3v	40.2v	48.3v	44.1v	0.0v	0.0v	0.0v	42.1v	0.0v	354.17v
857	Cdt CSM ATPP Pattison	T	61.2v	71.4v	47.1v	47.3v	48.5v	47.1v	0.0v	0.0v	0.0v	33.1v	0.0v	354.17v
858	Mr KG Firth	O	69.4v	46.1v	45.3v	50.7v	49.6v	47.4v	0.0v	0.0v	0.0v	47.5v	0.0v	353.30v
859	Mr JP Raine	O	69.7v	69.8v	48.3v	43.2v	44.1v	38.1v	0.0v	0.0v	0.0v	42.3v	0.0v	353.25v
860	Sgt H Walker	T	62.2v	66.4v	46.5v	45.2v	46.5v	49.3v	0.0v	0.0v	0.0v	39.3v	0.0v	353.24v
861	Cpl N McGowan	T	63.1v	69.6v	44.1v	48.6v	41.1v	46.4v	0.0v	0.0v	0.0v	42.2v	0.0v	353.21v
862	Mr OSR Ridd	T	68.3v	72.7v	46.3v	47.3v	40.1v	44.3v	0.0v	0.0v	0.0v	36.1v	0.0v	353.21v
863	Mr C Crabtree	T	68.4v	66.2v	40.2v	46.2v	47.3v	45.4v	0.0v	0.0v	0.0v	41.1v	0.0v	353.18v
864	Mr CP Moon	O	70.4v	66.5v	43.1v	41.1v	43.1v	47.3v	0.0v	0.0v	0.0v	43.1v	0.0v	353.16v
865	J/Cpl AF Filhol	T	73.9v	65.2v	44.2v	45.0v	44.2v	44.0v	0.0v	0.0v	0.0v	38.0v	0.0v	353.15v
866	Mr T Horsfield	O	65.2v	67.2v	47.2v	43.2v	46.0v	46.3v	0.0v	0.0v	0.0v	39.0v	0.0v	353.11v
867	Cdt BJB Briggs	T	65.3v	68.6v	47.1v	44.2v	48.3v	46.4v	0.0v	0.0v	0.0v	34.1v	0.0v	352.20v
868	Cdt CJ Beynon	T	71.4v	68.4v	43.1v	45.2v	46.3v	46.4v	0.0v	0.0v	0.0v	33.0v	0.0v	352.18v
869	Mr KSPB Brown	T	65.2v	70.2v	45.2v	30.1v	46.4v	48.3v	0.0v	0.0v	0.0v	48.1v	0.0v	352.15v
870	Mr CJ Sherratt	O	47.4v	71.6v	49.4v	50.7v	46.5v	45.3v	0.0v	0.0v	0.0v	43.2v	0.0v	351.31v
871	Dr J Mehta	O	44.2v	71.5v	48.3v	49.5v	50.6v	46.1v	0.0v	0.0v	0.0v	43.5v	0.0v	351.27v
872	Cdt AR Riopel	T	70.7v	70.5v	42.1v	46.4v	45.1v	49.6v	0.0v	0.0v	0.0v	29.0v	0.0v	351.24v
873	Mr MP Hudson	T	61.2v	71.7v	40.1v	47.3v	43.2v	48.4v	0.0v	0.0v	0.0v	41.2v	0.0v	351.21v
874	Miss PK Kirk	T	66.4v	70.3v	46.2v	41.2v	47.3v	40.1v	0.0v	0.0v	0.0v	41.5v	0.0v	351.20v
875	Mr A Wombell	O	69.5v	69.3v	47.3v	45.2v	39.0v	47.5v	0.0v	0.0v	0.0v	35.0v	0.0v	351.18v
876	Mr RJ Jardine	T	68.5v	66.3v	43.2v	48.5v	41.1v	45.1v	0.0v	0.0v	0.0v	40.0v	0.0v	351.17v
877	Mr SJ Ayres	O	67.1v	68.2v	44.0v	45.5v	48.4v	39.1v	0.0v	0.0v	0.0v	40.1v	0.0v	351.14v
878	Mr DO Odutola	T	68.2v	70.10v	46.5v	39.0v	44.2v	44.2v	0.0v	0.0v	0.0v	39.1v	0.0v	350.22v
879	Cpl L Thirlaway	T	64.3v	71.6v	42.3v	43.1v	43.1v	43.4v	0.0v	0.0v	0.0v	44.2v	0.0v	350.20v
880	Dr R Pizer	O	65.1v	64.4v	44.4v	42.1v	47.2v	45.3v	0.0v	0.0v	0.0v	43.2v	0.0v	350.17v
881	M Dida	O	65.3v	66.4v	48.4v	39.0v	47.4v	42.0v	0.0v	0.0v	0.0v	43.2v	0.0v	350.17v
882	Mr SJ Clark	O	66.3v	69.3v	44.3v	45.2v	44.2v	45.2v	0.0v	0.0v	0.0v	37.1v	0.0v	350.16v
883	Mr JH Molesworth	T	71.3v	63.1v	45.2v	41.1v	36.0v	47.2v	0.0v	0.0v	0.0v	47.4v	0.0v	350.13v
884	Mr TW Harrison	O	67.4v	66.4v	45.2v	47.4v	44.3v	42.1v	0.0v	0.0v	0.0v	38.0v	0.0v	349.18v
885	Mr MS Savage	T	65.1v	67.4v	50.2v	43.2v	44.4v	36.0v	0.0v	0.0v	0.0v	44.3v	0.0v	349.16v
886	Mr AW Sainter	O	64.3v	70.4v	45.2v	45.2v	40.1v	44.2v	0.0v	0.0v	0.0v	41.2v	0.0v	349.16v
887	Miss EL Sweet	T	65.3v	62.2v	42.2v	48.5v	45.3v	43.0v	0.0v	0.0v	0.0v	43.1v	0.0v	348.16v
888	Mr M Ayling	O	68.2v	66.5v	45.2v	41.2v	42.1v	43.0v	0.0v	0.0v	0.0v	43.1v	0.0v	348.13v
889	Mr PR Sirett	X	69.5v	65.3v	45.1v	42.2v	44.2v	40.2v	0.0v	0.0v	0.0v	42.1v	0.0v	347.16v
890	Miss M Miller	T	64.1v	64.2v	43.2v	45.3v	47.2v	41.2v	0.0v	0.0v	0.0v	43.3v	0.0v	347.15v
891	Cpl S Livingston	T	62.3v	71.3v	41.2v	47.3v	43.0v	49.3v	0.0v	0.0v	0.0v	34.1v	0.0v	347.15v
892	Miss ER Chamberlain	T	62.2v	63.1v	43.3v	45.3v	43.3v	46.2v	0.0v	0.0v	0.0v	44.2v	0.0v	346.16v
893	Miss LP McKibbin	O	65.3v	63.0v	45.5v	42.1v	46.3v	43.2v	0.0v	0.0v	0.0v	42.1v	0.0v	346.15v
894	Cpl M Day	T	68.2v	64.4v	46.3v	44.1v	43.2v	42.1v	0.0v	0.0v	0.0v	39.1v	0.0v	346.14v
895	Mr AJ Mazumdar	T	66.0v	68.2v	46.4v	40.1v	41.3v	46.2v	0.0v	0.0v	0.0v	39.1v	0.0v	346.13v
896	Miss EKB Beech	T	68.2v	68.5v	47.4v	38.3v	43.3v	42.2v	0.0v	0.0v	0.0v	39.1v	0.0v	345.20v
897	Mrs I Pioche	O	65.3v	70.2v	48.4v	46.5v	46.3v	34.0v	0.0v	0.0v	0.0v	36.1v	0.0v	345.18v
898	Mr RP Birch	T	59.2v	66.3v	43.1v	40.1v	48.5v	44.2v	0.0v	0.0v	0.0v	45.3v	0.0v	345.17v
899	Cdt SR Sharma	T	64.1v	69.2v	46.3v	42.2v	43.2v	43.2v	0.0v	0.0v	0.0v	38.2v	0.0v	345.14v
900	Mr I Brotherston	T	67.2v	62.1v	44.3v	45.2v	42.3v	42.1v	0.0v	0.0v	0.0v	43.1v	0.0v	345.13v
901	Mr WH Handley	O	66.2v	70.6v	49.7v	46.4v	48.4v	46.4v	0.0v	0.0v	0.0v	18.1v	0.0v	343.28v
902	Mr P Wale	O	64.2v	66.3v	44.4v	40.3v	47.3v	37.1v	0.0v	0.0v	0.0v	44.3v	0.0v	342.19v
903	Cdt MT Lehmann	T	64.0v	66.3v	42.1v	46.2v	41.1v	43.5v	0.0v	0.0v	0.0v	40.2v	0.0v	342.14v
904	Mr RM Culverwell	O	64.0v	69.4v	42.2v	46.2v	40.0v	42.2v	0.0v	0.0v	0.0v	39.2v	0.0v	342.12v
905	Cpl J Wallace	O	73.10v	73.5v	49.8v	49.4v	49.4v	48.4v	0.0v	0.0v	0.0v	0.0v	0.0v	341.35v
906	Mr PH Gardner	O	67.2v	67.3v	45.4v	44.1v	43.1v	30.2v	0.0v	0.0v	0.0v	45.2v	0.0v	341.15v

907	Mr PJ Amy	O	68.3v	61.2v	41.0v	47.2v	43.0v	44.3v	0.0v	0.0v	0.0v	37.0v	0.0v	341.10v
908	Mr SS Qaisar	T	65.4v	64.3v	44.3v	42.3v	43.1v	42.3v	0.0v	0.0v	0.0v	40.1v	0.0v	340.18v
909	Mr BS Preece	O	62.0v	66.3v	44.2v	45.2v	43.4v	43.3v	0.0v	0.0v	0.0v	37.1v	0.0v	340.15v
910	Mr RA Grundy	X	70.4v	71.3v	46.2v	36.0v	46.3v	41.2v	0.0v	0.0v	0.0v	30.1v	0.0v	340.15v
911	Mr BV Cambray	A	74.10v	70.7v	50.8v	48.4v	49.3v	48.3v	0.0v	0.0v	0.0v	0.0v	0.0v	339.35v
912	LCpl B Robson	T	61.3v	69.4v	42.3v	44.4v	44.4v	39.0v	0.0v	0.0v	0.0v	39.0v	0.0v	338.18v
913	Mr PJW Sparks	O	67.2v	65.2v	41.2v	44.1v	42.1v	42.2v	0.0v	0.0v	0.0v	36.1v	0.0v	337.11v
914	Pte G Evans	T	64.3v	66.5v	43.2v	43.1v	42.3v	46.3v	0.0v	0.0v	0.0v	32.3v	0.0v	336.20v
915	Ms SJ Dick	T	71.3v	62.6v	46.2v	44.4v	39.1v	37.1v	0.0v	0.0v	0.0v	37.1v	0.0v	336.18v
916	Mr PERD Hunt	T	70.6v	65.2v	42.3v	46.3v	37.2v	41.3v	0.0v	0.0v	0.0v	34.0v	0.0v	335.19v
917	Mr H Tancred-Holmes	T	64.3v	70.6v	44.3v	40.0v	44.3v	41.1v	0.0v	0.0v	0.0v	32.3v	0.0v	335.19v
918	Cdt CH Sayers	T	60.4v	62.2v	44.2v	44.4v	47.2v	34.1v	0.0v	0.0v	0.0v	43.2v	0.0v	334.17v
919	Miss CLP Peacock	O	65.3v	64.1v	42.2v	42.1v	46.4v	46.4v	0.0v	0.0v	0.0v	29.0v	0.0v	334.15v
920	Mr EA Graves	T	63.4v	71.4v	45.3v	42.1v	45.4v	39.1v	0.0v	0.0v	0.0v	28.1v	0.0v	333.18v
921	Mr B Langille	X	72.8v	70.7v	47.3v	0.0v	50.8v	46.4v	0.0v	0.0v	0.0v	47.4v	0.0v	332.34v
922	Mr AP Biggs	O	69.5v	69.4v	47.4v	46.1v	45.3v	46.5v	0.0v	0.0v	0.0v	10.1v	0.0v	332.23v
923	Jnr Cpl HL Holah	T	64.3v	65.3v	46.4v	37.1v	40.2v	46.2v	0.0v	0.0v	0.0v	34.2v	0.0v	332.17v
924	Lt JW Jenkins	X	71.8v	73.7v	48.5v	0.0v	47.6v	47.4v	0.0v	0.0v	0.0v	45.3v	0.0v	331.33v
925	Mr FPR Northam	T	70.3v	70.6v	48.4v	46.2v	50.8v	47.5v	0.0v	0.0v	0.0v	0.0v	0.0v	331.28v
926	Cpl LM Potter	T	67.6v	70.4v	36.1v	45.1v	43.2v	41.3v	0.0v	0.0v	0.0v	29.2v	0.0v	331.19v
927	Mr HL Hunter	X	72.7v	73.9v	47.3v	46.3v	47.3v	0.0v	0.0v	0.0v	0.0v	45.1v	0.0v	330.26v
928	Mr J Macaulay	T	71.9v	72.8v	45.3v	46.4v	46.4v	49.4v	0.0v	0.0v	0.0v	0.0v	0.0v	329.32v
929	Mr TV Vlad	T	71.8v	70.5v	48.4v	46.4v	49.6v	0.0v	0.0v	0.0v	0.0v	45.2v	0.0v	329.29v
930	Mr D Hanson	O	70.4v	72.8v	48.3v	44.5v	49.8v	46.1v	0.0v	0.0v	0.0v	0.0v	0.0v	329.29v
931	Miss M McLoughlin	O	73.5v	60.4v	39.1v	39.2v	41.2v	42.4v	0.0v	0.0v	0.0v	35.2v	0.0v	329.20v
932	LCpl T Mason	T	62.2v	66.4v	40.3v	38.3v	42.0v	38.1v	0.0v	0.0v	0.0v	43.3v	0.0v	329.16v
933	Mr T Waycott	T	66.3v	66.5v	40.2v	40.1v	41.1v	36.2v	0.0v	0.0v	0.0v	40.2v	0.0v	329.16v
934	Pte C Howells	T	67.4v	61.2v	37.1v	41.4v	41.3v	38.1v	0.0v	0.0v	0.0v	43.2v	0.0v	328.17v
935	Mr JRC Stanford-Beale	T	64.1v	65.2v	43.2v	42.1v	35.0v	43.4v	0.0v	0.0v	0.0v	36.1v	0.0v	328.11v
936	Cdt AC Brooker	O	72.9v	70.3v	46.5v	47.6v	48.7v	44.2v	0.0v	0.0v	0.0v	0.0v	0.0v	327.32v
937	Mr PJS Smith	O	70.4v	70.6v	46.5v	46.4v	50.3v	45.2v	0.0v	0.0v	0.0v	0.0v	0.0v	327.24v
938	Cdt RF Fagan	T	62.1v	68.4v	32.1v	43.5v	46.6v	40.1v	0.0v	0.0v	0.0v	35.2v	0.0v	326.20v
939	Mr WA O'Dair	O	58.3v	63.2v	46.1v	40.0v	40.0v	42.2v	0.0v	0.0v	0.0v	37.1v	0.0v	326.9v
940	Sjt CD Bean	T	62.2v	67.3v	39.0v	40.0v	40.2v	39.0v	0.0v	0.0v	0.0v	39.1v	0.0v	326.8v
941	Mr V Robertshaw	O	68.5v	73.7v	47.3v	44.2v	46.3v	46.1v	0.0v	0.0v	0.0v	0.0v	0.0v	324.21v
942	Cdt ASW Waterworth	T	64.3v	70.4v	36.2v	40.2v	48.5v	38.1v	0.0v	0.0v	0.0v	28.0v	0.0v	324.17v
943	Mr CJ Anyan	O	60.2v	46.1v	37.1v	45.1v	47.2v	45.2v	0.0v	0.0v	0.0v	43.1v	0.0v	323.10v
944	LCpl WA Shelton	T	65.2v	72.5v	45.3v	0.0v	47.4v	47.6v	0.0v	0.0v	0.0v	46.2v	0.0v	322.22v
945	Cdt GBA Anderson	T	71.6v	35.3v	44.3v	43.3v	47.4v	38.1v	0.0v	0.0v	0.0v	44.2v	0.0v	322.22v
946	Cdt HSJC Cubbin	T	71.4v	68.5v	44.2v	45.3v	48.4v	46.4v	0.0v	0.0v	0.0v	0.0v	0.0v	322.22v
947	Cdt PA Evans	T	63.2v	66.4v	39.1v	42.3v	40.1v	37.2v	0.0v	0.0v	0.0v	35.0v	0.0v	322.13v
948	Mr IF Coventry	O	64.1v	67.2v	42.1v	37.3v	36.1v	44.4v	0.0v	0.0v	0.0v	32.1v	0.0v	322.13v
949	Mr TF Kurn	O	72.5v	70.6v	49.5v	0.0v	46.6v	43.1v	0.0v	0.0v	0.0v	41.2v	0.0v	321.25v
950	Mr P Cameron Taylor	O	68.5v	74.9v	47.5v	48.6v	48.6v	0.0v	0.0v	0.0v	0.0v	35.1v	0.0v	320.32v
951	Mr S Ennion	O	73.6v	72.9v	42.3v	46.6v	44.5v	43.2v	0.0v	0.0v	0.0v	0.0v	0.0v	320.31v
952	Mr FE Neale	O	70.3v	69.4v	49.6v	0.0v	44.1v	43.3v	0.0v	0.0v	0.0v	45.3v	0.0v	320.20v
953	Mr A Rowley	O	70.4v	69.6v	45.1v	0.0v	44.0v	47.3v	0.0v	0.0v	0.0v	45.1v	0.0v	320.15v
954	Mr AJP Paluch	T	63.2v	58.1v	45.4v	39.1v	39.1v	40.1v	0.0v	0.0v	0.0v	36.2v	0.0v	320.12v
955	Miss KE Pope	T	68.4v	70.4v	48.5v	0.0v	49.8v	47.3v	0.0v	0.0v	0.0v	37.1v	0.0v	319.25v
956	Miss KR Sharpington	T	61.0v	65.3v	45.1v	42.2v	45.5v	36.0v	0.0v	0.0v	0.0v	24.0v	0.0v	318.11v
957	Cpl T Shair	T	68.4v	72.7v	49.8v	47.3v	42.2v	0.0v	0.0v	0.0v	0.0v	39.2v	0.0v	317.26v
958	Cdt J Surmon	T	67.7v	69.3v	49.6v	47.4v	0.0v	46.3v	0.0v	0.0v	0.0v	39.1v	0.0v	317.24v
959	Mr NH Heal	T	63.1v	72.6v	0.0v	47.3v	45.4v	43.2v	0.0v	0.0v	0.0v	46.1v	0.0v	316.17v
960	Cdt DB O'Hare	T	61.1v	60.2v	46.1v	46.5v	37.1v	39.0v	0.0v	0.0v	0.0v	27.1v	0.0v	316.11v
961	Mr NR Wells	O	66.4v	70.8v	0.0v	45.4v	46.2v	46.1v	0.0v	0.0v	0.0v	42.1v	0.0v	315.20v
962	Mr ITRJ Jobling	T	68.4v	70.8v	48.2v	47.2v	0.0v	45.3v	0.0v	0.0v	0.0v	37.1v	0.0v	315.20v
963	Mr CMAG Greaves	T	62.3v	63.3v	39.1v	39.0v	43.2v	39.1v	0.0v	0.0v	0.0v	30.1v	0.0v	315.11v
964	Mr BJA Parke	O	56.0v	66.4v	47.2v	40.4v	36.1v	38.0v	0.0v	0.0v	0.0v	31.0v	0.0v	314.11v
965	Dr CI Johnston	A	0.0v	74.5v	49.3v	44.5v	49.8v	48.7v	0.0v	0.0v	0.0v	47.2v	0.0v	311.30v
966	Miss JE Lewsey	T	65.2v	68.5v	42.2v	0.0v	48.3v	42.1v	0.0v	0.0v	0.0v	43.2v	0.0v	308.15v
967	Sgt H Martin	T	61.2v	58.2v	44.1v	33.4v	41.3v	30.0v	0.0v	0.0v	0.0v	40.2v	0.0v	307.14v
968	Mr PR Smith	O	66.6v	62.3v	48.4v	47.2v	43.1v	0.0v	0.0v	0.0v	0.0v	40.1v	0.0v	306.17v
969	Cpl JH Holding	T	62.3v	67.4v	0.0v	45.1v	42.2v	45.1v	0.0v	0.0v	0.0v	45.2v	0.0v	306.13v
970	Mr SFD Dash	O	0.0v	67.6v	49.6v	46.1v	49.6v	47.5v	0.0v	0.0v	0.0v	47.3v	0.0v	305.27v
971	Mr HJM Awin	T	62.4v	69.3v	43.3v	47.4v	43.3v	38.0v	0.0v	0.0v	0.0v	0.0v	0.0v	302.17v
972	LC R Laughlin	T	63.4v	66.1v	37.1v	45.4v	46.6v	43.3v	0.0v	0.0v	0.0v	0.0v	0.0v	300.19v
973	Mr MR Ball	X	68.8v	0.0v	49.5v	40.5v	49.6v	46.3v	0.0v	0.0v	0.0v	47.6v	0.0v	299.33v
974	Cpl A Jordan	T	61.3v	61.3v	41.1v	31.0v	30.0v	36.2v	0.0v	0.0v	0.0v	39.1v	0.0v	299.10v
975	Mr RC Hawley	O	66.4v	66.2v	43.1v	41.2v	41.0v	0.0v	0.0v	0.0v	0.0v	41.1v	0.0v	298.10v
976	Cdt JM Price	T	49.2v	59.0v	42.1v	48.5v	24.0v	40.1v	0.0v	0.0v	0.0v	34.1v	0.0v	296.10v
977	Cdt A Hay	T	61.0v	64.4v	44.1v	40.2v	41.2v	0.0v	0.0v	0.0v	0.0v	45.1v	0.0v	295.10v

