

NRA 150th Anniversary Meeting

Grand Aggregate (as at Tuesday, 20th July 2010)

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW	Total	
1	Mr GE Morris	X	74.8v	74.13v	50.6v	49.3v	50.7v	50.4v	0.0v	75.13v	0.0v	50.6v	0.0v	472.60v
2	Mr DC Luckman	X	72.9v	75.11v	50.6v	50.8v	50.9v	49.7v	0.0v	75.14v	0.0v	49.7v	0.0v	470.71v
3	Mr JC Underwood	X	75.12v	74.13v	49.8v	48.6v	50.8v	49.5v	0.0v	75.12v	0.0v	50.6v	0.0v	470.70v
4	Dr GCD Barnett	X	75.6v	74.8v	49.6v	50.6v	50.8v	49.3v	0.0v	75.10v	0.0v	48.2v	0.0v	470.49v
5	Mr WCP Richards	X	74.9v	74.8v	48.6v	49.7v	50.8v	49.4v	0.0v	75.10v	0.0v	50.5v	0.0v	469.57v
6	Mr JCT Kent	X	75.8v	75.13v	50.6v	49.6v	50.8v	48.4v	0.0v	75.8v	0.0v	47.3v	0.0v	469.56v
7	Mr TA Ringer	X	74.10v	74.8v	49.8v	49.7v	49.6v	49.5v	0.0v	74.13v	0.0v	50.9v	0.0v	468.66v
8	Mr J Pugsley	X	74.9v	75.12v	50.7v	50.6v	49.8v	48.3v	0.0v	74.12v	0.0v	48.4v	0.0v	468.61v
9	Dr PD Sykes	X	74.7v	74.12v	50.4v	48.2v	50.9v	49.5v	0.0v	75.12v	0.0v	48.4v	0.0v	468.55v
10	Mr TM Green	X	72.10v	75.10v	50.7v	49.9v	50.6v	49.5v	0.0v	74.13v	0.0v	48.5v	0.0v	467.65v
11	Mr S Young	X	73.7v	74.11v	49.7v	50.9v	50.7v	50.4v	0.0v	74.13v	0.0v	47.3v	0.0v	467.61v
12	Mr CN Tremlett	X	74.9v	75.10v	46.3v	49.3v	50.7v	48.5v	0.0v	75.13v	0.0v	50.10v	0.0v	467.60v
13	Mr MJ Ensor	A	72.7v	75.9v	49.7v	47.5v	50.6v	50.7v	0.0v	75.12v	0.0v	49.5v	0.0v	467.58v
14	Mr JWE Lewis	X	75.10v	75.11v	50.6v	50.7v	49.4v	47.4v	0.0v	74.10v	0.0v	47.3v	0.0v	467.55v
15	Mr AC Haley	A	74.12v	73.7v	50.4v	49.8v	50.6v	50.3v	0.0v	74.12v	0.0v	47.3v	0.0v	467.55v
16	Mr C Fitzpatrick	X	73.10v	75.10v	49.3v	50.5v	49.3v	49.5v	0.0v	73.9v	0.0v	49.5v	0.0v	467.50v
17	Mr SJ Cane	X	73.9v	74.12v	50.9v	49.6v	50.7v	49.7v	0.0v	74.14v	0.0v	47.2v	0.0v	466.66v
18	Mr ANR Walker	X	75.8v	75.11v	47.4v	50.9v	49.7v	50.6v	0.0v	75.11v	0.0v	45.6v	0.0v	466.62v
19	Dr JG Robertson	X	74.9v	74.8v	47.5v	50.6v	49.8v	47.4v	0.0v	75.14v	0.0v	50.6v	0.0v	466.60v
20	Miss JH Messer	X	73.7v	72.11v	49.7v	50.6v	49.7v	48.4v	0.0v	75.13v	0.0v	50.5v	0.0v	466.60v
21	Mr JAM Paton	X	75.12v	73.9v	49.7v	50.6v	49.5v	48.4v	0.0v	75.11v	0.0v	47.3v	0.0v	466.57v
22	Mr JMA Thompson	X	75.9v	70.6v	49.5v	49.5v	50.7v	49.8v	0.0v	75.12v	0.0v	49.4v	0.0v	466.56v
23	Sgt SJ Hier	X	73.8v	73.6v	50.6v	49.7v	49.8v	49.5v	0.0v	74.13v	0.0v	49.3v	0.0v	466.56v
24	Mr PB Bromley	X	72.10v	75.8v	50.8v	49.4v	50.6v	49.6v	0.0v	75.9v	0.0v	46.3v	0.0v	466.54v
25	Mr JRO Boyd	A	74.12v	72.4v	48.7v	49.7v	49.6v	49.6v	0.0v	75.8v	0.0v	50.2v	0.0v	466.52v
26	Mr D Lowe	O	75.11v	73.6v	49.7v	50.6v	49.4v	48.4v	0.0v	73.8v	0.0v	49.6v	0.0v	466.52v
27	Mr DC Crispin	X	73.4v	73.10v	48.5v	49.6v	50.7v	49.5v	0.0v	75.10v	0.0v	49.4v	0.0v	466.51v
28	Mr J Corbett	X	75.13v	73.9v	49.5v	50.9v	49.5v	46.5v	0.0v	75.12v	0.0v	48.5v	0.0v	465.63v
29	Dr HHG Pollock	A	74.9v	72.9v	49.7v	50.6v	49.8v	49.3v	0.0v	73.12v	0.0v	49.6v	0.0v	465.60v
30	Mr CJ Morton	X	74.8v	74.9v	48.6v	49.6v	50.7v	48.6v	0.0v	75.15v	0.0v	47.2v	0.0v	465.59v
31	Mr ASH McCullough	X	73.9v	75.8v	48.4v	47.5v	50.9v	49.6v	0.0v	74.12v	0.0v	49.5v	0.0v	465.58v
32	Mrs MM Norman	A	73.8v	73.4v	48.7v	50.6v	50.6v	49.5v	0.0v	75.12v	0.0v	47.4v	0.0v	465.52v
33	Mr RC Oxford	A	73.5v	73.9v	49.6v	50.7v	49.4v	50.5v	0.0v	75.8v	0.0v	46.4v	0.0v	465.48v
34	Sgt. HJ Golaszewski	A	74.9v	74.6v	47.3v	47.4v	50.7v	49.3v	0.0v	75.11v	0.0v	49.4v	0.0v	465.47v
35	Mr P Patel	X	73.9v	73.9v	49.7v	48.8v	50.9v	48.5v	0.0v	75.14v	0.0v	48.5v	0.0v	464.66v
36	Mr PG Kent	X	75.10v	73.10v	50.7v	50.6v	45.7v	48.7v	0.0v	74.10v	0.0v	49.8v	0.0v	464.65v
37	Miss EJ Nuttall	X	73.8v	75.11v	49.7v	46.4v	50.8v	49.4v	0.0v	75.14v	0.0v	47.7v	0.0v	464.63v
38	Mr MT Phipps	O	73.8v	72.12v	49.5v	49.5v	50.7v	49.6v	0.0v	74.11v	0.0v	48.7v	0.0v	464.61v
39	Cdt HP McCullough	X	75.10v	72.8v	50.4v	46.5v	49.5v	49.8v	0.0v	74.12v	0.0v	49.6v	0.0v	464.58v
40	Dr AM Jory	X	74.10v	73.8v	50.7v	48.5v	48.7v	48.4v	0.0v	75.10v	0.0v	48.5v	0.0v	464.56v
41	Mr AF Powell	X	73.8v	74.9v	48.4v	50.6v	49.6v	48.6v	0.0v	75.11v	0.0v	47.6v	0.0v	464.56v
42	Wg Cdr DP Calvert	X	75.11v	75.12v	49.6v	48.3v	50.8v	48.3v	0.0v	74.9v	0.0v	45.4v	0.0v	464.56v
43	Mr RJW Smeltzer	X	75.8v	73.9v	49.8v	46.4v	49.7v	47.3v	0.0v	75.10v	0.0v	50.6v	0.0v	464.55v
44	Mr CA Brook	X	72.8v	75.11v	48.5v	50.5v	50.6v	47.4v	0.0v	74.11v	0.0v	48.5v	0.0v	464.55v
45	Mr SKC Hunter	O	72.6v	73.8v	49.4v	49.7v	49.8v	49.6v	0.0v	75.11v	0.0v	48.5v	0.0v	464.55v
46	Mr N Cole-Hawkins	A	72.7v	73.10v	50.7v	49.6v	50.8v	47.2v	0.0v	74.9v	0.0v	49.5v	0.0v	464.54v
47	Mr GA Cann	X	74.6v	73.9v	49.6v	48.5v	48.4v	50.7v	0.0v	73.9v	0.0v	49.7v	0.0v	464.53v
48	Mr JA Watson	X	72.8v	73.6v	47.4v	48.5v	50.7v	50.6v	0.0v	75.12v	0.0v	49.4v	0.0v	464.52v
49	Mr A Burton	A	73.11v	75.10v	48.4v	48.4v	50.5v	50.6v	0.0v	74.9v	0.0v	46.3v	0.0v	464.52v
50	Mr JP Tapster	X	75.9v	75.9v	50.7v	46.3v	50.6v	48.4v	0.0v	75.11v	0.0v	45.3v	0.0v	464.52v
51	Mrs SV Luckman	A	75.7v	73.10v	48.5v	50.5v	47.5v	49.3v	0.0v	75.14v	0.0v	47.2v	0.0v	464.51v
52	Mr MJM Black	A	73.9v	75.9v	47.5v	50.8v	50.8v	49.3v	0.0v	74.8v	0.0v	46.1v	0.0v	464.51v
53	Mr DA Taylor	A	73.7v	73.7v	49.4v	49.6v	49.5v	49.6v	0.0v	74.9v	0.0v	48.6v	0.0v	464.50v
54	Mr FWA Coetzee	X	73.9v	74.9v	50.5v	47.2v	50.5v	48.6v	0.0v	74.8v	0.0v	48.4v	0.0v	464.48v

55	Cdt MJ Purdy	A	71.4v	71.4v	49.6v	49.3v	50.6v	50.8v	0.0v	75.11v	0.0v	49.4v	0.0v	464.46v
56	Mr M Fray	O	74.4v	73.3v	48.5v	46.3v	50.6v	49.6v	0.0v	75.13v	0.0v	49.5v	0.0v	464.45v
57	Mr J Cload	X	73.10v	73.12v	49.8v	49.7v	50.7v	47.5v	0.0v	75.11v	0.0v	47.5v	0.0v	463.65v
58	Miss KAN Jack	X	74.11v	73.8v	50.8v	49.7v	49.7v	47.6v	0.0v	74.12v	0.0v	47.3v	0.0v	463.62v
59	Mr CJ Watson	X	74.11v	75.12v	48.7v	49.3v	50.9v	48.3v	0.0v	74.11v	0.0v	45.5v	0.0v	463.61v
60	Mr IT Jones	O	75.13v	72.9v	50.5v	46.3v	50.5v	48.4v	0.0v	74.11v	0.0v	48.5v	0.0v	463.55v
61	Mr NJ Ball	X	73.10v	72.9v	49.2v	49.7v	50.8v	49.4v	0.0v	75.9v	0.0v	46.4v	0.0v	463.53v
62	Mr MF Martel	X	74.11v	73.5v	50.6v	49.4v	50.7v	48.4v	0.0v	74.11v	0.0v	45.3v	0.0v	463.51v
63	Mr JGM Webster	X	74.9v	75.6v	50.8v	48.4v	48.5v	45.4v	0.0v	73.9v	0.0v	50.5v	0.0v	463.50v
64	Mr RA Benest	X	73.6v	72.9v	49.5v	48.5v	50.5v	49.6v	0.0v	75.11v	0.0v	47.3v	0.0v	463.50v
65	Mr RSF Shouler	X	74.13v	71.3v	50.7v	49.4v	49.7v	47.3v	0.0v	74.10v	0.0v	49.2v	0.0v	463.49v
66	Mr DRG Rich	X	74.8v	75.5v	47.5v	50.6v	48.7v	48.5v	0.0v	73.11v	0.0v	48.2v	0.0v	463.49v
67	Mr DG Young	X	70.5v	74.10v	50.8v	49.5v	50.7v	48.5v	0.0v	75.6v	0.0v	47.3v	0.0v	463.49v
68	Mr JA Anderson	X	73.7v	71.7v	49.6v	48.3v	49.7v	50.4v	0.0v	74.6v	0.0v	49.3v	0.0v	463.43v
69	Mr AJ Sims	X	72.11v	72.7v	47.6v	48.4v	49.3v	49.6v	0.0v	75.10v	0.0v	50.10v	0.0v	462.57v
70	Mr E Malleon	O	74.9v	73.8v	49.6v	47.5v	50.5v	47.5v	0.0v	74.10v	0.0v	48.6v	0.0v	462.54v
71	Mr TLW Kidner	X	74.9v	73.8v	49.6v	48.6v	49.7v	48.5v	0.0v	75.11v	0.0v	46.2v	0.0v	462.54v
72	Mr AJ Luckman	X	72.9v	73.10v	50.6v	50.4v	50.10v	50.6v	0.0v	73.9v	0.0v	44.0v	0.0v	462.54v
73	Mr GMLN Gilpin	X	72.7v	75.11v	50.5v	46.5v	48.7v	48.7v	0.0v	74.8v	0.0v	49.3v	0.0v	462.53v
74	Mrs BA Bell	X	73.8v	71.8v	48.5v	50.5v	50.9v	48.3v	0.0v	75.10v	0.0v	47.5v	0.0v	462.53v
75	Mr GC Childs	A	73.7v	72.10v	48.5v	50.5v	48.6v	49.8v	0.0v	75.6v	0.0v	47.5v	0.0v	462.52v
76	Mr CTS Belk	A	74.9v	72.10v	47.4v	48.2v	48.6v	50.4v	0.0v	73.11v	0.0v	50.5v	0.0v	462.51v
77	Mr SD Shouler	X	74.11v	75.7v	49.7v	48.5v	49.6v	45.1v	0.0v	75.10v	0.0v	47.4v	0.0v	462.51v
78	Mr RBC Baker	A	75.9v	72.7v	48.6v	48.4v	49.6v	50.4v	0.0v	74.10v	0.0v	46.5v	0.0v	462.51v
79	Mr NBS Logan	A	74.11v	75.8v	48.5v	50.4v	48.7v	48.4v	0.0v	73.9v	0.0v	46.3v	0.0v	462.51v
80	Mr MI Buchanan	X	75.8v	72.8v	49.5v	48.4v	50.9v	47.2v	0.0v	75.13v	0.0v	46.2v	0.0v	462.51v
81	Mr JPL Sweet	X	71.7v	73.4v	48.5v	49.4v	48.5v	49.7v	0.0v	74.11v	0.0v	50.7v	0.0v	462.50v
82	Mr DA Richardson	X	73.9v	75.10v	48.7v	48.4v	50.6v	45.1v	0.0v	75.10v	0.0v	48.2v	0.0v	462.49v
83	Zulkeflee Hamsan	X	74.10v	74.9v	49.6v	47.1v	50.8v	48.4v	0.0v	73.7v	0.0v	47.4v	0.0v	462.49v
84	Cpl J Wallace	O	73.10v	73.5v	49.8v	49.4v	49.4v	48.4v	0.0v	75.11v	0.0v	46.3v	0.0v	462.49v
85	Mr MG Whicher	A	74.6v	72.7v	49.7v	48.5v	50.7v	48.4v	0.0v	73.8v	0.0v	48.4v	0.0v	462.48v
86	Cpl JP Nice	A	73.7v	75.7v	50.6v	46.3v	48.5v	49.6v	0.0v	74.11v	0.0v	47.3v	0.0v	462.48v
87	Dr JDS Langley	X	73.8v	72.6v	45.2v	49.5v	50.8v	48.2v	0.0v	75.10v	0.0v	50.5v	0.0v	462.46v
88	Mr M Woolger	X	75.10v	74.8v	49.6v	47.3v	49.4v	48.2v	0.0v	75.8v	0.0v	45.5v	0.0v	462.46v
89	Dr JS Rennie	X	72.4v	72.7v	48.6v	49.4v	50.6v	47.4v	0.0v	74.7v	0.0v	50.6v	0.0v	462.44v
90	Mr RCT Jeens	X	72.6v	74.9v	49.5v	50.5v	50.6v	46.4v	0.0v	73.6v	0.0v	48.3v	0.0v	462.44v
91	Miss S-J Binder	X	70.6v	75.8v	47.3v	49.5v	50.8v	50.6v	0.0v	73.5v	0.0v	48.3v	0.0v	462.44v
92	Lt AW Gill	O	72.6v	73.5v	48.4v	48.1v	49.6v	50.8v	0.0v	74.11v	0.0v	48.3v	0.0v	462.44v
93	Mr ATB Tompson	X	74.7v	73.5v	48.4v	48.3v	50.6v	48.4v	0.0v	74.10v	0.0v	47.2v	0.0v	462.41v
94	Mr IP Davison	X	73.10v	72.8v	47.6v	49.9v	50.8v	49.5v	0.0v	74.12v	0.0v	47.6v	0.0v	461.64v
95	Mrs CJ Clifford-Evans	X	74.11v	71.8v	48.5v	50.9v	48.2v	48.6v	0.0v	74.11v	0.0v	48.5v	0.0v	461.57v
96	Mr KWD Ramsey	X	73.12v	73.7v	47.5v	49.7v	50.8v	48.6v	0.0v	74.8v	0.0v	47.4v	0.0v	461.57v
97	Mr DGEM Mutter	O	73.6v	74.11v	50.8v	48.6v	48.5v	49.7v	0.0v	74.8v	0.0v	45.5v	0.0v	461.56v
98	Mr AS Errey	A	73.10v	75.11v	49.6v	48.6v	50.8v	47.2v	0.0v	75.8v	0.0v	44.4v	0.0v	461.55v
99	Mr DR Armstrong	X	73.10v	74.10v	49.6v	47.3v	50.8v	48.5v	0.0v	74.11v	0.0v	46.1v	0.0v	461.54v
100	Mr NC Mace	X	73.9v	73.8v	49.8v	49.3v	50.8v	47.5v	0.0v	75.10v	0.0v	45.3v	0.0v	461.54v
101	Mr TJD Raincock	X	74.9v	71.5v	48.5v	48.3v	49.8v	48.5v	0.0v	74.12v	0.0v	49.6v	0.0v	461.53v
102	Mr MJ Barlow	X	74.9v	72.8v	48.4v	49.4v	46.4v	49.5v	0.0v	75.12v	0.0v	48.7v	0.0v	461.53v
103	Mr DFP Richards	X	72.10v	72.7v	50.6v	48.7v	49.5v	48.2v	0.0v	74.13v	0.0v	48.3v	0.0v	461.53v
104	Cdt GW Davies	A	74.6v	71.10v	47.3v	47.4v	50.7v	49.7v	0.0v	74.10v	0.0v	49.4v	0.0v	461.51v
105	Mr JH Wood	O	75.9v	70.6v	49.6v	48.6v	50.7v	49.4v	0.0v	72.9v	0.0v	48.4v	0.0v	461.51v
106	Mr RdeV Chase	X	72.5v	74.10v	49.6v	49.5v	50.7v	46.2v	0.0v	74.13v	0.0v	47.3v	0.0v	461.51v
107	Dr AJ Pilgrim	X	72.7v	73.12v	48.4v	50.5v	50.4v	48.6v	0.0v	74.11v	0.0v	46.2v	0.0v	461.51v
108	Mr PJ Johnson	X	74.9v	73.7v	49.7v	47.5v	49.4v	48.3v	0.0v	75.10v	0.0v	46.5v	0.0v	461.50v
109	Miss JM Rankin	O	75.7v	75.8v	49.8v	49.5v	50.5v	45.4v	0.0v	72.9v	0.0v	46.4v	0.0v	461.50v
110	Mr MJ MacKeith	A	74.10v	71.4v	49.6v	50.7v	50.6v	46.4v	0.0v	75.11v	0.0v	46.2v	0.0v	461.50v
111	Mr LM Peden	A	72.8v	73.5v	49.5v	48.4v	50.9v	50.6v	0.0v	74.9v	0.0v	45.4v	0.0v	461.50v
112	Mr SC Postins	X	70.5v	73.9v	50.7v	48.5v	50.3v	48.6v	0.0v	75.10v	0.0v	47.4v	0.0v	461.49v
113	Mr AJC Wilson	A	72.7v	74.8v	48.4v	49.7v	47.4v	49.6v	0.0v	74.5v	0.0v	48.5v	0.0v	461.46v
114	Mr MCJ Button	X	72.6v	73.6v	47.4v	50.4v	50.7v	48.5v	0.0v	74.8v	0.0v	47.6v	0.0v	461.46v
115	Mr KO Pugh	A	72.7v	74.6v	46.5v	50.6v	50.7v	48.5v	0.0v	74.7v	0.0v	47.3v	0.0v	461.46v
116	Mr KR Trowbridge	X	72.8v	72.6v	49.8v	49.6v	49.6v	47.2v	0.0v	74.6v	0.0v	49.3v	0.0v	461.45v
117	Mr LT Wicker	X	71.5v	71.7v	50.6v	49.6v	48.2v	49.5v	0.0v	75.8v	0.0v	48.6v	0.0v	461.45v
118	Mr J Huber	X	72.7v	74.7v	50.7v	46.4v	49.3v	50.4v	0.0v	75.11v	0.0v	45.2v	0.0v	461.45v
119	Mr NRJ Brasier	X	71.9v	75.12v	49.5v	48.7v	49.7v	48.7v	0.0v	75.13v	0.0v	45.5v	0.0v	460.65v
120	Cdt LAE Crowson	T	74.11v	74.11v	49.6v	49.6v	47.4v	44.4v	0.0v	74.9v	0.0v	49.5v	0.0v	460.56v
121	Mr BA Horwood	X	71.8v	75.11v	48.4v	48.6v	48.4v	48.5v	0.0v	75.12v	0.0v	47.4v	0.0v	460.54v
122	Mr GK Alexander	X	72.6v	74.13v	49.7v	46.4v	50.6v	49.5v	0.0v	74.10v	0.0v	46.3v	0.0v	460.54v
123	Mr DGP Vamplew	X	73.9v	70.6v	48.7v	49.7v	49.6v	49.3v	0.0v	74.11v	0.0v	48.4v	0.0v	460.53v
124	Mr DGM Coleman	X	71.8v	74.8v	50.6v	48.4v	49.6v	49.5v	0.0v	74.11v	0.0v	45.5v	0.0v	460.53v
125	Mr RI Nelson	A	74.9v	72.8v	47.6v	49.7v	49.6v	50.4v	0.0v	75.11v	0.0v	44.1v	0.0v	460.52v

126	Mr JR Davies	X	72.6v	73.8v	49.5v	49.6v	49.8v	50.4v	0.0v	75.12v	0.0v	43.2v	0.0v	460.51v
127	Flt Lt BN Roth	X	73.7v	74.9v	48.7v	46.3v	49.6v	48.3v	0.0v	74.10v	0.0v	48.5v	0.0v	460.50v
128	Mr JC Evans	O	69.5v	75.9v	49.2v	50.7v	48.7v	47.5v	0.0v	74.11v	0.0v	48.4v	0.0v	460.50v
129	Mr CD Atkins	O	71.7v	75.11v	50.8v	49.6v	49.6v	46.3v	0.0v	72.6v	0.0v	48.3v	0.0v	460.50v
130	Mr CES Dickenson	X	72.8v	73.7v	47.5v	49.7v	49.7v	50.5v	0.0v	73.10v	0.0v	47.1v	0.0v	460.50v
131	Mrs LK Mace	X	73.6v	75.8v	49.8v	48.5v	49.5v	47.5v	0.0v	73.9v	0.0v	46.4v	0.0v	460.50v
132	Miss SP Ward	X	71.7v	73.6v	48.3v	47.3v	48.4v	48.6v	0.0v	75.14v	0.0v	50.6v	0.0v	460.49v
133	Mr ACH Bryson	X	74.8v	72.9v	48.4v	48.4v	48.3v	46.5v	0.0v	75.10v	0.0v	49.6v	0.0v	460.49v
134	Mr C Mitchell	O	73.9v	73.8v	49.4v	48.5v	48.6v	48.4v	0.0v	73.8v	0.0v	48.5v	0.0v	460.49v
135	Mr MH Shaw	A	74.8v	73.10v	48.2v	50.6v	48.5v	46.2v	0.0v	74.10v	0.0v	47.6v	0.0v	460.49v
136	Dr JD Warburton	X	73.7v	74.8v	49.6v	45.5v	50.7v	48.3v	0.0v	74.11v	0.0v	47.2v	0.0v	460.49v
137	Mr NW Penn	A	70.6v	74.9v	48.4v	48.6v	48.6v	49.6v	0.0v	74.7v	0.0v	49.4v	0.0v	460.48v
138	Mr RJ Booth	O	71.7v	70.6v	48.7v	49.4v	49.6v	50.5v	0.0v	75.9v	0.0v	48.4v	0.0v	460.48v
139	Cdt CS Milton	O	73.8v	74.11v	50.5v	47.5v	50.7v	47.5v	0.0v	73.5v	0.0v	46.2v	0.0v	460.48v
140	Mr S Harding	X	72.9v	72.5v	50.6v	48.3v	48.5v	47.2v	0.0v	74.11v	0.0v	49.6v	0.0v	460.47v
141	Mr ISL Dampney	X	70.6v	73.7v	50.8v	46.4v	50.8v	48.2v	0.0v	75.9v	0.0v	48.3v	0.0v	460.47v
142	Mr ML Millar	X	73.10v	75.9v	47.3v	46.4v	50.7v	49.3v	0.0v	74.7v	0.0v	46.4v	0.0v	460.47v
143	Mr TP Hammond	A	74.9v	72.7v	49.7v	49.6v	48.5v	48.3v	0.0v	74.8v	0.0v	46.2v	0.0v	460.47v
144	Mr JB Hull	X	72.10v	74.9v	50.5v	48.4v	50.6v	45.1v	0.0v	71.7v	0.0v	50.3v	0.0v	460.45v
145	Flt Lt IW Robertson	A	74.6v	73.11v	49.4v	46.4v	50.3v	49.4v	0.0v	72.8v	0.0v	47.5v	0.0v	460.45v
146	Mr G Grosskreutz	X	74.4v	73.10v	49.7v	49.5v	49.5v	47.3v	0.0v	75.9v	0.0v	44.2v	0.0v	460.45v
147	Cdt AW Boyd	O	72.8v	74.6v	47.6v	49.5v	49.3v	49.6v	0.0v	73.8v	0.0v	47.2v	0.0v	460.44v
148	Mr SJ Carson	A	71.7v	75.9v	48.4v	49.2v	50.8v	46.3v	0.0v	75.8v	0.0v	46.3v	0.0v	460.44v
149	Mr S Belither	A	74.12v	73.6v	45.4v	49.1v	49.4v	48.6v	0.0v	75.8v	0.0v	47.2v	0.0v	460.43v
150	Mr GC Baylis	O	73.7v	70.4v	47.5v	50.4v	50.8v	48.5v	0.0v	74.5v	0.0v	48.4v	0.0v	460.42v
151	Cdt Cpl HAD Howard	O	73.2v	74.7v	48.3v	49.7v	48.6v	49.5v	0.0v	72.11v	0.0v	47.1v	0.0v	460.42v
152	Mr RF Barrington	A	74.10v	73.7v	47.3v	48.3v	50.7v	47.4v	0.0v	73.6v	0.0v	48.1v	0.0v	460.41v
153	Mr WDH Burden	X	74.9v	73.6v	49.4v	48.2v	49.4v	47.5v	0.0v	75.8v	0.0v	45.2v	0.0v	460.40v
154	Mr SH Cox	A	72.6v	74.4v	49.5v	47.5v	50.5v	50.5v	0.0v	73.8v	0.0v	45.2v	0.0v	460.40v
155	Mr RR Goodluck	O	74.6v	72.6v	49.7v	48.3v	48.3v	47.4v	0.0v	73.6v	0.0v	49.4v	0.0v	460.39v
156	Mr ER Jeens	X	72.7v	74.10v	47.5v	46.3v	50.8v	48.6v	0.0v	75.14v	0.0v	47.4v	0.0v	459.57v
157	Mr RN Stebbings	O	72.11v	73.7v	48.5v	49.4v	49.6v	47.6v	0.0v	74.11v	0.0v	47.6v	0.0v	459.56v
158	Mr GW Woodman	X	73.8v	73.12v	48.6v	46.1v	49.8v	48.6v	0.0v	75.13v	0.0v	47.2v	0.0v	459.56v
159	Miss HA Foster	A	72.8v	75.12v	47.7v	49.5v	46.3v	50.7v	0.0v	74.10v	0.0v	46.4v	0.0v	459.56v
160	Flt Lt NP Moxon	A	74.8v	74.13v	49.5v	50.6v	48.4v	44.4v	0.0v	73.10v	0.0v	47.4v	0.0v	459.54v
161	Mr PM Jory	X	74.9v	73.8v	49.6v	48.5v	50.8v	44.4v	0.0v	74.11v	0.0v	47.3v	0.0v	459.54v
162	Mr BW Schlam	X	72.8v	74.10v	48.5v	48.6v	49.8v	48.5v	0.0v	73.8v	0.0v	47.3v	0.0v	459.53v
163	Lt Col CR Claridge	O	72.5v	74.10v	47.5v	47.4v	50.10v	48.4v	0.0v	75.12v	0.0v	46.3v	0.0v	459.53v
164	Mr C Mallett	X	73.7v	73.10v	50.5v	47.4v	49.7v	49.7v	0.0v	74.11v	0.0v	44.2v	0.0v	459.53v
165	Zainal Md Zain	X	71.5v	73.7v	49.4v	47.5v	50.9v	47.6v	0.0v	74.13v	0.0v	48.3v	0.0v	459.52v
166	Mr AC Griffin	A	73.11v	71.9v	49.3v	50.4v	49.7v	46.4v	0.0v	74.10v	0.0v	47.4v	0.0v	459.52v
167	Mr PJ Westlake	X	73.8v	72.8v	49.5v	47.5v	50.7v	47.4v	0.0v	74.12v	0.0v	47.3v	0.0v	459.52v
168	Mr ML Pozzebon	O	73.10v	73.7v	48.3v	50.8v	49.5v	48.5v	0.0v	74.11v	0.0v	44.3v	0.0v	459.52v
169	Mr RJ Waters	A	73.5v	72.8v	48.5v	49.4v	49.8v	48.5v	0.0v	72.11v	0.0v	48.4v	0.0v	459.50v
170	Mr GS Cotton	X	72.8v	74.8v	49.6v	48.6v	50.7v	48.5v	0.0v	75.8v	0.0v	43.2v	0.0v	459.50v
171	Mr RK Sheead	A	71.8v	72.5v	50.4v	49.7v	49.5v	47.3v	0.0v	74.11v	0.0v	47.6v	0.0v	459.49v
172	Mr D Blake	X	72.9v	74.8v	47.5v	48.5v	48.5v	48.3v	0.0v	74.8v	0.0v	48.5v	0.0v	459.48v
173	Mr RA Jobson	A	71.6v	74.6v	49.5v	46.1v	50.7v	48.5v	0.0v	75.10v	0.0v	46.7v	0.0v	459.47v
174	Mr TP Clarke	A	73.11v	73.5v	49.7v	48.6v	50.7v	47.3v	0.0v	73.6v	0.0v	46.2v	0.0v	459.47v
175	Mrs JA Wagland	X	72.7v	72.10v	49.4v	49.6v	49.5v	47.3v	0.0v	72.7v	0.0v	49.4v	0.0v	459.46v
176	Prof AR Horrocks	X	75.11v	73.9v	48.2v	49.3v	48.4v	47.3v	0.0v	73.10v	0.0v	46.3v	0.0v	459.45v
177	Eur Ing CA Painting	X	73.8v	73.7v	50.6v	48.5v	50.5v	50.7v	0.0v	72.6v	0.0v	43.1v	0.0v	459.45v
178	Mr GAE Larcombe	O	71.7v	74.12v	47.3v	47.2v	49.5v	47.4v	0.0v	74.7v	0.0v	50.4v	0.0v	459.44v
179	Mr P Dawes	O	73.7v	72.5v	50.9v	49.8v	50.4v	46.2v	0.0v	73.9v	0.0v	46.0v	0.0v	459.44v
180	Mr HA Day	X	71.4v	74.8v	48.2v	49.3v	50.7v	47.5v	0.0v	74.10v	0.0v	46.4v	0.0v	459.43v
181	Miss JE Ouston	O	74.8v	75.10v	50.4v	49.5v	45.2v	48.4v	0.0v	72.9v	0.0v	46.1v	0.0v	459.43v
182	Mr AP Barnes	X	70.6v	72.3v	50.8v	49.5v	49.6v	48.4v	0.0v	74.7v	0.0v	47.3v	0.0v	459.42v
183	Mr AM Bullen	A	72.8v	74.8v	49.5v	46.1v	50.1v	47.5v	0.0v	73.7v	0.0v	48.3v	0.0v	459.38v
184	Mr SA Thomas	X	74.9v	67.9v	47.4v	48.6v	50.8v	48.3v	0.0v	75.14v	0.0v	49.4v	0.0v	458.57v
185	Mr GC Edser	X	72.10v	74.8v	48.4v	48.6v	48.7v	49.6v	0.0v	74.14v	0.0v	45.2v	0.0v	458.57v
186	Mr JEM Bellringer	X	71.9v	74.9v	49.4v	48.4v	48.7v	48.7v	0.0v	72.10v	0.0v	48.5v	0.0v	458.55v
187	Mr B Taylor	X	72.8v	73.10v	49.7v	50.8v	48.6v	47.4v	0.0v	73.9v	0.0v	46.2v	0.0v	458.54v
188	Mr JA Bullock	X	74.9v	73.8v	50.8v	46.3v	48.6v	48.7v	0.0v	75.9v	0.0v	44.4v	0.0v	458.54v
189	Mrs GD Webb-Enslin	X	74.9v	73.9v	47.3v	49.4v	50.8v	44.3v	0.0v	74.11v	0.0v	47.6v	0.0v	458.53v
190	Mr SHJ Harley	X	71.8v	73.9v	50.7v	48.6v	50.3v	47.6v	0.0v	74.10v	0.0v	45.3v	0.0v	458.52v
191	Wg Cdr RJS Clark	A	72.7v	72.6v	49.6v	50.8v	49.8v	49.4v	0.0v	74.11v	0.0v	43.2v	0.0v	458.52v
192	Mr RP Rosling	O	71.7v	72.9v	49.5v	47.3v	49.5v	49.6v	0.0v	75.13v	0.0v	46.3v	0.0v	458.51v
193	Mr MA Kirkillio-Stacewicz	A	73.10v	74.8v	49.5v	46.4v	50.7v	47.3v	0.0v	74.12v	0.0v	45.2v	0.0v	458.51v
194	Mr PRD Stock	A	70.8v	72.7v	50.6v	49.7v	49.8v	47.4v	0.0v	73.6v	0.0v	48.4v	0.0v	458.50v
195	Mr BV Cambray	A	74.10v	70.7v	50.8v	48.4v	49.3v	48.3v	0.0v	74.12v	0.0v	45.3v	0.0v	458.50v
196	Mr R McQuillan	X	74.9v	75.10v	48.4v	44.2v	50.5v	48.6v	0.0v	75.11v	0.0v	44.3v	0.0v	458.50v

197	Mr APW Daw	A	67.7v	72.8v	50.7v	49.4v	50.6v	46.1v	0.0v	75.12v	0.0v	49.4v	0.0v	458.49v
198	Mr ND Stangroom	X	72.9v	73.8v	47.3v	50.7v	49.5v	49.5v	0.0v	71.6v	0.0v	47.5v	0.0v	458.48v
199	Mr TJ Roberts	A	71.8v	73.6v	48.5v	48.3v	50.8v	49.6v	0.0v	72.10v	0.0v	47.2v	0.0v	458.48v
200	Mr PCA Slater	O	71.6v	73.7v	48.6v	48.4v	48.4v	47.4v	0.0v	75.14v	0.0v	48.2v	0.0v	458.47v
201	Mr DC Dyson	X	75.12v	72.5v	47.5v	48.3v	50.7v	46.3v	0.0v	74.9v	0.0v	46.3v	0.0v	458.47v
202	Mr AA Williams	A	73.7v	71.6v	49.6v	49.5v	50.8v	46.4v	0.0v	74.10v	0.0v	46.1v	0.0v	458.47v
203	Mr R Birtwistle	A	73.9v	75.7v	45.3v	47.6v	49.6v	48.4v	0.0v	74.7v	0.0v	49.4v	0.0v	458.46v
204	Mr TG Rylands	X	73.7v	74.8v	49.4v	43.3v	47.6v	49.2v	0.0v	74.12v	0.0v	49.4v	0.0v	458.46v
205	Mr IF Luckman	O	70.5v	75.8v	46.4v	49.7v	48.3v	50.4v	0.0v	75.12v	0.0v	45.3v	0.0v	458.46v
206	Mr RJ Coffin	O	72.5v	73.8v	49.6v	47.4v	50.4v	48.7v	0.0v	73.7v	0.0v	46.4v	0.0v	458.45v
207	Cdt AEC Corner	O	70.6v	73.6v	49.4v	48.7v	49.5v	49.4v	0.0v	74.10v	0.0v	46.3v	0.0v	458.45v
208	Mr D Fulmer	X	72.5v	73.4v	46.5v	50.6v	48.5v	48.5v	0.0v	74.10v	0.0v	47.2v	0.0v	458.42v
209	Cpl WJD Broad	A	72.4v	75.7v	47.4v	48.5v	49.6v	47.3v	0.0v	74.7v	0.0v	46.5v	0.0v	458.41v
210	Ms LA Johnson	A	74.5v	74.7v	48.4v	45.1v	49.5v	48.7v	0.0v	74.10v	0.0v	46.2v	0.0v	458.41v
211	Dr AF Aspin	A	71.4v	72.6v	50.7v	47.2v	50.5v	48.4v	0.0v	73.8v	0.0v	47.4v	0.0v	458.40v
212	Lt RK Whalen	X	70.2v	70.6v	47.4v	49.5v	50.7v	48.2v	0.0v	74.9v	0.0v	50.4v	0.0v	458.39v
213	Mr AG Mitchell	A	74.8v	74.6v	49.5v	50.5v	46.2v	48.2v	0.0v	74.8v	0.0v	43.1v	0.0v	458.37v
214	Dr JR Deane	X	71.8v	72.7v	50.9v	48.4v	49.8v	47.4v	0.0v	75.12v	0.0v	45.5v	0.0v	457.57v
215	Mr JR Tuck	X	71.6v	74.10v	48.2v	45.3v	50.9v	48.5v	0.0v	75.13v	0.0v	46.4v	0.0v	457.52v
216	Mr EC Dickson	X	74.7v	73.9v	49.7v	49.6v	50.8v	45.5v	0.0v	75.9v	0.0v	42.1v	0.0v	457.52v
217	Cdt HCM Bennett	O	72.7v	73.8v	48.5v	46.3v	50.8v	48.5v	0.0v	72.9v	0.0v	48.6v	0.0v	457.51v
218	Mr PG Oxnam	A	72.9v	74.11v	49.5v	49.4v	48.6v	49.5v	0.0v	69.6v	0.0v	47.5v	0.0v	457.51v
219	Mr DJ Gass	X	74.7v	72.7v	49.7v	44.4v	49.5v	48.6v	0.0v	74.11v	0.0v	47.3v	0.0v	457.50v
220	Mr T Keen	A	72.9v	72.7v	49.4v	50.4v	48.5v	47.7v	0.0v	74.10v	0.0v	45.4v	0.0v	457.50v
221	Mr HN Watson	X	72.10v	72.5v	47.5v	48.6v	48.6v	46.3v	0.0v	74.7v	0.0v	50.7v	0.0v	457.49v
222	Mr CP Weeden	X	71.7v	68.4v	48.5v	49.7v	49.7v	49.5v	0.0v	75.9v	0.0v	48.5v	0.0v	457.49v
223	Mr MJJ Charlton	X	70.6v	74.9v	47.5v	48.4v	49.6v	49.3v	0.0v	73.13v	0.0v	47.3v	0.0v	457.49v
224	Capt BW Yarmoshuk	O	70.3v	73.11v	49.7v	48.3v	49.7v	47.4v	0.0v	74.11v	0.0v	47.3v	0.0v	457.49v
225	Mr G Williams	X	72.7v	74.10v	50.4v	44.6v	50.2v	47.3v	0.0v	74.12v	0.0v	46.5v	0.0v	457.49v
226	Mr SC Williamson	X	74.8v	73.10v	48.3v	49.6v	49.8v	46.2v	0.0v	73.10v	0.0v	45.2v	0.0v	457.49v
227	Major JRW Postle	A	74.6v	74.11v	48.3v	48.6v	50.7v	47.5v	0.0v	73.10v	0.0v	43.1v	0.0v	457.49v
228	Mr R Kloosterman	A	71.5v	70.7v	50.7v	50.6v	49.5v	50.7v	0.0v	70.7v	0.0v	47.4v	0.0v	457.48v
229	Mr JPS Bloomfield	X	74.7v	73.5v	46.5v	46.5v	49.7v	49.5v	0.0v	73.10v	0.0v	47.4v	0.0v	457.48v
230	Miss HM Taylor	A	72.7v	74.9v	47.5v	49.5v	48.5v	49.4v	0.0v	74.10v	0.0v	44.3v	0.0v	457.48v
231	Mr NA Cock	X	73.9v	73.9v	48.4v	46.3v	48.7v	50.6v	0.0v	75.10v	0.0v	44.0v	0.0v	457.48v
232	Mr JP Barry	O	71.7v	73.10v	45.0v	47.2v	50.7v	49.6v	0.0v	72.7v	0.0v	50.8v	0.0v	457.47v
233	Mr DJ Curtis	A	69.5v	73.6v	48.7v	45.4v	49.6v	49.3v	0.0v	75.9v	0.0v	49.7v	0.0v	457.47v
234	Mr T Steele	X	72.4v	73.8v	48.5v	49.7v	48.5v	48.5v	0.0v	72.9v	0.0v	47.4v	0.0v	457.47v
235	C Saina	O	74.8v	72.9v	48.5v	47.6v	50.6v	46.4v	0.0v	73.5v	0.0v	47.4v	0.0v	457.47v
236	Mr RE Ellis	A	72.8v	75.6v	50.9v	46.4v	49.5v	45.4v	0.0v	73.7v	0.0v	47.4v	0.0v	457.47v
237	Miss KA Berman	X	68.5v	72.5v	49.8v	49.4v	49.5v	50.6v	0.0v	75.11v	0.0v	45.3v	0.0v	457.47v
238	Mr KM Willingale	A	73.5v	71.7v	46.4v	47.3v	49.4v	48.5v	0.0v	74.11v	0.0v	49.7v	0.0v	457.46v
239	Mr SM Smallwood	X	72.5v	73.5v	48.6v	48.5v	50.8v	46.3v	0.0v	73.8v	0.0v	47.6v	0.0v	457.46v
240	Mr PAE Charlton	A	71.6v	74.12v	49.3v	46.2v	49.6v	48.6v	0.0v	74.8v	0.0v	46.3v	0.0v	457.46v
241	Mr KB Hill	O	71.7v	72.7v	47.2v	50.6v	49.5v	49.5v	0.0v	74.11v	0.0v	45.3v	0.0v	457.46v
242	Mr SJ East	A	72.7v	71.6v	48.3v	49.6v	48.6v	50.4v	0.0v	74.12v	0.0v	45.2v	0.0v	457.46v
243	Mr ER Johnson	X	74.6v	73.8v	49.6v	49.4v	49.5v	46.3v	0.0v	75.12v	0.0v	42.2v	0.0v	457.46v
244	Mr CRM Asquith	A	73.8v	73.10v	50.6v	48.4v	49.4v	45.2v	0.0v	71.6v	0.0v	48.5v	0.0v	457.45v
245	Mr SNS Penrose	X	73.9v	69.4v	50.5v	47.3v	48.4v	47.5v	0.0v	75.11v	0.0v	48.4v	0.0v	457.45v
246	Mr SJ Comins	A	70.6v	69.8v	48.6v	50.8v	49.3v	50.6v	0.0v	74.7v	0.0v	47.1v	0.0v	457.45v
247	Mr RJS Curtis	X	72.6v	74.9v	48.6v	49.6v	50.8v	48.4v	0.0v	71.4v	0.0v	45.2v	0.0v	457.45v
248	Mr C Rivett-Carnac	O	72.9v	72.4v	49.5v	49.5v	49.5v	46.3v	0.0v	74.9v	0.0v	46.4v	0.0v	457.44v
249	Major P Mathenge	X	70.4v	73.10v	50.8v	45.3v	50.7v	45.2v	0.0v	75.7v	0.0v	49.2v	0.0v	457.43v
250	Mr A Tikkanen	X	71.5v	70.7v	50.4v	49.8v	48.3v	49.4v	0.0v	74.10v	0.0v	46.2v	0.0v	457.43v
251	Mr AR Wilde	X	72.7v	74.5v	49.6v	46.3v	50.7v	46.3v	0.0v	74.10v	0.0v	46.2v	0.0v	457.43v
252	Mr RM Hatcher	X	73.7v	72.6v	49.4v	49.5v	48.4v	46.3v	0.0v	75.12v	0.0v	45.2v	0.0v	457.43v
253	Mr GW Clarke	O	73.5v	74.6v	47.5v	49.5v	50.7v	45.2v	0.0v	75.11v	0.0v	44.2v	0.0v	457.43v
254	Mr PS Gray	A	71.7v	74.9v	49.3v	50.4v	48.6v	48.6v	0.0v	74.7v	0.0v	43.1v	0.0v	457.43v
255	Mr WH Putter	O	74.9v	72.8v	48.5v	49.3v	48.6v	47.3v	0.0v	74.6v	0.0v	45.2v	0.0v	457.42v
256	Mr S Robinson	A	74.5v	73.10v	47.4v	47.3v	50.4v	48.3v	0.0v	73.11v	0.0v	45.2v	0.0v	457.42v
257	Hon D Cooper	A	73.5v	73.9v	49.6v	49.5v	46.2v	48.5v	0.0v	73.6v	0.0v	46.3v	0.0v	457.41v
258	Mr BGE Picton	O	70.6v	75.8v	48.3v	46.3v	50.6v	50.5v	0.0v	73.7v	0.0v	45.3v	0.0v	457.41v
259	Mr B Jones	A	75.9v	73.8v	48.3v	48.4v	50.4v	49.0v	0.0v	72.10v	0.0v	42.3v	0.0v	457.41v
260	Mr ID Markwell	O	72.7v	71.6v	49.5v	48.5v	49.6v	49.3v	0.0v	74.6v	0.0v	45.2v	0.0v	457.40v
261	Mr MJ Wood	X	72.3v	70.3v	49.7v	46.3v	50.2v	48.5v	0.0v	75.9v	0.0v	47.5v	0.0v	457.37v
262	Mr PJR Holden	X	72.5v	69.2v	50.5v	49.2v	50.2v	49.4v	0.0v	74.9v	0.0v	44.1v	0.0v	457.30v
263	Mr D Le Quesne	X	73.9v	71.9v	50.7v	45.6v	49.4v	47.5v	0.0v	74.9v	0.0v	47.6v	0.0v	456.55v
264	Mr H Ball	A	70.7v	72.10v	48.8v	47.4v	50.6v	49.5v	0.0v	75.10v	0.0v	45.5v	0.0v	456.55v
265	Mr NJ Burnip	O	72.9v	71.6v	49.6v	47.4v	49.6v	48.7v	0.0v	73.11v	0.0v	47.3v	0.0v	456.52v
266	Mr WLL Lewis	A	72.10v	71.6v	50.6v	49.7v	47.4v	47.3v	0.0v	74.13v	0.0v	46.3v	0.0v	456.52v
267	Miss AMG Ogilvie	O	73.8v	69.7v	50.6v	48.3v	49.7v	48.7v	0.0v	74.10v	0.0v	45.3v	0.0v	456.51v

268	Mr OP Henry	A	70.7v	73.6v	48.6v	49.6v	50.5v	46.5v	0.0v	72.9v	0.0v	48.5v	0.0v	456.49v
269	Dr CD Haley	X	73.8v	74.10v	49.4v	44.1v	50.8v	48.4v	0.0v	70.11v	0.0v	48.3v	0.0v	456.49v
270	Mr RW Hallows	O	72.6v	71.7v	48.5v	48.6v	47.4v	47.7v	0.0v	75.12v	0.0v	48.2v	0.0v	456.49v
271	Mr J Payne	A	75.12v	73.10v	48.7v	49.4v	47.3v	45.3v	0.0v	72.7v	0.0v	47.3v	0.0v	456.49v
272	Mr NG Smith	O	72.8v	74.11v	50.4v	47.2v	50.7v	46.3v	0.0v	75.12v	0.0v	42.2v	0.0v	456.49v
273	Mr RH Kitson	O	72.6v	73.7v	47.6v	47.4v	50.6v	46.4v	0.0v	75.11v	0.0v	46.3v	0.0v	456.47v
274	Mr JM Taylor	A	73.8v	73.10v	48.3v	47.5v	50.8v	46.2v	0.0v	74.9v	0.0v	45.1v	0.0v	456.46v
275	Mr CM Brooks	O	72.10v	72.8v	49.5v	46.2v	48.6v	48.2v	0.0v	73.9v	0.0v	48.3v	0.0v	456.45v
276	Lt Col AJW Sturrock	A	73.8v	71.7v	49.6v	45.3v	49.4v	49.6v	0.0v	73.9v	0.0v	47.2v	0.0v	456.45v
277	Mr IMR Power	O	73.8v	73.5v	50.7v	47.3v	47.4v	49.6v	0.0v	74.8v	0.0v	43.4v	0.0v	456.45v
278	Mr RAV Hebblethwaite	X	74.7v	74.7v	49.9v	44.0v	50.4v	48.3v	0.0v	75.14v	0.0v	42.1v	0.0v	456.45v
279	Mr OL Ryndziewicz	O	72.7v	73.4v	47.4v	45.2v	50.6v	48.5v	0.0v	73.7v	0.0v	48.7v	0.0v	456.42v
280	Mr R Winney	O	72.8v	71.6v	48.5v	49.4v	48.7v	48.3v	0.0v	72.6v	0.0v	48.3v	0.0v	456.42v
281	Mr DA Whalan	O	72.8v	72.3v	47.5v	50.7v	45.1v	49.5v	0.0v	74.9v	0.0v	47.4v	0.0v	456.42v
282	Miss RJA Argo	T	75.9v	72.7v	50.3v	48.4v	48.4v	49.6v	0.0v	70.6v	0.0v	44.3v	0.0v	456.42v
283	Mr BMA Stevens	X	73.8v	73.6v	49.7v	46.3v	48.3v	47.4v	0.0v	74.8v	0.0v	46.2v	0.0v	456.41v
284	Mr AD Hunter	X	72.5v	72.6v	47.5v	48.4v	50.8v	47.3v	0.0v	75.10v	0.0v	45.0v	0.0v	456.41v
285	Mr E McConnell	O	72.6v	71.4v	47.2v	49.5v	49.6v	45.2v	0.0v	75.12v	0.0v	48.3v	0.0v	456.40v
286	Mr G French	O	72.6v	74.3v	48.4v	49.6v	50.6v	43.3v	0.0v	74.9v	0.0v	46.3v	0.0v	456.40v
287	Capt G-M T Strachan-Heyes	O	70.3v	74.5v	47.5v	48.4v	48.4v	49.4v	0.0v	74.7v	0.0v	46.4v	0.0v	456.36v
288	Mr BA Young	A	73.11v	74.12v	49.3v	44.3v	49.6v	48.7v	0.0v	74.12v	0.0v	44.3v	0.0v	455.57v
289	Mr EBD Reis	A	73.8v	73.10v	50.6v	47.6v	49.8v	42.2v	0.0v	75.11v	0.0v	46.3v	0.0v	455.54v
290	Mr GW Robinson	A	71.8v	72.8v	48.3v	47.4v	49.7v	48.6v	0.0v	73.11v	0.0v	47.5v	0.0v	455.52v
291	Mr S Glen	X	74.7v	74.11v	49.7v	48.4v	50.6v	48.4v	0.0v	75.10v	0.0v	37.2v	0.0v	455.51v
292	Cdt MJ Lidgitt	O	72.6v	73.11v	46.4v	49.5v	50.8v	45.3v	0.0v	73.10v	0.0v	47.3v	0.0v	455.50v
293	Mr RL Mundy	O	69.8v	73.10v	48.6v	50.4v	49.6v	49.6v	0.0v	74.7v	0.0v	43.3v	0.0v	455.50v
294	Mr PJ Chapman-Sheath	O	71.8v	70.5v	50.3v	49.7v	49.7v	47.6v	0.0v	72.9v	0.0v	47.4v	0.0v	455.49v
295	Mr T Horrocks	O	74.9v	68.2v	50.7v	48.7v	49.4v	48.6v	0.0v	74.12v	0.0v	44.2v	0.0v	455.49v
296	Miss DE Andrews	O	73.9v	73.6v	48.5v	47.5v	45.4v	50.6v	0.0v	73.11v	0.0v	46.1v	0.0v	455.47v
297	Mr RW Shaw	A	73.6v	73.8v	47.3v	46.4v	50.6v	46.5v	0.0v	75.13v	0.0v	45.2v	0.0v	455.47v
298	Mr R Sandlant	X	73.7v	72.6v	49.4v	47.5v	48.6v	45.4v	0.0v	74.10v	0.0v	47.4v	0.0v	455.46v
299	Mr EI Cartwright	O	69.3v	74.9v	50.7v	46.5v	50.6v	46.2v	0.0v	75.10v	0.0v	45.2v	0.0v	455.44v
300	Mr JDI Hossack	O	71.5v	73.4v	49.7v	47.4v	49.7v	49.4v	0.0v	75.11v	0.0v	42.2v	0.0v	455.44v
301	Mrs MJ van Strien-Buitelaar	O	74.8v	70.5v	47.3v	49.4v	50.6v	48.5v	0.0v	73.9v	0.0v	44.3v	0.0v	455.43v
302	Mr WA Langley	A	71.6v	74.6v	47.4v	47.3v	48.4v	48.6v	0.0v	72.8v	0.0v	48.5v	0.0v	455.42v
303	Mr AT Pettigrew	O	71.6v	68.5v	50.5v	49.5v	49.3v	49.4v	0.0v	73.10v	0.0v	46.4v	0.0v	455.42v
304	Mr PD Griggs	X	74.11v	69.3v	48.4v	49.5v	49.6v	48.3v	0.0v	72.7v	0.0v	46.3v	0.0v	455.42v
305	Mr RAH Harwood	O	73.5v	73.6v	49.7v	46.1v	48.6v	48.4v	0.0v	73.7v	0.0v	45.5v	0.0v	455.41v
306	Miss S Cheslyn-Curtis	O	69.6v	74.9v	49.4v	45.3v	49.6v	48.5v	0.0v	73.6v	0.0v	48.1v	0.0v	455.40v
307	Mr JA Dallas	O	72.5v	72.9v	48.5v	48.4v	47.5v	49.5v	0.0v	73.5v	0.0v	46.2v	0.0v	455.40v
308	Mr DCW Lloyd	O	72.7v	74.5v	47.4v	47.5v	50.8v	48.4v	0.0v	73.7v	0.0v	44.0v	0.0v	455.40v
309	Mr N Maynard	O	74.8v	73.7v	48.3v	46.3v	49.6v	49.3v	0.0v	71.8v	0.0v	45.1v	0.0v	455.39v
310	Mr CR Hirst	O	72.5v	75.10v	47.5v	48.4v	48.5v	44.3v	0.0v	75.5v	0.0v	46.1v	0.0v	455.38v
311	CSjt D Taylor	O	73.5v	71.6v	47.2v	49.5v	49.5v	49.4v	0.0v	74.8v	0.0v	43.3v	0.0v	455.38v
312	Miss DS Hume	A	74.7v	74.11v	48.4v	47.6v	48.7v	46.4v	0.0v	74.13v	0.0v	43.2v	0.0v	454.54v
313	Mr SJ Bissonnette	X	71.6v	73.11v	41.1v	50.8v	49.6v	49.7v	0.0v	74.11v	0.0v	47.3v	0.0v	454.53v
314	Cdt JW Alexander	O	72.6v	74.8v	50.5v	47.6v	49.8v	47.6v	0.0v	74.10v	0.0v	41.4v	0.0v	454.53v
315	Mr P De Voil	A	74.9v	72.9v	48.6v	47.5v	49.6v	47.4v	0.0v	71.9v	0.0v	46.3v	0.0v	454.51v
316	Mr JA Borland	O	71.7v	73.10v	49.6v	47.4v	48.6v	47.5v	0.0v	75.10v	0.0v	44.3v	0.0v	454.51v
317	Cdt AW Dowle	T	72.5v	75.7v	50.8v	49.6v	49.8v	45.5v	0.0v	74.9v	0.0v	40.3v	0.0v	454.51v
318	Mr MD Joyce	A	73.6v	71.8v	49.7v	46.2v	50.7v	47.7v	0.0v	73.10v	0.0v	45.2v	0.0v	454.49v
319	Miss D O'Kelly	O	70.6v	69.6v	47.4v	48.5v	49.7v	49.3v	0.0v	74.12v	0.0v	48.5v	0.0v	454.48v
320	Miss C Choquette	T	70.5v	72.7v	50.5v	47.5v	47.5v	47.5v	0.0v	74.9v	0.0v	47.6v	0.0v	454.47v
321	Mr G Harris	A	74.5v	72.9v	49.8v	42.2v	50.7v	50.6v	0.0v	73.7v	0.0v	44.3v	0.0v	454.47v
322	Mr JIB Halahan	A	71.7v	73.8v	49.7v	45.1v	49.4v	45.4v	0.0v	74.10v	0.0v	48.5v	0.0v	454.46v
323	Mr DS Goodwin	O	72.8v	72.7v	46.1v	48.3v	50.8v	48.6v	0.0v	74.11v	0.0v	44.2v	0.0v	454.46v
324	Mr P Barber	O	69.7v	71.7v	48.7v	47.1v	46.2v	49.5v	0.0v	75.11v	0.0v	49.5v	0.0v	454.45v
325	Mr GW Morgan	O	67.6v	74.6v	48.5v	49.5v	50.6v	48.5v	0.0v	73.9v	0.0v	45.3v	0.0v	454.45v
326	Mr JI Jobson	O	71.8v	72.9v	49.6v	48.3v	49.5v	48.3v	0.0v	72.8v	0.0v	45.3v	0.0v	454.45v
327	Mr K Dauncey	T	72.7v	73.5v	49.5v	49.7v	47.5v	45.3v	0.0v	73.10v	0.0v	46.2v	0.0v	454.44v
328	Mr AP Smith	O	73.9v	70.6v	48.4v	48.4v	50.5v	48.5v	0.0v	72.6v	0.0v	45.4v	0.0v	454.43v
329	Mr PMJ Tooley	T	70.6v	73.5v	47.5v	48.4v	47.5v	47.6v	0.0v	74.11v	0.0v	48.0v	0.0v	454.42v
330	Mr ML Wilks	T	72.7v	73.10v	48.2v	48.5v	44.4v	49.3v	0.0v	73.6v	0.0v	47.4v	0.0v	454.41v
331	Miss RC Stevens	T	72.7v	73.10v	46.3v	47.3v	49.5v	48.2v	0.0v	72.7v	0.0v	47.4v	0.0v	454.41v
332	Mr PR Coley	A	71.5v	72.7v	48.3v	50.6v	48.4v	49.5v	0.0v	72.8v	0.0v	44.3v	0.0v	454.41v
333	Mr WJ Rowland	A	75.8v	75.9v	47.2v	47.5v	49.6v	44.1v	0.0v	72.7v	0.0v	45.2v	0.0v	454.40v
334	Mrs T Newbold	O	75.7v	71.6v	48.4v	46.1v	47.6v	48.5v	0.0v	75.8v	0.0v	44.3v	0.0v	454.40v
335	Mr HWR Gilbert	O	69.4v	71.5v	48.5v	50.7v	49.5v	48.3v	0.0v	72.7v	0.0v	47.2v	0.0v	454.38v
336	Mr TL Bedwell	O	71.6v	72.6v	49.2v	46.4v	48.5v	48.4v	0.0v	72.5v	0.0v	48.2v	0.0v	454.34v
337	E Legei	O	72.6v	74.8v	46.0v	47.2v	49.3v	45.1v	0.0v	72.5v	0.0v	49.6v	0.0v	454.31v
338	Mr AF Donald	O	74.5v	71.3v	47.5v	48.3v	48.4v	47.4v	0.0v	73.6v	0.0v	46.0v	0.0v	454.30v

339	Mr DH Allen	O	73.10v	71.11v	43.3v	50.6v	49.4v	47.5v	0.0v	73.7v	0.0v	47.6v	0.0v	453.52v
340	Mr BJ Page	A	73.11v	73.9v	47.4v	48.4v	49.6v	48.8v	0.0v	75.8v	0.0v	40.1v	0.0v	453.51v
341	Mr DW Baker	X	71.8v	70.5v	49.5v	44.2v	50.9v	46.4v	0.0v	75.11v	0.0v	48.6v	0.0v	453.50v
342	Mr DV Enslin	X	73.5v	71.9v	48.6v	48.4v	49.6v	48.6v	0.0v	72.9v	0.0v	44.4v	0.0v	453.49v
343	Mr CC Mallett Jnr	A	73.9v	74.8v	47.3v	49.7v	49.6v	47.4v	0.0v	74.10v	0.0v	40.1v	0.0v	453.48v
344	Prof MJ Guille	O	73.9v	72.9v	47.5v	50.6v	46.6v	47.6v	0.0v	72.4v	0.0v	46.2v	0.0v	453.47v
345	Mr AP Sykes	X	72.8v	73.7v	50.7v	47.3v	49.5v	48.5v	0.0v	71.10v	0.0v	43.2v	0.0v	453.47v
346	Mr RL Cuthbert	X	74.7v	72.10v	49.5v	46.2v	48.7v	46.3v	0.0v	75.11v	0.0v	43.2v	0.0v	453.47v
347	Mr MR Place	O	71.10v	71.5v	45.5v	49.3v	50.3v	48.7v	0.0v	72.7v	0.0v	47.5v	0.0v	453.45v
348	Mr I Francis	O	72.7v	71.7v	50.3v	50.6v	47.5v	49.5v	0.0v	75.11v	0.0v	39.1v	0.0v	453.45v
349	Mr SL Larter-Whitcher	O	72.8v	68.4v	47.4v	48.6v	48.6v	50.4v	0.0v	72.6v	0.0v	48.5v	0.0v	453.43v
350	Mr FA Ellis	X	70.5v	74.8v	49.5v	47.4v	50.9v	45.3v	0.0v	72.7v	0.0v	46.2v	0.0v	453.43v
351	Mr NC Granger	O	72.9v	73.7v	47.2v	46.1v	49.8v	43.2v	0.0v	74.8v	0.0v	49.5v	0.0v	453.42v
352	Mr MJ Brister	X	72.7v	73.7v	46.3v	49.3v	48.4v	44.3v	0.0v	75.10v	0.0v	46.5v	0.0v	453.42v
353	Mr CD Heales	A	73.11v	72.8v	46.3v	49.5v	48.4v	49.7v	0.0v	71.3v	0.0v	45.1v	0.0v	453.42v
354	Mr MG Reid	A	71.6v	71.7v	46.5v	48.4v	50.7v	47.2v	0.0v	72.7v	0.0v	48.3v	0.0v	453.41v
355	Mrs A Tracey	A	73.6v	75.9v	46.1v	48.7v	50.8v	44.0v	0.0v	72.8v	0.0v	45.2v	0.0v	453.41v
356	Mr IRM Brown	A	73.9v	72.6v	49.3v	47.4v	48.4v	46.4v	0.0v	75.10v	0.0v	43.1v	0.0v	453.41v
357	Mr BW Macdonald	O	72.7v	70.4v	50.5v	46.3v	49.7v	48.4v	0.0v	74.6v	0.0v	44.4v	0.0v	453.40v
358	Mr S Pearson	A	74.7v	72.6v	43.0v	50.6v	50.8v	43.3v	0.0v	73.7v	0.0v	48.2v	0.0v	453.39v
359	Mr MC Parker	O	74.10v	71.5v	47.3v	49.6v	48.4v	45.2v	0.0v	72.6v	0.0v	47.3v	0.0v	453.39v
360	Mr GJ Dyson	A	72.6v	72.6v	46.5v	49.5v	49.4v	47.3v	0.0v	69.6v	0.0v	49.2v	0.0v	453.37v
361	Mr JE White	A	74.5v	70.3v	47.3v	47.4v	47.5v	50.6v	0.0v	71.7v	0.0v	47.4v	0.0v	453.37v
362	Dr NP Tucker	O	69.5v	72.6v	48.3v	50.4v	49.5v	47.3v	0.0v	72.9v	0.0v	46.2v	0.0v	453.37v
363	Miss S Ponter	O	74.8v	72.5v	49.5v	47.3v	46.5v	49.2v	0.0v	70.5v	0.0v	46.3v	0.0v	453.36v
364	Mr JP Mackay	A	71.4v	72.3v	49.5v	48.5v	47.4v	48.4v	0.0v	74.7v	0.0v	44.3v	0.0v	453.35v
365	Mr MR Cosway	A	70.7v	71.6v	49.4v	48.3v	50.4v	47.2v	0.0v	74.8v	0.0v	44.1v	0.0v	453.35v
366	Wg Cdr CR Smith	A	70.5v	73.6v	47.5v	49.4v	47.1v	47.3v	0.0v	74.8v	0.0v	46.2v	0.0v	453.34v
367	Mr JA Haward	X	74.9v	74.6v	48.6v	48.5v	49.7v	48.6v	0.0v	71.9v	0.0v	40.2v	0.0v	452.50v
368	Mr ER Welford	A	68.6v	72.7v	47.5v	46.3v	50.9v	48.4v	0.0v	74.10v	0.0v	47.5v	0.0v	452.49v
369	Mr DE Nuthall	X	75.9v	72.6v	48.5v	45.4v	49.8v	47.3v	0.0v	74.10v	0.0v	42.4v	0.0v	452.49v
370	Miss MU Burger	O	70.6v	73.10v	50.6v	47.5v	48.6v	45.3v	0.0v	74.8v	0.0v	45.4v	0.0v	452.48v
371	Mr RW McVeigh	O	73.8v	73.8v	49.5v	50.8v	49.6v	44.4v	0.0v	73.8v	0.0v	41.1v	0.0v	452.48v
372	Mr NJ Branch	X	72.8v	73.6v	47.5v	49.4v	48.4v	48.5v	0.0v	71.10v	0.0v	44.3v	0.0v	452.45v
373	Mr DMC Dodds	X	74.6v	72.8v	48.5v	49.6v	50.6v	45.3v	0.0v	73.10v	0.0v	41.1v	0.0v	452.45v
374	Mr PJ Chance	X	71.7v	74.8v	49.7v	45.3v	48.6v	49.5v	0.0v	71.6v	0.0v	45.2v	0.0v	452.44v
375	Mrs MF Barry	O	71.6v	69.3v	49.6v	48.6v	46.2v	50.6v	0.0v	72.10v	0.0v	47.4v	0.0v	452.43v
376	Mr T Drysdale	O	73.9v	72.8v	45.3v	47.2v	47.3v	48.3v	0.0v	75.12v	0.0v	45.3v	0.0v	452.43v
377	Wg Cdr CJ Hockley	O	73.8v	73.5v	47.3v	42.0v	49.8v	48.3v	0.0v	75.12v	0.0v	45.3v	0.0v	452.42v
378	Mr DJ Stewart	O	72.10v	70.5v	46.4v	46.4v	47.2v	49.6v	0.0v	74.6v	0.0v	48.4v	0.0v	452.41v
379	Mr CDP Pocock	O	74.9v	74.8v	47.4v	48.2v	47.5v	45.4v	0.0v	73.7v	0.0v	44.2v	0.0v	452.41v
380	Mr AJD Saunders	O	73.7v	75.10v	47.2v	48.4v	47.5v	47.3v	0.0v	72.8v	0.0v	43.2v	0.0v	452.41v
381	Mr A Sladek	T	72.6v	73.8v	47.2v	49.6v	50.7v	46.4v	0.0v	73.6v	0.0v	42.2v	0.0v	452.41v
382	Mr TA Chapman	A	70.6v	72.8v	50.5v	47.3v	48.5v	45.4v	0.0v	73.5v	0.0v	47.4v	0.0v	452.40v
383	Mr M Liversage	O	75.8v	69.5v	46.3v	50.6v	49.3v	46.3v	0.0v	73.9v	0.0v	44.3v	0.0v	452.40v
384	Mr RJ Quay	A	73.7v	74.7v	49.4v	47.3v	48.6v	47.3v	0.0v	74.8v	0.0v	40.2v	0.0v	452.40v
385	Mr PG Thurtell	X	69.3v	72.7v	48.4v	48.5v	50.7v	48.2v	0.0v	74.9v	0.0v	43.2v	0.0v	452.39v
386	Major N Stebbings	O	73.5v	75.11v	42.3v	48.3v	48.2v	48.6v	0.0v	71.4v	0.0v	47.3v	0.0v	452.37v
387	Mrs JR Elcombe	O	68.3v	72.7v	46.2v	48.5v	47.3v	49.6v	0.0v	73.7v	0.0v	49.3v	0.0v	452.36v
388	Cdt WBP Hutton	O	71.7v	70.6v	45.3v	47.3v	49.4v	49.3v	0.0v	74.8v	0.0v	47.2v	0.0v	452.36v
389	Mr MJ Creber	X	70.3v	74.10v	49.5v	45.3v	47.2v	48.2v	0.0v	73.7v	0.0v	46.4v	0.0v	452.36v
390	Pte KTS Burden	O	72.3v	70.7v	49.3v	49.5v	50.3v	49.6v	0.0v	70.3v	0.0v	43.0v	0.0v	452.30v
391	Miss DL Fenn	X	70.8v	74.9v	48.7v	44.5v	49.7v	49.6v	0.0v	74.10v	0.0v	43.2v	0.0v	451.54v
392	Cdt CA Staples	O	73.7v	74.10v	50.7v	39.2v	49.7v	46.5v	0.0v	75.10v	0.0v	45.4v	0.0v	451.52v
393	Mr NJB Blunsom	T	73.8v	71.5v	47.6v	48.5v	49.6v	47.7v	0.0v	73.9v	0.0v	43.2v	0.0v	451.48v
394	Mr TAD Lilley	A	73.7v	74.8v	46.5v	43.0v	49.8v	43.3v	0.0v	75.12v	0.0v	48.4v	0.0v	451.47v
395	Mr L Chisholm	T	74.10v	71.6v	45.2v	45.2v	48.5v	46.1v	0.0v	74.14v	0.0v	48.6v	0.0v	451.46v
396	Mr RHG Riley	O	72.11v	72.7v	47.5v	47.3v	47.5v	48.5v	0.0v	72.8v	0.0v	46.2v	0.0v	451.46v
397	Lt JW Jenkins	X	71.8v	73.7v	48.5v	50.7v	47.6v	47.4v	0.0v	70.6v	0.0v	45.3v	0.0v	451.46v
398	Mr CC Chevrier	T	74.7v	69.3v	48.4v	49.7v	50.8v	44.3v	0.0v	71.9v	0.0v	46.4v	0.0v	451.45v
399	Dr IT Matsumoto	O	74.7v	69.4v	47.4v	49.4v	48.6v	43.2v	0.0v	75.15v	0.0v	46.3v	0.0v	451.45v
400	Mr MJLA Landreville	T	72.7v	68.5v	45.6v	48.7v	48.1v	48.5v	0.0v	73.7v	0.0v	49.6v	0.0v	451.44v
401	Mr MSE Firman	A	74.7v	71.5v	48.3v	46.3v	48.5v	48.8v	0.0v	73.10v	0.0v	43.3v	0.0v	451.44v
402	Mr RI Coventry	O	72.6v	71.7v	49.7v	47.4v	50.6v	47.3v	0.0v	73.9v	0.0v	42.2v	0.0v	451.44v
403	Mr PR Thompson	A	69.5v	73.7v	45.2v	48.5v	50.8v	49.6v	0.0v	73.7v	0.0v	44.3v	0.0v	451.43v
404	Mr DS Murray	X	70.8v	73.9v	49.5v	49.5v	50.5v	48.5v	0.0v	72.6v	0.0v	40.0v	0.0v	451.43v
405	Mr CA White	A	71.7v	73.10v	47.4v	48.6v	48.3v	49.2v	0.0v	73.8v	0.0v	42.2v	0.0v	451.42v
406	Miss SIM Anderson	O	73.10v	71.7v	46.3v	48.3v	48.3v	46.4v	0.0v	73.8v	0.0v	46.3v	0.0v	451.41v
407	Mr C Herter	X	72.9v	73.4v	48.3v	47.6v	49.4v	45.4v	0.0v	73.8v	0.0v	44.3v	0.0v	451.41v
408	Cdt JWB Ball	T	74.8v	73.6v	45.2v	47.5v	47.5v	48.4v	0.0v	74.10v	0.0v	43.1v	0.0v	451.41v
409	Mr KG Firth	O	69.4v	69.4v	45.3v	50.7v	49.6v	47.4v	0.0v	75.7v	0.0v	47.5v	0.0v	451.40v

410	Mr RH Gardiner	O	73.7v	69.4v	50.6v	48.6v	48.5v	47.3v	0.0v	69.4v	0.0v	47.5v	0.0v	451.40v
411	Mr JA Lindsay III	A	73.3v	68.5v	45.4v	49.5v	49.8v	46.4v	0.0v	73.9v	0.0v	48.1v	0.0v	451.39v
412	Mr PJS Bysshe	A	70.3v	72.3v	48.4v	47.5v	50.8v	48.5v	0.0v	71.7v	0.0v	45.4v	0.0v	451.39v
413	Cdt Sgt HW Orpen-Smellie	O	70.7v	72.8v	49.3v	44.1v	50.7v	46.2v	0.0v	73.7v	0.0v	47.3v	0.0v	451.38v
414	Mr J Howard Davies	O	70.5v	72.5v	49.7v	48.5v	43.1v	49.4v	0.0v	73.10v	0.0v	47.1v	0.0v	451.38v
415	Mr DR Cadden	X	74.6v	70.5v	50.6v	48.6v	49.6v	47.2v	0.0v	72.6v	0.0v	41.1v	0.0v	451.38v
416	Wg Cdr MJ Gregory	A	73.8v	73.7v	49.4v	46.4v	47.4v	43.2v	0.0v	74.7v	0.0v	46.1v	0.0v	451.37v
417	Mr JF Lawrie	O	73.9v	73.6v	49.5v	46.3v	48.1v	45.3v	0.0v	73.6v	0.0v	44.4v	0.0v	451.37v
418	Mr JMF Ford	A	70.3v	74.8v	49.5v	49.3v	48.4v	43.0v	0.0v	74.11v	0.0v	44.3v	0.0v	451.37v
419	Mr ME Barr	O	71.4v	73.8v	49.4v	50.5v	46.3v	49.5v	0.0v	70.6v	0.0v	43.2v	0.0v	451.37v
420	Mr RG Faulkner	A	71.3v	72.6v	45.2v	50.5v	47.6v	44.2v	0.0v	75.7v	0.0v	47.5v	0.0v	451.36v
421	Mstr SJ Jauncey	T	72.3v	71.9v	50.3v	47.4v	48.5v	47.3v	0.0v	72.8v	0.0v	44.0v	0.0v	451.35v
422	Cdt CW Boag	T	72.4v	73.9v	49.4v	47.2v	47.4v	48.5v	0.0v	73.4v	0.0v	42.2v	0.0v	451.34v
423	Cdt MC Evans	T	71.4v	72.5v	46.4v	48.3v	45.2v	47.2v	0.0v	74.8v	0.0v	48.5v	0.0v	451.33v
424	Mr DQM Harvey	O	72.5v	71.6v	48.4v	47.4v	49.5v	44.2v	0.0v	73.6v	0.0v	47.1v	0.0v	451.33v
425	Mr J Dunn	X	72.7v	69.3v	49.5v	46.1v	46.3v	48.5v	0.0v	74.6v	0.0v	47.1v	0.0v	451.31v
426	Mr PM Lanigan	X	68.6v	74.11v	49.6v	44.4v	49.7v	49.6v	0.0v	74.10v	0.0v	43.3v	0.0v	450.53v
427	Major AR McLeod	X	69.7v	73.8v	46.3v	49.4v	50.6v	44.4v	0.0v	74.13v	0.0v	45.3v	0.0v	450.48v
428	Mr CA Skellett	O	71.7v	73.10v	50.7v	42.3v	50.7v	46.3v	0.0v	73.6v	0.0v	45.4v	0.0v	450.47v
429	Mr P Waldron	O	70.7v	74.10v	48.5v	49.7v	46.4v	45.2v	0.0v	70.6v	0.0v	48.4v	0.0v	450.45v
430	Mr RB Morgan	O	73.10v	73.8v	49.4v	44.8v	49.6v	47.4v	0.0v	72.4v	0.0v	43.1v	0.0v	450.45v
431	Miss GC O'Leary	X	71.7v	71.8v	47.5v	50.6v	50.6v	46.5v	0.0v	73.5v	0.0v	42.3v	0.0v	450.45v
432	Mr A Chown	A	75.9v	71.5v	47.5v	48.5v	47.4v	45.3v	0.0v	75.10v	0.0v	42.2v	0.0v	450.43v
433	Mr TW Hunter	X	71.6v	74.7v	47.3v	45.4v	49.8v	46.4v	0.0v	74.9v	0.0v	44.1v	0.0v	450.42v
434	Mr G Boehme	X	72.5v	71.9v	49.5v	47.2v	48.7v	47.5v	0.0v	73.8v	0.0v	43.1v	0.0v	450.42v
435	Miss JF Hossack	O	71.4v	72.8v	48.6v	47.5v	49.2v	48.4v	0.0v	73.12v	0.0v	42.1v	0.0v	450.42v
436	Mr JWE Lothian	X	70.6v	72.4v	49.7v	46.4v	48.5v	46.2v	0.0v	74.10v	0.0v	45.3v	0.0v	450.41v
437	Mr AGH Van Koetsveld	X	71.5v	70.7v	48.4v	46.4v	49.7v	46.2v	0.0v	74.8v	0.0v	46.3v	0.0v	450.40v
438	Mr OC Collas	X	74.6v	72.6v	50.9v	46.6v	48.3v	45.4v	0.0v	70.4v	0.0v	45.2v	0.0v	450.40v
439	Cdt TS Smith	O	68.5v	70.3v	47.3v	48.5v	47.4v	50.4v	0.0v	73.9v	0.0v	47.5v	0.0v	450.38v
440	Mr CP Goad	O	69.5v	69.4v	48.2v	50.7v	48.5v	46.2v	0.0v	71.8v	0.0v	49.4v	0.0v	450.37v
441	Mr MT Dodd	O	70.3v	71.7v	47.1v	49.6v	49.6v	46.3v	0.0v	71.6v	0.0v	47.4v	0.0v	450.36v
442	Mr AJ Mayers	O	72.3v	72.5v	46.4v	48.6v	47.3v	47.5v	0.0v	74.9v	0.0v	44.1v	0.0v	450.36v
443	Mr JR Stirland	O	73.7v	72.5v	44.3v	49.3v	50.6v	46.3v	0.0v	74.8v	0.0v	42.1v	0.0v	450.36v
444	Mr JRJ Kennedy	O	70.4v	70.6v	48.2v	48.4v	49.6v	48.4v	0.0v	74.7v	0.0v	43.2v	0.0v	450.35v
445	Dr GP Nelson	A	67.10v	72.10v	47.6v	48.4v	47.7v	48.4v	0.0v	73.7v	0.0v	47.5v	0.0v	449.53v
446	S Williams	O	72.5v	73.12v	46.5v	45.4v	50.9v	48.4v	0.0v	72.7v	0.0v	43.2v	0.0v	449.48v
447	Mr MR Ebbetts	O	72.8v	72.8v	49.6v	44.3v	48.6v	46.4v	0.0v	72.8v	0.0v	46.3v	0.0v	449.46v
448	Mr H Sanders	A	68.7v	71.7v	44.3v	48.5v	48.7v	46.0v	0.0v	75.12v	0.0v	49.4v	0.0v	449.45v
449	Mr RJR Mott	A	69.7v	71.3v	50.6v	45.3v	48.5v	47.5v	0.0v	74.12v	0.0v	45.4v	0.0v	449.45v
450	Miss A Durrant	T	68.5v	73.9v	46.2v	45.3v	50.8v	49.5v	0.0v	73.9v	0.0v	45.4v	0.0v	449.45v
451	Mr MAJ Barber	O	73.4v	72.8v	50.7v	46.5v	48.4v	43.5v	0.0v	73.9v	0.0v	44.3v	0.0v	449.45v
452	Mr EM Brice	O	72.9v	70.6v	49.6v	49.7v	49.6v	46.3v	0.0v	71.5v	0.0v	43.3v	0.0v	449.45v
453	Mr JA Garnett	A	74.6v	74.11v	47.6v	47.4v	49.6v	44.3v	0.0v	73.8v	0.0v	41.0v	0.0v	449.44v
454	Mr AF Downer	O	72.7v	70.7v	48.6v	49.3v	48.5v	47.5v	0.0v	75.10v	0.0v	40.1v	0.0v	449.44v
455	Mr DJ Tracey	A	73.9v	71.7v	46.5v	48.4v	49.7v	46.2v	0.0v	70.6v	0.0v	46.3v	0.0v	449.43v
456	Mr RL Eayrs	O	69.6v	75.6v	47.5v	47.7v	48.6v	45.3v	0.0v	73.8v	0.0v	45.1v	0.0v	449.42v
457	Major AG McLean	X	71.9v	74.6v	46.4v	47.4v	49.6v	44.2v	0.0v	74.10v	0.0v	44.1v	0.0v	449.42v
458	Mr CJ Sherratt	O	72.5v	71.6v	49.4v	50.7v	46.5v	45.3v	0.0v	73.9v	0.0v	43.2v	0.0v	449.41v
459	S Letoya	O	72.4v	71.7v	47.6v	48.6v	48.5v	49.5v	0.0v	70.5v	0.0v	44.2v	0.0v	449.40v
460	Cdt O Ahmed	O	68.6v	74.11v	50.4v	48.3v	50.2v	48.4v	0.0v	73.9v	0.0v	38.1v	0.0v	449.40v
461	Mr MD Jenvey	O	71.5v	71.8v	46.4v	49.4v	48.4v	45.2v	0.0v	71.9v	0.0v	48.3v	0.0v	449.39v
462	Mr ML Cotillard	O	72.6v	70.4v	48.7v	43.3v	50.5v	46.2v	0.0v	74.7v	0.0v	46.4v	0.0v	449.38v
463	SD Spinney	X	73.8v	71.4v	47.2v	45.1v	48.4v	47.5v	0.0v	73.10v	0.0v	45.3v	0.0v	449.37v
464	Lt Col CST Lehmann	A	73.5v	75.9v	48.6v	47.4v	46.4v	46.2v	0.0v	72.5v	0.0v	42.2v	0.0v	449.37v
465	Cdt DSC Chadwick	T	71.6v	67.3v	49.3v	49.5v	48.6v	50.5v	0.0v	67.7v	0.0v	48.1v	0.0v	449.36v
466	Dr MJ Schwarz	O	73.8v	70.6v	45.2v	48.5v	48.4v	47.2v	0.0v	71.6v	0.0v	47.2v	0.0v	449.35v
467	Mr JFJ Bryson	O	71.7v	72.7v	48.4v	45.3v	48.5v	49.4v	0.0v	73.5v	0.0v	43.0v	0.0v	449.35v
468	M. P Ginestet	O	72.5v	70.7v	44.1v	47.4v	49.3v	47.3v	0.0v	74.8v	0.0v	46.2v	0.0v	449.33v
469	Mr RJ Cade	A	65.3v	74.6v	45.2v	49.2v	48.4v	48.4v	0.0v	74.9v	0.0v	46.2v	0.0v	449.32v
470	Mr J Pyne	O	73.10v	73.9v	44.4v	46.4v	49.8v	45.3v	0.0v	74.10v	0.0v	44.1v	0.0v	448.49v
471	Cdt SAJ Dowley	T	73.8v	71.8v	46.5v	48.3v	47.6v	47.5v	0.0v	74.9v	0.0v	42.4v	0.0v	448.48v
472	Mr ARN Kinross	A	73.9v	70.3v	49.7v	50.6v	49.9v	44.3v	0.0v	67.5v	0.0v	46.3v	0.0v	448.45v
473	Mr A Alvey	O	70.5v	74.8v	46.2v	47.7v	48.6v	48.4v	0.0v	74.10v	0.0v	41.1v	0.0v	448.43v
474	Mr RG Scott	A	70.2v	73.11v	47.6v	46.4v	50.5v	46.4v	0.0v	73.10v	0.0v	43.0v	0.0v	448.42v
475	Mr CN McEachran	O	73.5v	71.6v	48.4v	44.3v	49.5v	46.4v	0.0v	72.9v	0.0v	45.3v	0.0v	448.39v
476	Mr RJ Ashton	X	74.11v	73.9v	45.2v	45.0v	48.4v	45.3v	0.0v	74.6v	0.0v	44.4v	0.0v	448.39v
477	Mrs JC Scott Langley	O	74.8v	70.5v	49.3v	45.2v	48.6v	45.2v	0.0v	75.13v	0.0v	42.0v	0.0v	448.39v
478	Mr CL Leighton	O	71.8v	68.3v	47.2v	49.7v	49.5v	48.2v	0.0v	75.10v	0.0v	41.2v	0.0v	448.39v
479	Mr KG Ellett	O	71.4v	72.6v	48.5v	47.4v	48.5v	47.4v	0.0v	73.10v	0.0v	42.0v	0.0v	448.38v
480	Miss HA Pugsley	O	72.5v	73.9v	47.3v	47.2v	49.3v	46.4v	0.0v	72.10v	0.0v	42.1v	0.0v	448.37v

481	Mr AJ Horton	O	71.4v	68.4v	47.4v	47.4v	48.5v	44.3v	0.0v	74.8v	0.0v	49.4v	0.0v	448.36v
482	Mr B Hirst	O	69.8v	71.6v	49.6v	47.2v	48.3v	46.3v	0.0v	70.6v	0.0v	48.2v	0.0v	448.36v
483	Cdt FE Purdy	T	71.7v	71.3v	47.2v	48.5v	45.1v	48.3v	0.0v	74.12v	0.0v	44.3v	0.0v	448.36v
484	Mr G Trembath	A	70.5v	72.5v	49.7v	50.3v	45.3v	46.3v	0.0v	73.9v	0.0v	43.1v	0.0v	448.36v
485	Mr TR Webster	A	71.5v	73.8v	46.2v	48.2v	46.4v	43.5v	0.0v	72.7v	0.0v	49.2v	0.0v	448.35v
486	P Munene	O	69.6v	70.5v	49.3v	48.5v	50.6v	42.2v	0.0v	73.7v	0.0v	47.1v	0.0v	448.35v
487	Mr DGF Evans	O	73.4v	71.7v	48.6v	48.4v	46.3v	47.2v	0.0v	72.8v	0.0v	43.1v	0.0v	448.35v
488	Cdr MF Jordan	X	70.6v	69.3v	49.2v	47.3v	50.4v	45.4v	0.0v	71.5v	0.0v	47.3v	0.0v	448.30v
489	Mr DJ Archer	A	67.5v	72.6v	48.6v	49.7v	48.7v	46.3v	0.0v	72.11v	0.0v	45.4v	0.0v	447.49v
490	Mr MRM Millar	O	72.6v	72.8v	48.6v	42.3v	49.5v	45.5v	0.0v	72.8v	0.0v	47.4v	0.0v	447.45v
491	Cdt RL Johnson	O	72.7v	72.10v	48.4v	45.3v	48.8v	45.4v	0.0v	73.6v	0.0v	44.2v	0.0v	447.44v
492	Mr M Stewart	O	71.9v	71.2v	49.6v	47.4v	50.8v	48.5v	0.0v	75.9v	0.0v	36.1v	0.0v	447.44v
493	Mr DW Gardiner	O	72.6v	75.8v	49.5v	47.5v	50.7v	49.5v	0.0v	75.7v	0.0v	30.1v	0.0v	447.44v
494	Mr R Knapstein	X	67.5v	74.8v	44.4v	48.5v	48.5v	48.1v	0.0v	74.11v	0.0v	44.4v	0.0v	447.43v
495	Cdt ERT Torrance	T	73.4v	71.8v	49.5v	47.6v	48.6v	43.3v	0.0v	75.10v	0.0v	41.1v	0.0v	447.43v
496	Mr D Hanson	O	70.4v	72.8v	48.3v	44.5v	49.8v	46.1v	0.0v	73.9v	0.0v	45.4v	0.0v	447.42v
497	Mr AJCB de Launay	A	73.8v	71.6v	46.5v	47.5v	48.6v	44.2v	0.0v	74.8v	0.0v	44.2v	0.0v	447.42v
498	Mr BA Boyle	T	71.6v	70.6v	49.5v	48.5v	46.4v	46.5v	0.0v	74.10v	0.0v	43.1v	0.0v	447.42v
499	Mr A Wilson	O	71.6v	71.5v	46.3v	49.7v	46.5v	47.5v	0.0v	72.6v	0.0v	45.4v	0.0v	447.41v
500	Mr D Davies	X	72.8v	71.4v	45.3v	45.3v	49.7v	46.5v	0.0v	72.7v	0.0v	47.3v	0.0v	447.40v
501	Mr HCG Ives	O	71.10v	69.6v	48.5v	48.5v	47.4v	47.2v	0.0v	70.7v	0.0v	47.1v	0.0v	447.40v
502	Miss SL Hayes	O	75.12v	70.6v	48.5v	49.5v	47.4v	44.2v	0.0v	71.5v	0.0v	43.1v	0.0v	447.40v
503	Lt CP Judge	T	71.5v	72.3v	43.4v	46.4v	49.8v	44.1v	0.0v	74.9v	0.0v	48.5v	0.0v	447.39v
504	Miss LMA Bogie	A	68.4v	74.5v	48.5v	47.4v	47.4v	47.5v	0.0v	72.9v	0.0v	44.3v	0.0v	447.39v
505	Mr KRN Nelson	O	71.5v	72.6v	45.2v	47.2v	48.7v	46.1v	0.0v	74.12v	0.0v	44.3v	0.0v	447.38v
506	Miss GJFO Ogden	A	71.4v	72.9v	48.5v	46.3v	48.4v	47.4v	0.0v	72.7v	0.0v	43.2v	0.0v	447.38v
507	Mr RF Burden	O	73.7v	72.7v	48.3v	47.5v	48.6v	47.2v	0.0v	70.7v	0.0v	42.1v	0.0v	447.38v
508	Mr MP Watkins	O	69.4v	73.7v	45.3v	47.2v	45.2v	48.6v	0.0v	74.11v	0.0v	46.2v	0.0v	447.37v
509	Dr BJ Winney	O	69.6v	73.4v	44.2v	46.4v	49.6v	49.4v	0.0v	74.7v	0.0v	43.2v	0.0v	447.35v
510	SL Otundo	O	68.4v	73.5v	47.6v	48.3v	46.4v	46.2v	0.0v	72.5v	0.0v	47.1v	0.0v	447.30v
511	Mr WRD Mott	O	72.6v	71.6v	45.1v	49.4v	46.1v	48.5v	0.0v	71.5v	0.0v	45.1v	0.0v	447.29v
512	Mr AJ Haggerty	O	70.4v	71.8v	48.2v	49.7v	47.2v	43.0v	0.0v	70.2v	0.0v	49.3v	0.0v	447.28v
513	Mr RA Mullin	A	68.10v	70.10v	49.4v	45.1v	46.5v	49.7v	0.0v	75.7v	0.0v	44.2v	0.0v	446.46v
514	Mr JF Jackman	O	70.6v	71.8v	46.1v	44.5v	50.8v	48.4v	0.0v	74.10v	0.0v	43.2v	0.0v	446.44v
515	Mr WHC Alexander	A	67.4v	72.9v	48.6v	47.4v	48.4v	50.6v	0.0v	73.9v	0.0v	41.1v	0.0v	446.43v
516	D Kirui	O	71.6v	75.6v	47.4v	48.3v	49.7v	44.4v	0.0v	72.8v	0.0v	40.0v	0.0v	446.38v
517	Mr Al Brown	A	69.5v	72.6v	48.6v	45.5v	49.4v	46.3v	0.0v	72.5v	0.0v	45.3v	0.0v	446.37v
518	Mr MTM Macleod	X	71.4v	71.8v	46.5v	47.2v	48.3v	47.3v	0.0v	72.9v	0.0v	44.3v	0.0v	446.37v
519	Mr DJ Dick	T	69.4v	74.8v	46.5v	46.4v	46.2v	46.2v	0.0v	74.8v	0.0v	45.3v	0.0v	446.36v
520	Mr WP Hanley	O	69.5v	70.5v	48.2v	48.3v	49.6v	47.3v	0.0v	74.10v	0.0v	41.2v	0.0v	446.36v
521	Miss CJ Dee	O	71.5v	73.7v	46.3v	43.2v	49.4v	45.4v	0.0v	72.6v	0.0v	47.4v	0.0v	446.35v
522	Mr DJ Painting	A	72.5v	72.8v	47.2v	48.5v	46.4v	46.3v	0.0v	70.6v	0.0v	45.2v	0.0v	446.35v
523	Cdt LA Sutton	T	70.2v	72.9v	44.0v	48.4v	49.5v	45.5v	0.0v	73.8v	0.0v	45.2v	0.0v	446.35v
524	Mr RJ Shehan	X	73.5v	74.8v	47.3v	47.3v	45.5v	46.2v	0.0v	70.6v	0.0v	44.3v	0.0v	446.35v
525	Mr IDC Brechin	O	72.5v	72.6v	48.6v	48.5v	44.2v	43.1v	0.0v	73.5v	0.0v	46.4v	0.0v	446.34v
526	Mr R Modenbach	X	69.2v	74.11v	47.6v	44.1v	50.5v	50.6v	0.0v	68.2v	0.0v	44.1v	0.0v	446.34v
527	Mrs RMS Merridew	O	72.5v	72.6v	47.3v	45.3v	48.3v	47.4v	0.0v	73.8v	0.0v	42.2v	0.0v	446.34v
528	Mr GH Porter	O	71.7v	74.6v	47.2v	44.2v	48.5v	47.3v	0.0v	70.5v	0.0v	45.3v	0.0v	446.33v
529	Mr JJ Jalili	T	70.5v	73.9v	49.4v	45.2v	49.5v	45.3v	0.0v	71.4v	0.0v	44.1v	0.0v	446.33v
530	Mr JA Marshall	A	68.2v	71.2v	50.7v	47.4v	46.4v	45.3v	0.0v	71.7v	0.0v	48.3v	0.0v	446.32v
531	Mr LW Belton	T	70.6v	71.5v	49.6v	45.2v	48.2v	44.1v	0.0v	71.4v	0.0v	48.3v	0.0v	446.29v
532	Mr ADJ Stewart	O	72.8v	70.6v	48.7v	47.6v	48.5v	46.4v	0.0v	71.10v	0.0v	43.2v	0.0v	445.48v
533	Mr CW Slator	X	65.8v	75.8v	43.3v	48.3v	49.7v	48.6v	0.0v	73.7v	0.0v	44.5v	0.0v	445.47v
534	Mr MW Silver	X	71.6v	70.6v	46.3v	47.4v	50.10v	45.3v	0.0v	73.12v	0.0v	43.2v	0.0v	445.46v
535	Mr K Hardyman	O	68.5v	71.5v	47.3v	46.4v	49.6v	45.3v	0.0v	72.10v	0.0v	47.6v	0.0v	445.42v
536	Mr A Thomson	A	67.7v	71.8v	48.4v	44.4v	49.3v	47.5v	0.0v	72.8v	0.0v	47.3v	0.0v	445.42v
537	Mr JD Dugal	T	64.3v	75.9v	50.4v	44.1v	48.8v	46.5v	0.0v	72.7v	0.0v	46.4v	0.0v	445.41v
538	Rozli Mohamad	X	71.9v	64.4v	47.3v	46.3v	48.8v	49.4v	0.0v	74.8v	0.0v	46.2v	0.0v	445.41v
539	Mr DF Williams	O	70.6v	70.6v	48.5v	40.1v	50.8v	49.5v	0.0v	71.5v	0.0v	47.4v	0.0v	445.40v
540	Mr SG Hunter	O	70.5v	72.8v	48.6v	46.3v	47.5v	44.2v	0.0v	73.7v	0.0v	45.4v	0.0v	445.40v
541	Dr NG Jeffs	O	72.7v	67.4v	49.3v	49.4v	48.4v	44.5v	0.0v	69.6v	0.0v	47.6v	0.0v	445.39v
542	Mr TH Emck	O	73.4v	72.7v	48.5v	48.5v	49.6v	46.2v	0.0v	72.8v	0.0v	37.2v	0.0v	445.39v
543	Ms BM Moore	O	72.7v	68.4v	47.2v	48.5v	50.5v	47.2v	0.0v	75.11v	0.0v	38.2v	0.0v	445.38v
544	Dr N Hart	O	70.7v	68.5v	45.1v	48.6v	46.2v	46.3v	0.0v	73.7v	0.0v	49.6v	0.0v	445.37v
545	Mr B Lottritz	X	70.7v	71.7v	48.4v	46.5v	44.3v	47.1v	0.0v	71.7v	0.0v	48.3v	0.0v	445.37v
546	Mr RW Smith	T	71.7v	71.3v	47.6v	46.2v	50.8v	44.3v	0.0v	69.7v	0.0v	47.1v	0.0v	445.37v
547	Mr S Mortimer	O	71.7v	71.5v	49.3v	43.2v	47.4v	44.2v	0.0v	74.10v	0.0v	46.4v	0.0v	445.37v
548	Mr JS Chapman	O	71.7v	68.7v	49.4v	48.5v	46.1v	48.4v	0.0v	72.6v	0.0v	43.2v	0.0v	445.36v
549	Mrs SG Sirett	O	71.6v	70.7v	47.5v	49.4v	49.8v	44.2v	0.0v	72.4v	0.0v	43.0v	0.0v	445.36v
550	Mr BR Ebbetts	O	71.8v	69.5v	48.1v	50.6v	42.1v	46.1v	0.0v	71.6v	0.0v	48.5v	0.0v	445.33v
551	Mr J Balson	T	70.4v	70.3v	49.5v	46.2v	48.4v	45.2v	0.0v	75.12v	0.0v	42.1v	0.0v	445.33v

552	S Ndambuki	O	73.5v	74.5v	46.4v	45.2v	47.5v	45.1v	0.0v	69.6v	0.0v	46.3v	0.0v	445.31v
553	Mrs LJ Brister	A	70.6v	71.4v	48.3v	46.4v	46.3v	48.7v	0.0v	71.3v	0.0v	45.1v	0.0v	445.31v
554	Mr ES Maclean	T	72.6v	71.5v	47.4v	49.3v	48.5v	45.1v	0.0v	72.6v	0.0v	41.1v	0.0v	445.31v
555	Mr SWH Huish	T	73.9v	71.1v	47.1v	48.3v	48.6v	46.4v	0.0v	72.5v	0.0v	40.1v	0.0v	445.30v
556	Mr RW Needham	O	72.5v	71.4v	47.4v	47.3v	47.4v	46.2v	0.0v	71.4v	0.0v	44.2v	0.0v	445.28v
557	Mr TEO Richards	O	71.8v	70.7v	48.6v	47.4v	49.5v	47.3v	0.0v	71.9v	0.0v	41.4v	0.0v	444.46v
558	Mr S Wiktorowski	O	74.6v	69.6v	47.5v	42.4v	49.7v	47.3v	0.0v	73.8v	0.0v	44.2v	0.0v	444.42v
559	Mr J Gould	O	73.8v	65.3v	48.7v	49.6v	47.5v	45.4v	0.0v	74.8v	0.0v	43.1v	0.0v	444.42v
560	Mr RJS Scoones	X	74.5v	69.4v	49.5v	38.4v	50.8v	47.6v	0.0v	70.4v	0.0v	47.5v	0.0v	444.41v
561	Mr JG Bennett	X	69.4v	71.6v	48.4v	49.6v	47.4v	44.6v	0.0v	73.8v	0.0v	43.3v	0.0v	444.41v
562	Mr RL Sampson	A	73.9v	70.8v	47.3v	48.5v	48.5v	44.2v	0.0v	71.7v	0.0v	43.2v	0.0v	444.41v
563	Mr B Humphreys	O	68.3v	71.7v	48.5v	46.3v	46.5v	44.3v	0.0v	73.10v	0.0v	48.4v	0.0v	444.40v
564	Cdt LCpl GM Irish	T	71.8v	69.6v	46.3v	48.5v	48.7v	44.1v	0.0v	74.10v	0.0v	44.0v	0.0v	444.40v
565	Mr ID Macdonald	O	67.7v	73.8v	48.4v	42.2v	47.5v	46.3v	0.0v	73.7v	0.0v	48.3v	0.0v	444.39v
566	Mr J Purdy	O	72.10v	71.6v	50.5v	40.2v	48.5v	47.2v	0.0v	70.4v	0.0v	46.5v	0.0v	444.39v
567	Mr AM Norman	T	71.6v	72.8v	47.6v	48.4v	45.3v	48.4v	0.0v	70.4v	0.0v	43.2v	0.0v	444.37v
568	Mr DEF Fields	O	71.5v	70.6v	48.4v	47.3v	48.5v	47.4v	0.0v	71.7v	0.0v	42.3v	0.0v	444.37v
569	Mr DF Nesbitt	O	70.6v	70.5v	48.6v	47.3v	48.5v	47.3v	0.0v	74.9v	0.0v	40.0v	0.0v	444.37v
570	Mr KJ Aldridge	O	70.5v	73.6v	45.2v	46.4v	47.3v	46.5v	0.0v	72.7v	0.0v	45.4v	0.0v	444.36v
571	Cdt AGP Poulter	O	71.8v	68.5v	48.3v	43.4v	47.4v	49.3v	0.0v	72.8v	0.0v	46.0v	0.0v	444.35v
572	Mr JBC Corr	O	72.9v	73.9v	44.2v	45.3v	47.3v	47.4v	0.0v	72.4v	0.0v	44.1v	0.0v	444.35v
573	Mr MA Atyeo	T	73.7v	68.5v	48.3v	49.4v	49.5v	45.1v	0.0v	72.8v	0.0v	40.2v	0.0v	444.35v
574	Mr J Tuffen	O	72.7v	69.5v	48.5v	46.3v	48.2v	49.5v	0.0v	72.8v	0.0v	40.0v	0.0v	444.35v
575	Mr P Lusted	O	67.2v	72.5v	50.8v	48.4v	46.3v	45.3v	0.0v	69.4v	0.0v	47.4v	0.0v	444.33v
576	N Batai	O	71.4v	71.4v	48.4v	48.2v	48.3v	39.2v	0.0v	72.8v	0.0v	47.5v	0.0v	444.32v
577	D Kiprotich	O	68.2v	72.4v	49.2v	49.6v	47.5v	46.3v	0.0v	71.5v	0.0v	42.4v	0.0v	444.31v
578	Capt D Morris	O	69.4v	70.6v	49.4v	48.1v	50.5v	45.2v	0.0v	71.7v	0.0v	42.1v	0.0v	444.30v
579	Mr DN Lindsay	O	73.5v	70.4v	49.8v	49.5v	45.1v	47.1v	0.0v	71.6v	0.0v	40.0v	0.0v	444.30v
580	Mr RA Welford	O	72.8v	69.5v	46.3v	46.4v	49.7v	45.4v	0.0v	73.8v	0.0v	43.5v	0.0v	443.44v
581	Mr D de Vere	O	70.6v	72.7v	45.4v	43.3v	49.7v	49.3v	0.0v	70.8v	0.0v	45.3v	0.0v	443.41v
582	Miss IRJD Stevenson	A	72.7v	74.10v	49.5v	44.4v	48.5v	44.2v	0.0v	74.8v	0.0v	38.0v	0.0v	443.41v
583	Mr DMJ Coutts	X	69.5v	71.7v	48.4v	46.5v	47.7v	44.2v	0.0v	75.9v	0.0v	43.1v	0.0v	443.40v
584	Dr PR Wheeler	O	72.8v	70.4v	45.2v	46.5v	46.6v	47.3v	0.0v	71.8v	0.0v	46.3v	0.0v	443.39v
585	Mr SD Douglas	O	74.8v	69.5v	48.4v	48.6v	45.2v	45.3v	0.0v	72.8v	0.0v	42.3v	0.0v	443.39v
586	Sgt M Devine	O	71.7v	66.1v	45.3v	47.6v	47.5v	46.3v	0.0v	73.9v	0.0v	48.4v	0.0v	443.38v
587	Mr DL Wiles	O	71.7v	75.10v	47.3v	47.6v	49.4v	44.2v	0.0v	65.3v	0.0v	45.3v	0.0v	443.38v
588	Mr PGW Purdy	O	68.5v	68.5v	49.4v	48.5v	46.3v	50.5v	0.0v	73.9v	0.0v	41.2v	0.0v	443.38v
589	Miss EL Hoolahan	T	67.6v	72.8v	48.4v	49.5v	48.5v	48.3v	0.0v	72.6v	0.0v	39.1v	0.0v	443.38v
590	Miss HV Southall	T	68.4v	72.8v	48.1v	46.4v	46.5v	48.5v	0.0v	69.5v	0.0v	46.5v	0.0v	443.37v
591	Mr TJ Bullock	T	70.6v	73.8v	49.6v	46.3v	43.0v	47.3v	0.0v	72.9v	0.0v	43.2v	0.0v	443.37v
592	Mr HP Noss	X	67.4v	71.5v	45.5v	44.2v	49.6v	50.5v	0.0v	74.8v	0.0v	43.2v	0.0v	443.37v
593	Mr TEW Ward	O	71.6v	66.3v	48.5v	48.2v	48.5v	47.7v	0.0v	69.4v	0.0v	46.4v	0.0v	443.36v
594	Mr JC Holdsworth	O	72.7v	67.4v	45.4v	50.5v	47.2v	45.3v	0.0v	73.8v	0.0v	44.2v	0.0v	443.35v
595	Cdt Sgt GC Coburn	T	71.5v	75.9v	47.3v	45.3v	48.5v	47.2v	0.0v	70.6v	0.0v	40.2v	0.0v	443.35v
596	Mr AK Fitch	O	70.5v	71.7v	49.5v	46.1v	49.7v	47.4v	0.0v	69.5v	0.0v	42.0v	0.0v	443.34v
597	Mr MH Roberts	O	71.7v	68.4v	44.2v	45.3v	48.5v	47.4v	0.0v	73.7v	0.0v	47.1v	0.0v	443.33v
598	Mr DF Robinson	O	71.6v	71.6v	45.5v	41.2v	48.3v	48.1v	0.0v	73.7v	0.0v	46.3v	0.0v	443.33v
599	Mr R Shaw	O	71.4v	70.6v	47.3v	43.3v	47.2v	47.3v	0.0v	74.8v	0.0v	44.4v	0.0v	443.33v
600	Mr BN Craig	O	68.2v	73.5v	49.6v	48.5v	48.7v	45.2v	0.0v	71.5v	0.0v	41.1v	0.0v	443.33v
601	Mr H Lottritz	X	73.6v	67.5v	49.2v	46.5v	46.4v	45.2v	0.0v	67.6v	0.0v	50.2v	0.0v	443.32v
602	Ms TC East	O	73.8v	69.6v	47.1v	45.2v	48.7v	44.3v	0.0v	73.4v	0.0v	44.1v	0.0v	443.32v
603	Mr AS Fraser	A	70.5v	70.5v	47.1v	45.6v	50.6v	45.3v	0.0v	73.5v	0.0v	43.1v	0.0v	443.32v
604	Dr JC Jobling	O	65.2v	72.6v	47.5v	47.2v	47.4v	49.3v	0.0v	74.8v	0.0v	42.2v	0.0v	443.32v
605	Mr JR Lindsay	O	69.5v	73.7v	49.4v	46.4v	45.2v	47.4v	0.0v	68.4v	0.0v	46.1v	0.0v	443.31v
606	Mr WR Steward	A	69.4v	75.9v	48.7v	45.1v	50.3v	45.3v	0.0v	67.2v	0.0v	44.2v	0.0v	443.31v
607	Mr DN Webber	O	71.7v	70.2v	46.3v	48.3v	47.4v	45.2v	0.0v	71.5v	0.0v	45.3v	0.0v	443.29v
608	Mr M Persaud	A	74.11v	70.9v	49.4v	48.6v	48.5v	39.2v	0.0v	71.6v	0.0v	43.2v	0.0v	442.45v
609	Cdt JCpl CA Evans	T	69.7v	73.9v	45.4v	43.4v	49.5v	47.2v	0.0v	75.14v	0.0v	41.0v	0.0v	442.45v
610	Cdt F-XC Cliche	O	70.6v	71.7v	46.4v	43.5v	50.6v	49.6v	0.0v	71.8v	0.0v	42.2v	0.0v	442.44v
611	Major M Geernaert-Davies	O	70.8v	66.5v	47.3v	47.5v	46.5v	47.3v	0.0v	72.7v	0.0v	47.4v	0.0v	442.40v
612	Mr HRM Bailie	A	71.9v	71.6v	50.3v	41.2v	47.3v	44.4v	0.0v	72.9v	0.0v	46.2v	0.0v	442.38v
613	Mr SJ Whitby	A	70.7v	73.8v	47.2v	49.4v	45.1v	47.6v	0.0v	68.5v	0.0v	43.4v	0.0v	442.37v
614	Mr ND Gomez	O	70.4v	71.7v	50.6v	43.2v	46.4v	48.5v	0.0v	72.7v	0.0v	42.2v	0.0v	442.37v
615	Cdt CR Rancourt	T	69.5v	71.4v	49.4v	45.4v	44.5v	46.2v	0.0v	73.8v	0.0v	45.3v	0.0v	442.35v
616	Mr DAF Parkinson	O	72.7v	66.3v	49.2v	45.4v	46.5v	49.4v	0.0v	72.8v	0.0v	43.2v	0.0v	442.35v
617	Miss EK Gibson	O	69.4v	74.7v	47.4v	48.3v	46.5v	44.3v	0.0v	70.5v	0.0v	44.3v	0.0v	442.34v
618	Mr TS McDowell	O	69.5v	71.6v	49.6v	49.3v	46.3v	45.2v	0.0v	71.6v	0.0v	42.2v	0.0v	442.33v
619	Mr JG Powell	O	72.5v	70.3v	44.3v	45.2v	49.6v	48.5v	0.0v	71.5v	0.0v	43.3v	0.0v	442.32v
620	Mr SJ Dawes	O	68.4v	68.4v	47.4v	50.4v	48.2v	46.4v	0.0v	72.6v	0.0v	43.3v	0.0v	442.31v
621	Mr PM Weston	O	72.4v	70.6v	49.5v	46.2v	45.2v	45.2v	0.0v	73.9v	0.0v	42.1v	0.0v	442.31v
622	Mr AC Morley	O	68.3v	69.4v	48.5v	49.2v	48.4v	48.3v	0.0v	72.8v	0.0v	40.1v	0.0v	442.30v

623	Mr D Mesletzky	X	70.5v	69.4v	46.2v	47.1v	49.6v	47.2v	0.0v	66.4v	0.0v	48.5v	0.0v	442.29v
624	Mr RD Macmillan	O	71.0v	69.6v	45.3v	48.3v	49.3v	45.4v	0.0v	70.7v	0.0v	45.2v	0.0v	442.28v
625	Cpl T Ford	T	71.7v	70.6v	44.1v	49.5v	45.4v	47.7v	0.0v	71.9v	0.0v	44.4v	0.0v	441.43v
626	Cdt AC Brooker	O	72.9v	70.3v	46.5v	47.6v	48.7v	44.2v	0.0v	72.8v	0.0v	42.1v	0.0v	441.41v
627	Miss CHM Mckeever	T	69.9v	69.6v	47.3v	43.3v	49.5v	49.4v	0.0v	73.8v	0.0v	42.2v	0.0v	441.40v
628	Mr PB Cutts	O	73.9v	70.6v	47.3v	48.7v	49.4v	42.3v	0.0v	71.6v	0.0v	41.2v	0.0v	441.40v
629	Mr C Waldron	O	69.4v	72.8v	49.4v	41.2v	48.5v	46.5v	0.0v	70.8v	0.0v	46.1v	0.0v	441.37v
630	Mr BW Cairns	O	72.6v	73.7v	50.5v	41.1v	45.3v	44.3v	0.0v	73.11v	0.0v	43.1v	0.0v	441.37v
631	Miss A Calvert	O	69.5v	70.7v	46.3v	47.4v	46.3v	46.4v	0.0v	70.6v	0.0v	47.4v	0.0v	441.36v
632	Mr N Houle	T	72.7v	69.7v	45.3v	46.4v	49.6v	46.2v	0.0v	73.6v	0.0v	41.1v	0.0v	441.36v
633	Mr MP Perez	O	67.4v	75.8v	49.6v	45.2v	48.5v	46.4v	0.0v	70.4v	0.0v	41.2v	0.0v	441.35v
634	Mr P Papisideris	O	70.8v	70.4v	48.2v	47.3v	46.5v	47.5v	0.0v	72.8v	0.0v	41.0v	0.0v	441.35v
635	Dr PJ Morris	O	71.8v	71.3v	49.6v	46.2v	45.3v	47.5v	0.0v	68.5v	0.0v	44.2v	0.0v	441.34v
636	Mr SW Maris	O	70.7v	63.3v	49.4v	47.4v	49.4v	48.5v	0.0v	73.5v	0.0v	42.1v	0.0v	441.33v
637	J Serem	O	72.7v	68.3v	48.6v	47.3v	47.1v	46.3v	0.0v	74.8v	0.0v	39.1v	0.0v	441.32v
638	Miss CK Skelton	T	74.6v	71.6v	44.1v	49.5v	48.3v	42.3v	0.0v	66.3v	0.0v	47.4v	0.0v	441.31v
639	Cdt Cpl OL Lyon	O	71.6v	70.5v	47.4v	48.3v	44.2v	45.2v	0.0v	69.5v	0.0v	47.4v	0.0v	441.31v
640	Mr BH Jones	O	69.3v	69.7v	48.2v	43.3v	48.4v	47.3v	0.0v	73.7v	0.0v	44.2v	0.0v	441.31v
641	Mr B Langille	T	73.7v	72.4v	48.4v	45.4v	44.1v	43.1v	0.0v	69.5v	0.0v	47.3v	0.0v	441.29v
642	Miss JE Harris	O	70.6v	69.5v	46.3v	44.1v	49.4v	44.3v	0.0v	72.7v	0.0v	47.0v	0.0v	441.29v
643	Mr GL Clarke	O	70.5v	70.5v	48.6v	47.3v	49.2v	46.1v	0.0v	70.2v	0.0v	41.1v	0.0v	441.25v
644	Mr CJ McCallum	O	71.8v	72.7v	47.7v	50.4v	48.5v	44.3v	0.0v	72.8v	0.0v	36.1v	0.0v	440.43v
645	Miss LCP-L Watson	O	68.6v	74.8v	50.5v	41.3v	49.6v	42.3v	0.0v	72.7v	0.0v	44.4v	0.0v	440.42v
646	Cdt A Southall	T	66.5v	70.4v	47.5v	47.5v	47.6v	45.2v	0.0v	75.12v	0.0v	43.3v	0.0v	440.42v
647	Mrs RKE Penrose	O	69.6v	68.7v	44.2v	48.4v	47.3v	48.7v	0.0v	70.6v	0.0v	46.5v	0.0v	440.40v
648	Mr TJ Brooking	A	70.5v	73.6v	45.5v	44.2v	47.4v	44.3v	0.0v	69.8v	0.0v	48.5v	0.0v	440.38v
649	Mr IR Thomson	O	71.7v	70.5v	49.4v	49.6v	46.5v	41.2v	0.0v	72.6v	0.0v	42.3v	0.0v	440.38v
650	Mr D Rose	X	66.7v	71.7v	47.4v	43.4v	48.4v	46.2v	0.0v	74.7v	0.0v	45.2v	0.0v	440.37v
651	Mr ADE Grounds	X	71.8v	72.6v	46.4v	47.5v	48.7v	44.3v	0.0v	70.3v	0.0v	42.1v	0.0v	440.37v
652	Mr NC Boyde	O	74.8v	73.10v	41.1v	48.3v	50.6v	45.2v	0.0v	72.5v	0.0v	37.2v	0.0v	440.37v
653	Mr TA French	T	69.4v	69.5v	47.5v	47.3v	47.4v	41.3v	0.0v	74.9v	0.0v	46.3v	0.0v	440.36v
654	Mr FJ Carlin	O	69.3v	67.6v	46.4v	46.3v	45.3v	49.5v	0.0v	72.6v	0.0v	46.5v	0.0v	440.35v
655	Mr RJA Ritchie	O	68.4v	70.7v	46.6v	45.1v	46.5v	48.3v	0.0v	72.8v	0.0v	45.1v	0.0v	440.35v
656	Mr RJ Hull	A	69.6v	74.8v	44.2v	47.5v	46.3v	45.2v	0.0v	72.6v	0.0v	43.3v	0.0v	440.35v
657	Miss KMA Atkinson	T	68.5v	69.4v	48.5v	45.1v	47.3v	46.5v	0.0v	71.7v	0.0v	46.4v	0.0v	440.34v
658	Mr JD Glen	O	71.4v	72.6v	46.4v	48.4v	49.6v	42.3v	0.0v	72.5v	0.0v	40.1v	0.0v	440.33v
659	Mr TA Purvis	T	68.4v	65.3v	46.4v	45.1v	47.6v	48.4v	0.0v	73.7v	0.0v	48.3v	0.0v	440.32v
660	Mr R Jackson	O	67.3v	71.5v	42.3v	49.4v	50.5v	49.5v	0.0v	71.5v	0.0v	41.2v	0.0v	440.32v
661	G Kariuki	O	70.3v	70.7v	47.4v	42.1v	50.4v	47.4v	0.0v	69.5v	0.0v	45.3v	0.0v	440.31v
662	Mr AC Grant	O	71.9v	69.7v	41.0v	46.1v	47.2v	47.3v	0.0v	74.9v	0.0v	45.0v	0.0v	440.31v
663	Mr SR Davis	O	70.4v	71.7v	46.4v	47.0v	48.6v	46.3v	0.0v	68.4v	0.0v	44.2v	0.0v	440.30v
664	Mr DA Smith	O	66.2v	71.5v	48.5v	46.4v	49.2v	48.5v	0.0v	69.5v	0.0v	43.1v	0.0v	440.29v
665	Mr PS Calvert	T	66.6v	74.6v	43.1v	46.1v	49.7v	47.3v	0.0v	70.4v	0.0v	45.0v	0.0v	440.28v
666	Mr SCW Dixon	O	70.6v	70.3v	46.3v	48.4v	46.4v	45.3v	0.0v	73.5v	0.0v	42.0v	0.0v	440.28v
667	Mr AI Lawrie	O	72.1v	73.5v	49.3v	49.3v	47.2v	44.2v	0.0v	72.8v	0.0v	34.0v	0.0v	440.24v
668	Mr AGM Fyfe	O	72.8v	69.3v	44.1v	47.4v	47.1v	46.0v	0.0v	73.3v	0.0v	42.0v	0.0v	440.20v
669	Mr PS Holmes	O	74.11v	69.7v	49.3v	47.4v	46.4v	47.2v	0.0v	75.10v	0.0v	32.0v	0.0v	439.41v
670	Mr F Bilton	O	72.5v	67.9v	46.4v	45.2v	49.6v	49.3v	0.0v	71.8v	0.0v	40.2v	0.0v	439.39v
671	JL Breeze	O	71.8v	72.9v	45.3v	45.2v	44.4v	46.2v	0.0v	71.7v	0.0v	45.3v	0.0v	439.38v
672	Mr BG White	O	71.7v	70.6v	43.5v	48.4v	47.5v	45.3v	0.0v	72.6v	0.0v	43.2v	0.0v	439.38v
673	Mr RB Fields	O	70.6v	69.5v	41.2v	47.4v	47.3v	46.6v	0.0v	73.10v	0.0v	46.0v	0.0v	439.36v
674	Miss C Halleran	O	70.5v	71.6v	46.3v	45.6v	46.3v	48.4v	0.0v	73.7v	0.0v	40.2v	0.0v	439.36v
675	Mr HD Werner	X	72.6v	74.9v	46.5v	42.4v	49.4v	42.1v	0.0v	70.3v	0.0v	44.3v	0.0v	439.35v
676	Mr A Rempel	O	70.4v	67.4v	45.2v	47.2v	47.5v	45.5v	0.0v	70.8v	0.0v	48.4v	0.0v	439.34v
677	Dr G Stevenson	O	72.9v	70.4v	47.2v	45.2v	46.4v	46.3v	0.0v	67.8v	0.0v	46.2v	0.0v	439.34v
678	Capt WF Squires	O	73.6v	72.8v	45.3v	40.2v	49.3v	45.3v	0.0v	74.7v	0.0v	41.2v	0.0v	439.34v
679	Mr HJG Green	T	71.6v	71.9v	45.4v	47.2v	49.6v	47.3v	0.0v	70.3v	0.0v	39.1v	0.0v	439.34v
680	E Muleyi	O	66.3v	68.5v	45.3v	48.5v	48.5v	49.4v	0.0v	70.5v	0.0v	45.3v	0.0v	439.33v
681	Mr NT Davies	O	69.5v	70.8v	47.5v	49.2v	47.4v	39.1v	0.0v	71.3v	0.0v	47.4v	0.0v	439.32v
682	Mr GRP Shapland	O	69.7v	67.2v	48.4v	47.3v	44.2v	45.0v	0.0v	73.10v	0.0v	46.4v	0.0v	439.32v
683	Mr AW Coupland	O	69.3v	71.6v	48.5v	45.3v	48.5v	44.2v	0.0v	69.7v	0.0v	45.1v	0.0v	439.32v
684	Mr SMW Clifford	T	68.4v	69.3v	44.1v	49.3v	49.7v	46.3v	0.0v	70.8v	0.0v	44.3v	0.0v	439.32v
685	Mr A Lakhani	O	71.5v	73.6v	49.3v	45.3v	46.3v	45.2v	0.0v	69.7v	0.0v	41.2v	0.0v	439.31v
686	Mr ST Welsh	T	72.6v	66.2v	45.3v	50.4v	49.6v	45.3v	0.0v	67.5v	0.0v	45.1v	0.0v	439.30v
687	Mr A Mabon	O	69.0v	73.9v	48.5v	42.2v	47.3v	46.3v	0.0v	70.6v	0.0v	44.1v	0.0v	439.29v
688	Mr BR Shouler	O	69.4v	69.7v	48.3v	48.3v	45.3v	47.4v	0.0v	72.3v	0.0v	41.2v	0.0v	439.29v
689	Cpl PS Lehmann	T	73.6v	72.8v	45.3v	47.3v	45.2v	42.0v	0.0v	67.2v	0.0v	48.3v	0.0v	439.27v
690	Mr ETE Egre	T	71.4v	70.3v	44.3v	47.4v	43.0v	44.4v	0.0v	72.6v	0.0v	48.2v	0.0v	439.26v
691	Mr AG Harrison	O	66.6v	67.3v	49.7v	44.4v	49.4v	45.3v	0.0v	73.10v	0.0v	45.3v	0.0v	438.40v
692	Mr DT O'Leary	O	72.7v	71.7v	42.2v	49.4v	43.2v	48.5v	0.0v	70.10v	0.0v	43.3v	0.0v	438.40v
693	Mr MG Grimsdell	O	70.7v	70.4v	47.6v	46.3v	40.5v	48.4v	0.0v	72.7v	0.0v	45.3v	0.0v	438.39v

694	Mr J Golling	X	71.6v	71.8v	47.5v	50.3v	47.6v	45.3v	0.0v	64.7v	0.0v	43.1v	0.0v	438.39v
695	Mr MJ Moran	O	67.4v	69.7v	47.4v	44.4v	50.6v	45.4v	0.0v	75.7v	0.0v	41.3v	0.0v	438.39v
696	Cdt GA Astin	T	70.7v	69.6v	47.4v	47.3v	45.7v	47.5v	0.0v	69.4v	0.0v	44.2v	0.0v	438.38v
697	Mr RJS McIlveen	O	72.7v	68.4v	41.0v	47.6v	47.3v	46.3v	0.0v	73.10v	0.0v	44.2v	0.0v	438.35v
698	Mr MK Townsend	O	69.5v	70.4v	43.3v	50.5v	44.5v	47.4v	0.0v	67.4v	0.0v	48.4v	0.0v	438.34v
699	Mr KH Tumschat	X	74.8v	72.7v	47.3v	44.1v	49.7v	42.1v	0.0v	69.5v	0.0v	41.2v	0.0v	438.34v
700	Mr TW Tatchell	O	70.4v	72.5v	47.5v	47.2v	46.2v	45.3v	0.0v	71.9v	0.0v	40.3v	0.0v	438.33v
701	Mr OCIK Kember	O	66.3v	72.7v	44.3v	48.4v	48.5v	45.3v	0.0v	69.3v	0.0v	46.4v	0.0v	438.32v
702	W Odhiambo	O	73.7v	69.4v	47.3v	45.2v	48.5v	44.2v	0.0v	73.7v	0.0v	39.1v	0.0v	438.31v
703	Mr PD Pelly	O	64.5v	69.4v	48.5v	44.3v	48.2v	46.3v	0.0v	72.4v	0.0v	47.4v	0.0v	438.30v
704	Mr TSM Gordon	T	68.2v	74.8v	45.3v	45.3v	44.1v	46.4v	0.0v	72.7v	0.0v	44.2v	0.0v	438.30v
705	Mr A Coakes	O	72.6v	74.6v	47.4v	44.2v	46.0v	46.4v	0.0v	70.5v	0.0v	39.3v	0.0v	438.30v
706	Mr FCP Mostyn	O	70.5v	72.6v	46.3v	47.2v	49.3v	41.2v	0.0v	70.6v	0.0v	43.1v	0.0v	438.28v
707	Mr JT Boyd	T	69.6v	70.6v	41.3v	45.2v	46.1v	49.4v	0.0v	71.2v	0.0v	47.2v	0.0v	438.26v
708	Cdt KD Dycer	T	66.1v	67.4v	44.2v	47.4v	47.3v	49.3v	0.0v	74.8v	0.0v	44.0v	0.0v	438.25v
709	Mr CRW Downing	T	69.1v	69.3v	48.4v	48.3v	48.5v	43.1v	0.0v	68.5v	0.0v	45.2v	0.0v	438.24v
710	Dr MW Wrigley	A	70.2v	65.3v	49.5v	47.3v	46.2v	44.1v	0.0v	72.5v	0.0v	45.2v	0.0v	438.23v
711	Mr HGM Mooiman	O	74.9v	65.7v	44.2v	49.7v	46.4v	48.3v	0.0v	70.7v	0.0v	41.4v	0.0v	437.43v
712	Miss RR Davis	O	68.5v	70.6v	47.5v	43.4v	49.6v	50.5v	0.0v	69.7v	0.0v	41.2v	0.0v	437.40v
713	Judge AP Powell	O	73.10v	67.5v	48.3v	49.8v	41.1v	45.4v	0.0v	74.9v	0.0v	40.0v	0.0v	437.40v
714	Mr BK McFall	T	71.4v	72.5v	48.5v	45.4v	47.6v	46.2v	0.0v	73.10v	0.0v	35.3v	0.0v	437.39v
715	Mr RE Clarke	O	71.4v	70.8v	47.6v	42.3v	43.3v	47.4v	0.0v	72.6v	0.0v	45.4v	0.0v	437.38v
716	Mr NS Roberts	O	70.6v	67.4v	46.2v	47.4v	47.5v	44.4v	0.0v	73.9v	0.0v	43.3v	0.0v	437.37v
717	Mr FF Lalear	O	70.6v	71.4v	46.2v	45.2v	45.3v	45.3v	0.0v	69.9v	0.0v	46.6v	0.0v	437.35v
718	Cdt CG Dickson	O	71.7v	69.8v	46.4v	44.1v	47.4v	45.3v	0.0v	71.6v	0.0v	44.2v	0.0v	437.35v
719	Mr JEC Branch	X	70.5v	66.5v	47.4v	40.1v	46.3v	49.1v	0.0v	72.8v	0.0v	47.7v	0.0v	437.34v
720	Mr G Hart	O	71.5v	69.4v	46.4v	46.3v	47.6v	43.3v	0.0v	70.8v	0.0v	45.1v	0.0v	437.34v
721	Mr B Newgard	T	68.5v	71.4v	45.5v	46.4v	47.4v	47.2v	0.0v	72.7v	0.0v	41.3v	0.0v	437.34v
722	Cdt MJG Neal	T	70.5v	71.7v	48.7v	48.5v	48.6v	44.1v	0.0v	64.0v	0.0v	44.1v	0.0v	437.32v
723	Mr J Shanks	O	69.6v	67.5v	47.1v	48.5v	48.3v	44.2v	0.0v	69.6v	0.0v	45.3v	0.0v	437.31v
724	Mr K Todd	T	71.6v	70.5v	45.4v	46.3v	44.3v	44.3v	0.0v	70.5v	0.0v	45.0v	0.0v	437.29v
725	Mr T Galliers	O	71.7v	70.3v	46.3v	47.2v	43.1v	46.3v	0.0v	70.7v	0.0v	44.3v	0.0v	437.29v
726	J Birgen	O	70.7v	65.2v	45.1v	47.4v	47.4v	45.3v	0.0v	71.5v	0.0v	47.2v	0.0v	437.28v
727	Mr JMP Fitzsimons	O	69.6v	67.4v	47.4v	46.3v	48.3v	47.1v	0.0v	70.5v	0.0v	43.2v	0.0v	437.28v
728	Mr SJ Frank	T	69.3v	71.4v	48.4v	47.4v	48.4v	40.1v	0.0v	69.2v	0.0v	45.3v	0.0v	437.25v
729	Mr D Cottrill	T	71.3v	71.6v	40.2v	46.2v	46.4v	49.4v	0.0v	70.3v	0.0v	44.0v	0.0v	437.24v
730	Mr RS Mason	O	72.7v	73.10v	50.5v	43.1v	48.5v	46.6v	0.0v	69.8v	0.0v	35.0v	0.0v	436.42v
731	Cdt FS T Marsh	T	72.10v	70.4v	49.6v	45.5v	49.5v	44.3v	0.0v	72.7v	0.0v	35.0v	0.0v	436.40v
732	Miss EG Joseph	O	71.4v	72.8v	47.4v	43.1v	49.8v	44.4v	0.0v	72.10v	0.0v	38.0v	0.0v	436.39v
733	Mr CSJ Marlow	O	70.7v	65.4v	48.5v	50.6v	46.3v	46.2v	0.0v	70.5v	0.0v	41.0v	0.0v	436.32v
734	Mr RS Binns	T	66.4v	71.4v	47.3v	49.5v	48.7v	46.3v	0.0v	71.5v	0.0v	38.1v	0.0v	436.32v
735	Mr K Gladding	O	69.3v	70.5v	45.2v	43.2v	48.7v	47.5v	0.0v	69.4v	0.0v	45.2v	0.0v	436.30v
736	Miss CJ Moogk	T	65.4v	71.8v	46.2v	45.3v	49.3v	45.2v	0.0v	72.7v	0.0v	43.1v	0.0v	436.30v
737	Mr FS Stewart	T	71.5v	68.3v	48.3v	46.4v	47.3v	43.2v	0.0v	70.6v	0.0v	43.3v	0.0v	436.29v
738	Mr SP Hill	O	69.5v	69.5v	47.3v	47.4v	44.2v	47.4v	0.0v	71.5v	0.0v	42.1v	0.0v	436.29v
739	Mr RG Hilyard	O	69.3v	70.5v	49.6v	44.3v	47.4v	46.4v	0.0v	70.3v	0.0v	41.1v	0.0v	436.29v
740	Cdt NM Taylor	T	70.5v	70.4v	48.2v	47.2v	45.2v	44.3v	0.0v	72.9v	0.0v	40.1v	0.0v	436.28v
741	Cdt Cpl J Thompstone	T	70.3v	67.1v	41.0v	43.1v	48.3v	48.4v	0.0v	73.9v	0.0v	46.3v	0.0v	436.24v
742	Mr GK Goodwin	O	70.4v	69.2v	48.2v	47.4v	45.3v	45.1v	0.0v	75.7v	0.0v	37.1v	0.0v	436.24v
743	Mr AJ Wilson	X	72.9v	73.12v	46.3v	50.7v	49.8v	50.4v	0.0v	45.6v	0.0v	50.3v	0.0v	435.52v
744	Sgt DA Rowell	T	70.4v	72.9v	46.3v	47.3v	49.4v	46.5v	0.0v	68.8v	0.0v	37.2v	0.0v	435.38v
745	Miss TD Duhre	A	66.4v	72.7v	44.1v	47.5v	48.7v	45.6v	0.0v	69.6v	0.0v	44.0v	0.0v	435.36v
746	Mr MR Rewston	O	65.2v	69.8v	46.3v	43.1v	46.3v	48.4v	0.0v	71.8v	0.0v	47.6v	0.0v	435.35v
747	Mr J Paul	O	66.3v	72.6v	48.4v	46.4v	48.6v	42.4v	0.0v	68.5v	0.0v	45.3v	0.0v	435.35v
748	Mr NS Suffield-Jones	O	70.7v	68.3v	44.4v	47.4v	45.3v	48.5v	0.0v	66.3v	0.0v	47.4v	0.0v	435.33v
749	WO2 M Carberry	O	70.3v	65.4v	45.3v	43.1v	49.4v	50.5v	0.0v	72.7v	0.0v	41.3v	0.0v	435.30v
750	Mr RP Bawden	O	70.4v	69.5v	49.6v	46.4v	45.1v	48.4v	0.0v	71.5v	0.0v	37.1v	0.0v	435.30v
751	Dr KW Genders	O	70.5v	67.4v	47.3v	43.1v	48.6v	43.1v	0.0v	70.6v	0.0v	47.3v	0.0v	435.29v
752	Mr SE Frost	X	64.3v	71.6v	45.2v	48.6v	49.5v	44.2v	0.0v	70.3v	0.0v	44.0v	0.0v	435.27v
753	Mr DA Grant	O	71.3v	72.5v	45.2v	43.2v	47.4v	45.4v	0.0v	71.6v	0.0v	41.1v	0.0v	435.27v
754	Mr E Stuart-Bamford	O	70.6v	64.1v	46.1v	49.5v	46.1v	46.5v	0.0v	67.2v	0.0v	47.4v	0.0v	435.25v
755	Miss ATJV Voorthuyzen	T	71.7v	66.4v	44.2v	45.3v	48.6v	45.4v	0.0v	72.9v	0.0v	43.4v	0.0v	434.39v
756	Mr G Hart	T	67.4v	69.6v	49.5v	47.5v	48.5v	39.2v	0.0v	68.7v	0.0v	47.1v	0.0v	434.35v
757	Mr FTG Amy	T	69.4v	70.6v	49.6v	47.3v	40.1v	41.1v	0.0v	71.8v	0.0v	47.4v	0.0v	434.33v
758	Mr MB Grant	T	72.7v	69.7v	47.3v	45.3v	46.2v	47.2v	0.0v	67.4v	0.0v	41.2v	0.0v	434.30v
759	Mr JW Anderson	T	71.6v	70.7v	45.5v	45.2v	44.3v	46.2v	0.0v	72.3v	0.0v	41.2v	0.0v	434.30v
760	P Lepario	O	70.3v	72.6v	46.3v	44.3v	46.4v	41.1v	0.0v	72.7v	0.0v	43.1v	0.0v	434.28v
761	Mr S Mcginnis	X	68.5v	70.7v	49.5v	46.2v	48.2v	41.2v	0.0v	70.5v	0.0v	42.0v	0.0v	434.28v
762	Mr CN Jaynes	T	69.5v	69.3v	44.3v	48.3v	48.3v	44.3v	0.0v	69.5v	0.0v	43.2v	0.0v	434.27v
763	Mr M Robson	O	71.4v	69.6v	45.3v	46.5v	48.2v	39.0v	0.0v	72.4v	0.0v	44.2v	0.0v	434.26v
764	Mr PD Le Poidevin	O	70.5v	69.4v	46.4v	44.1v	47.4v	44.3v	0.0v	72.4v	0.0v	42.1v	0.0v	434.26v

765	Mr MR Frost	O	74.8v	74.7v	46.5v	46.3v	44.4v	43.2v	0.0v	65.5v	0.0v	41.2v	0.0v	433.36v
766	Mr P Merry	O	68.4v	67.2v	49.5v	47.4v	47.4v	47.7v	0.0v	70.8v	0.0v	38.1v	0.0v	433.35v
767	Mr PA Cullimore	O	68.5v	65.3v	46.4v	49.3v	44.1v	45.5v	0.0v	72.8v	0.0v	44.5v	0.0v	433.34v
768	Sjt CL Atherton	T	70.2v	69.3v	50.6v	47.5v	42.4v	42.2v	0.0v	68.4v	0.0v	45.3v	0.0v	433.29v
769	Mr GR Capell	O	70.5v	68.3v	46.2v	44.3v	47.3v	45.5v	0.0v	73.7v	0.0v	40.1v	0.0v	433.29v
770	Mr TJB Barkel	T	67.5v	69.7v	46.0v	46.3v	47.2v	47.4v	0.0v	68.3v	0.0v	43.4v	0.0v	433.28v
771	Mr JW Webber	O	71.4v	69.4v	46.5v	48.3v	39.1v	45.3v	0.0v	70.3v	0.0v	45.4v	0.0v	433.27v
772	Dr CW Freeman	O	68.4v	71.5v	44.1v	43.1v	48.5v	47.4v	0.0v	69.5v	0.0v	43.1v	0.0v	433.26v
773	Mr KG Garside	O	68.2v	73.5v	45.2v	44.2v	48.5v	44.1v	0.0v	70.6v	0.0v	41.3v	0.0v	433.26v
774	Mr RJ Dare	O	69.3v	73.6v	45.5v	46.2v	43.3v	44.1v	0.0v	67.4v	0.0v	46.1v	0.0v	433.25v
775	Miss ZL Latimer	T	68.5v	70.0v	47.2v	47.4v	48.8v	41.0v	0.0v	68.3v	0.0v	44.3v	0.0v	433.25v
776	Mr JE Fraser	O	66.4v	70.5v	39.1v	50.4v	46.0v	49.3v	0.0v	70.7v	0.0v	43.1v	0.0v	433.25v
777	Mr U Soelzer	X	68.2v	70.5v	46.3v	46.3v	45.1v	46.2v	0.0v	67.3v	0.0v	45.4v	0.0v	433.23v
778	Mr TJ Goodger	O	70.7v	69.7v	48.5v	39.2v	46.4v	43.4v	0.0v	75.8v	0.0v	42.3v	0.0v	432.40v
779	Mr MD Wright	T	64.3v	67.5v	45.3v	49.5v	49.5v	45.4v	0.0v	70.8v	0.0v	43.4v	0.0v	432.37v
780	Mr JS Ritchie	O	70.7v	68.6v	43.2v	47.3v	47.5v	46.4v	0.0v	66.1v	0.0v	45.4v	0.0v	432.32v
781	Mr MJ Judge	O	68.5v	70.4v	47.5v	48.6v	49.5v	44.2v	0.0v	61.1v	0.0v	45.1v	0.0v	432.29v
782	Mr MW Brown	O	71.4v	68.4v	45.1v	48.3v	47.4v	38.2v	0.0v	71.9v	0.0v	44.2v	0.0v	432.29v
783	Mr PW Glen	T	68.1v	67.4v	47.3v	49.4v	47.2v	48.4v	0.0v	68.3v	0.0v	38.2v	0.0v	432.23v
784	Cdt ADP Partridge	T	69.4v	70.2v	47.3v	45.2v	50.5v	45.3v	0.0v	68.3v	0.0v	38.1v	0.0v	432.23v
785	Mr MR Fugeman	X	70.3v	74.8v	48.5v	47.3v	50.4v	50.6v	0.0v	47.9v	0.0v	45.2v	0.0v	431.40v
786	Sjt BG Mulvey	T	67.4v	71.4v	48.5v	43.2v	48.4v	42.3v	0.0v	74.11v	0.0v	38.1v	0.0v	431.34v
787	Mr F Roberts	O	69.4v	68.3v	47.6v	45.2v	47.4v	41.2v	0.0v	69.6v	0.0v	45.3v	0.0v	431.30v
788	Mr JR Dodd	O	66.5v	68.4v	46.4v	48.2v	47.5v	48.4v	0.0v	67.4v	0.0v	41.2v	0.0v	431.30v
789	Mr CA Stewart	O	68.4v	69.4v	47.3v	47.5v	44.3v	48.5v	0.0v	64.4v	0.0v	44.1v	0.0v	431.29v
790	Sjt P Tucker	T	68.3v	73.7v	48.5v	42.1v	44.5v	44.2v	0.0v	69.5v	0.0v	43.1v	0.0v	431.29v
791	Mr R Kligge	X	68.4v	69.5v	45.1v	44.2v	48.4v	44.1v	0.0v	68.7v	0.0v	45.2v	0.0v	431.26v
792	Mr COB Perkins	T	68.3v	72.6v	44.3v	44.2v	44.2v	43.1v	0.0v	71.6v	0.0v	45.2v	0.0v	431.25v
793	Mrs SM Mott	O	69.1v	69.6v	48.4v	49.5v	44.3v	38.0v	0.0v	71.3v	0.0v	43.1v	0.0v	431.23v
794	Major RJ Aitken	O	71.6v	65.4v	48.5v	46.5v	43.2v	43.1v	0.0v	70.5v	0.0v	44.1v	0.0v	430.29v
795	Miss RL Laird	A	69.5v	66.2v	46.4v	46.3v	43.2v	46.4v	0.0v	67.3v	0.0v	47.4v	0.0v	430.27v
796	E Odeo	O	72.4v	67.4v	49.3v	46.4v	46.4v	44.4v	0.0v	66.3v	0.0v	40.1v	0.0v	430.27v
797	Cdt HIM Macrae	T	66.4v	70.7v	45.2v	43.3v	49.6v	44.4v	0.0v	72.6v	0.0v	40.2v	0.0v	429.34v
798	Mr NM Duncan	T	73.6v	70.6v	47.3v	43.2v	42.3v	46.4v	0.0v	69.6v	0.0v	39.1v	0.0v	429.31v
799	Mr GS Strong	T	67.2v	71.8v	42.1v	46.7v	48.3v	48.3v	0.0v	66.3v	0.0v	41.3v	0.0v	429.30v
800	Miss CPD Pearce	T	63.2v	74.9v	48.4v	50.7v	46.2v	44.2v	0.0v	66.2v	0.0v	38.2v	0.0v	429.30v
801	Mr PL Redstone	A	69.3v	69.6v	46.4v	47.3v	48.5v	40.2v	0.0v	64.4v	0.0v	46.2v	0.0v	429.29v
802	Mr DJ Pay	O	70.5v	67.4v	46.4v	50.4v	46.2v	41.1v	0.0v	65.4v	0.0v	44.4v	0.0v	429.28v
803	Mr BF Witts	O	69.4v	66.2v	45.2v	47.3v	45.3v	43.3v	0.0v	71.9v	0.0v	43.2v	0.0v	429.28v
804	Miss HR Mackintosh	O	66.4v	72.4v	46.3v	38.1v	46.3v	46.1v	0.0v	73.9v	0.0v	42.2v	0.0v	429.27v
805	Mr ND Anderson	O	65.3v	73.7v	44.0v	49.6v	46.2v	43.2v	0.0v	64.2v	0.0v	45.3v	0.0v	429.25v
806	F Mwema	O	63.1v	66.5v	47.3v	46.3v	48.4v	45.3v	0.0v	71.4v	0.0v	43.2v	0.0v	429.25v
807	Mr JA Horton	O	68.2v	68.4v	45.0v	44.4v	43.4v	44.2v	0.0v	70.2v	0.0v	47.5v	0.0v	429.23v
808	Miss LE Kennedy	T	70.7v	71.5v	42.2v	44.3v	46.3v	45.2v	0.0v	67.6v	0.0v	43.2v	0.0v	428.30v
809	Mr PJ Holden	O	68.5v	65.3v	45.2v	49.7v	46.4v	43.1v	0.0v	71.7v	0.0v	41.0v	0.0v	428.29v
810	E Kimisik	O	70.4v	70.6v	48.2v	43.2v	45.2v	43.3v	0.0v	64.3v	0.0v	45.3v	0.0v	428.25v
811	Mr H Buitelaar	O	61.3v	69.4v	45.4v	46.2v	45.1v	47.3v	0.0v	70.4v	0.0v	45.3v	0.0v	428.24v
812	Mrs CIM Le Poidevin	O	70.3v	73.6v	50.4v	41.2v	46.4v	41.0v	0.0v	65.2v	0.0v	42.2v	0.0v	428.23v
813	Flt Lt G Basnett	T	69.5v	71.8v	46.6v	46.5v	42.3v	49.4v	0.0v	64.2v	0.0v	40.3v	0.0v	427.36v
814	Sjt J McCreedy	T	69.7v	70.5v	47.5v	45.3v	32.0v	46.2v	0.0v	71.7v	0.0v	47.4v	0.0v	427.33v
815	Mr RCG Knight	O	70.6v	71.6v	46.1v	46.4v	47.6v	40.1v	0.0v	69.5v	0.0v	38.2v	0.0v	427.31v
816	LCpl EP Bryant	T	65.3v	68.4v	44.3v	46.4v	47.3v	45.3v	0.0v	72.8v	0.0v	40.1v	0.0v	427.29v
817	Mrs KD Robertson	O	70.6v	68.3v	43.3v	47.3v	46.4v	41.1v	0.0v	68.6v	0.0v	44.2v	0.0v	427.28v
818	Mr C Palfrey	T	67.5v	69.7v	44.2v	48.3v	43.1v	44.2v	0.0v	67.2v	0.0v	45.4v	0.0v	427.26v
819	Mr KC Marshall	O	65.0v	70.6v	48.4v	42.1v	45.2v	45.3v	0.0v	67.5v	0.0v	45.1v	0.0v	427.22v
820	Cdt SM Amin	T	71.7v	69.5v	46.3v	32.3v	47.4v	41.2v	0.0v	72.10v	0.0v	48.4v	0.0v	426.38v
821	Miss ER Lewin	O	69.5v	70.5v	47.5v	46.5v	43.2v	44.2v	0.0v	69.7v	0.0v	38.3v	0.0v	426.34v
822	LCpl A Gray	T	70.7v	67.4v	48.3v	30.2v	49.6v	45.4v	0.0v	71.3v	0.0v	46.4v	0.0v	426.33v
823	J Muriuki	O	69.6v	71.6v	46.2v	46.5v	48.3v	46.4v	0.0v	68.6v	0.0v	32.1v	0.0v	426.33v
824	L/Cpl B Turner	O	67.5v	67.2v	49.7v	46.1v	47.6v	45.3v	0.0v	71.6v	0.0v	34.0v	0.0v	426.30v
825	Mr JT Kennedy	T	68.5v	69.5v	45.2v	46.4v	48.6v	44.2v	0.0v	66.2v	0.0v	40.2v	0.0v	426.28v
826	Cdt Cpl RJ Stilgoe	T	62.1v	66.3v	47.1v	41.3v	47.6v	47.4v	0.0v	71.5v	0.0v	45.4v	0.0v	426.27v
827	Mr SHM Keith	T	67.5v	72.7v	45.1v	43.2v	47.5v	47.3v	0.0v	71.3v	0.0v	34.1v	0.0v	426.27v
828	Miss R Werner	X	68.3v	69.6v	40.2v	49.4v	43.1v	44.2v	0.0v	68.6v	0.0v	45.2v	0.0v	426.26v
829	Mr OSR Ridd	T	68.3v	72.7v	46.3v	47.3v	40.1v	44.3v	0.0v	73.5v	0.0v	36.1v	0.0v	426.26v
830	Miss ME Wicker	O	70.4v	71.6v	45.4v	45.1v	44.2v	46.2v	0.0v	66.3v	0.0v	39.2v	0.0v	426.24v
831	Sgt CJ Beddow	T	67.5v	65.2v	44.3v	46.4v	46.4v	48.5v	0.0v	70.7v	0.0v	39.3v	0.0v	425.33v
832	J Sichei	O	67.4v	70.6v	47.4v	45.3v	47.4v	44.2v	0.0v	68.4v	0.0v	37.0v	0.0v	425.27v
833	Mr JL Poulin	O	67.4v	68.4v	47.4v	43.3v	44.1v	45.2v	0.0v	65.2v	0.0v	46.4v	0.0v	425.24v
834	Ms AM Strachan	T	67.3v	69.4v	48.4v	48.5v	44.1v	42.0v	0.0v	68.3v	0.0v	39.1v	0.0v	425.21v
835	Mr T Horsfield	O	65.2v	67.2v	47.2v	43.2v	46.0v	46.3v	0.0v	72.3v	0.0v	39.0v	0.0v	425.14v

836	Sgt H Walker	T	62.2v	66.4v	46.5v	45.2v	46.5v	49.3v	0.0v	71.10v	0.0v	39.3v	0.0v	424.34v
837	K Kiarie	O	68.2v	69.5v	46.4v	45.4v	46.4v	41.3v	0.0v	67.6v	0.0v	42.4v	0.0v	424.32v
838	Cpl N McGowan	T	63.1v	69.6v	44.1v	48.6v	41.1v	46.4v	0.0v	71.5v	0.0v	42.2v	0.0v	424.26v
839	LCpl L Le Breuilly	T	68.5v	67.3v	46.1v	47.4v	44.4v	47.2v	0.0v	68.6v	0.0v	37.0v	0.0v	424.25v
840	Cdt PI Mare	T	62.4v	72.5v	44.2v	43.1v	46.4v	44.0v	0.0v	68.4v	0.0v	45.2v	0.0v	424.22v
841	Mr NJ Atkins	T	70.5v	68.3v	43.2v	45.2v	45.1v	43.2v	0.0v	66.3v	0.0v	44.2v	0.0v	424.20v
842	Mr WT Bridger	O	69.5v	66.0v	45.1v	47.1v	42.1v	44.2v	0.0v	69.4v	0.0v	42.2v	0.0v	424.16v
843	Cdt AR Riopel	T	70.7v	70.5v	42.1v	46.4v	45.1v	49.6v	0.0v	72.7v	0.0v	29.0v	0.0v	423.31v
844	Mr JSW Hunter	O	69.4v	67.3v	47.2v	46.4v	46.1v	45.1v	0.0v	59.4v	0.0v	44.5v	0.0v	423.24v
845	Mr AJ Ball	O	66.3v	69.4v	46.4v	46.0v	48.3v	45.2v	0.0v	66.4v	0.0v	37.0v	0.0v	423.20v
846	J/Cpl AF Filhol	T	73.9v	65.2v	44.2v	45.0v	44.2v	44.0v	0.0v	70.4v	0.0v	38.0v	0.0v	423.19v
847	Dr J Mehta	O	44.2v	71.5v	48.3v	49.5v	50.6v	46.1v	0.0v	71.7v	0.0v	43.5v	0.0v	422.34v
848	Cdt BJB Briggs	T	65.3v	68.6v	47.1v	44.2v	48.3v	46.4v	0.0v	70.5v	0.0v	34.1v	0.0v	422.25v
849	Miss IS O'Bryan	T	66.4v	68.4v	45.3v	47.3v	44.3v	40.0v	0.0v	66.4v	0.0v	46.3v	0.0v	422.24v
850	Mr SA Lippiatt	O	65.3v	66.6v	48.3v	47.3v	44.1v	45.4v	0.0v	66.3v	0.0v	41.1v	0.0v	422.24v
851	Mr AE Le Page	X	67.3v	67.4v	46.3v	40.2v	48.3v	44.1v	0.0v	68.6v	0.0v	42.1v	0.0v	422.23v
852	Mr KSPB Brown	T	65.2v	70.2v	45.2v	30.1v	46.4v	48.3v	0.0v	70.4v	0.0v	48.1v	0.0v	422.19v
853	J Kamau	O	64.4v	71.4v	44.2v	45.0v	44.1v	47.2v	0.0v	67.4v	0.0v	40.1v	0.0v	422.18v
854	Miss CM McKenzie	T	64.2v	70.8v	45.4v	49.5v	39.1v	48.1v	0.0v	65.5v	0.0v	41.3v	0.0v	421.29v
855	Mr FL Laberge	T	64.1v	70.4v	45.2v	46.4v	46.5v	43.2v	0.0v	65.6v	0.0v	42.2v	0.0v	421.26v
856	Mr A Wombell	O	69.5v	69.3v	47.3v	45.2v	39.0v	47.5v	0.0v	70.8v	0.0v	35.0v	0.0v	421.26v
857	Cdt A Johnston	T	63.2v	71.4v	45.3v	45.4v	49.6v	47.2v	0.0v	61.2v	0.0v	40.0v	0.0v	421.23v
858	Miss M Miller	T	64.1v	64.2v	43.2v	45.3v	47.2v	41.2v	0.0v	74.6v	0.0v	43.3v	0.0v	421.21v
859	Mr AJ Bryant	O	70.6v	68.1v	45.2v	46.1v	46.2v	38.2v	0.0v	64.3v	0.0v	44.1v	0.0v	421.18v
860	Mr GD Moffatt	O	66.2v	72.8v	46.4v	46.4v	44.2v	42.3v	0.0v	62.5v	0.0v	42.3v	0.0v	420.31v
861	Mr LA Fisher	X	63.5v	67.2v	44.3v	49.4v	47.4v	43.4v	0.0v	61.2v	0.0v	46.4v	0.0v	420.28v
862	Cpl L Thirlaway	T	64.3v	71.6v	42.3v	43.1v	43.1v	43.4v	0.0v	70.7v	0.0v	44.2v	0.0v	420.27v
863	Mr D Odutola	T	68.2v	70.10v	46.5v	39.0v	44.2v	44.2v	0.0v	70.5v	0.0v	39.1v	0.0v	420.27v
864	Mr PT Dwyer	A	69.5v	66.3v	45.1v	47.3v	45.5v	46.3v	0.0v	66.5v	0.0v	36.1v	0.0v	420.26v
865	Mr MS Savage	T	65.1v	67.4v	50.2v	43.2v	44.4v	36.0v	0.0v	71.9v	0.0v	44.3v	0.0v	420.25v
866	Mr AC Abrahams	T	67.4v	65.3v	45.2v	46.3v	47.4v	44.2v	0.0v	61.2v	0.0v	45.3v	0.0v	420.23v
867	Cdt CJ Beynon	T	71.4v	68.4v	43.1v	45.2v	46.3v	46.4v	0.0v	68.5v	0.0v	33.0v	0.0v	420.23v
868	Mr M Ayling	O	68.2v	66.5v	45.2v	41.2v	42.1v	43.0v	0.0v	72.9v	0.0v	43.1v	0.0v	420.22v
869	Miss E Stewart	T	62.0v	68.6v	43.1v	47.3v	46.4v	47.3v	0.0v	65.3v	0.0v	42.1v	0.0v	420.21v
870	Miss JC Melling	T	61.0v	68.4v	40.0v	47.3v	46.5v	48.4v	0.0v	63.1v	0.0v	47.2v	0.0v	420.19v
871	Mr T Hendriks	O	67.4v	67.2v	48.7v	48.2v	42.2v	41.1v	0.0v	63.3v	0.0v	43.1v	0.0v	419.22v
872	Mr TW Harrison	O	67.4v	66.4v	45.2v	47.4v	44.3v	42.1v	0.0v	70.4v	0.0v	38.0v	0.0v	419.22v
873	Mr SJ Ayres	O	67.1v	68.2v	44.0v	45.5v	48.4v	39.1v	0.0v	67.6v	0.0v	40.1v	0.0v	418.20v
874	Mr L Gibbons	T	67.4v	66.4v	47.6v	45.5v	48.6v	43.2v	0.0v	61.1v	0.0v	40.1v	0.0v	417.29v
875	Miss PK Kirk	T	66.4v	70.3v	46.2v	41.2v	47.3v	40.1v	0.0v	66.3v	0.0v	41.5v	0.0v	417.23v
876	CSgt A McBain	T	68.5v	66.4v	45.3v	43.2v	45.0v	42.1v	0.0v	63.3v	0.0v	45.3v	0.0v	417.21v
877	Mr AW Sainter	O	64.3v	70.4v	45.2v	45.2v	40.1v	44.2v	0.0v	68.2v	0.0v	41.2v	0.0v	417.18v
878	Cdt CSM ATP Pattison	T	61.2v	71.4v	47.1v	47.3v	48.5v	47.1v	0.0v	63.1v	0.0v	33.1v	0.0v	417.18v
879	Mr CP Moon	O	70.4v	66.5v	43.1v	41.1v	43.1v	47.3v	0.0v	64.1v	0.0v	43.1v	0.0v	417.17v
880	Mr JH Molesworth	T	71.3v	63.1v	45.2v	41.1v	36.0v	47.2v	0.0v	67.2v	0.0v	47.4v	0.0v	417.15v
881	Mr C Crabtree	T	68.4v	66.2v	40.2v	46.2v	47.3v	45.4v	0.0v	63.4v	0.0v	41.1v	0.0v	416.22v
882	Cdt SR Sharma	T	64.1v	69.2v	46.3v	42.2v	43.2v	43.2v	0.0v	71.6v	0.0v	38.2v	0.0v	416.20v
883	M Dida	O	65.3v	66.4v	48.4v	39.0v	47.4v	42.0v	0.0v	66.2v	0.0v	43.2v	0.0v	416.19v
884	Cpl S Livingston	T	62.3v	71.3v	41.2v	47.3v	43.0v	49.3v	0.0v	69.2v	0.0v	34.1v	0.0v	416.17v
885	Mr PR Sirett	X	69.5v	65.3v	45.1v	42.2v	44.2v	40.2v	0.0v	68.6v	0.0v	42.1v	0.0v	415.22v
886	Miss LP McKibbin	O	65.3v	63.0v	45.5v	42.1v	46.3v	43.2v	0.0v	69.2v	0.0v	42.1v	0.0v	415.17v
887	Mr JP Raine	O	69.7v	69.8v	48.3v	43.2v	44.1v	38.1v	0.0v	61.3v	0.0v	42.3v	0.0v	414.28v
888	Mr RA Grundy	X	70.4v	71.3v	46.2v	36.0v	46.3v	41.2v	0.0v	74.8v	0.0v	30.1v	0.0v	414.23v
889	Dr R Pizer	O	65.1v	64.4v	44.4v	42.1v	47.2v	45.3v	0.0v	64.4v	0.0v	43.2v	0.0v	414.21v
890	Mr SJ Clark	O	66.3v	69.3v	44.3v	45.2v	44.2v	45.2v	0.0v	64.5v	0.0v	37.1v	0.0v	414.21v
891	Mr RJ Jardine	T	68.5v	66.3v	43.2v	48.5v	41.1v	45.1v	0.0v	63.1v	0.0v	40.0v	0.0v	414.18v
892	Mr AJ Mazumdar	T	66.0v	68.2v	46.4v	40.1v	41.3v	46.2v	0.0v	68.3v	0.0v	39.1v	0.0v	414.16v
893	Mr I Brotherston	T	67.2v	62.1v	44.3v	45.2v	42.3v	42.1v	0.0v	68.6v	0.0v	43.1v	0.0v	413.19v
894	Mr WH Handley	O	66.2v	70.6v	49.7v	46.4v	48.4v	46.4v	0.0v	69.8v	0.0v	18.1v	0.0v	412.36v
895	Mrs I Pioche	O	65.3v	70.2v	48.4v	46.5v	46.3v	34.0v	0.0v	67.5v	0.0v	36.1v	0.0v	412.23v
896	Mr MP Hudson	T	61.2v	71.7v	40.1v	47.3v	43.2v	48.4v	0.0v	61.0v	0.0v	41.2v	0.0v	412.21v
897	Cpl M Day	T	68.2v	64.4v	46.3v	44.1v	43.2v	42.1v	0.0v	66.2v	0.0v	39.1v	0.0v	412.16v
898	Mr RP Birch	T	59.2v	66.3v	43.1v	40.1v	48.5v	44.2v	0.0v	65.3v	0.0v	45.3v	0.0v	410.20v
899	Cdt MT Lehmann	T	64.0v	66.3v	42.1v	46.2v	41.1v	43.5v	0.0v	68.5v	0.0v	40.2v	0.0v	410.19v
900	Mr BS Preece	O	62.0v	66.3v	44.2v	45.2v	43.4v	43.3v	0.0v	70.4v	0.0v	37.1v	0.0v	410.19v
901	Mr PH Gardner	O	67.2v	67.3v	45.4v	44.1v	43.1v	30.2v	0.0v	68.8v	0.0v	45.2v	0.0v	409.23v
902	Mr P Wale	O	64.2v	66.3v	44.4v	40.3v	47.3v	37.1v	0.0v	67.3v	0.0v	44.3v	0.0v	409.22v
903	Miss EKB Beech	T	68.2v	68.5v	47.4v	38.3v	43.3v	42.2v	0.0v	63.2v	0.0v	39.1v	0.0v	408.22v
904	Mr PJW Sparks	O	67.2v	65.2v	41.2v	44.1v	42.1v	42.2v	0.0v	71.6v	0.0v	36.1v	0.0v	408.17v
905	Mr B Langille	X	72.8v	70.7v	47.3v	0.0v	50.8v	46.4v	0.0v	75.10v	0.0v	47.4v	0.0v	407.44v
906	Mr AP Biggs	O	69.5v	69.4v	47.4v	46.1v	45.3v	46.5v	0.0v	74.7v	0.0v	10.1v	0.0v	406.30v

907	LCpl B Robson	T	61.3v	69.4v	42.3v	44.4v	44.4v	39.0v	0.0v	68.6v	0.0v	39.0v	0.0v	406.24v
908	Ms SJ Dick	T	71.3v	62.6v	46.2v	44.4v	39.1v	37.1v	0.0v	70.5v	0.0v	37.1v	0.0v	406.23v
909	Mr PJ Amy	O	68.3v	61.2v	41.0v	47.2v	43.0v	44.3v	0.0v	65.5v	0.0v	37.0v	0.0v	406.15v
910	Miss ER Chamberlain	T	62.2v	63.1v	43.3v	45.3v	43.3v	46.2v	0.0v	59.2v	0.0v	44.2v	0.0v	405.18v
911	Mr PERD Hunt	T	70.6v	65.2v	42.3v	46.3v	37.2v	41.3v	0.0v	69.3v	0.0v	34.0v	0.0v	404.22v
912	Mr TV Vlad	T	71.8v	70.5v	48.4v	46.4v	49.6v	0.0v	0.0v	74.9v	0.0v	45.2v	0.0v	403.38v
913	Mr EA Graves	T	63.4v	71.4v	45.3v	42.1v	45.4v	39.1v	0.0v	70.3v	0.0v	28.1v	0.0v	403.21v
914	Mr HL Hunter	X	72.7v	73.9v	47.3v	46.3v	47.3v	0.0v	0.0v	72.7v	0.0v	45.1v	0.0v	402.33v
915	Pte G Evans	T	64.3v	66.5v	43.2v	43.1v	42.3v	46.3v	0.0v	66.5v	0.0v	32.3v	0.0v	402.25v
916	Miss CLP Peacock	O	65.3v	64.1v	42.2v	42.1v	46.4v	46.4v	0.0v	68.5v	0.0v	29.0v	0.0v	402.20v
917	Jnr Cpl HL Holah	T	64.3v	65.3v	46.4v	37.1v	40.2v	46.2v	0.0v	68.15v	0.0v	34.2v	0.0v	400.32v
918	Cpl LM Potter	T	67.6v	70.4v	36.1v	45.1v	43.2v	41.3v	0.0v	69.3v	0.0v	29.2v	0.0v	400.22v
919	Mr SS Qaisar	T	65.4v	64.3v	44.3v	42.3v	43.1v	42.3v	0.0v	60.1v	0.0v	40.1v	0.0v	400.19v
920	Mr PJS Smith	O	70.4v	70.6v	46.5v	46.4v	50.3v	45.2v	0.0v	72.6v	0.0v	0.0v	0.0v	399.30v
921	Mr H Tancred-Holmes	T	64.3v	70.6v	44.3v	40.0v	44.3v	41.1v	0.0v	64.5v	0.0v	32.3v	0.0v	399.24v
922	Mr RM Culverwell	O	64.0v	69.4v	42.2v	46.2v	40.0v	42.2v	0.0v	56.0v	0.0v	39.2v	0.0v	398.12v
923	Cdt CH Sayers	T	60.4v	62.2v	44.2v	44.4v	47.2v	34.1v	0.0v	63.3v	0.0v	43.2v	0.0v	397.20v
924	Mr J Macaulay	T	71.9v	72.8v	45.3v	46.4v	46.4v	49.4v	0.0v	67.3v	0.0v	0.0v	0.0v	396.35v
925	Miss EL Sweet	T	65.3v	62.2v	42.2v	48.5v	45.3v	43.0v	0.0v	48.2v	0.0v	43.1v	0.0v	396.18v
926	Mr TF Kurn	O	72.5v	70.6v	49.5v	0.0v	46.6v	43.1v	0.0v	74.9v	0.0v	41.2v	0.0v	395.34v
927	Miss M McLoughlin	O	73.5v	60.4v	39.1v	39.2v	41.2v	42.4v	0.0v	66.1v	0.0v	35.2v	0.0v	395.21v
928	Mr P Cameron Taylor	O	68.5v	74.9v	47.5v	48.6v	48.6v	0.0v	0.0v	74.7v	0.0v	35.1v	0.0v	394.39v
929	Cdt HSJC Cubbin	T	71.4v	68.5v	44.2v	45.3v	48.4v	46.4v	0.0v	72.9v	0.0v	0.0v	0.0v	394.31v
930	LCpl WA Shelton	T	65.2v	72.5v	45.3v	0.0v	47.4v	47.6v	0.0v	72.6v	0.0v	46.2v	0.0v	394.28v
931	LCpl T Mason	T	62.2v	66.4v	40.3v	38.3v	42.0v	38.1v	0.0v	65.5v	0.0v	43.3v	0.0v	394.21v
932	Mr JRC Stanford-Beale	T	64.1v	65.2v	43.2v	42.1v	35.0v	43.4v	0.0v	66.2v	0.0v	36.1v	0.0v	394.13v
933	Mr S Ennion	O	73.6v	72.9v	42.3v	46.6v	44.5v	43.2v	0.0v	73.6v	0.0v	0.0v	0.0v	393.37v
934	Cdt RF Fagan	T	62.1v	68.4v	32.1v	43.5v	46.6v	40.1v	0.0v	67.3v	0.0v	35.2v	0.0v	393.23v
935	Mr V Robertshaw	O	68.5v	73.7v	47.3v	44.2v	46.3v	46.1v	0.0v	68.7v	0.0v	0.0v	0.0v	392.28v
936	Mr T Waycott	T	66.3v	66.5v	40.2v	40.1v	41.1v	36.2v	0.0v	63.8v	0.0v	40.2v	0.0v	392.24v
937	Mr FE Neale	O	70.3v	69.4v	49.6v	0.0v	44.1v	43.3v	0.0v	71.6v	0.0v	45.3v	0.0v	391.26v
938	Mr WA O'Dair	O	58.3v	63.2v	46.1v	40.0v	40.0v	42.2v	0.0v	64.2v	0.0v	37.1v	0.0v	390.11v
939	Mr AJP Paluch	T	63.2v	58.1v	45.4v	39.1v	39.1v	40.1v	0.0v	69.5v	0.0v	36.2v	0.0v	389.17v
940	Cpl T Shair	T	68.4v	72.7v	49.8v	47.3v	42.2v	0.0v	0.0v	71.5v	0.0v	39.2v	0.0v	388.31v
941	Pte C Howells	T	67.4v	61.2v	37.1v	41.4v	41.3v	38.1v	0.0v	60.2v	0.0v	43.2v	0.0v	388.19v
942	Mr CJ Anyan	O	60.2v	46.1v	37.1v	45.1v	47.2v	45.2v	0.0v	65.3v	0.0v	43.1v	0.0v	388.13v
943	Miss KE Pope	T	68.4v	70.4v	48.5v	0.0v	49.8v	47.3v	0.0v	68.6v	0.0v	37.1v	0.0v	387.31v
944	Cdt GBA Anderson	T	71.6v	35.3v	44.3v	43.3v	47.4v	38.1v	0.0v	65.2v	0.0v	44.2v	0.0v	387.24v
945	Mr NH Heal	T	63.1v	72.6v	0.0v	47.3v	45.4v	43.2v	0.0v	70.2v	0.0v	46.1v	0.0v	386.19v
946	Dr CI Johnston	A	0.0v	74.5v	49.3v	44.5v	49.8v	48.7v	0.0v	74.13v	0.0v	47.2v	0.0v	385.43v
947	Cdt J Surmon	T	67.7v	69.3v	49.6v	47.4v	0.0v	46.3v	0.0v	67.6v	0.0v	39.1v	0.0v	384.30v
948	Mr IF Coventry	O	64.1v	67.2v	42.1v	37.3v	36.1v	44.4v	0.0v	61.3v	0.0v	32.1v	0.0v	383.16v
949	Mr NR Wells	O	66.4v	70.8v	0.0v	45.4v	46.2v	46.1v	0.0v	67.3v	0.0v	42.1v	0.0v	382.23v
950	Cdt PA Evans	T	63.2v	66.4v	39.1v	42.3v	40.1v	37.2v	0.0v	60.1v	0.0v	35.0v	0.0v	382.14v
951	Miss KR Sharpington	T	61.0v	65.3v	45.1v	42.2v	45.5v	36.0v	0.0v	63.2v	0.0v	24.0v	0.0v	381.13v
952	Cdt ASW Waterworth	T	64.3v	70.4v	36.2v	40.2v	48.5v	38.1v	0.0v	56.0v	0.0v	28.0v	0.0v	380.17v
953	Mr CMAG Greaves	T	62.3v	63.3v	39.1v	39.0v	43.2v	39.1v	0.0v	65.5v	0.0v	30.1v	0.0v	380.16v
954	Mr ITG Shaw	X	69.7v	73.7v	49.3v	45.6v	50.7v	47.5v	0.0v	0.0v	0.0v	46.4v	0.0v	379.39v
955	Mr SFD Dash	O	0.0v	67.6v	49.6v	46.1v	49.6v	47.5v	0.0v	74.10v	0.0v	47.3v	0.0v	379.37v
956	Cdt DB O'Hare	T	61.1v	60.2v	46.1v	46.5v	37.1v	39.0v	0.0v	63.3v	0.0v	27.1v	0.0v	379.14v
957	Miss JE Lewsey	T	65.2v	68.5v	42.2v	0.0v	48.3v	42.1v	0.0v	68.3v	0.0v	43.2v	0.0v	376.18v
958	Mr MR Ball	X	68.8v	0.0v	49.5v	40.5v	49.6v	46.3v	0.0v	74.9v	0.0v	47.6v	0.0v	373.42v
959	Mr HJM Awin	T	62.4v	69.3v	43.3v	47.4v	43.3v	38.0v	0.0v	68.3v	0.0v	0.0v	0.0v	370.20v
960	Cpl JH Holding	T	62.3v	67.4v	0.0v	45.1v	42.2v	45.1v	0.0v	64.3v	0.0v	45.2v	0.0v	370.16v
961	Sjt CD Bean	T	62.2v	67.3v	39.0v	40.0v	40.2v	39.0v	0.0v	43.0v	0.0v	39.1v	0.0v	369.8v
962	Mr BJA Parke	O	56.0v	66.4v	47.2v	40.4v	36.1v	38.0v	0.0v	52.1v	0.0v	31.0v	0.0v	366.12v
963	Miss RE Knight	O	66.5v	71.0v	48.6v	47.1v	47.3v	44.4v	0.0v	0.0v	0.0v	42.3v	0.0v	365.22v
964	LC R Laughlin	T	63.4v	66.1v	37.1v	45.4v	46.6v	43.3v	0.0v	65.2v	0.0v	0.0v	0.0v	365.21v
965	Mr C Downer	T	67.2v	69.2v	46.3v	48.6v	48.7v	42.2v	0.0v	0.0v	0.0v	44.2v	0.0v	364.24v
966	Mr OCRB Ballsdon	T	68.7v	71.9v	47.2v	39.3v	47.6v	44.3v	0.0v	0.0v	0.0v	47.2v	0.0v	363.32v
967	Mr WJS Hayman	T	67.5v	69.4v	44.4v	48.4v	47.4v	46.4v	0.0v	0.0v	0.0v	41.1v	0.0v	362.26v
968	Mr GCRG Greenbury	T	67.5v	69.3v	47.5v	43.1v	47.2v	46.4v	0.0v	0.0v	0.0v	40.0v	0.0v	359.20v
969	Cpl A Jordan	T	61.3v	61.3v	41.1v	31.0v	30.0v	36.2v	0.0v	60.2v	0.0v	39.1v	0.0v	359.12v
970	LCpl LA Volkwein	T	64.3v	59.2v	21.0v	26.1v	39.0v	45.1v	0.0v	66.3v	0.0v	38.0v	0.0v	358.10v
971	Sgt H Martin	T	61.2v	58.2v	44.1v	33.4v	41.3v	30.0v	0.0v	50.2v	0.0v	40.2v	0.0v	357.16v
972	Miss C Clarke	O	69.6v	69.5v	40.2v	41.1v	45.2v	47.3v	0.0v	0.0v	0.0v	44.3v	0.0v	355.22v
973	Cdt A Hay	T	61.0v	64.4v	44.1v	40.2v	41.2v	0.0v	0.0v	60.1v	0.0v	45.1v	0.0v	355.11v
974	Cpl K Perrett	T	61.1v	67.5v	34.1v	39.0v	27.0v	43.1v	0.0v	61.3v	0.0v	22.0v	0.0v	354.11v
975	Mr JN Lowe	T	0.0v	67.2v	39.0v	46.4v	47.2v	48.5v	0.0v	67.4v	0.0v	38.1v	0.0v	352.18v
976	Mr W Quick	X	72.4v	67.4v	37.1v	28.2v	40.1v	41.2v	0.0v	66.5v	0.0v	0.0v	0.0v	351.19v
977	Cdt JM Price	T	49.2v	59.0v	42.1v	48.5v	24.0v	40.1v	0.0v	55.1v	0.0v	34.1v	0.0v	351.11v

