

NRA 150th Anniversary Meeting

Grand Aggregate (as at Wednesday, 21st July 2010)

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW	Total	
1	Mr DC Luckman	X	72.9v	75.11v	50.6v	50.8v	50.9v	49.7v	48.5v	75.14v	105.18v	49.7v	0.0v	623.94v
2	Dr GCD Barnett	X	75.6v	74.8v	49.6v	50.6v	50.8v	49.3v	48.3v	75.10v	105.14v	48.2v	0.0v	623.66v
3	Mr JC Underwood	X	75.12v	74.13v	49.8v	48.6v	50.8v	49.5v	47.4v	75.12v	105.12v	50.6v	0.0v	622.86v
4	Mr GE Morris	X	74.8v	74.13v	50.6v	49.3v	50.7v	50.4v	48.6v	75.13v	102.11v	50.6v	0.0v	622.77v
5	Dr PD Sykes	X	74.7v	74.12v	50.4v	48.2v	50.9v	49.5v	50.8v	75.12v	104.12v	48.4v	0.0v	622.75v
6	Mr J Pugsley	X	74.9v	75.12v	50.7v	50.6v	49.8v	48.3v	49.5v	74.12v	103.14v	48.4v	0.0v	620.80v
7	Sgt SJ Hier	X	73.8v	73.6v	50.6v	49.7v	49.8v	49.5v	49.4v	74.13v	105.19v	49.3v	0.0v	620.79v
8	Mr JCT Kent	X	75.8v	75.13v	50.6v	49.6v	50.8v	48.4v	47.5v	75.8v	104.13v	47.3v	0.0v	620.74v
9	Mr ANR Walker	X	75.8v	75.11v	47.4v	50.9v	49.7v	50.6v	50.8v	75.11v	103.10v	45.6v	0.0v	619.80v
10	Miss JH Messer	X	73.7v	72.11v	49.7v	50.6v	49.7v	48.4v	49.4v	75.13v	104.12v	50.5v	0.0v	619.76v
11	Mr JAM Paton	X	75.12v	73.9v	49.7v	50.6v	49.5v	48.4v	48.2v	75.11v	105.16v	47.3v	0.0v	619.75v
12	Mr RJW Smeltzer	X	75.8v	73.9v	49.8v	46.4v	49.7v	47.3v	50.4v	75.10v	105.14v	50.6v	0.0v	619.73v
13	Mr WCP Richards	X	74.9v	74.8v	48.6v	49.7v	50.8v	49.4v	46.4v	75.10v	104.12v	50.5v	0.0v	619.73v
14	Mr C Fitzpatrick	X	73.10v	75.10v	49.3v	50.5v	49.3v	49.5v	48.4v	73.9v	104.10v	49.5v	0.0v	619.64v
15	Mr S Young	X	73.7v	74.11v	49.7v	50.9v	50.7v	50.4v	49.6v	74.13v	102.11v	47.3v	0.0v	618.78v
16	Wg Cdr DP Calvert	X	75.11v	75.12v	49.6v	48.3v	50.8v	48.3v	49.5v	74.9v	105.16v	45.4v	0.0v	618.77v
17	Mr TA Ringer	X	74.10v	74.8v	49.8v	49.7v	49.6v	49.5v	48.7v	74.13v	101.11v	50.9v	0.0v	617.84v
18	Mr SJ Cane	X	73.9v	74.12v	50.9v	49.6v	50.7v	49.7v	49.7v	74.14v	102.11v	47.2v	0.0v	617.84v
19	Mr ASH McCullough	X	73.9v	75.8v	48.4v	47.5v	50.9v	49.6v	49.7v	74.12v	103.18v	49.5v	0.0v	617.83v
20	Dr JG Robertson	X	74.9v	74.8v	47.5v	50.6v	49.8v	47.4v	48.3v	75.14v	103.15v	50.6v	0.0v	617.78v
21	Mr MJ Ensor	A	72.7v	75.9v	49.7v	47.5v	50.6v	50.7v	47.5v	75.12v	103.13v	49.5v	0.0v	617.76v
22	Mr CN Tremlett	X	74.9v	75.10v	46.3v	49.3v	50.7v	48.5v	47.3v	75.13v	103.10v	50.10v	0.0v	617.73v
23	Mr JMA Thompson	X	75.9v	70.6v	49.5v	49.5v	50.7v	49.8v	48.7v	75.12v	103.10v	49.4v	0.0v	617.73v
24	Mr DC Crispin	X	73.4v	73.10v	48.5v	49.6v	50.7v	49.5v	50.8v	75.10v	101.13v	49.4v	0.0v	617.72v
25	Mr AC Haley	A	74.12v	73.7v	50.4v	49.8v	50.6v	50.3v	47.5v	74.12v	103.10v	47.3v	0.0v	617.70v
26	Mr PG Kent	X	75.10v	73.10v	50.7v	50.6v	45.7v	48.7v	49.7v	74.10v	103.15v	49.8v	0.0v	616.87v
27	Mr J Corbett	X	75.13v	73.9v	49.5v	50.9v	49.5v	46.5v	46.6v	75.12v	105.18v	48.5v	0.0v	616.87v
28	Mr TM Green	X	72.10v	75.10v	50.7v	49.9v	50.6v	49.5v	46.4v	74.13v	103.13v	48.5v	0.0v	616.82v
29	Miss EJ Nuttall	X	73.8v	75.11v	49.7v	46.4v	50.8v	49.4v	49.4v	75.14v	103.13v	47.7v	0.0v	616.80v
30	Mr AJ Sims	X	72.11v	72.7v	47.6v	48.4v	49.3v	49.6v	49.6v	75.10v	105.11v	50.10v	0.0v	616.74v
31	Dr AM Jory	X	74.10v	73.8v	50.7v	48.5v	48.7v	48.4v	49.4v	75.10v	103.14v	48.5v	0.0v	616.74v
32	Mr GA Cann	X	74.6v	73.9v	49.6v	48.5v	48.4v	50.7v	48.5v	73.9v	104.13v	49.7v	0.0v	616.71v
33	Mr D Lowe	O	75.11v	73.6v	49.7v	50.6v	49.4v	48.4v	47.3v	73.8v	103.15v	49.6v	0.0v	616.70v
34	Mr JA Watson	X	72.8v	73.6v	47.4v	48.5v	50.7v	50.6v	47.4v	75.12v	105.14v	49.4v	0.0v	616.70v
35	Mr AJ Wilson	X	72.9v	73.12v	46.3v	50.7v	49.8v	50.4v	49.6v	75.6v	102.10v	50.3v	0.0v	616.68v
36	Mrs MM Norman	A	73.8v	73.4v	48.7v	50.6v	50.6v	49.5v	47.6v	75.12v	104.10v	47.4v	0.0v	616.68v
37	Mr NJ Ball	X	73.10v	72.9v	49.2v	49.7v	50.8v	49.4v	48.2v	75.9v	105.13v	46.4v	0.0v	616.68v
38	Mrs SV Luckman	A	75.7v	73.10v	48.5v	50.5v	47.5v	49.3v	47.2v	75.14v	105.14v	47.2v	0.0v	616.67v
39	Mr PB Bromley	X	72.10v	75.8v	50.8v	49.4v	50.6v	49.6v	47.4v	75.9v	103.9v	46.3v	0.0v	616.67v
40	Cdt HP McCullough	X	75.10v	72.8v	50.4v	46.5v	49.5v	49.8v	48.4v	74.12v	103.11v	49.6v	0.0v	615.73v
41	Mr GC Childs	A	73.7v	72.10v	48.5v	50.5v	48.6v	49.8v	49.7v	75.6v	104.12v	47.5v	0.0v	615.71v
42	Mr JWE Lewis	X	75.10v	75.11v	50.6v	50.7v	49.4v	47.4v	44.2v	74.10v	104.14v	47.3v	0.0v	615.71v
43	Mrs LK Mace	X	73.6v	75.8v	49.8v	48.5v	49.5v	47.5v	50.8v	73.9v	105.13v	46.4v	0.0v	615.71v
44	Zulkeflee Hamsan	X	74.10v	74.9v	49.6v	47.1v	50.8v	48.4v	50.9v	73.7v	103.12v	47.4v	0.0v	615.70v
45	Mr SKC Hunter	O	72.6v	73.8v	49.4v	49.7v	49.8v	49.6v	49.2v	75.11v	102.10v	48.5v	0.0v	615.67v
46	Mr FWA Coetzee	X	73.9v	74.9v	50.5v	47.2v	50.5v	48.6v	49.5v	74.8v	102.13v	48.4v	0.0v	615.66v
47	Mr RSF Shouler	X	74.13v	71.3v	50.7v	49.4v	49.7v	47.3v	47.3v	74.10v	105.13v	49.2v	0.0v	615.65v
48	Sgt. HJ Golaszewski	A	74.9v	74.6v	47.3v	47.4v	50.7v	49.3v	48.4v	75.11v	102.11v	49.4v	0.0v	615.62v
49	Mr ATB Tompson	X	74.7v	73.5v	48.4v	48.3v	50.6v	48.4v	48.5v	74.10v	105.13v	47.2v	0.0v	615.59v
50	Mr J Cload	X	73.10v	73.12v	49.8v	49.7v	50.7v	47.5v	47.7v	75.11v	104.12v	47.5v	0.0v	614.84v
51	Mr CJ Watson	X	74.11v	75.12v	48.7v	49.3v	50.9v	48.3v	48.7v	74.11v	103.14v	45.5v	0.0v	614.82v
52	Mr CJ Morton	X	74.8v	74.9v	48.6v	49.6v	50.7v	48.6v	46.5v	75.15v	103.11v	47.2v	0.0v	614.75v
53	Mr KWD Ramsey	X	73.12v	73.7v	47.5v	49.7v	50.8v	48.6v	49.4v	74.8v	104.12v	47.4v	0.0v	614.73v
54	Mr CTS Belk	A	74.9v	72.10v	47.4v	48.2v	48.6v	50.4v	47.6v	73.11v	105.13v	50.5v	0.0v	614.70v

55	Mr IT Jones	O	75.13v	72.9v	50.5v	46.3v	50.5v	48.4v	48.6v	74.11v	103.9v	48.5v	0.0v	614.70v
56	Mr AF Powell	X	73.8v	74.9v	48.4v	50.6v	49.6v	48.6v	47.3v	75.11v	103.11v	47.6v	0.0v	614.70v
57	Mr TLW Kidner	X	74.9v	73.8v	49.6v	48.6v	49.7v	48.5v	49.5v	75.11v	103.11v	46.2v	0.0v	614.70v
58	Mr JRO Boyd	A	74.12v	72.4v	48.7v	49.7v	49.6v	49.6v	48.6v	75.8v	100.10v	50.2v	0.0v	614.68v
59	Mr DA Richardson	X	73.9v	75.10v	48.7v	48.4v	50.6v	45.1v	49.5v	75.10v	103.11v	48.2v	0.0v	614.65v
60	Mr DA Taylor	A	73.7v	73.7v	49.4v	49.6v	49.5v	49.6v	45.2v	74.9v	105.10v	48.6v	0.0v	614.62v
61	Mr M Woolger	X	75.10v	74.8v	49.6v	47.3v	49.4v	48.2v	49.5v	75.8v	103.8v	45.5v	0.0v	614.59v
62	Dr HHG Pollock	A	74.9v	72.9v	49.7v	50.6v	49.8v	49.3v	47.4v	73.12v	101.13v	49.6v	0.0v	613.77v
63	Mr MT Phipps	O	73.8v	72.12v	49.5v	49.5v	50.7v	49.6v	45.3v	74.11v	104.13v	48.7v	0.0v	613.77v
64	Mr P Patel	X	73.9v	73.9v	49.7v	48.8v	50.9v	48.5v	49.5v	75.14v	100.6v	48.5v	0.0v	613.77v
65	Mr N Cole-Hawkins	A	72.7v	73.10v	50.7v	49.6v	50.8v	47.2v	48.6v	74.9v	101.10v	49.5v	0.0v	613.70v
66	Mr GK Alexander	X	72.6v	74.13v	49.7v	46.4v	50.6v	49.5v	49.5v	74.10v	104.11v	46.3v	0.0v	613.70v
67	Mr GMLN Gilpin	X	72.7v	75.11v	50.5v	46.5v	48.7v	48.7v	49.5v	74.8v	102.11v	49.3v	0.0v	613.69v
68	Mr NBS Logan	A	74.11v	75.8v	48.5v	50.4v	48.7v	48.4v	47.5v	73.9v	104.13v	46.3v	0.0v	613.69v
69	Mr CA Brook	X	72.8v	75.11v	48.5v	50.5v	50.6v	47.4v	49.6v	74.11v	100.7v	48.5v	0.0v	613.68v
70	Mrs BA Bell	X	73.8v	71.8v	48.5v	50.5v	50.9v	48.3v	48.5v	75.10v	103.10v	47.5v	0.0v	613.68v
71	Dr JD Warburton	X	73.7v	74.8v	49.6v	45.5v	50.7v	48.3v	49.7v	74.11v	104.10v	47.2v	0.0v	613.66v
72	Mr MG Whicher	A	74.6v	72.7v	49.7v	48.5v	50.7v	48.4v	47.4v	73.8v	104.13v	48.4v	0.0v	613.65v
73	Mr SD Shouler	X	74.11v	75.7v	49.7v	48.5v	49.6v	45.1v	47.2v	75.10v	104.11v	47.4v	0.0v	613.64v
74	Mr ERT Jeens	X	72.7v	74.10v	47.5v	46.3v	50.8v	48.6v	50.8v	75.14v	103.13v	47.4v	0.0v	612.78v
75	Miss KAN Jack	X	74.11v	73.8v	50.8v	49.7v	49.7v	47.6v	46.2v	74.12v	103.10v	47.3v	0.0v	612.74v
76	Mr DR Armstrong	X	73.10v	74.10v	49.6v	47.3v	50.8v	48.5v	48.5v	74.11v	103.15v	46.1v	0.0v	612.74v
77	Mr TJD Raincock	X	74.9v	71.5v	48.5v	48.3v	49.8v	48.5v	49.7v	74.12v	102.13v	49.6v	0.0v	612.73v
78	Mrs CJ Clifford-Evans	X	74.11v	71.8v	48.5v	50.9v	48.2v	48.6v	47.2v	74.11v	104.13v	48.5v	0.0v	612.72v
79	Mr JC Evans	O	69.5v	75.9v	49.2v	50.7v	48.7v	47.5v	49.7v	74.11v	103.15v	48.4v	0.0v	612.72v
80	Mr PM Jory	X	74.9v	73.8v	49.6v	48.5v	50.8v	44.4v	49.4v	74.11v	104.14v	47.3v	0.0v	612.72v
81	Lt Col CR Claridge	O	72.5v	74.10v	47.5v	47.4v	50.10v	48.4v	49.6v	75.12v	104.13v	46.3v	0.0v	612.72v
82	Cdt GW Davies	A	74.6v	71.10v	47.3v	47.4v	50.7v	49.7v	48.3v	74.10v	103.13v	49.4v	0.0v	612.67v
83	Cpl J Wallace	O	73.10v	73.5v	49.8v	49.4v	49.4v	48.4v	48.3v	75.11v	102.15v	46.3v	0.0v	612.67v
84	Mr ISL Dampney	X	70.6v	73.7v	50.8v	46.4v	50.8v	48.2v	49.6v	75.9v	103.13v	48.3v	0.0v	612.66v
85	Cpl JP Nice	A	73.7v	75.7v	50.6v	46.3v	48.5v	49.6v	49.5v	74.11v	101.12v	47.3v	0.0v	612.65v
86	Mr MJ MacKeith	A	74.10v	71.4v	49.6v	50.7v	50.6v	46.4v	47.5v	75.11v	104.10v	46.2v	0.0v	612.65v
87	Mr MF Martel	X	74.11v	73.5v	50.6v	49.4v	50.7v	48.4v	46.3v	74.11v	103.11v	45.3v	0.0v	612.65v
88	Mr DG Young	X	70.5v	74.10v	50.8v	49.5v	50.7v	48.5v	45.4v	75.6v	104.11v	47.3v	0.0v	612.64v
89	Dr JDS Langley	X	73.8v	72.6v	45.2v	49.5v	50.8v	48.2v	49.6v	75.10v	101.10v	50.5v	0.0v	612.62v
90	Mr RC Oxford	A	73.5v	73.9v	49.6v	50.7v	49.4v	50.5v	47.4v	75.8v	100.10v	46.4v	0.0v	612.62v
91	Prof AR Horrocks	X	75.11v	73.9v	48.2v	49.3v	48.4v	47.3v	49.6v	73.10v	104.11v	46.3v	0.0v	612.62v
92	Mr PJ Johnson	X	74.9v	73.7v	49.7v	47.5v	49.4v	48.3v	47.3v	75.10v	104.8v	46.5v	0.0v	612.61v
93	Mr JB Hull	X	72.10v	74.9v	50.5v	48.4v	50.6v	45.1v	49.6v	71.7v	103.9v	50.3v	0.0v	612.60v
94	Flt Lt IW Robertson	A	74.6v	73.11v	49.4v	46.4v	50.3v	49.4v	47.3v	72.8v	105.8v	47.5v	0.0v	612.56v
95	Mr AG Mitchell	A	74.8v	74.6v	49.5v	50.5v	46.2v	48.2v	49.5v	74.8v	105.12v	43.1v	0.0v	612.54v
96	Mr NRJ Brasier	X	71.9v	75.12v	49.5v	48.7v	49.7v	48.7v	48.4v	75.13v	103.12v	45.5v	0.0v	611.81v
97	Mr JEM Bellringer	X	71.9v	74.9v	49.4v	48.4v	48.7v	48.7v	49.5v	72.10v	104.14v	48.5v	0.0v	611.74v
98	Mr R McQuillan	X	74.9v	75.10v	48.4v	44.2v	50.5v	48.6v	49.8v	75.11v	104.13v	44.3v	0.0v	611.71v
99	Mr E Malleon	O	74.9v	73.8v	49.6v	47.5v	50.5v	47.5v	49.5v	74.10v	100.11v	48.6v	0.0v	611.70v
100	Mr MH Shaw	A	74.8v	73.10v	48.2v	50.6v	48.5v	46.2v	48.7v	74.10v	103.14v	47.6v	0.0v	611.70v
101	Mr PJ Westlake	X	73.8v	72.8v	49.5v	47.5v	50.7v	47.4v	50.5v	74.12v	102.13v	47.3v	0.0v	611.70v
102	Mr BW Schlam	X	72.8v	74.10v	48.5v	48.6v	49.8v	48.5v	48.4v	73.8v	104.13v	47.3v	0.0v	611.70v
103	Dr AJ Pilgrim	X	72.7v	73.12v	48.4v	50.5v	50.4v	48.6v	48.6v	74.11v	102.12v	46.2v	0.0v	611.69v
104	Mr TG Rylands	X	73.7v	74.8v	49.4v	43.3v	47.6v	49.2v	50.9v	74.12v	103.13v	49.4v	0.0v	611.68v
105	Mr JR Tuck	X	71.6v	74.10v	48.2v	45.3v	50.9v	48.5v	49.7v	75.13v	105.9v	46.4v	0.0v	611.68v
106	Mr DGM Coleman	X	71.8v	74.8v	50.6v	48.4v	49.6v	49.5v	49.6v	74.11v	102.9v	45.5v	0.0v	611.68v
107	Mr NC Mace	X	73.9v	73.8v	49.8v	49.3v	50.8v	47.5v	47.4v	75.10v	103.10v	45.3v	0.0v	611.68v
108	Mr JP Tapster	X	75.9v	75.9v	50.7v	46.3v	50.6v	48.4v	46.6v	75.11v	101.10v	45.3v	0.0v	611.68v
109	Mr DGP Vamplew	X	73.9v	70.6v	48.7v	49.7v	49.6v	49.3v	48.4v	74.11v	103.10v	48.4v	0.0v	611.67v
110	Zainal Md Zain	X	71.5v	73.7v	49.4v	47.5v	50.9v	47.6v	49.4v	74.13v	103.10v	48.3v	0.0v	611.66v
111	Mr RA Jobson	A	71.6v	74.6v	49.5v	46.1v	50.7v	48.5v	50.4v	75.10v	102.14v	46.7v	0.0v	611.65v
112	Miss JM Rankin	O	75.7v	75.8v	49.8v	49.5v	50.5v	45.4v	47.4v	72.9v	103.11v	46.4v	0.0v	611.65v
113	Mr KO Pugh	A	72.7v	74.6v	46.5v	50.6v	50.7v	48.5v	46.3v	74.7v	104.15v	47.3v	0.0v	611.64v
114	Mr RBC Baker	A	75.9v	72.7v	48.6v	48.4v	49.6v	50.4v	47.3v	74.10v	102.9v	46.5v	0.0v	611.63v
115	Mr MJM Black	A	73.9v	75.9v	47.5v	50.8v	50.8v	49.3v	46.3v	74.8v	101.9v	46.1v	0.0v	611.63v
116	Cdt MJ Purdy	A	71.4v	71.4v	49.6v	49.3v	50.6v	50.8v	46.3v	75.11v	101.13v	49.4v	0.0v	611.62v
117	Mr DRG Rich	X	74.8v	75.5v	47.5v	50.6v	48.7v	48.5v	46.2v	73.11v	102.11v	48.2v	0.0v	611.62v
118	Mr LM Peden	A	72.8v	73.5v	49.5v	48.4v	50.9v	50.6v	48.5v	74.9v	102.6v	45.4v	0.0v	611.61v
119	Lt AW Gill	O	72.6v	73.5v	48.4v	48.1v	49.6v	50.8v	48.5v	74.11v	101.11v	48.3v	0.0v	611.60v
120	Mr S Harding	X	72.9v	72.5v	50.6v	48.3v	48.5v	47.2v	49.5v	74.11v	102.6v	49.6v	0.0v	611.58v
121	Mr G Grosskreutz	X	74.4v	73.10v	49.7v	49.5v	49.5v	47.3v	47.4v	75.9v	104.8v	44.2v	0.0v	611.57v
122	Mr AM Bullen	A	72.8v	74.8v	49.5v	46.1v	50.1v	47.5v	50.5v	73.7v	102.10v	48.3v	0.0v	611.53v
123	Mr GW Woodman	X	73.8v	73.12v	48.6v	46.1v	49.8v	48.6v	47.5v	75.13v	104.15v	47.2v	0.0v	610.76v
124	Mr GC Edser	X	72.10v	74.8v	48.4v	48.6v	48.7v	49.6v	49.6v	74.14v	103.13v	45.2v	0.0v	610.76v
125	Flt Lt NP Moxon	A	74.8v	74.13v	49.5v	50.6v	48.4v	44.4v	49.7v	73.10v	102.12v	47.4v	0.0v	610.73v

126	Mr BA Horwood	X	71.8v	75.11v	48.4v	48.6v	48.4v	48.5v	48.5v	75.12v	102.12v	47.4v	0.0v	610.71v
127	Mr CES Dickenson	X	72.8v	73.7v	47.5v	49.7v	49.7v	50.5v	49.8v	73.10v	101.12v	47.1v	0.0v	610.70v
128	Mr APW Daw	A	67.7v	72.8v	50.7v	49.4v	50.6v	46.1v	48.4v	75.12v	104.14v	49.4v	0.0v	610.67v
129	Mr MI Buchanan	X	75.8v	72.8v	49.5v	48.4v	50.9v	47.2v	46.3v	75.13v	102.13v	46.2v	0.0v	610.67v
130	Mr AJ Luckman	X	72.9v	73.10v	50.6v	50.4v	50.10v	50.6v	49.3v	73.9v	99.10v	44.0v	0.0v	610.67v
131	Mr GS Cotton	X	72.8v	74.8v	49.6v	48.6v	50.7v	48.5v	50.8v	75.8v	101.8v	43.2v	0.0v	610.66v
132	Mr RJ Booth	O	71.7v	70.6v	48.7v	49.4v	49.6v	50.5v	49.6v	75.9v	101.9v	48.4v	0.0v	610.63v
133	Mrs JA Wagland	X	72.7v	72.10v	49.4v	49.6v	49.5v	47.3v	49.5v	72.7v	102.11v	49.4v	0.0v	610.62v
134	Mr TP Hammond	A	74.9v	72.7v	49.7v	49.6v	48.5v	48.3v	49.5v	74.8v	101.10v	46.2v	0.0v	610.62v
135	Mr LT Wicker	X	71.5v	71.7v	50.6v	49.6v	48.2v	49.5v	47.2v	75.8v	102.14v	48.6v	0.0v	610.61v
136	Mr MCJ Button	X	72.6v	73.6v	47.4v	50.4v	50.7v	48.5v	46.3v	74.8v	103.12v	47.6v	0.0v	610.61v
137	Dr AF Aspin	A	71.4v	72.6v	50.7v	47.2v	50.5v	48.4v	49.7v	73.8v	103.13v	47.4v	0.0v	610.60v
138	Mr RA Benest	X	73.6v	72.9v	49.5v	48.5v	50.5v	49.6v	46.3v	75.11v	101.7v	47.3v	0.0v	610.60v
139	Mr AA Williams	A	73.7v	71.6v	49.6v	49.5v	50.8v	46.4v	48.4v	74.10v	104.9v	46.1v	0.0v	610.60v
140	Mr KR Trowbridge	X	72.8v	72.6v	49.8v	49.6v	49.6v	47.2v	49.8v	74.6v	100.6v	49.3v	0.0v	610.59v
141	Mr J Huber	X	72.7v	74.7v	50.7v	46.4v	49.3v	50.4v	48.3v	75.11v	101.11v	45.2v	0.0v	610.59v
142	Mr M Fray	O	74.4v	73.3v	48.5v	46.3v	50.6v	49.6v	47.4v	75.13v	99.9v	49.5v	0.0v	610.58v
143	Cdt AW Boyd	O	72.8v	74.6v	47.6v	49.5v	49.3v	49.6v	46.4v	73.8v	104.10v	47.2v	0.0v	610.58v
144	Cdt Cpl HAD Howard	O	73.2v	74.7v	48.3v	49.7v	48.6v	49.5v	47.5v	72.11v	103.11v	47.1v	0.0v	610.58v
145	Mr AP Barnes	X	70.6v	72.3v	50.8v	49.5v	49.6v	48.4v	50.5v	74.7v	101.8v	47.3v	0.0v	610.55v
146	Mr IP Davison	X	73.10v	72.8v	47.6v	49.9v	50.8v	49.5v	47.3v	74.12v	101.10v	47.6v	0.0v	609.77v
147	Mr SA Thomas	X	74.9v	67.9v	47.4v	48.6v	50.8v	48.3v	49.6v	75.14v	102.11v	49.4v	0.0v	609.74v
148	Mr DGM Mutter	O	73.6v	74.11v	50.8v	48.6v	48.5v	49.7v	47.4v	74.8v	101.13v	45.5v	0.0v	609.73v
149	Mr AS Errey	A	73.10v	75.11v	49.6v	48.6v	50.8v	47.2v	47.4v	75.8v	101.13v	44.4v	0.0v	609.72v
150	Mr RT Nelson	A	74.9v	72.8v	47.6v	49.7v	49.6v	50.4v	47.5v	75.11v	102.13v	44.1v	0.0v	609.70v
151	Mr JPL Sweet	X	71.7v	73.4v	48.5v	49.4v	48.5v	49.7v	48.5v	74.11v	99.14v	50.7v	0.0v	609.69v
152	Mr JR Davies	X	72.6v	73.8v	49.5v	49.6v	49.8v	50.4v	46.6v	75.12v	103.11v	43.2v	0.0v	609.68v
153	Mr CP Weeden	X	71.7v	68.4v	48.5v	49.7v	49.7v	49.5v	49.5v	75.9v	103.13v	48.5v	0.0v	609.67v
154	Mr JH Wood	O	75.9v	70.6v	49.6v	48.6v	50.7v	49.4v	47.3v	72.9v	101.11v	48.4v	0.0v	609.65v
155	Mr ML Millar	X	73.10v	75.9v	47.3v	46.4v	50.7v	49.3v	47.4v	74.7v	102.14v	46.4v	0.0v	609.65v
156	Flt Lt BN Roth	X	73.7v	74.9v	48.7v	46.3v	49.6v	48.3v	48.5v	74.10v	101.9v	48.5v	0.0v	609.64v
157	Mr BV Cambray	A	74.10v	70.7v	50.8v	48.4v	49.3v	48.3v	48.5v	74.12v	103.9v	45.3v	0.0v	609.64v
158	Eur Ing CA Painting	X	73.8v	73.7v	50.6v	48.5v	50.5v	50.7v	48.4v	72.6v	102.15v	43.1v	0.0v	609.64v
159	Mr NW Penn	A	70.6v	74.9v	48.4v	48.6v	48.6v	49.6v	46.6v	74.7v	103.9v	49.4v	0.0v	609.63v
160	Mr PRD Stock	A	70.8v	72.7v	50.6v	49.7v	49.8v	47.4v	49.7v	73.6v	102.6v	48.4v	0.0v	609.63v
161	Mr SNS Penrose	X	73.9v	69.4v	50.5v	47.3v	48.4v	47.5v	48.3v	75.11v	104.15v	48.4v	0.0v	609.63v
162	Mr DJ Gass	X	74.7v	72.7v	49.7v	44.4v	49.5v	48.6v	49.3v	74.11v	103.10v	47.3v	0.0v	609.63v
163	Miss KA Berman	X	68.5v	72.5v	49.8v	49.4v	49.5v	50.6v	49.3v	75.11v	103.13v	45.3v	0.0v	609.63v
164	Mr RJS Curtis	X	72.6v	74.9v	48.6v	49.6v	50.8v	48.4v	48.4v	71.4v	104.13v	45.2v	0.0v	609.62v
165	Miss SP Ward	X	71.7v	73.6v	48.3v	47.3v	48.4v	48.6v	46.5v	75.14v	103.7v	50.6v	0.0v	609.61v
166	Mr RR Goodluck	O	74.6v	72.6v	49.7v	48.3v	48.3v	47.4v	46.5v	73.6v	103.13v	49.4v	0.0v	609.57v
167	Mr SH Cox	A	72.6v	74.4v	49.5v	47.5v	50.5v	50.5v	47.4v	73.8v	102.13v	45.2v	0.0v	609.57v
168	Mr RCT Jeens	X	72.6v	74.9v	49.5v	50.5v	50.6v	46.4v	49.1v	73.6v	98.11v	48.3v	0.0v	609.56v
169	Mr JA Anderson	X	73.7v	71.7v	49.6v	48.3v	49.7v	50.4v	47.3v	74.6v	99.6v	49.3v	0.0v	609.52v
170	Mr WDH Burden	X	74.9v	73.6v	49.4v	48.2v	49.4v	47.5v	48.5v	75.8v	101.7v	45.2v	0.0v	609.52v
171	Mr D Le Quesne	X	73.9v	71.9v	50.7v	45.6v	49.4v	47.5v	48.6v	74.9v	104.16v	47.6v	0.0v	608.77v
172	Mr BA Young	A	73.11v	74.12v	49.3v	44.3v	49.6v	48.7v	49.5v	74.12v	104.13v	44.3v	0.0v	608.75v
173	Dr JR Deane	X	71.8v	72.7v	50.9v	48.4v	49.8v	47.4v	47.2v	75.12v	104.14v	45.5v	0.0v	608.73v
174	Cdt LAE Crowson	T	74.11v	74.11v	49.6v	49.6v	47.4v	44.4v	44.3v	74.9v	104.12v	49.5v	0.0v	608.71v
175	Mr MA Kirkillio-Stacewicz	A	73.10v	74.8v	49.5v	46.4v	50.7v	47.3v	48.6v	74.12v	102.12v	45.2v	0.0v	608.69v
176	Mr RW Hallows	O	72.6v	71.7v	48.5v	48.6v	47.4v	47.7v	48.5v	75.12v	104.13v	48.2v	0.0v	608.67v
177	Mr C Mallett	X	73.7v	73.10v	50.5v	47.4v	49.7v	49.7v	48.3v	74.11v	101.11v	44.2v	0.0v	608.67v
178	Mr RP Rosling	O	71.7v	72.9v	49.5v	47.3v	49.5v	49.6v	48.6v	75.13v	102.9v	46.3v	0.0v	608.66v
179	Mr SC Postins	X	70.5v	73.9v	50.7v	48.5v	50.3v	48.6v	47.5v	75.10v	100.11v	47.4v	0.0v	608.65v
180	Mr NJ Burnip	O	72.9v	71.6v	49.6v	47.4v	49.6v	48.7v	49.5v	73.11v	103.8v	47.3v	0.0v	608.65v
181	Major JRW Postle	A	74.6v	74.11v	48.3v	48.6v	50.7v	47.5v	47.4v	73.10v	104.12v	43.1v	0.0v	608.65v
182	Mr D Blake	X	72.9v	74.8v	47.5v	48.5v	48.5v	48.3v	48.6v	74.8v	101.10v	48.5v	0.0v	608.64v
183	Mr PG Oxnam	A	72.9v	74.11v	49.5v	49.4v	48.6v	49.5v	48.4v	69.6v	103.9v	47.5v	0.0v	608.64v
184	Dr CI Johnston	A	73.6v	74.5v	49.3v	44.5v	49.8v	48.7v	50.6v	74.13v	100.9v	47.2v	0.0v	608.64v
185	Mr HN Watson	X	72.10v	72.5v	47.5v	48.6v	48.6v	46.3v	49.5v	74.7v	102.9v	50.7v	0.0v	608.63v
186	Mr ACH Bryson	X	74.8v	72.9v	48.4v	48.4v	48.3v	46.5v	48.4v	75.10v	100.10v	49.6v	0.0v	608.63v
187	Mr MJ Barlow	X	74.9v	72.8v	48.4v	49.4v	46.4v	49.5v	46.1v	75.12v	101.9v	48.7v	0.0v	608.63v
188	Mr ER Johnson	X	74.6v	73.8v	49.6v	49.4v	49.5v	46.3v	47.2v	75.12v	104.14v	42.2v	0.0v	608.62v
189	Mr ND Stangroom	X	72.9v	73.8v	47.3v	50.7v	49.5v	49.5v	49.4v	71.6v	101.9v	47.5v	0.0v	608.61v
190	Mr P Dawes	O	73.7v	72.5v	50.9v	49.8v	50.4v	46.2v	48.7v	73.9v	101.10v	46.0v	0.0v	608.61v
191	Mr CRM Asquith	A	73.8v	73.10v	50.6v	48.4v	49.4v	45.2v	47.4v	71.6v	104.10v	48.5v	0.0v	608.59v
192	Miss JE Ouston	O	74.8v	75.10v	50.4v	49.5v	45.2v	48.4v	47.3v	72.9v	102.11v	46.1v	0.0v	608.57v
193	Mr AJC Wilson	A	72.7v	74.8v	48.4v	49.7v	47.4v	49.6v	49.2v	74.5v	98.8v	48.5v	0.0v	608.56v
194	Mr GW Clarke	O	73.5v	74.6v	47.5v	49.5v	50.7v	45.2v	47.4v	75.11v	104.9v	44.2v	0.0v	608.56v
195	Mr GC Baylis	O	73.7v	70.4v	47.5v	50.4v	50.8v	48.5v	47.4v	74.5v	101.8v	48.4v	0.0v	608.54v
196	Mr ITG Shaw	X	69.7v	73.7v	49.3v	45.6v	50.7v	47.5v	49.8v	74.13v	105.16v	46.4v	0.0v	607.76v

197	Mr RN Stebbings	O	72.11v	73.7v	48.5v	49.4v	49.6v	47.6v	46.4v	74.11v	102.12v	47.6v	0.0v	607.72v
198	Mr DFP Richards	X	72.10v	72.7v	50.6v	48.7v	49.5v	48.2v	44.4v	74.13v	102.13v	48.3v	0.0v	607.70v
199	Mr SHJ Harley	X	71.8v	73.9v	50.7v	48.6v	50.3v	47.6v	49.5v	74.10v	100.11v	45.3v	0.0v	607.68v
200	Mr AC Griffin	A	73.11v	71.9v	49.3v	50.4v	49.7v	46.4v	44.3v	74.10v	104.10v	47.4v	0.0v	607.65v
201	Mr RW Shaw	A	73.6v	73.8v	47.3v	46.4v	50.6v	46.5v	49.4v	75.13v	103.14v	45.2v	0.0v	607.65v
202	Mr RdeV Chase	X	72.5v	74.10v	49.6v	49.5v	50.7v	46.2v	46.1v	74.13v	100.12v	47.3v	0.0v	607.64v
203	Mr A Burton	A	73.11v	75.10v	48.4v	48.4v	50.5v	50.6v	43.3v	74.9v	100.8v	46.3v	0.0v	607.63v
204	Mr KM Willingale	A	73.5v	71.7v	46.4v	47.3v	49.4v	48.5v	49.6v	74.11v	101.8v	49.7v	0.0v	607.60v
205	Mr HA Day	X	71.4v	74.8v	48.2v	49.3v	50.7v	47.5v	48.5v	74.10v	100.12v	46.4v	0.0v	607.60v
206	Miss S-J Binder	X	70.6v	75.8v	47.3v	49.5v	50.8v	50.6v	44.3v	73.5v	101.11v	48.3v	0.0v	607.58v
207	Mr PCA Slater	O	71.6v	73.7v	48.6v	48.4v	48.4v	47.4v	48.1v	75.14v	101.10v	48.2v	0.0v	607.58v
208	Mr D Fulmer	X	72.5v	73.4v	46.5v	50.6v	48.5v	48.5v	48.4v	74.10v	101.12v	47.2v	0.0v	607.58v
209	Mr KB Hill	O	71.7v	72.7v	47.2v	50.6v	49.5v	49.5v	48.2v	74.11v	102.10v	45.3v	0.0v	607.58v
210	Ms LA Johnson	A	74.5v	74.7v	48.4v	45.1v	49.5v	48.7v	49.8v	74.10v	100.8v	46.2v	0.0v	607.57v
211	Mr RM Hatcher	X	73.7v	72.6v	49.4v	49.5v	48.4v	46.3v	48.3v	75.12v	102.11v	45.2v	0.0v	607.57v
212	Mr A Tikkanen	X	71.5v	70.7v	50.4v	49.8v	48.3v	49.4v	48.2v	74.10v	102.8v	46.2v	0.0v	607.53v
213	Mr JA Borland	O	71.7v	73.10v	49.6v	47.4v	48.6v	47.5v	48.6v	75.10v	104.12v	44.3v	0.0v	606.69v
214	Mr DW Baker	X	71.8v	70.5v	49.5v	44.2v	50.9v	46.4v	48.6v	75.11v	105.12v	48.6v	0.0v	606.68v
215	Mr JA Bullock	X	74.9v	73.8v	50.8v	46.3v	48.6v	48.7v	46.2v	75.9v	102.11v	44.4v	0.0v	606.67v
216	Miss HA Foster	A	72.8v	75.12v	47.7v	49.5v	46.3v	50.7v	45.3v	74.10v	102.7v	46.4v	0.0v	606.66v
217	Cdt AEC Corner	O	70.6v	73.6v	49.4v	48.7v	49.5v	49.4v	49.7v	74.10v	99.13v	46.3v	0.0v	606.65v
218	Mr PJ Chapman-Sheath	O	71.8v	70.5v	50.3v	49.7v	49.7v	47.6v	47.6v	72.9v	104.9v	47.4v	0.0v	606.64v
219	Mr DC Dyson	X	75.12v	72.5v	47.5v	48.3v	50.7v	46.3v	44.4v	74.9v	104.13v	46.3v	0.0v	606.64v
220	Mr R Birtwistle	A	73.9v	73.7v	45.3v	47.6v	49.6v	48.4v	46.4v	74.7v	102.13v	49.4v	0.0v	606.63v
221	Mr C Mitchell	O	73.9v	73.8v	49.4v	48.5v	48.6v	48.4v	45.2v	73.8v	101.12v	48.5v	0.0v	606.63v
222	Mr RE Ellis	A	72.8v	75.6v	50.9v	46.4v	49.5v	45.4v	48.6v	73.7v	101.10v	47.4v	0.0v	606.63v
223	Mr T Horrocks	O	74.9v	68.2v	50.7v	48.7v	49.4v	48.6v	50.7v	74.12v	101.7v	44.2v	0.0v	606.63v
224	Mr RL Cuthbert	X	74.7v	72.10v	49.5v	46.2v	48.7v	46.3v	49.3v	75.11v	104.13v	43.2v	0.0v	606.63v
225	Mr AR Wilde	X	72.7v	74.5v	49.6v	46.3v	50.7v	46.3v	48.6v	74.10v	101.13v	46.2v	0.0v	606.62v
226	Mr NG Smith	O	72.8v	74.11v	50.4v	47.2v	50.7v	46.3v	48.6v	75.12v	102.7v	42.2v	0.0v	606.62v
227	Mr RJ Waters	A	73.5v	72.8v	48.5v	49.4v	49.8v	48.5v	46.3v	72.11v	101.8v	48.4v	0.0v	606.61v
228	Mr T Steele	X	72.4v	73.8v	48.5v	49.7v	48.5v	48.5v	48.3v	72.9v	101.11v	47.4v	0.0v	606.61v
229	Mr J Payne	A	75.12v	73.10v	48.7v	49.4v	47.3v	45.3v	46.0v	72.7v	104.12v	47.3v	0.0v	606.61v
230	Mr TP Clarke	A	73.11v	73.5v	49.7v	48.6v	50.7v	47.3v	47.2v	73.6v	100.12v	46.2v	0.0v	606.61v
231	Mr RJ Coffin	O	72.5v	73.8v	49.6v	47.4v	50.4v	48.7v	45.4v	73.7v	103.11v	46.4v	0.0v	606.60v
232	Cdt CS Milton	O	73.8v	74.11v	50.5v	47.5v	50.7v	47.5v	45.3v	73.5v	101.9v	46.2v	0.0v	606.60v
233	Miss AMG Ogilvie	O	73.8v	69.7v	50.6v	48.3v	49.7v	48.7v	48.2v	74.10v	102.7v	45.3v	0.0v	606.60v
234	Mr S Robinson	A	74.5v	73.10v	47.4v	47.3v	50.4v	48.3v	47.3v	73.11v	102.13v	45.2v	0.0v	606.58v
235	Mr RAV Hebblethwaite	X	74.7v	74.7v	49.9v	44.0v	50.4v	48.3v	50.7v	75.14v	100.6v	42.1v	0.0v	606.58v
236	Mr EI Cartwright	O	69.3v	74.9v	50.7v	46.5v	50.6v	46.2v	49.3v	75.10v	102.10v	45.2v	0.0v	606.57v
237	Mr MJ Wood	X	72.3v	70.3v	49.7v	46.3v	50.2v	48.5v	46.3v	75.9v	103.15v	47.5v	0.0v	606.55v
238	Mr SJ Carson	A	71.7v	75.9v	48.4v	49.2v	50.8v	46.3v	48.4v	75.8v	98.7v	46.3v	0.0v	606.55v
239	Mr BGE Picton	O	70.6v	75.8v	48.3v	46.3v	50.6v	50.5v	48.3v	73.7v	101.11v	45.3v	0.0v	606.55v
240	Mr MR Fugeman	X	70.3v	74.8v	48.5v	47.3v	50.4v	50.6v	49.5v	74.9v	99.10v	45.2v	0.0v	606.55v
241	Mr E McConnell	O	72.6v	71.4v	47.2v	49.5v	49.6v	45.2v	46.3v	75.12v	104.10v	48.3v	0.0v	606.53v
242	Mr PJR Holden	X	72.5v	69.2v	50.5v	49.2v	50.2v	49.4v	48.4v	74.9v	101.10v	44.1v	0.0v	606.44v
243	Mr H Ball	A	70.7v	72.10v	48.8v	47.4v	50.6v	49.5v	50.6v	75.10v	99.8v	45.5v	0.0v	605.69v
244	Cdt JW Alexander	O	72.6v	74.8v	50.5v	47.6v	49.8v	47.6v	48.5v	74.10v	103.9v	41.4v	0.0v	605.67v
245	Wg Cdr RJS Clark	A	72.7v	72.6v	49.6v	50.8v	49.8v	49.4v	47.5v	74.11v	100.9v	43.2v	0.0v	605.66v
246	Mr P De Voil	A	74.9v	72.9v	48.6v	47.5v	49.6v	47.4v	48.3v	71.9v	103.10v	46.3v	0.0v	605.64v
247	Mr DE Nuthall	X	75.9v	72.6v	48.5v	45.4v	49.8v	47.3v	50.4v	74.10v	103.11v	42.4v	0.0v	605.64v
248	C Saina	O	74.8v	72.9v	48.5v	47.6v	50.6v	46.4v	47.4v	73.5v	101.12v	47.4v	0.0v	605.63v
249	Mr EC Dickson	X	74.7v	73.9v	49.7v	49.6v	50.8v	45.5v	47.2v	75.9v	101.9v	42.1v	0.0v	605.63v
250	Mr CM Brooks	O	72.10v	72.8v	49.5v	46.2v	48.6v	48.2v	50.6v	73.9v	99.10v	48.3v	0.0v	605.61v
251	Mr CD Atkins	O	71.7v	75.11v	50.8v	49.6v	49.6v	46.3v	46.3v	72.6v	99.8v	48.3v	0.0v	605.61v
252	Mr R Kloosterman	A	71.5v	70.7v	50.7v	50.6v	49.5v	50.7v	48.7v	70.7v	100.6v	47.4v	0.0v	605.61v
253	Mr TJ Roberts	A	71.8v	73.6v	48.5v	48.3v	50.8v	49.6v	48.4v	72.10v	99.9v	47.2v	0.0v	605.61v
254	Mr IF Luckman	O	70.5v	75.8v	46.4v	49.7v	48.3v	50.4v	49.5v	75.12v	98.10v	45.3v	0.0v	605.61v
255	Mr SC Williamson	X	74.8v	73.10v	48.3v	49.6v	49.8v	46.2v	45.5v	73.10v	103.7v	45.2v	0.0v	605.61v
256	Mr NA Cock	X	73.9v	73.9v	48.4v	46.3v	48.7v	50.6v	47.6v	75.10v	101.7v	44.0v	0.0v	605.61v
257	Mr PD Griggs	X	74.11v	69.3v	48.4v	49.5v	49.6v	48.3v	46.6v	72.7v	104.12v	46.3v	0.0v	605.60v
258	Mr WH Putter	O	74.9v	72.8v	48.5v	49.3v	48.6v	47.3v	47.6v	74.6v	101.12v	45.2v	0.0v	605.60v
259	Mr JDI Hossack	O	71.5v	73.4v	49.7v	47.4v	49.7v	49.4v	47.3v	75.11v	103.13v	42.2v	0.0v	605.60v
260	Mr G Williams	X	72.7v	74.10v	50.4v	44.6v	50.2v	47.3v	48.5v	74.12v	100.5v	46.5v	0.0v	605.59v
261	Mr B Langille	X	72.8v	70.7v	47.3v	49.1v	50.8v	46.4v	46.4v	75.10v	103.9v	47.4v	0.0v	605.58v
262	Mr C Rivett-Carnac	O	72.9v	72.4v	49.5v	49.5v	49.5v	46.3v	46.3v	74.9v	102.11v	46.4v	0.0v	605.58v
263	Mr IMR Power	O	73.8v	73.5v	50.7v	47.3v	47.4v	49.6v	47.4v	74.8v	102.9v	43.4v	0.0v	605.58v
264	Mr GAE Larcombe	O	71.7v	74.12v	47.3v	47.2v	49.5v	47.4v	46.3v	74.7v	100.9v	50.4v	0.0v	605.56v
265	Mr R Winney	O	72.8v	71.6v	48.5v	49.4v	48.7v	48.3v	44.0v	72.6v	105.14v	48.3v	0.0v	605.56v
266	Mr S Belither	A	74.12v	73.6v	45.4v	49.1v	49.4v	48.6v	46.3v	75.8v	99.10v	47.2v	0.0v	605.56v
267	Cpl WJD Broad	A	72.4v	75.7v	47.4v	48.5v	49.6v	47.3v	46.2v	74.7v	101.13v	46.5v	0.0v	605.56v

268	Mr RF Barrington	A	74.10v	73.7v	47.3v	48.3v	50.7v	47.4v	45.2v	73.6v	100.10v	48.1v	0.0v	605.53v
269	Mrs GD Webb-Enslin	X	74.9v	73.9v	47.3v	49.4v	50.8v	44.3v	42.0v	74.11v	104.15v	47.6v	0.0v	604.68v
270	Mr T Keen	A	72.9v	72.7v	49.4v	50.4v	48.5v	47.7v	47.5v	74.10v	100.12v	45.4v	0.0v	604.67v
271	Dr CD Haley	X	73.8v	74.10v	49.4v	44.1v	50.8v	48.4v	47.6v	70.11v	101.11v	48.3v	0.0v	604.66v
272	Mr AP Sykes	X	72.8v	73.7v	50.7v	47.3v	49.5v	48.5v	49.4v	71.10v	102.13v	43.2v	0.0v	604.64v
273	Mr I Francis	O	72.7v	71.7v	50.3v	50.6v	47.5v	49.5v	49.6v	75.11v	102.12v	39.1v	0.0v	604.63v
274	Capt BW Yarmoshuk	O	70.3v	73.11v	49.7v	48.3v	49.7v	47.4v	47.5v	74.11v	100.8v	47.3v	0.0v	604.62v
275	Mr PAE Charlton	A	71.6v	74.12v	49.3v	46.2v	49.6v	48.6v	49.5v	74.8v	98.11v	46.3v	0.0v	604.62v
276	Cdt AW Dowle	T	72.5v	75.7v	50.8v	49.6v	49.8v	45.5v	48.3v	74.9v	102.8v	40.3v	0.0v	604.62v
277	Mr DJ Curtis	A	69.5v	73.6v	48.7v	45.4v	49.6v	49.3v	47.3v	75.9v	100.11v	49.7v	0.0v	604.61v
278	Lt Col AJW Sturrock	A	73.8v	71.7v	49.6v	45.3v	49.4v	49.6v	47.5v	73.9v	101.11v	47.2v	0.0v	604.61v
279	Mr RH Kitson	O	72.6v	73.7v	47.6v	47.4v	50.6v	46.4v	48.4v	75.11v	100.10v	46.3v	0.0v	604.61v
280	Mr OP Henry	A	70.7v	73.6v	48.6v	49.6v	50.5v	46.5v	47.2v	72.9v	101.9v	48.5v	0.0v	604.60v
281	Mr BMA Stevens	X	73.8v	73.6v	49.7v	46.3v	48.3v	47.4v	49.6v	74.8v	99.13v	46.2v	0.0v	604.60v
282	Mr SJ East	A	72.7v	71.6v	48.3v	49.6v	48.6v	50.4v	47.5v	74.12v	100.9v	45.2v	0.0v	604.60v
283	Miss RJA Argo	T	75.9v	72.7v	50.3v	48.4v	48.4v	49.6v	48.4v	70.6v	100.13v	44.3v	0.0v	604.59v
284	Mr DA Whalan	O	72.8v	72.3v	47.5v	50.7v	45.1v	49.5v	48.5v	74.9v	100.11v	47.4v	0.0v	604.58v
285	Mr WA Langley	A	71.6v	74.6v	47.4v	47.3v	48.4v	48.6v	48.4v	72.8v	101.11v	48.5v	0.0v	604.57v
286	Mr BW Macdonald	O	72.7v	70.4v	50.5v	46.3v	49.7v	48.4v	49.3v	74.6v	102.13v	44.4v	0.0v	604.56v
287	CSjt D Taylor	O	73.5v	71.6v	47.2v	49.5v	49.5v	49.4v	46.4v	74.8v	103.14v	43.3v	0.0v	604.56v
288	Mr NC Granger	O	72.9v	73.7v	47.2v	46.1v	49.8v	43.2v	48.5v	74.8v	103.8v	49.5v	0.0v	604.55v
289	Miss S Cheslyn-Curtis	O	69.6v	74.9v	49.4v	45.3v	49.6v	48.5v	48.4v	73.6v	101.11v	48.1v	0.0v	604.55v
290	Mr HWR Gilbert	O	69.4v	71.5v	48.5v	50.7v	49.5v	48.3v	48.8v	72.7v	102.9v	47.2v	0.0v	604.55v
291	Mr PR Coley	A	71.5v	72.7v	48.3v	50.6v	48.4v	49.5v	48.3v	72.8v	102.11v	44.3v	0.0v	604.55v
292	Dr JS Rennie	X	72.4v	72.7v	48.6v	49.4v	50.6v	47.4v	45.2v	74.7v	97.7v	50.6v	0.0v	604.53v
293	Hon D Cooper	A	73.5v	73.9v	49.6v	49.5v	46.2v	48.5v	46.1v	73.6v	101.8v	46.3v	0.0v	604.50v
294	Mr EBD Reis	A	73.8v	73.10v	50.6v	47.6v	49.8v	42.2v	47.4v	75.11v	101.12v	46.3v	0.0v	603.70v
295	Mr B Taylor	X	72.8v	73.10v	49.7v	50.8v	48.6v	47.4v	47.4v	73.9v	98.11v	46.2v	0.0v	603.69v
296	Mr WLL Lewis	A	72.10v	71.6v	50.6v	49.7v	47.4v	47.3v	46.4v	74.13v	101.12v	46.3v	0.0v	603.68v
297	Mr DV Enslin	X	73.5v	71.9v	48.6v	48.4v	49.6v	48.6v	49.4v	72.9v	101.11v	44.4v	0.0v	603.64v
298	Cdt HCM Bennett	O	72.7v	73.8v	48.5v	46.3v	50.8v	48.5v	45.4v	72.9v	101.8v	48.6v	0.0v	603.63v
299	Mr ER Welford	A	68.6v	72.7v	47.5v	46.3v	50.9v	48.4v	50.7v	74.10v	101.7v	47.5v	0.0v	603.63v
300	Mr GW Morgan	O	67.6v	74.6v	48.5v	49.5v	50.6v	48.5v	48.6v	73.9v	101.11v	45.3v	0.0v	603.62v
301	Mr NJB Blunsom	T	73.8v	71.5v	47.6v	48.5v	49.6v	47.7v	50.5v	73.9v	102.9v	43.2v	0.0v	603.62v
302	Mr JI Jobson	O	71.8v	72.9v	49.6v	48.3v	49.5v	48.3v	48.4v	72.8v	101.11v	45.3v	0.0v	603.60v
303	Mr SJ Comins	A	70.6v	69.8v	48.6v	50.8v	49.3v	50.6v	49.5v	74.7v	97.9v	47.1v	0.0v	603.59v
304	Wg Cdr CJ Hockley	O	73.8v	73.5v	47.3v	42.0v	49.8v	48.3v	49.9v	75.12v	102.8v	45.3v	0.0v	603.59v
305	Mr TW Hunter	X	71.6v	74.7v	47.3v	45.4v	49.8v	46.4v	48.5v	74.9v	105.11v	44.1v	0.0v	603.58v
306	Mr WJ Rowland	A	75.8v	75.9v	47.2v	47.5v	49.6v	44.1v	48.7v	72.7v	101.10v	45.2v	0.0v	603.57v
307	Mr SL Larter-Whitcher	O	72.8v	68.4v	47.4v	48.6v	48.6v	50.4v	47.1v	72.6v	103.12v	48.5v	0.0v	603.56v
308	Mr AP Smith	O	73.9v	70.6v	48.4v	48.4v	50.5v	48.5v	47.3v	72.6v	102.10v	45.4v	0.0v	603.56v
309	Mr JA Dallas	O	72.5v	72.9v	48.5v	48.4v	47.5v	49.5v	49.5v	73.5v	99.10v	46.2v	0.0v	603.55v
310	Mr GJ Dyson	A	72.6v	72.6v	46.5v	49.5v	49.4v	47.3v	49.6v	69.6v	101.11v	49.2v	0.0v	603.54v
311	Mr RAH Harwood	O	73.5v	73.6v	49.7v	46.1v	48.6v	48.4v	47.2v	73.7v	101.10v	45.5v	0.0v	603.53v
312	Mr JF Lawrie	O	73.9v	73.6v	49.5v	46.3v	48.1v	45.3v	49.4v	73.6v	103.12v	44.4v	0.0v	603.53v
313	Miss RC Stevens	T	72.7v	73.10v	46.3v	47.3v	49.5v	48.2v	47.3v	72.7v	102.6v	47.4v	0.0v	603.50v
314	Mr DR Cadden	X	74.6v	70.5v	50.6v	48.6v	49.6v	47.2v	48.3v	72.6v	104.7v	41.1v	0.0v	603.48v
315	Mr R Sandlant	X	73.7v	72.6v	49.4v	47.5v	48.6v	45.4v	47.5v	74.10v	100.12v	47.4v	0.0v	602.63v
316	Mr MD Joyce	A	73.6v	71.8v	49.7v	46.2v	50.7v	47.7v	45.4v	73.10v	103.10v	45.2v	0.0v	602.63v
317	Mr JA Garnett	A	74.6v	74.11v	47.6v	47.4v	49.6v	44.3v	49.6v	73.8v	104.13v	41.0v	0.0v	602.63v
318	Mr JIB Halahan	A	71.7v	73.8v	49.7v	45.1v	49.4v	45.4v	46.4v	74.10v	102.12v	48.5v	0.0v	602.62v
319	Mr RK Sheead	A	71.8v	72.5v	50.4v	49.7v	49.5v	47.3v	47.6v	74.11v	96.6v	47.6v	0.0v	602.61v
320	Mr MJJ Charlton	X	70.6v	74.9v	47.5v	48.4v	49.6v	49.3v	45.3v	73.13v	100.9v	47.3v	0.0v	602.61v
321	Mr CC Mallett Jnr	A	73.9v	74.8v	47.3v	49.7v	49.6v	47.4v	49.5v	74.10v	100.7v	40.1v	0.0v	602.60v
322	Mr TA Chapman	A	70.6v	72.8v	50.5v	47.3v	48.5v	45.4v	48.6v	73.5v	102.10v	47.4v	0.0v	602.56v
323	Mr FA Ellis	X	70.5v	74.8v	49.5v	47.4v	50.9v	45.3v	48.4v	72.7v	101.9v	46.2v	0.0v	602.56v
324	Mr PS Gray	A	71.7v	74.9v	49.3v	50.4v	48.6v	48.6v	47.4v	74.7v	98.9v	43.1v	0.0v	602.56v
325	Mr AD Hunter	X	72.5v	72.6v	47.5v	48.4v	50.8v	47.3v	43.3v	75.10v	103.11v	45.0v	0.0v	602.55v
326	Dr NP Tucker	O	69.5v	72.6v	48.3v	50.4v	49.5v	47.3v	48.5v	72.9v	101.12v	46.2v	0.0v	602.54v
327	Mr CDP Pocock	O	74.9v	74.8v	47.4v	48.2v	47.5v	45.4v	50.6v	73.7v	100.7v	44.2v	0.0v	602.54v
328	Mr CD Heales	A	73.11v	72.8v	46.3v	49.5v	48.4v	49.7v	47.4v	71.3v	102.7v	45.1v	0.0v	602.53v
329	Lt RK Whalen	X	70.2v	70.6v	47.4v	49.5v	50.7v	48.2v	44.4v	74.9v	100.6v	50.4v	0.0v	602.49v
330	Mr TL Bedwell	O	71.6v	72.6v	49.2v	46.4v	48.5v	48.4v	48.4v	72.5v	100.10v	48.2v	0.0v	602.48v
331	Mr PM Lanigan	X	68.6v	74.11v	49.6v	44.4v	49.7v	49.6v	49.5v	74.10v	102.11v	43.3v	0.0v	601.69v
332	Mr TAD Lilley	A	73.7v	74.8v	46.5v	43.0v	49.8v	43.3v	50.7v	75.12v	100.12v	48.4v	0.0v	601.66v
333	Miss DS Hume	A	74.7v	74.11v	48.4v	47.6v	48.7v	46.4v	49.5v	74.13v	98.6v	43.2v	0.0v	601.65v
334	Mr A Chown	A	75.9v	71.5v	47.5v	48.5v	47.4v	45.3v	48.6v	75.10v	103.16v	42.2v	0.0v	601.65v
335	Mr SJ Bissonnette	X	71.6v	73.11v	41.1v	50.8v	49.6v	49.7v	45.2v	74.11v	102.9v	47.3v	0.0v	601.64v
336	Cdt MJ Lidgitt	O	72.6v	73.11v	46.4v	49.5v	50.8v	45.3v	47.4v	73.10v	99.9v	47.3v	0.0v	601.63v
337	Mr NJ Branch	X	72.8v	73.6v	47.5v	49.4v	48.4v	48.5v	47.4v	71.10v	102.14v	44.3v	0.0v	601.63v
338	Miss MU Burger	O	70.6v	73.10v	50.6v	47.5v	48.6v	45.3v	49.5v	74.8v	100.9v	45.4v	0.0v	601.62v

339	Mr BJ Page	A	73.11v	73.9v	47.4v	48.4v	49.6v	48.8v	45.3v	75.8v	103.8v	40.1v	0.0v	601.62v
340	Mr L Chisholm	T	74.10v	71.6v	45.2v	45.2v	48.5v	46.1v	47.5v	74.14v	103.9v	48.6v	0.0v	601.60v
341	Mr SM Smallwood	X	72.5v	73.5v	48.6v	48.5v	50.8v	46.3v	45.3v	73.8v	99.11v	47.6v	0.0v	601.60v
342	Mr MJ Brister	X	72.7v	73.7v	46.3v	49.3v	48.4v	44.3v	47.6v	75.10v	101.11v	46.5v	0.0v	601.59v
343	Mr PR Thompson	A	69.5v	73.7v	45.2v	48.5v	50.8v	49.6v	49.7v	73.7v	101.9v	44.3v	0.0v	601.59v
344	Mr JM Taylor	A	73.8v	73.10v	48.3v	47.5v	50.8v	46.2v	47.5v	74.9v	98.7v	45.1v	0.0v	601.58v
345	Major P Mathenge	X	70.4v	73.10v	50.8v	45.3v	50.7v	45.2v	46.5v	75.7v	98.9v	49.2v	0.0v	601.57v
346	Miss C Choquette	T	70.5v	72.7v	50.5v	47.5v	47.5v	47.5v	46.5v	74.9v	101.5v	47.6v	0.0v	601.57v
347	Mr DJ Stewart	O	72.10v	70.5v	46.4v	46.4v	47.2v	49.6v	49.7v	74.6v	100.7v	48.4v	0.0v	601.55v
348	Mr MSE Firman	A	74.7v	71.5v	48.3v	46.3v	48.5v	48.8v	48.4v	73.10v	102.7v	43.3v	0.0v	601.55v
349	Mr OL Ryndziewicz	O	72.7v	73.4v	47.4v	45.2v	50.6v	48.5v	45.4v	73.7v	100.8v	48.7v	0.0v	601.54v
350	Mr MR Place	O	71.10v	71.5v	45.5v	49.3v	50.3v	48.7v	49.3v	72.7v	99.6v	47.5v	0.0v	601.54v
351	Mr PG Thurtell	X	69.3v	72.7v	48.4v	48.5v	50.7v	48.2v	47.3v	74.9v	102.12v	43.2v	0.0v	601.54v
352	Mr IRM Brown	A	73.9v	72.6v	49.3v	47.4v	48.4v	46.4v	47.3v	75.10v	101.10v	43.1v	0.0v	601.54v
353	Mr CA White	A	71.7v	73.10v	47.4v	48.6v	48.3v	49.2v	46.3v	73.8v	104.9v	42.2v	0.0v	601.54v
354	Mr RJ Quay	A	73.7v	74.7v	49.4v	47.3v	48.6v	47.3v	46.3v	74.8v	103.11v	40.2v	0.0v	601.54v
355	Mr DCW Lloyd	O	72.7v	74.5v	47.4v	47.5v	50.8v	48.4v	45.4v	73.7v	101.9v	44.0v	0.0v	601.53v
356	Mr CR Hirst	O	72.5v	75.10v	47.5v	48.4v	48.5v	44.3v	46.4v	75.5v	100.10v	46.1v	0.0v	601.52v
357	Mr M Liversage	O	75.8v	69.5v	46.3v	50.6v	49.3v	46.3v	48.5v	73.9v	101.7v	44.3v	0.0v	601.52v
358	Mr JA Lindsay III	A	73.3v	68.5v	45.4v	49.5v	49.8v	46.4v	47.5v	73.9v	103.6v	48.1v	0.0v	601.50v
359	Mr ML Wilks	T	72.7v	73.10v	48.2v	48.5v	44.4v	49.3v	46.3v	73.6v	101.6v	47.4v	0.0v	601.50v
360	Capt G-M T Strachan-Heyes	O	70.3v	74.5v	47.5v	48.4v	48.4v	49.4v	45.3v	74.7v	100.9v	46.4v	0.0v	601.48v
361	Wg Cdr CR Smith	A	70.5v	73.6v	47.5v	49.4v	47.1v	47.3v	46.3v	74.8v	102.8v	46.2v	0.0v	601.45v
362	E Legei	O	72.6v	74.8v	46.0v	47.2v	49.3v	45.1v	46.4v	72.5v	101.9v	49.6v	0.0v	601.44v
363	Cdt MC Evans	T	71.4v	72.5v	46.4v	48.3v	45.2v	47.2v	48.4v	74.8v	102.7v	48.5v	0.0v	601.44v
364	Cdt CA Staples	O	73.7v	74.10v	50.7v	39.2v	49.7v	46.5v	47.4v	75.10v	102.10v	45.4v	0.0v	600.66v
365	Mr DH Allen	O	73.10v	71.11v	43.3v	50.6v	49.4v	47.5v	47.2v	73.7v	100.11v	47.6v	0.0v	600.65v
366	Mr DMC Dodds	X	74.6v	72.8v	48.5v	49.6v	50.6v	45.3v	45.3v	73.10v	103.16v	41.1v	0.0v	600.64v
367	Mr P Barber	O	69.7v	71.7v	48.7v	47.1v	46.2v	49.5v	46.6v	75.11v	100.12v	49.5v	0.0v	600.63v
368	Mr RG Scott	A	70.2v	73.11v	47.6v	46.4v	50.5v	46.4v	48.5v	73.10v	104.16v	43.0v	0.0v	600.63v
369	Mr M Stewart	O	71.9v	71.2v	49.6v	47.4v	50.8v	48.5v	50.8v	75.9v	103.11v	36.1v	0.0v	600.63v
370	Mr S Glen	X	74.7v	74.11v	49.7v	48.4v	50.6v	48.4v	44.3v	75.10v	101.8v	37.2v	0.0v	600.62v
371	Miss HM Taylor	A	72.7v	74.9v	47.5v	49.5v	48.5v	49.4v	42.2v	74.10v	101.11v	44.3v	0.0v	600.61v
372	Mr DS Murray	X	70.8v	73.9v	49.5v	49.5v	50.5v	48.5v	49.4v	72.6v	100.13v	40.0v	0.0v	600.60v
373	Prof MJ Guille	O	73.9v	72.9v	47.5v	50.6v	46.6v	47.6v	45.6v	72.4v	102.6v	46.2v	0.0v	600.59v
374	Mr BA Boyle	T	71.6v	70.6v	49.5v	48.5v	46.4v	46.5v	49.4v	74.10v	104.13v	43.1v	0.0v	600.59v
375	Cdt O Ahmed	O	68.6v	74.11v	50.4v	48.3v	50.2v	48.4v	48.5v	73.9v	103.14v	38.1v	0.0v	600.59v
376	Mr RJR Mott	A	69.7v	71.3v	50.6v	45.3v	48.5v	47.5v	49.2v	74.12v	102.11v	45.4v	0.0v	600.58v
377	Miss GC O'Leary	X	71.7v	71.8v	47.5v	50.6v	50.6v	46.5v	47.2v	73.5v	103.10v	42.3v	0.0v	600.57v
378	Mr CC Chevrier	T	74.7v	69.3v	48.4v	49.7v	50.8v	44.3v	47.4v	71.9v	102.7v	46.4v	0.0v	600.56v
379	Mrs A Tracey	A	73.6v	75.9v	46.1v	48.7v	50.8v	44.0v	47.4v	72.8v	100.10v	45.2v	0.0v	600.55v
380	Mrs T Newbold	O	75.7v	71.6v	48.4v	46.1v	47.6v	48.5v	46.2v	75.8v	100.9v	44.3v	0.0v	600.51v
381	Mr PJS Bysshe	A	70.3v	72.3v	48.4v	47.5v	50.8v	48.5v	48.1v	71.7v	101.10v	45.4v	0.0v	600.50v
382	Mr B Hirst	O	69.8v	71.6v	49.6v	47.2v	48.3v	46.3v	49.5v	70.6v	103.8v	48.2v	0.0v	600.49v
383	Mr N Maynard	X	74.8v	73.7v	48.3v	46.3v	49.6v	49.3v	43.3v	71.8v	102.7v	45.1v	0.0v	600.49v
384	Cdt WBP Hutton	O	71.7v	70.6v	45.3v	47.3v	49.4v	49.3v	47.4v	74.8v	101.8v	47.2v	0.0v	600.48v
385	Miss DL Fenn	X	70.8v	74.9v	48.7v	44.5v	49.7v	49.6v	47.7v	74.10v	101.9v	43.2v	0.0v	599.70v
386	Mr GW Robinson	A	71.8v	72.8v	48.3v	47.4v	49.7v	48.6v	41.3v	73.11v	103.13v	47.5v	0.0v	599.68v
387	Mr MRM Millar	O	72.6v	72.8v	48.6v	42.3v	49.5v	45.5v	50.8v	72.8v	102.9v	47.4v	0.0v	599.62v
388	Mrs MF Barry	O	71.6v	69.3v	49.6v	48.6v	46.2v	50.6v	46.4v	72.10v	101.11v	47.4v	0.0v	599.58v
389	Mr RHG Riley	O	72.11v	72.7v	47.5v	47.3v	47.5v	48.5v	47.3v	72.8v	101.9v	46.2v	0.0v	599.58v
390	Mr RL Mundy	O	69.8v	73.10v	48.6v	50.4v	49.6v	49.6v	46.2v	74.7v	98.6v	43.3v	0.0v	599.58v
391	Mr AJD Saunders	O	73.7v	75.10v	47.2v	48.4v	47.5v	47.3v	49.6v	72.8v	98.10v	43.2v	0.0v	599.57v
392	Mr S Pearson	A	74.7v	72.6v	43.0v	50.6v	50.8v	43.3v	47.5v	73.7v	99.11v	48.2v	0.0v	599.55v
393	Lt Col CST Lehmann	A	73.5v	75.9v	48.6v	47.4v	46.4v	46.2v	49.6v	72.5v	101.12v	42.2v	0.0v	599.55v
394	Wg Cdr MJ Gregory	A	73.8v	73.7v	49.4v	46.4v	47.4v	43.2v	47.4v	74.7v	101.11v	46.1v	0.0v	599.52v
395	Mr JE White	A	74.5v	70.3v	47.3v	47.4v	47.5v	50.6v	46.1v	71.7v	100.13v	47.4v	0.0v	599.51v
396	Mr G French	O	72.6v	74.3v	48.4v	49.6v	50.6v	43.3v	47.3v	74.9v	96.8v	46.3v	0.0v	599.51v
397	Cdt Sgt HW Orpen-Smellie	O	70.7v	72.8v	49.3v	44.1v	50.7v	46.2v	49.5v	73.7v	99.7v	47.3v	0.0v	599.50v
398	Miss HA Pugsley	O	72.5v	73.9v	47.3v	47.2v	49.3v	46.4v	50.3v	72.10v	101.10v	42.1v	0.0v	599.50v
399	Mr B Jones	A	75.9v	73.8v	48.3v	48.4v	50.4v	49.0v	45.0v	72.10v	97.8v	42.3v	0.0v	599.49v
400	Mr DQM Harvey	O	72.5v	71.6v	48.4v	47.4v	49.5v	44.2v	46.3v	73.6v	102.12v	47.1v	0.0v	599.48v
401	Miss S Ponter	O	74.8v	72.5v	49.5v	47.3v	46.5v	49.2v	47.4v	70.5v	99.8v	46.3v	0.0v	599.48v
402	Pte KTS Burden	O	72.3v	70.7v	49.3v	49.5v	50.3v	49.6v	49.2v	70.3v	98.5v	43.0v	0.0v	599.37v
403	Mr JA Haward	X	74.9v	74.6v	48.6v	48.5v	49.7v	48.6v	47.4v	71.9v	99.10v	40.2v	0.0v	598.64v
404	Miss D O'Kelly	O	70.6v	69.6v	47.4v	48.5v	49.7v	49.3v	46.6v	74.12v	98.9v	48.5v	0.0v	598.63v
405	Mr T Drysdale	O	73.9v	72.8v	45.3v	47.2v	47.3v	48.3v	47.5v	75.12v	99.12v	45.3v	0.0v	598.60v
406	Mr R Knapstein	X	67.5v	74.8v	44.4v	48.5v	48.5v	48.1v	49.6v	74.11v	102.11v	44.4v	0.0v	598.60v
407	Mr G Harris	A	74.5v	72.9v	49.8v	42.2v	50.7v	50.6v	42.2v	73.7v	102.10v	44.3v	0.0v	598.59v
408	Mr RB Morgan	O	73.10v	73.8v	49.4v	44.8v	49.6v	47.4v	49.5v	72.4v	99.9v	43.1v	0.0v	598.59v
409	Mr RW McVeigh	O	73.8v	73.8v	49.5v	50.8v	49.6v	44.4v	45.2v	73.8v	101.7v	41.1v	0.0v	598.57v

410	Mr AF Downer	O	72.7v	70.7v	48.6v	49.3v	48.5v	47.5v	49.5v	75.10v	100.8v	40.1v	0.0v	598.57v
411	Mr RI Coventry	O	72.6v	71.7v	49.7v	47.4v	50.6v	47.3v	48.3v	73.9v	99.9v	42.2v	0.0v	598.56v
412	Miss DE Andrews	O	73.9v	73.6v	48.5v	47.5v	45.4v	50.6v	46.2v	73.11v	97.5v	46.1v	0.0v	598.54v
413	Mr OC Collas	X	74.6v	72.6v	50.9v	46.6v	48.3v	45.4v	47.3v	70.4v	101.11v	45.2v	0.0v	598.54v
414	Mr G Boehme	X	72.5v	71.9v	49.5v	47.2v	48.7v	47.5v	48.2v	73.8v	100.10v	43.1v	0.0v	598.54v
415	Miss CJ Dee	O	71.5v	73.7v	46.3v	43.2v	49.4v	45.4v	49.6v	72.6v	103.12v	47.4v	0.0v	598.53v
416	Mr G Faulkner	A	71.3v	72.6v	45.2v	50.5v	47.6v	44.2v	45.3v	75.7v	102.13v	47.5v	0.0v	598.52v
417	Mrs MJ van Strien-Buitelaar	O	74.8v	70.5v	47.3v	49.4v	50.6v	48.5v	46.4v	73.9v	97.5v	44.3v	0.0v	598.52v
418	Mr MG Reid	A	71.6v	71.7v	46.5v	48.4v	50.7v	47.2v	49.4v	72.7v	96.6v	48.3v	0.0v	598.51v
419	Mr MC Parker	O	74.10v	71.5v	47.3v	49.6v	48.4v	45.2v	44.4v	72.6v	101.7v	47.3v	0.0v	598.50v
420	Mr IDC Brechin	O	72.5v	72.6v	48.6v	48.5v	44.2v	43.1v	48.5v	73.5v	104.11v	46.4v	0.0v	598.50v
421	Mr MJ Creber	X	70.3v	74.10v	49.5v	45.3v	47.2v	48.2v	45.2v	73.7v	101.12v	46.4v	0.0v	598.50v
422	Mr G Trembath	A	70.5v	72.5v	49.7v	50.3v	45.3v	46.3v	47.3v	73.9v	103.10v	43.1v	0.0v	598.49v
423	Mstr SJ Jauncey	T	72.3v	71.9v	50.3v	47.4v	48.5v	47.3v	48.6v	72.8v	99.7v	44.0v	0.0v	598.48v
424	Mr AF Donald	O	74.5v	71.3v	47.5v	48.3v	48.4v	47.4v	47.4v	73.6v	97.9v	46.0v	0.0v	598.43v
425	Dr GP Nelson	A	67.10v	72.10v	47.6v	48.4v	47.7v	48.4v	47.4v	73.7v	101.14v	47.5v	0.0v	597.71v
426	Mr J Pyne	O	73.10v	73.9v	44.4v	46.4v	49.8v	45.3v	47.5v	74.10v	102.15v	44.1v	0.0v	597.69v
427	Major AR McLeod	X	69.7v	73.8v	46.3v	49.4v	50.6v	44.4v	47.5v	74.13v	100.7v	45.3v	0.0v	597.60v
428	Cdt ERT Torrance	T	73.4v	71.8v	49.5v	47.6v	48.6v	43.3v	50.7v	75.10v	100.10v	41.1v	0.0v	597.60v
429	Mr RJS Scoones	X	74.5v	69.4v	49.5v	38.4v	50.8v	47.6v	49.7v	70.4v	104.10v	47.5v	0.0v	597.58v
430	Major AG McLean	X	71.9v	74.6v	46.4v	47.4v	49.6v	44.2v	48.4v	74.10v	100.11v	44.1v	0.0v	597.57v
431	Mr WHC Alexander	A	67.4v	72.9v	48.6v	47.4v	48.4v	50.6v	50.5v	73.9v	101.9v	41.1v	0.0v	597.57v
432	Mr DJ Tracey	A	73.9v	71.7v	46.5v	48.4v	49.7v	46.2v	48.5v	70.6v	100.8v	46.3v	0.0v	597.56v
433	Mr DS Goodwin	O	72.8v	72.7v	46.1v	48.3v	50.8v	48.6v	47.2v	74.11v	96.8v	44.2v	0.0v	597.56v
434	Mr PMJ Tooley	T	70.6v	73.5v	47.5v	48.4v	47.5v	47.6v	44.2v	74.11v	99.11v	48.0v	0.0v	597.55v
435	Mr RH Gardiner	O	73.7v	69.4v	50.6v	48.6v	48.5v	47.3v	49.6v	69.4v	97.9v	47.5v	0.0v	597.55v
436	Mr CA Skellett	O	71.7v	73.10v	50.7v	42.3v	50.7v	46.3v	46.4v	73.6v	101.4v	45.4v	0.0v	597.55v
437	S Letoya	O	72.4v	71.7v	47.6v	48.6v	48.5v	49.5v	46.3v	70.5v	102.11v	44.2v	0.0v	597.54v
438	Mr ML Cotillard	O	72.6v	70.4v	48.7v	43.3v	50.5v	46.2v	47.3v	74.7v	101.11v	46.4v	0.0v	597.52v
439	Mr JWE Lothian	X	70.6v	72.4v	49.7v	46.4v	48.5v	46.2v	47.2v	74.10v	100.7v	45.3v	0.0v	597.50v
440	Mr RF Burden	O	73.7v	72.7v	48.3v	47.5v	48.6v	47.2v	49.3v	70.7v	101.9v	42.1v	0.0v	597.50v
441	Mrs JC Scott Langley	O	74.8v	70.5v	49.3v	45.2v	48.6v	45.2v	48.5v	75.13v	101.6v	42.0v	0.0v	597.50v
442	Mr JR Stirland	O	73.7v	72.5v	44.3v	49.3v	50.6v	46.3v	48.4v	74.8v	99.9v	42.1v	0.0v	597.49v
443	Mr ADJ Stewart	O	72.8v	70.6v	48.7v	47.6v	48.5v	46.4v	48.6v	71.10v	103.13v	43.2v	0.0v	596.67v
444	S Williams	O	72.5v	73.12v	46.5v	45.4v	50.9v	48.4v	49.6v	72.7v	98.11v	43.2v	0.0v	596.65v
445	Mr MW Silver	X	71.6v	70.6v	46.3v	47.4v	50.10v	45.3v	47.2v	73.12v	104.13v	43.2v	0.0v	596.61v
446	Cdt RL Johnson	O	72.7v	72.10v	48.4v	45.3v	48.8v	45.4v	48.5v	73.6v	101.11v	44.2v	0.0v	596.60v
447	Mr MJLA Landreville	X	72.7v	68.5v	45.6v	48.7v	48.1v	48.5v	48.5v	73.7v	97.9v	49.6v	0.0v	596.58v
448	Miss JF Hossack	O	71.4v	72.8v	48.6v	47.5v	49.2v	48.4v	46.5v	73.12v	100.11v	42.1v	0.0v	596.58v
449	Miss SL Hayes	O	75.12v	70.6v	48.5v	49.5v	47.4v	44.2v	47.4v	71.5v	102.11v	43.1v	0.0v	596.55v
450	Mr A Alvey	O	70.5v	74.8v	46.2v	47.7v	48.6v	48.4v	47.4v	74.10v	101.8v	41.1v	0.0v	596.55v
451	Mr HCG Ives	O	71.10v	69.6v	48.5v	48.5v	47.4v	47.2v	48.5v	70.7v	101.9v	47.1v	0.0v	596.54v
452	Mr KG Ellett	O	71.4v	72.6v	48.5v	47.4v	48.5v	47.4v	46.4v	73.10v	102.12v	42.0v	0.0v	596.54v
453	Mr D Davies	X	72.8v	71.4v	45.3v	45.3v	49.7v	46.5v	47.1v	72.7v	102.11v	47.3v	0.0v	596.52v
454	Mr AGH Van Koetsveld	X	71.5v	70.7v	48.4v	46.4v	49.7v	46.2v	46.4v	74.8v	100.7v	46.3v	0.0v	596.51v
455	Mr JFJ Bryson	O	71.7v	72.7v	48.4v	45.3v	48.5v	49.4v	45.2v	73.5v	102.14v	43.0v	0.0v	596.51v
456	Mr DGF Evans	O	73.4v	71.7v	48.6v	48.4v	46.3v	47.2v	49.5v	72.8v	99.9v	43.1v	0.0v	596.49v
457	Mr ID Markwell	O	72.7v	71.6v	49.5v	48.5v	49.6v	49.3v	45.3v	74.6v	94.5v	45.2v	0.0v	596.48v
458	Mr TR Webster	A	71.5v	73.8v	46.2v	48.2v	46.4v	43.5v	49.3v	72.7v	99.9v	49.2v	0.0v	596.47v
459	Mr J Dunn	X	72.7v	69.3v	49.5v	46.1v	46.3v	48.5v	46.4v	74.6v	99.5v	47.1v	0.0v	596.40v
460	Mr DJ Archer	A	67.5v	72.6v	48.6v	49.7v	48.7v	46.3v	47.6v	72.11v	101.12v	45.4v	0.0v	595.67v
461	Lt JW Jenkins	X	71.8v	73.7v	48.5v	50.7v	47.6v	47.4v	44.4v	70.6v	100.10v	45.3v	0.0v	595.60v
462	Mr J Gould	O	73.8v	65.3v	48.7v	49.6v	47.5v	45.4v	49.1v	74.8v	102.10v	43.1v	0.0v	595.53v
463	Mr KRN Nelson	O	71.5v	72.6v	45.2v	47.2v	48.7v	46.1v	47.4v	74.12v	101.10v	44.3v	0.0v	595.52v
464	Dr BJ Winney	O	69.6v	73.4v	44.2v	46.4v	49.6v	49.4v	50.7v	74.7v	98.10v	43.2v	0.0v	595.52v
465	Mr J Purdy	O	72.10v	71.6v	50.5v	40.2v	48.5v	47.2v	50.4v	70.4v	101.7v	46.5v	0.0v	595.50v
466	Mr AI Brown	A	69.5v	72.6v	48.6v	45.5v	49.4v	46.3v	49.5v	72.5v	100.8v	45.3v	0.0v	595.50v
467	SD Spinney	X	73.8v	71.4v	47.2v	45.1v	48.4v	47.5v	47.5v	73.10v	99.8v	45.3v	0.0v	595.50v
468	Ms BM Moore	O	72.7v	68.4v	47.2v	48.5v	50.5v	47.2v	47.5v	75.11v	103.7v	38.2v	0.0v	595.50v
469	Mr JRJ Kennedy	O	70.4v	70.6v	48.2v	48.4v	49.6v	48.4v	45.3v	74.7v	100.9v	43.2v	0.0v	595.47v
470	Mr RJ Cade	A	65.3v	74.6v	45.2v	49.2v	48.4v	48.4v	47.1v	74.9v	99.13v	46.2v	0.0v	595.46v
471	Mr DN Lindsay	O	73.5v	70.4v	49.8v	49.5v	45.1v	47.1v	48.4v	71.6v	103.11v	40.0v	0.0v	595.45v
472	Cdt SAJ Dowley	T	73.8v	71.8v	46.5v	48.3v	47.6v	47.5v	41.6v	74.9v	105.14v	42.4v	0.0v	594.68v
473	Mr CW Slator	X	65.8v	75.8v	43.3v	48.3v	49.7v	48.6v	50.5v	73.7v	99.8v	44.5v	0.0v	594.60v
474	Mr DW Gardiner	O	72.6v	75.8v	49.5v	47.5v	50.7v	49.5v	43.2v	75.7v	104.12v	30.1v	0.0v	594.58v
475	Mr ARN Kinross	A	73.9v	70.3v	49.7v	50.6v	49.9v	44.3v	46.3v	67.5v	100.9v	46.3v	0.0v	594.57v
476	Miss A Durrant	T	68.5v	73.9v	46.2v	45.3v	50.8v	49.5v	46.4v	73.9v	99.8v	45.4v	0.0v	594.57v
477	Mr AJCB de Launay	A	73.8v	71.6v	46.5v	47.5v	48.6v	44.2v	48.5v	74.8v	99.7v	44.2v	0.0v	594.54v
478	Mr J Howard Davies	O	70.5v	72.5v	49.7v	48.5v	43.1v	49.4v	42.3v	73.10v	101.12v	47.1v	0.0v	594.53v
479	Mr TH Emck	O	73.4v	72.7v	48.5v	48.5v	49.6v	46.2v	48.4v	72.8v	101.10v	37.2v	0.0v	594.53v
480	Mr KG Firth	O	69.4v	69.4v	45.3v	50.7v	49.6v	47.4v	43.3v	75.7v	100.8v	47.5v	0.0v	594.51v

481	Mr C Herter	X	72.9v	73.4v	48.3v	47.6v	49.4v	45.4v	44.3v	73.8v	99.7v	44.3v	0.0v	594.51v
482	Miss GJFO Ogden	A	71.4v	72.9v	48.5v	46.3v	48.4v	47.4v	44.3v	72.7v	103.9v	43.2v	0.0v	594.50v
483	Mr CP Goad	O	69.5v	69.4v	48.2v	50.7v	48.5v	46.2v	44.0v	71.8v	100.12v	49.4v	0.0v	594.49v
484	Mr DMJ Coutts	X	69.5v	71.7v	48.4v	46.5v	47.7v	44.2v	47.2v	75.9v	104.7v	43.1v	0.0v	594.49v
485	Mr JA Marshall	A	68.2v	71.2v	50.7v	47.4v	46.4v	45.3v	47.5v	71.7v	101.11v	48.3v	0.0v	594.48v
486	Dr J Mehta	O	68.4v	71.5v	48.3v	49.5v	50.6v	46.1v	48.3v	71.7v	100.9v	43.5v	0.0v	594.48v
487	Mr CN McEachran	O	73.5v	71.6v	48.4v	44.3v	49.5v	46.4v	46.1v	72.9v	100.7v	45.3v	0.0v	594.47v
488	Mr JP Mackay	A	71.4v	72.3v	49.5v	48.5v	47.4v	48.4v	46.4v	74.7v	95.8v	44.3v	0.0v	594.47v
489	Mr AJ Mayers	O	72.3v	72.5v	46.4v	48.6v	47.3v	47.5v	46.4v	74.9v	98.7v	44.1v	0.0v	594.47v
490	Mrs JR Elcombe	O	68.3v	72.7v	46.2v	48.5v	47.3v	49.6v	43.0v	73.7v	99.8v	49.3v	0.0v	594.44v
491	Mr MT Dodd	O	70.3v	71.7v	47.1v	49.6v	49.6v	46.3v	43.1v	71.6v	101.6v	47.4v	0.0v	594.43v
492	Mr D de Vere	O	70.6v	72.7v	45.4v	43.3v	49.7v	49.3v	49.4v	70.8v	101.13v	45.3v	0.0v	593.58v
493	Mr P J Chance	X	71.7v	74.8v	49.7v	45.3v	48.6v	49.5v	48.5v	71.6v	93.8v	45.2v	0.0v	593.57v
494	Mr MAJ Barber	O	73.4v	72.8v	50.7v	46.5v	48.4v	43.5v	44.2v	73.9v	100.10v	44.3v	0.0v	593.57v
495	Mr K Hardyman	O	68.5v	71.5v	47.3v	46.4v	49.6v	45.3v	49.5v	72.10v	99.9v	47.6v	0.0v	593.56v
496	Mr AT Pettigrew	O	71.6v	68.5v	50.5v	49.5v	49.3v	49.4v	44.4v	73.10v	94.10v	46.4v	0.0v	593.56v
497	Mr A Thomson	A	67.7v	71.8v	48.4v	44.4v	49.3v	47.5v	48.2v	72.8v	100.8v	47.3v	0.0v	593.52v
498	Mr S Mortimer	O	71.7v	71.5v	49.3v	43.2v	47.4v	44.2v	46.0v	74.10v	102.15v	46.4v	0.0v	593.52v
499	Mr D Hanson	O	70.4v	72.8v	48.3v	44.5v	49.8v	46.1v	47.2v	73.9v	99.7v	45.4v	0.0v	593.51v
500	Mr SJ Whitby	A	70.7v	73.8v	47.2v	49.4v	45.1v	47.6v	48.4v	68.5v	103.10v	43.4v	0.0v	593.51v
501	Miss SIM Anderson	O	73.10v	71.7v	46.3v	48.3v	48.3v	46.4v	45.3v	73.8v	97.6v	46.3v	0.0v	593.50v
502	Dr MJ Schwarz	O	73.8v	70.6v	45.2v	48.5v	48.4v	47.2v	41.1v	71.6v	103.12v	47.2v	0.0v	593.48v
503	Major N Stebbings	O	73.5v	75.11v	42.3v	48.3v	48.2v	48.6v	44.3v	71.4v	97.7v	47.3v	0.0v	593.47v
504	Mr R Modenbach	X	69.2v	74.11v	47.6v	44.1v	50.5v	50.6v	46.4v	68.2v	101.9v	44.1v	0.0v	593.47v
505	Cdt DSC Chadwick	T	71.6v	67.3v	49.3v	49.5v	48.6v	50.5v	43.2v	67.7v	101.7v	48.1v	0.0v	593.45v
506	Mr ME Barr	O	71.4v	73.8v	49.4v	50.5v	46.3v	49.5v	43.2v	70.6v	99.6v	43.2v	0.0v	593.45v
507	Mr MR Ebbetts	O	72.8v	72.8v	49.6v	44.3v	48.6v	46.4v	47.4v	72.8v	96.8v	46.3v	0.0v	592.58v
508	Cdt LCpl GM Irish	T	71.8v	69.6v	46.3v	48.5v	48.7v	44.1v	47.5v	74.10v	101.10v	44.0v	0.0v	592.55v
509	Mr A Wilson	O	71.6v	71.5v	46.3v	49.7v	46.5v	47.5v	44.2v	72.6v	101.11v	45.4v	0.0v	592.54v
510	Mr EM Brice	O	72.9v	70.6v	49.6v	49.7v	49.6v	46.3v	43.5v	71.5v	100.4v	43.3v	0.0v	592.54v
511	Mr TJ Brooking	A	70.5v	73.6v	45.5v	44.2v	47.4v	44.3v	49.5v	69.8v	103.10v	48.5v	0.0v	592.53v
512	Mr MD Jenvey	O	71.5v	71.8v	46.4v	49.4v	48.4v	45.2v	47.6v	71.9v	96.8v	48.3v	0.0v	592.53v
513	Mr JD Dugal	T	64.3v	75.9v	50.4v	44.1v	48.8v	46.5v	48.2v	72.7v	99.10v	46.4v	0.0v	592.53v
514	Mr K Dauncey	T	72.7v	73.5v	49.5v	49.7v	47.5v	45.3v	42.2v	73.10v	96.7v	46.2v	0.0v	592.53v
515	Rozli Mohamad	X	71.9v	64.4v	47.3v	46.3v	48.8v	49.4v	49.5v	74.8v	98.5v	46.2v	0.0v	592.51v
516	Mr JC Holdsworth	O	72.7v	67.4v	45.4v	50.5v	47.2v	45.3v	48.4v	73.8v	101.12v	44.2v	0.0v	592.51v
517	Mr CJ Sherratt	O	72.5v	71.6v	49.4v	50.7v	46.5v	45.3v	45.2v	73.9v	98.8v	43.2v	0.0v	592.51v
518	Mr A Sladek	T	72.6v	73.8v	47.2v	49.6v	50.7v	46.4v	41.2v	73.6v	99.8v	42.2v	0.0v	592.51v
519	Mr KJ Aldridge	O	70.5v	73.6v	45.2v	46.4v	47.3v	46.5v	48.6v	72.7v	100.8v	45.4v	0.0v	592.50v
520	Cdt Sgt GC Coburn	T	71.5v	75.9v	47.3v	45.3v	48.5v	47.2v	47.3v	70.6v	102.12v	40.2v	0.0v	592.50v
521	Mr AS Fraser	A	70.5v	70.5v	47.1v	45.6v	50.6v	45.3v	48.6v	73.5v	101.8v	43.1v	0.0v	592.46v
522	Mrs RMS Merridew	O	72.5v	72.6v	47.3v	45.3v	48.3v	47.4v	45.1v	73.8v	101.10v	42.2v	0.0v	592.45v
523	Mr DF Robinson	O	71.6v	71.6v	45.5v	41.2v	48.3v	48.1v	48.5v	73.7v	101.6v	46.3v	0.0v	592.44v
524	Mr LW Belton	T	70.6v	71.5v	49.6v	45.2v	48.2v	44.1v	48.5v	71.4v	98.8v	48.3v	0.0v	592.42v
525	SL Otundo	O	68.4v	73.5v	47.6v	48.3v	46.4v	46.2v	44.1v	72.5v	101.10v	47.1v	0.0v	592.41v
526	Dr IT Matsumoto	O	74.7v	69.4v	47.4v	49.4v	48.6v	43.2v	46.3v	75.15v	94.3v	46.3v	0.0v	591.51v
527	Mr D Rose	X	66.7v	71.7v	47.4v	43.4v	48.4v	46.2v	50.9v	74.7v	101.5v	45.2v	0.0v	591.51v
528	Mr HRM Bailie	A	71.9v	71.6v	50.3v	41.2v	47.3v	44.4v	49.4v	72.9v	100.8v	46.2v	0.0v	591.50v
529	Mr DJ Dick	T	69.4v	74.8v	46.5v	46.4v	46.2v	46.2v	47.5v	74.8v	98.9v	45.3v	0.0v	591.50v
530	Mr MP Watkins	O	69.4v	73.7v	45.3v	47.2v	45.2v	48.6v	48.4v	74.11v	96.8v	46.2v	0.0v	591.49v
531	Mr J Balson	T	70.4v	70.3v	49.5v	46.2v	48.4v	45.2v	46.4v	75.12v	100.12v	42.1v	0.0v	591.49v
532	Mr AJ Horton	O	71.4v	68.4v	47.4v	47.4v	48.5v	44.3v	48.6v	74.8v	95.6v	49.4v	0.0v	591.48v
533	D Kirui	O	71.6v	75.6v	47.4v	48.3v	49.7v	44.4v	45.2v	72.8v	100.8v	40.0v	0.0v	591.48v
534	Cdt FE Purdy	T	71.7v	71.3v	47.2v	48.5v	45.1v	48.3v	46.4v	74.12v	97.6v	44.3v	0.0v	591.46v
535	M. P Ginestet	O	72.5v	70.7v	44.1v	47.4v	49.3v	47.3v	45.3v	74.8v	97.9v	46.2v	0.0v	591.45v
536	Mr MA Atyeo	T	73.7v	68.5v	48.3v	49.4v	49.5v	45.1v	44.2v	72.8v	103.7v	40.2v	0.0v	591.44v
537	Mr TEO Richards	O	71.8v	70.7v	48.6v	47.4v	49.5v	47.3v	44.4v	71.9v	102.10v	41.4v	0.0v	590.60v
538	Mr RA Mullin	A	68.10v	70.10v	49.4v	45.1v	46.5v	49.7v	50.7v	75.7v	94.6v	44.2v	0.0v	590.59v
539	Cdt A Southall	T	66.5v	70.4v	47.5v	47.5v	47.6v	45.2v	48.3v	75.12v	102.12v	43.3v	0.0v	590.57v
540	Mr RJ Hull	A	69.6v	74.8v	44.2v	47.5v	46.3v	45.2v	48.6v	72.6v	102.15v	43.3v	0.0v	590.56v
541	Mr RL Eayrs	O	69.6v	75.6v	47.5v	47.7v	48.6v	45.3v	41.2v	73.8v	100.11v	45.1v	0.0v	590.55v
542	Miss LCP-L Watson	O	68.6v	74.8v	50.5v	41.3v	49.6v	42.3v	49.6v	72.7v	101.7v	44.4v	0.0v	590.55v
543	Miss IRJD Stevenson	A	72.7v	74.10v	49.5v	44.4v	48.5v	44.2v	46.5v	74.8v	101.9v	38.0v	0.0v	590.55v
544	Mr JG Bennett	X	69.4v	71.6v	48.4v	49.6v	47.4v	44.6v	46.3v	73.8v	100.9v	43.3v	0.0v	590.53v
545	Miss CHM Mckeever	T	69.9v	69.6v	47.3v	43.3v	49.5v	49.4v	47.1v	73.8v	102.12v	42.2v	0.0v	590.53v
546	Cdt JWB Ball	T	74.8v	73.6v	45.2v	47.5v	47.5v	48.4v	39.0v	74.10v	100.11v	43.1v	0.0v	590.52v
547	Mr TJ Bullock	T	70.6v	73.8v	49.6v	46.3v	43.0v	47.3v	47.3v	72.9v	100.11v	43.2v	0.0v	590.51v
548	Mr TEW Ward	O	71.6v	66.3v	48.5v	48.2v	48.5v	47.7v	47.6v	69.4v	100.8v	46.4v	0.0v	590.50v
549	Mr MTM Macleod	X	71.4v	71.8v	46.5v	47.2v	48.3v	47.3v	45.3v	72.9v	99.10v	44.3v	0.0v	590.50v
550	Mr RJ Ashton	X	74.11v	73.9v	45.2v	45.0v	48.4v	45.3v	46.1v	74.6v	96.7v	44.4v	0.0v	590.47v
551	Mr JR Lindsay	O	69.5v	73.7v	49.4v	46.4v	45.2v	47.4v	48.4v	68.4v	99.11v	46.1v	0.0v	590.46v

552	Cdt AGP Poulter	O	71.8v	68.5v	48.3v	43.4v	47.4v	49.3v	47.3v	72.8v	99.8v	46.0v	0.0v	590.46v
553	P Munene	O	69.6v	70.5v	49.3v	48.5v	50.6v	42.2v	47.6v	73.7v	95.4v	47.1v	0.0v	590.45v
554	Cdt CR Rancourt	T	69.5v	71.4v	49.4v	45.4v	44.5v	46.2v	48.4v	73.8v	100.6v	45.3v	0.0v	590.45v
555	Mrs SG Sirett	O	71.6v	70.7v	47.5v	49.4v	49.8v	44.2v	46.2v	72.4v	99.7v	43.0v	0.0v	590.45v
556	Mr MR Cosway	A	70.7v	71.6v	49.4v	48.3v	50.4v	47.2v	42.2v	74.8v	95.6v	44.1v	0.0v	590.43v
557	Mr PM Westham	O	72.4v	70.6v	49.5v	46.2v	45.2v	45.2v	47.3v	73.9v	101.6v	42.1v	0.0v	590.40v
558	Mr RW Needham	O	72.5v	71.4v	47.4v	47.3v	47.4v	46.2v	45.3v	71.4v	100.7v	44.2v	0.0v	590.38v
559	S Ndambuki	O	73.5v	74.5v	46.4v	45.2v	47.5v	45.1v	42.1v	69.6v	103.5v	46.3v	0.0v	590.37v
560	Mr DF Williams	O	70.6v	70.6v	48.5v	40.1v	50.8v	49.5v	48.5v	71.5v	96.11v	47.4v	0.0v	589.56v
561	Miss LMA Bogie	A	68.4v	74.5v	48.5v	47.4v	47.4v	47.5v	42.2v	72.9v	100.12v	44.3v	0.0v	589.53v
562	Mr S Wiktorowski	O	74.6v	68.7v	47.5v	42.4v	49.7v	47.3v	45.3v	73.8v	100.7v	44.2v	0.0v	589.52v
563	Mr JBC Corr	O	72.9v	73.9v	44.2v	45.3v	47.3v	47.4v	45.4v	72.4v	100.10v	44.1v	0.0v	589.49v
564	Miss EL Hoolahan	T	67.6v	72.8v	48.4v	49.5v	48.5v	48.3v	46.2v	72.6v	100.9v	39.1v	0.0v	589.49v
565	Mr CL Leighton	O	71.8v	68.3v	47.2v	49.7v	49.5v	48.2v	45.3v	75.10v	96.6v	41.2v	0.0v	589.48v
566	Mr TW Tatchell	O	70.4v	72.5v	47.5v	47.2v	46.2v	45.3v	48.3v	71.9v	103.12v	40.3v	0.0v	589.48v
567	Mr H Lottritz	X	73.6v	67.5v	49.2v	46.5v	46.4v	45.2v	46.6v	67.6v	100.9v	50.2v	0.0v	589.47v
568	Mr BR Ebbetts	O	71.8v	69.5v	48.1v	50.6v	42.1v	46.1v	44.3v	71.6v	100.11v	48.5v	0.0v	589.47v
569	Mr WP Hanley	O	69.5v	70.5v	48.2v	48.3v	49.6v	47.3v	46.2v	74.10v	97.9v	41.2v	0.0v	589.47v
570	Mr JS Chapman	O	71.7v	68.7v	49.4v	48.5v	46.1v	48.4v	45.4v	72.6v	99.5v	43.2v	0.0v	589.45v
571	Mr WR Steward	A	69.4v	75.9v	48.7v	45.1v	50.3v	45.3v	50.6v	67.2v	96.7v	44.2v	0.0v	589.44v
572	Mr AJ Haggerty	O	70.4v	71.8v	48.2v	49.7v	47.2v	43.0v	45.2v	70.2v	97.5v	49.3v	0.0v	589.35v
573	Mr DEF Fields	O	71.5v	70.6v	48.4v	47.3v	48.5v	47.4v	46.5v	71.7v	98.8v	42.3v	0.0v	588.50v
574	Dr N Hart	O	70.7v	68.5v	45.1v	48.6v	46.2v	46.3v	44.1v	73.7v	99.10v	49.6v	0.0v	588.48v
575	Mr B Newgard	T	68.5v	71.4v	45.5v	46.4v	47.4v	47.2v	49.4v	72.7v	102.10v	41.3v	0.0v	588.48v
576	Mr DF Nesbitt	O	70.6v	70.5v	48.6v	47.3v	48.5v	47.3v	45.3v	74.9v	99.8v	40.0v	0.0v	588.48v
577	Lt CP Judge	T	71.5v	72.3v	43.4v	46.4v	49.8v	44.1v	46.2v	74.9v	95.5v	48.5v	0.0v	588.46v
578	Cdt TS Smith	O	68.5v	70.3v	47.3v	48.5v	47.4v	50.4v	43.2v	73.9v	95.5v	47.5v	0.0v	588.45v
579	Mr DAF Parkinson	O	72.7v	66.3v	49.2v	45.4v	46.5v	49.4v	47.1v	72.8v	99.6v	43.2v	0.0v	588.42v
580	Capt D Morris	O	69.4v	70.6v	49.4v	48.1v	50.5v	45.2v	49.3v	71.7v	95.9v	42.1v	0.0v	588.42v
581	Mr DN Webber	O	71.7v	70.2v	46.3v	48.3v	47.4v	45.2v	49.7v	71.5v	96.4v	45.3v	0.0v	588.40v
582	Mr ETE Egge	T	71.4v	70.3v	44.3v	47.4v	43.0v	44.4v	46.4v	72.6v	103.9v	48.2v	0.0v	588.39v
583	Mr P Waldron	O	70.7v	74.10v	48.5v	49.7v	46.4v	45.2v	40.3v	70.6v	97.11v	48.4v	0.0v	587.59v
584	Mr RA Welford	O	72.8v	69.5v	46.3v	46.4v	49.7v	45.4v	46.3v	73.8v	98.11v	43.5v	0.0v	587.58v
585	Mr CJ McCallum	O	71.8v	72.7v	47.7v	50.4v	48.5v	44.3v	47.4v	72.8v	100.11v	36.1v	0.0v	587.58v
586	Cdt F-XC Cliche	O	70.6v	71.7v	46.4v	43.5v	50.6v	49.6v	47.3v	71.8v	98.8v	42.2v	0.0v	587.55v
587	Mr AG Harrison	O	66.6v	67.3v	49.7v	44.4v	49.4v	45.3v	48.3v	73.10v	101.10v	45.3v	0.0v	587.53v
588	Mr JEC Branch	X	70.5v	66.5v	47.4v	40.1v	46.3v	49.1v	50.9v	72.8v	100.9v	47.7v	0.0v	587.52v
589	Cdt JCpl CA Evans	T	69.7v	73.9v	45.4v	43.4v	49.5v	47.2v	48.2v	75.14v	97.5v	41.0v	0.0v	587.52v
590	Mr A Rempel	O	70.4v	67.4v	45.2v	47.2v	47.5v	45.5v	47.5v	70.8v	101.12v	48.4v	0.0v	587.51v
591	Mr SD Douglas	O	74.8v	69.5v	48.4v	48.6v	45.2v	45.3v	43.1v	72.8v	101.11v	42.3v	0.0v	587.51v
592	Mr RB Fields	O	70.6v	69.5v	41.2v	47.4v	47.3v	46.6v	45.5v	73.10v	103.9v	46.0v	0.0v	587.50v
593	Mr B Lottritz	X	70.7v	71.7v	48.4v	46.5v	44.3v	47.1v	44.4v	71.7v	98.8v	48.3v	0.0v	587.49v
594	Mr AW Coupland	O	69.3v	71.6v	48.5v	45.3v	48.5v	44.2v	46.4v	69.7v	102.13v	45.1v	0.0v	587.49v
595	Mr ID Macdonald	O	67.7v	73.8v	48.4v	42.2v	47.5v	46.3v	44.2v	73.7v	99.7v	48.3v	0.0v	587.48v
596	Miss A Calvert	O	69.5v	70.7v	46.3v	47.4v	46.3v	46.4v	45.3v	70.6v	101.9v	47.4v	0.0v	587.48v
597	Mr HD Werner	X	72.6v	74.9v	46.5v	42.4v	49.4v	42.1v	48.5v	70.3v	100.8v	44.3v	0.0v	587.48v
598	Mr N Houle	T	72.7v	69.7v	45.3v	46.4v	49.6v	46.2v	47.1v	73.6v	99.11v	41.1v	0.0v	587.48v
599	Mr JG Powell	O	72.5v	70.3v	44.3v	45.2v	49.6v	48.5v	47.4v	71.5v	98.11v	43.3v	0.0v	587.47v
600	Mr KH Tumschat	X	74.8v	72.7v	47.3v	44.1v	49.7v	42.1v	46.3v	69.5v	103.10v	41.2v	0.0v	587.47v
601	Mr GH Porter	O	71.7v	74.6v	47.2v	44.2v	48.5v	47.3v	46.5v	70.5v	95.8v	45.3v	0.0v	587.46v
602	Dr PJ Morris	O	71.8v	71.3v	49.6v	46.2v	45.3v	47.5v	46.2v	68.5v	100.9v	44.2v	0.0v	587.45v
603	Mr SW Maris	O	70.7v	63.3v	49.4v	47.4v	49.4v	48.5v	45.3v	73.5v	101.9v	42.1v	0.0v	587.45v
604	J Serem	O	72.7v	68.3v	48.6v	47.3v	47.1v	46.3v	47.3v	74.8v	99.10v	39.1v	0.0v	587.45v
605	Mr R Shaw	O	71.4v	70.6v	47.3v	43.3v	47.2v	47.3v	45.3v	74.8v	99.8v	44.4v	0.0v	587.44v
606	Dr JC Jobling	O	65.2v	72.6v	47.5v	47.2v	47.4v	49.3v	47.5v	74.8v	97.7v	42.2v	0.0v	587.44v
607	Cdt LA Sutton	T	70.2v	72.9v	44.0v	48.4v	49.5v	45.5v	49.2v	73.8v	92.6v	45.2v	0.0v	587.43v
608	Mr A Mabon	O	69.0v	73.9v	48.5v	42.2v	47.3v	46.3v	47.3v	70.6v	101.10v	44.1v	0.0v	587.42v
609	Mr TSM Gordon	T	68.2v	74.8v	45.3v	45.3v	44.1v	46.4v	49.1v	72.7v	100.9v	44.2v	0.0v	587.40v
610	Mr ES Maclean	T	72.6v	71.5v	47.4v	49.3v	48.5v	45.1v	44.2v	72.6v	98.7v	41.1v	0.0v	587.40v
611	Mr RD Macmillan	O	71.0v	69.6v	45.3v	48.3v	49.3v	45.4v	45.2v	70.7v	100.7v	45.2v	0.0v	587.37v
612	Mr SCW Dixon	O	70.6v	70.3v	46.3v	48.4v	46.4v	45.3v	49.3v	73.5v	98.3v	42.0v	0.0v	587.34v
613	Mr JJ Jalili	T	70.5v	73.9v	49.4v	45.2v	49.5v	45.3v	40.3v	71.4v	100.12v	44.1v	0.0v	586.48v
614	Mr ADE Grounds	X	71.8v	72.6v	46.4v	47.5v	48.7v	44.3v	49.3v	70.3v	97.8v	42.1v	0.0v	586.48v
615	Mr RJS McIlveen	O	72.7v	68.4v	41.0v	47.6v	47.3v	46.3v	47.3v	73.10v	101.9v	44.2v	0.0v	586.47v
616	Mr K Gladding	T	69.3v	70.5v	45.2v	43.2v	48.7v	47.5v	48.4v	69.4v	102.12v	45.2v	0.0v	586.46v
617	Mr P Papisaderis	O	70.8v	70.4v	48.2v	47.3v	46.5v	47.5v	46.3v	72.8v	99.8v	41.0v	0.0v	586.46v
618	Mr HP Noss	X	67.4v	71.5v	45.5v	44.2v	49.6v	50.5v	47.2v	74.8v	96.6v	43.2v	0.0v	586.45v
619	Mr TS McDowell	O	69.5v	71.6v	49.6v	49.3v	46.3v	45.2v	46.2v	71.6v	98.10v	42.2v	0.0v	586.45v
620	D Kiprotich	O	68.2v	72.4v	49.2v	49.6v	47.5v	46.3v	44.2v	71.5v	98.11v	42.4v	0.0v	586.44v
621	Mr M Cooper	T	69.5v	73.9v	47.5v	46.2v	46.2v	49.2v	48.4v	69.8v	98.5v	41.2v	0.0v	586.44v
622	Mr BH Jones	O	69.3v	69.7v	48.2v	43.3v	48.4v	47.3v	47.2v	73.7v	98.10v	44.2v	0.0v	586.43v

623	Mr DJ Painting	A	72.5v	72.8v	47.2v	48.5v	46.4v	46.3v	48.3v	70.6v	92.4v	45.2v	0.0v	586.42v
624	Mr JMP Fitzsimons	O	69.6v	67.4v	47.4v	46.3v	48.3v	47.1v	49.2v	70.5v	100.10v	43.2v	0.0v	586.40v
625	Mr SWH Huish	T	73.9v	71.1v	47.1v	48.3v	48.6v	46.4v	40.0v	72.5v	101.10v	40.1v	0.0v	586.40v
626	Cdt Cpl J Thompstone	T	70.3v	67.1v	41.0v	43.1v	48.3v	48.4v	49.6v	73.9v	101.8v	46.3v	0.0v	586.38v
627	Cdt KD Dycer	T	66.1v	67.4v	44.2v	47.4v	47.3v	49.3v	46.3v	74.8v	102.8v	44.0v	0.0v	586.36v
628	Mr WRD Mott	O	72.6v	71.6v	45.1v	49.4v	46.1v	48.5v	42.1v	71.5v	97.4v	45.1v	0.0v	586.34v
629	Mr RE Clarke	O	71.4v	70.8v	47.6v	42.3v	43.3v	47.4v	46.6v	72.6v	102.10v	45.4v	0.0v	585.54v
630	Mr MJ Moran	O	67.4v	69.7v	47.4v	44.4v	50.6v	45.4v	47.3v	75.7v	100.10v	41.3v	0.0v	585.52v
631	Mr F Bilton	O	72.5v	67.9v	46.4v	45.2v	49.6v	49.3v	48.3v	71.8v	98.9v	40.2v	0.0v	585.51v
632	Mr RL Sampson	A	73.9v	70.8v	47.3v	48.5v	48.5v	44.2v	43.2v	71.7v	98.6v	43.2v	0.0v	585.49v
633	Sgt M Devine	O	71.7v	66.1v	45.3v	47.6v	47.5v	46.3v	44.0v	73.9v	98.10v	48.4v	0.0v	585.48v
634	Mr P Lusted	O	67.2v	72.5v	50.8v	48.4v	46.3v	45.3v	38.1v	69.4v	103.14v	47.4v	0.0v	585.48v
635	Mr FF Lalear	O	70.6v	71.4v	46.2v	45.2v	45.3v	45.3v	48.6v	69.9v	100.6v	46.6v	0.0v	585.47v
636	Mr TA French	T	69.4v	69.5v	47.5v	47.3v	47.4v	41.3v	45.2v	74.9v	100.9v	46.3v	0.0v	585.47v
637	Mr AK Fitch	O	70.5v	71.7v	49.5v	46.1v	49.7v	47.4v	45.3v	69.5v	97.10v	42.0v	0.0v	585.47v
638	Capt WF Squires	O	73.6v	72.8v	45.3v	40.2v	49.3v	45.3v	50.5v	74.7v	96.7v	41.2v	0.0v	585.46v
639	Cdt Cpl OL Lyon	O	71.6v	70.5v	47.4v	48.3v	44.2v	45.2v	46.5v	69.5v	98.8v	47.4v	0.0v	585.44v
640	Mr C Waldron	O	69.4v	72.8v	49.4v	41.2v	48.5v	46.5v	46.1v	70.8v	98.6v	46.1v	0.0v	585.44v
641	Mr AM Norman	T	71.6v	72.8v	47.6v	48.4v	45.3v	48.4v	43.1v	70.4v	98.6v	43.2v	0.0v	585.44v
642	G Kariuki	O	70.3v	70.7v	47.4v	42.1v	50.4v	47.4v	47.2v	69.5v	98.10v	45.3v	0.0v	585.43v
643	Mr RJ Shehan	O	73.5v	74.8v	47.3v	47.3v	45.5v	46.2v	46.1v	70.6v	93.4v	44.3v	0.0v	585.40v
644	Mr TA Purvis	T	68.4v	65.3v	46.4v	45.1v	47.6v	48.4v	46.2v	73.7v	99.4v	48.3v	0.0v	585.38v
645	Mr D Cottrill	T	71.3v	71.6v	40.2v	46.2v	46.4v	49.4v	48.3v	70.3v	100.9v	44.0v	0.0v	585.36v
646	Mr GL Clarke	O	70.5v	70.5v	48.6v	47.3v	49.2v	46.1v	47.4v	70.2v	97.7v	41.1v	0.0v	585.36v
647	Mr Al Lawrie	O	72.1v	73.5v	49.3v	49.3v	47.2v	44.2v	44.1v	72.8v	101.7v	34.0v	0.0v	585.32v
648	Cpl T Ford	T	71.7v	70.6v	44.1v	49.5v	45.4v	47.7v	42.1v	71.9v	101.10v	44.4v	0.0v	584.54v
649	Mr PS Holmes	O	74.11v	69.7v	49.3v	47.4v	46.4v	47.2v	45.3v	75.10v	100.8v	32.0v	0.0v	584.52v
650	Mr RJA Ritchie	O	68.4v	70.7v	46.6v	45.1v	46.5v	48.3v	46.5v	72.8v	98.7v	45.1v	0.0v	584.47v
651	Mr RS Binns	T	66.4v	71.4v	47.3v	49.5v	48.7v	46.3v	46.4v	71.5v	102.11v	38.1v	0.0v	584.47v
652	Mr MK Townsend	O	69.5v	70.4v	43.3v	50.5v	44.5v	47.4v	47.5v	67.4v	99.6v	48.4v	0.0v	584.45v
653	Ms TC East	O	73.8v	69.6v	47.1v	45.2v	48.7v	44.3v	40.0v	73.4v	101.10v	44.1v	0.0v	584.42v
654	N Batai	O	71.4v	71.4v	48.4v	48.2v	48.3v	39.2v	45.2v	72.8v	95.7v	47.5v	0.0v	584.41v
655	Mr MH Roberts	O	71.7v	68.4v	44.2v	45.3v	48.5v	47.4v	43.2v	73.7v	98.6v	47.1v	0.0v	584.41v
656	W Odhiambo	O	73.7v	69.4v	47.3v	45.2v	48.5v	44.2v	47.2v	73.7v	99.7v	39.1v	0.0v	584.40v
657	Mr GK Goodwin	O	70.4v	69.2v	48.2v	47.4v	45.3v	45.1v	48.6v	75.7v	100.8v	37.1v	0.0v	584.38v
658	Cdr MF Jordan	X	70.6v	69.3v	49.2v	47.3v	50.4v	45.4v	45.1v	71.5v	91.5v	47.3v	0.0v	584.36v
659	Mr AC Morley	O	68.3v	69.4v	48.5v	49.2v	48.4v	48.3v	45.2v	72.8v	97.4v	40.1v	0.0v	584.36v
660	Miss RR Davis	O	68.5v	70.6v	47.5v	43.4v	49.6v	50.5v	46.2v	69.7v	100.12v	41.2v	0.0v	583.54v
661	Miss EG Joseph	O	71.4v	72.8v	47.4v	43.1v	49.8v	44.4v	48.4v	72.10v	99.11v	38.0v	0.0v	583.54v
662	JL Breeze	O	71.8v	72.9v	45.3v	45.2v	44.4v	46.2v	43.3v	71.7v	101.11v	45.3v	0.0v	583.52v
663	Cdt AC Brooker	O	72.9v	70.3v	46.5v	47.6v	48.7v	44.2v	42.2v	72.8v	100.9v	42.1v	0.0v	583.52v
664	Mrs RKE Penrose	O	69.6v	68.7v	44.2v	48.4v	47.3v	48.7v	46.6v	70.6v	97.5v	46.5v	0.0v	583.51v
665	Mr SG Hunter	O	70.5v	72.8v	48.6v	46.3v	47.5v	44.2v	40.2v	73.7v	98.7v	45.4v	0.0v	583.49v
666	Miss HV Southall	T	68.4v	72.8v	48.1v	46.4v	46.5v	48.5v	44.4v	69.5v	96.7v	46.5v	0.0v	583.48v
667	Miss C Halleran	O	70.5v	71.6v	46.3v	45.6v	46.3v	48.4v	47.3v	73.7v	97.8v	40.2v	0.0v	583.47v
668	Major M Geernaert-Davies	O	70.8v	66.5v	47.3v	47.5v	46.5v	47.3v	46.2v	72.7v	95.4v	47.4v	0.0v	583.46v
669	Mr RW Smith	T	71.7v	71.3v	47.6v	46.2v	50.8v	44.3v	46.3v	69.7v	92.5v	47.1v	0.0v	583.45v
670	Mr SR Davis	O	70.4v	71.7v	46.4v	47.0v	48.6v	46.3v	47.5v	68.4v	96.8v	44.2v	0.0v	583.43v
671	Mr DA Smith	O	66.2v	71.5v	48.5v	46.4v	49.2v	48.5v	48.5v	69.5v	95.7v	43.1v	0.0v	583.41v
672	Mr PD Pelly	O	64.5v	69.4v	48.5v	44.3v	48.2v	46.3v	48.1v	72.4v	97.6v	47.4v	0.0v	583.37v
673	Mr AGM Fyfe	O	72.8v	69.3v	44.1v	47.4v	47.1v	46.0v	45.4v	73.3v	98.9v	42.0v	0.0v	583.33v
674	Cdt FS T Marsh	T	72.10v	70.4v	49.6v	45.5v	49.5v	44.3v	47.5v	72.7v	99.6v	35.0v	0.0v	582.51v
675	Mr JD Glen	O	71.4v	72.6v	46.4v	48.4v	49.6v	42.3v	44.4v	72.5v	98.12v	40.1v	0.0v	582.49v
676	Miss TD Duhre	A	66.4v	72.7v	44.1v	47.5v	48.7v	45.6v	49.4v	69.6v	98.7v	44.0v	0.0v	582.47v
677	Dr PR Wheeler	O	72.8v	70.4v	45.2v	46.5v	46.6v	47.3v	45.3v	71.8v	94.4v	46.3v	0.0v	582.46v
678	Cdt MJG Neal	T	70.5v	71.7v	48.7v	48.5v	48.6v	44.1v	47.3v	64.0v	98.9v	44.1v	0.0v	582.44v
679	Mr R Jackson	O	67.3v	71.5v	42.3v	49.4v	50.5v	49.5v	46.4v	71.5v	96.6v	41.2v	0.0v	582.42v
680	Mr A Lakhani	O	71.5v	73.6v	49.3v	45.3v	46.3v	45.2v	43.2v	69.7v	100.9v	41.2v	0.0v	582.42v
681	Mr J Tuffen	O	72.7v	69.5v	48.5v	46.3v	48.2v	49.5v	47.2v	72.8v	91.5v	40.0v	0.0v	582.42v
682	Mr K Todd	T	71.6v	70.5v	45.4v	46.3v	46.3v	44.3v	44.3v	70.5v	101.9v	45.0v	0.0v	582.41v
683	Mr T Galliers	O	71.7v	70.3v	46.3v	47.2v	43.1v	46.3v	48.2v	70.7v	97.9v	44.3v	0.0v	582.40v
684	Mr SJ Frank	T	69.3v	71.4v	48.4v	47.4v	48.4v	40.1v	48.5v	69.2v	97.9v	45.3v	0.0v	582.39v
685	Mr S Mcginnis	X	68.5v	70.7v	49.5v	46.2v	48.2v	41.2v	47.1v	70.5v	101.8v	42.0v	0.0v	582.37v
686	Mr IR Thomson	O	71.7v	70.5v	49.4v	49.6v	46.5v	41.2v	44.5v	72.6v	97.11v	42.3v	0.0v	581.54v
687	Mr DT O'Leary	O	72.7v	71.7v	42.2v	49.4v	43.2v	48.5v	45.3v	70.10v	98.7v	43.3v	0.0v	581.50v
688	Mr MR Frost	O	74.8v	74.7v	46.5v	46.3v	44.4v	43.2v	48.4v	65.5v	100.7v	41.2v	0.0v	581.47v
689	E Muleyi	O	66.3v	68.5v	45.3v	48.5v	48.5v	49.4v	42.3v	70.5v	100.8v	45.3v	0.0v	581.44v
690	Mr PGW Purdy	O	68.5v	68.5v	49.4v	48.5v	46.3v	50.5v	41.0v	73.9v	97.6v	41.2v	0.0v	581.44v
691	Dr G Stevenson	O	72.9v	70.4v	47.2v	45.2v	46.4v	46.3v	47.1v	67.8v	95.8v	46.2v	0.0v	581.43v
692	Mr G Hart	O	71.5v	69.4v	46.4v	46.3v	47.6v	43.3v	47.3v	70.8v	97.6v	45.1v	0.0v	581.43v
693	Mr JR Dodd	O	66.5v	68.4v	46.4v	48.2v	47.5v	48.4v	49.7v	67.4v	101.6v	41.2v	0.0v	581.43v

694	Mr ST Welsh	T	72.6v	66.2v	45.3v	50.4v	49.6v	45.3v	44.3v	67.5v	98.8v	45.1v	0.0v	581.41v
695	Cdt CG Dickson	O	71.7v	69.8v	46.4v	44.1v	47.4v	45.3v	48.2v	71.6v	96.4v	44.2v	0.0v	581.41v
696	Mr SJ Dawes	O	68.4v	68.4v	47.4v	50.4v	48.2v	46.4v	44.2v	72.6v	95.8v	43.3v	0.0v	581.41v
697	Mr M Robson	O	71.4v	69.6v	45.3v	46.5v	48.2v	39.0v	47.5v	72.4v	100.9v	44.2v	0.0v	581.40v
698	Mr SE Frost	X	64.3v	71.6v	45.2v	48.6v	49.5v	44.2v	45.3v	70.3v	101.9v	44.0v	0.0v	581.39v
699	Mr JT Boyd	T	69.6v	70.6v	41.3v	45.2v	46.1v	49.4v	45.2v	71.2v	98.8v	47.2v	0.0v	581.36v
700	Miss JE Harris	O	70.6v	69.5v	46.3v	44.1v	49.4v	44.3v	47.1v	72.7v	93.6v	47.0v	0.0v	581.36v
701	Mr D Mesletzky	X	70.5v	69.4v	46.2v	47.1v	49.6v	47.2v	47.2v	66.4v	92.4v	48.5v	0.0v	581.35v
702	Mr TJ Goodger	O	70.7v	69.7v	48.5v	39.2v	46.4v	43.4v	47.4v	75.8v	101.10v	42.3v	0.0v	580.54v
703	Mr BG White	O	71.7v	70.6v	43.5v	48.4v	47.5v	45.3v	45.3v	72.6v	96.11v	43.2v	0.0v	580.52v
704	Judge AP Powell	O	73.10v	67.5v	48.3v	49.8v	41.1v	45.4v	46.4v	74.9v	97.7v	40.0v	0.0v	580.51v
705	Mr MR Rewston	O	65.2v	69.8v	46.3v	43.1v	46.3v	48.4v	46.5v	71.8v	99.9v	47.6v	0.0v	580.49v
706	Mr NS Roberts	O	70.6v	67.4v	46.2v	47.4v	47.5v	44.4v	44.4v	73.9v	99.8v	43.3v	0.0v	580.49v
707	Mr FJ Carlin	O	69.3v	67.6v	46.4v	46.3v	45.3v	49.5v	46.4v	72.6v	94.5v	46.5v	0.0v	580.44v
708	WO2 M Carberry	O	70.3v	65.4v	45.3v	43.1v	49.4v	50.5v	45.4v	72.7v	100.10v	41.3v	0.0v	580.44v
709	Mr AC Grant	O	71.9v	69.7v	41.0v	46.1v	47.2v	47.3v	46.4v	74.9v	94.7v	45.0v	0.0v	580.42v
710	Mr A Coakes	O	72.6v	74.6v	47.4v	44.2v	46.0v	46.4v	42.0v	70.5v	100.11v	39.3v	0.0v	580.41v
711	Miss RL Laird	A	69.5v	66.2v	46.4v	46.3v	43.2v	46.4v	48.7v	67.3v	102.6v	47.4v	0.0v	580.40v
712	Dr KW Genders	O	70.5v	67.4v	47.3v	43.1v	48.6v	43.1v	48.6v	70.6v	97.5v	47.3v	0.0v	580.40v
713	Cdt CW Boag	T	72.4v	73.9v	49.4v	47.2v	47.4v	48.5v	34.0v	73.4v	95.6v	42.2v	0.0v	580.40v
714	Mr B Langille	T	73.7v	72.4v	48.4v	45.4v	44.1v	43.1v	46.2v	69.5v	93.8v	47.3v	0.0v	580.39v
715	Mr RP Bawden	O	70.4v	69.5v	49.6v	46.4v	45.1v	48.4v	47.3v	71.5v	98.4v	37.1v	0.0v	580.37v
716	Miss ZL Latimer	T	68.5v	70.0v	47.2v	47.4v	48.8v	41.0v	49.3v	68.3v	98.8v	44.3v	0.0v	580.36v
717	Mr JGM Webster	X	74.9v	75.6v	50.8v	48.4v	48.5v	45.4v	47.3v	73.9v	69.12v	50.5v	0.0v	579.65v
718	Mr HGM Mooiman	O	74.9v	65.7v	44.2v	49.7v	46.4v	48.3v	44.3v	70.7v	98.6v	41.4v	0.0v	579.52v
719	Mr MP Perez	O	67.4v	75.8v	49.6v	45.2v	48.5v	46.4v	40.2v	70.4v	98.11v	41.2v	0.0v	579.48v
720	Mr HJG Green	T	71.6v	71.9v	45.4v	47.2v	49.6v	47.3v	43.3v	70.3v	97.10v	39.1v	0.0v	579.47v
721	Mr BK McFall	T	71.4v	72.5v	48.5v	45.4v	47.6v	46.2v	47.2v	73.10v	95.5v	35.3v	0.0v	579.46v
722	Mr FS Stewart	T	71.5v	68.3v	48.3v	46.4v	47.3v	43.2v	47.6v	70.6v	96.9v	43.3v	0.0v	579.44v
723	Mr GRP Shapland	O	69.7v	70.2v	48.4v	47.3v	44.2v	45.0v	45.2v	73.10v	95.6v	46.4v	0.0v	579.40v
724	Mr MJ Judge	O	68.5v	67.4v	47.5v	48.6v	49.5v	44.2v	49.6v	61.1v	98.3v	45.1v	0.0v	579.38v
725	Mr PD Le Poidevin	O	70.5v	69.4v	46.4v	44.1v	47.4v	44.3v	49.8v	72.4v	96.3v	42.1v	0.0v	579.37v
726	Cdt NM Taylor	T	70.5v	70.4v	48.2v	47.2v	45.2v	44.3v	47.4v	72.9v	96.5v	40.1v	0.0v	579.37v
727	Cpl PS Lehmann	T	73.6v	72.8v	45.3v	47.3v	45.2v	42.0v	46.4v	67.2v	94.4v	48.3v	0.0v	579.35v
728	Mr U Soelzer	X	68.2v	70.5v	46.3v	46.3v	45.1v	46.2v	48.3v	67.3v	98.5v	45.4v	0.0v	579.31v
729	Miss HR Mackintosh	O	66.4v	72.4v	46.3v	38.1v	46.3v	46.1v	50.6v	73.9v	99.9v	42.2v	0.0v	578.42v
730	Mr NS Suffield-Jones	O	70.7v	68.3v	44.4v	47.4v	45.3v	48.5v	46.2v	66.3v	97.6v	47.4v	0.0v	578.41v
731	Miss KMA Atkinson	T	68.5v	69.4v	48.5v	45.1v	47.3v	46.5v	48.4v	71.7v	90.3v	46.4v	0.0v	578.41v
732	Mr BN Craig	O	68.2v	73.5v	49.6v	48.5v	48.7v	45.2v	38.0v	71.5v	97.7v	41.1v	0.0v	578.40v
733	Mr GR Capell	O	70.5v	68.3v	46.2v	44.3v	47.3v	45.5v	47.3v	73.7v	98.6v	40.1v	0.0v	578.38v
734	Mr PS Calvert	T	66.6v	74.6v	43.1v	46.1v	49.7v	47.3v	40.1v	70.4v	98.7v	45.0v	0.0v	578.36v
735	Dr MW Wrigley	A	70.2v	65.3v	49.5v	47.3v	46.2v	44.1v	45.4v	72.5v	95.5v	45.2v	0.0v	578.32v
736	Mr ML Pozzebon	O	73.10v	73.7v	48.3v	50.8v	49.5v	48.5v	48.6v	74.11v	70.13v	44.3v	0.0v	577.71v
737	Mr J Golling	X	71.6v	71.8v	47.5v	50.3v	47.6v	45.3v	43.2v	64.7v	96.5v	43.1v	0.0v	577.46v
738	Mr OCIK Kember	O	66.3v	72.7v	44.3v	48.4v	48.5v	45.3v	40.1v	69.3v	99.8v	46.4v	0.0v	577.41v
739	Mr TJB Barkel	T	67.5v	69.7v	46.0v	46.3v	47.2v	47.4v	46.3v	68.3v	98.7v	43.4v	0.0v	577.38v
740	Mr JW Webber	O	71.4v	69.4v	46.5v	48.3v	39.1v	45.3v	46.3v	70.3v	98.5v	45.4v	0.0v	577.35v
741	Mr RJ Dare	O	69.3v	73.6v	45.5v	46.2v	43.3v	44.1v	45.0v	67.4v	99.8v	46.1v	0.0v	577.33v
742	Mr CRW Downing	T	69.1v	69.3v	48.4v	48.3v	48.5v	43.1v	47.3v	68.5v	92.4v	45.2v	0.0v	577.31v
743	Miss ATJV Voorthuyzen	T	71.7v	66.4v	44.2v	45.3v	48.6v	45.4v	48.5v	72.9v	94.7v	43.4v	0.0v	576.51v
744	Mr RS Mason	O	72.7v	73.10v	50.5v	43.1v	48.5v	46.6v	44.2v	69.8v	96.7v	35.0v	0.0v	576.51v
745	Mr MG Grimsdell	O	70.7v	70.4v	47.6v	46.3v	40.5v	48.4v	46.3v	72.7v	92.7v	45.3v	0.0v	576.49v
746	Cdt GA Astin	T	70.7v	69.6v	47.4v	47.3v	45.7v	47.5v	43.3v	69.4v	95.8v	44.2v	0.0v	576.49v
747	Miss CJ Moogk	T	65.4v	71.8v	46.2v	45.3v	49.3v	45.2v	42.3v	72.7v	98.10v	43.1v	0.0v	576.43v
748	Sjt CL Atherton	T	70.2v	69.3v	50.6v	47.5v	42.4v	42.2v	46.3v	68.4v	97.10v	45.3v	0.0v	576.42v
749	Mr RG Hilyard	O	69.3v	70.5v	49.6v	44.3v	47.4v	46.4v	40.3v	70.3v	100.10v	41.1v	0.0v	576.42v
750	Miss EK Gibson	O	69.4v	74.7v	47.4v	48.3v	46.5v	44.3v	41.1v	70.5v	93.6v	44.3v	0.0v	576.41v
751	Mr R Kligge	X	68.4v	69.5v	45.1v	44.2v	48.4v	44.1v	49.4v	68.7v	96.7v	45.2v	0.0v	576.37v
752	P Lepario	O	70.3v	72.6v	46.3v	44.3v	46.4v	41.1v	42.0v	72.7v	100.8v	43.1v	0.0v	576.36v
753	Cdt ADP Partridge	T	69.4v	70.2v	47.3v	45.2v	50.5v	45.3v	46.5v	68.3v	98.4v	38.1v	0.0v	576.32v
754	Mr PB Cutts	O	73.9v	70.6v	47.3v	48.7v	49.4v	42.3v	43.3v	71.6v	91.9v	41.2v	0.0v	575.52v
755	Flt Lt G Basnett	T	69.5v	71.8v	46.6v	46.5v	42.3v	49.4v	47.5v	64.2v	101.6v	40.3v	0.0v	575.47v
756	Mr F Roberts	O	69.4v	68.3v	47.6v	45.2v	47.4v	41.2v	47.5v	69.6v	97.8v	45.3v	0.0v	575.43v
757	Mr P Merry	O	68.4v	67.2v	49.5v	47.4v	47.4v	47.7v	44.2v	70.8v	98.6v	38.1v	0.0v	575.43v
758	Mr J Shanks	O	69.6v	67.5v	47.1v	48.5v	48.3v	44.2v	44.3v	69.6v	94.5v	45.3v	0.0v	575.39v
759	Mr KG Garside	O	68.2v	73.5v	45.2v	44.2v	48.5v	44.1v	46.4v	70.6v	96.5v	41.3v	0.0v	575.35v
760	Sgt DA Rowell	T	70.4v	72.9v	46.3v	47.3v	49.4v	46.5v	38.1v	68.8v	101.12v	37.2v	0.0v	574.51v
761	Mr JS Ritchie	O	70.7v	68.6v	43.2v	47.3v	47.5v	46.4v	45.3v	66.1v	97.6v	45.4v	0.0v	574.41v
762	Miss CK Skelton	T	74.6v	71.6v	44.1v	49.5v	48.3v	42.3v	41.1v	66.3v	92.5v	47.4v	0.0v	574.37v
763	J Birgen	O	70.7v	65.2v	45.1v	47.4v	47.4v	45.3v	44.4v	71.5v	93.4v	47.2v	0.0v	574.36v
764	E Odeo	O	72.4v	67.4v	49.3v	46.4v	46.4v	44.4v	44.2v	66.3v	100.7v	40.1v	0.0v	574.36v

765	Dr CW Freeman	O	68.4v	71.5v	44.1v	43.1v	48.5v	47.4v	42.2v	69.5v	99.6v	43.1v	0.0v	574.34v
766	Sgt H Walker	T	62.2v	66.4v	46.5v	45.2v	46.5v	49.3v	47.1v	71.10v	102.11v	39.3v	0.0v	573.46v
767	Mr PJ Holden	O	68.5v	65.3v	45.2v	49.7v	46.4v	43.1v	47.5v	71.7v	98.7v	41.0v	0.0v	573.41v
768	Mr DJ Pay	O	70.5v	67.4v	46.4v	50.4v	46.2v	41.1v	48.4v	65.4v	96.6v	44.4v	0.0v	573.38v
769	Mr BF Witts	O	69.4v	66.2v	45.2v	47.3v	45.3v	43.3v	48.2v	71.9v	96.8v	43.2v	0.0v	573.38v
770	Mr MW Brown	O	71.4v	68.4v	45.1v	48.3v	47.4v	38.2v	47.2v	71.9v	94.5v	44.2v	0.0v	573.36v
771	Mr PW Glen	T	68.1v	67.4v	47.3v	49.4v	47.2v	48.4v	42.1v	68.3v	99.6v	38.2v	0.0v	573.30v
772	F Mwema	O	63.1v	66.5v	47.3v	46.3v	48.4v	45.3v	46.0v	71.4v	98.4v	43.2v	0.0v	573.29v
773	Mr MD Wright	T	64.3v	67.5v	45.3v	49.5v	49.5v	45.4v	45.3v	70.8v	95.7v	43.4v	0.0v	572.47v
774	Mr OSR Ridd	T	68.3v	72.7v	46.3v	47.3v	40.1v	44.3v	49.3v	73.5v	97.12v	36.1v	0.0v	572.41v
775	Sjt J McCreedy	T	69.7v	70.5v	47.5v	45.3v	32.0v	46.2v	48.6v	71.7v	96.7v	47.4v	0.0v	571.46v
776	L/Cpl B Turner	O	67.5v	67.2v	49.7v	46.1v	47.6v	45.3v	47.3v	71.6v	98.5v	34.0v	0.0v	571.38v
777	Cdt SM Amin	T	71.7v	69.5v	46.3v	32.3v	47.4v	41.2v	44.2v	72.10v	100.9v	48.4v	0.0v	570.49v
778	Mr J Paul	O	66.3v	72.6v	48.4v	46.4v	48.6v	42.4v	42.2v	68.5v	93.7v	45.3v	0.0v	570.44v
779	Mr JW Anderson	T	71.6v	70.7v	45.5v	45.2v	44.3v	46.2v	45.4v	72.3v	91.7v	41.2v	0.0v	570.41v
780	Miss CPD Pearce	T	63.2v	74.9v	48.4v	50.7v	46.2v	44.2v	41.2v	66.2v	100.9v	38.2v	0.0v	570.41v
781	Miss LE Kennedy	T	70.7v	71.5v	42.2v	44.3v	46.3v	45.2v	46.2v	67.6v	96.6v	43.2v	0.0v	570.38v
782	Mr SHM Keith	T	67.5v	72.7v	45.1v	43.2v	47.5v	47.3v	45.4v	71.3v	99.7v	34.1v	0.0v	570.38v
783	Sjt P Tucker	T	68.3v	73.7v	48.5v	42.1v	44.5v	44.2v	48.5v	69.5v	91.3v	43.1v	0.0v	570.37v
784	Mr SP Hill	O	69.5v	69.5v	47.3v	47.4v	44.2v	47.4v	41.2v	71.5v	93.2v	42.1v	0.0v	570.33v
785	Cdt Cpl RJ Stilgoe	T	62.1v	66.3v	47.1v	41.3v	47.6v	47.4v	47.2v	71.5v	97.3v	45.4v	0.0v	570.32v
786	Mr JP Barry	O	71.7v	73.10v	45.0v	47.2v	50.7v	49.6v	48.7v	72.7v	64.8v	50.8v	0.0v	569.62v
787	Sjt BG Mulvey	T	67.4v	71.4v	48.5v	43.2v	48.4v	42.3v	40.0v	74.11v	98.10v	38.1v	0.0v	569.44v
788	Mr NM Duncan	T	73.6v	70.6v	47.3v	43.2v	42.3v	46.4v	43.2v	69.6v	97.8v	39.1v	0.0v	569.41v
789	Cpl N McGowan	T	63.1v	69.6v	44.1v	48.6v	41.1v	46.4v	45.4v	71.5v	100.10v	42.2v	0.0v	569.40v
790	Mr C Palfrey	T	67.5v	69.7v	44.2v	48.3v	43.1v	44.2v	44.4v	67.2v	98.6v	45.4v	0.0v	569.36v
791	J Sichei	O	67.4v	70.6v	47.4v	45.3v	47.4v	44.2v	46.0v	68.4v	98.7v	37.0v	0.0v	569.34v
792	Sgt CJ Beddow	T	67.5v	65.2v	44.3v	46.4v	46.4v	48.5v	46.6v	70.7v	97.6v	39.3v	0.0v	568.45v
793	J Muriuki	O	69.6v	71.6v	46.2v	46.5v	48.3v	46.4v	45.3v	68.6v	97.7v	32.1v	0.0v	568.43v
794	Mr CSJ Marlow	O	70.7v	65.4v	48.5v	50.6v	46.3v	46.2v	39.3v	70.5v	93.7v	41.0v	0.0v	568.42v
795	Mr G Hart	T	67.4v	69.6v	49.5v	47.5v	48.5v	39.2v	45.2v	68.7v	89.4v	47.1v	0.0v	568.41v
796	Mr MB Grant	T	72.7v	69.7v	47.3v	45.3v	46.2v	47.2v	45.4v	67.4v	89.5v	41.2v	0.0v	568.39v
797	Mr RCG Knight	O	70.6v	71.6v	46.1v	46.4v	47.6v	40.1v	47.3v	69.5v	94.4v	38.2v	0.0v	568.38v
798	Mr KC Marshall	O	65.0v	70.6v	48.4v	42.1v	45.2v	45.3v	45.0v	67.5v	96.6v	45.1v	0.0v	568.28v
799	Cdt HIM Macrae	T	66.4v	70.7v	45.2v	43.3v	49.6v	44.4v	44.3v	72.6v	94.8v	40.2v	0.0v	567.45v
800	K Kiarie	O	68.2v	69.5v	46.4v	45.4v	46.4v	41.3v	47.2v	67.6v	96.6v	42.4v	0.0v	567.40v
801	Mr COB Perkins	T	68.3v	72.6v	44.3v	44.2v	44.2v	43.1v	41.1v	71.6v	95.9v	45.2v	0.0v	567.35v
802	Mr JE Fraser	O	66.4v	70.5v	39.1v	50.4v	46.0v	49.3v	39.3v	70.7v	95.7v	43.1v	0.0v	567.35v
803	Mr CN Jaynes	T	69.5v	69.3v	44.3v	48.3v	48.3v	44.3v	42.1v	69.5v	91.4v	43.2v	0.0v	567.32v
804	Mrs CIM Le Poidevin	O	70.3v	73.6v	50.4v	41.2v	46.4v	41.0v	43.1v	65.2v	96.6v	42.2v	0.0v	567.30v
805	Mr T Horsfield	O	65.2v	67.2v	47.2v	43.2v	46.0v	46.3v	46.3v	72.3v	96.7v	39.0v	0.0v	567.24v
806	Cdt CSM ATPP Pattison	T	61.2v	71.4v	47.1v	47.3v	48.5v	47.1v	46.3v	63.1v	103.3v	33.1v	0.0v	566.24v
807	Mr PA Cullimore	O	68.5v	65.3v	46.4v	49.3v	44.1v	45.5v	42.2v	72.8v	90.5v	44.5v	0.0v	565.41v
808	Miss CM McKenzie	T	64.2v	70.8v	45.4v	49.5v	39.1v	48.1v	47.3v	65.5v	97.9v	41.3v	0.0v	565.41v
809	Miss ER Lewin	O	69.5v	70.5v	47.5v	46.5v	43.2v	44.2v	45.4v	69.7v	94.3v	38.3v	0.0v	565.41v
810	Mr PT Dwyer	A	69.5v	66.3v	45.1v	47.3v	45.5v	46.3v	46.3v	66.5v	99.9v	36.1v	0.0v	565.38v
811	Mr ND Anderson	O	65.3v	73.7v	44.0v	49.6v	46.2v	43.2v	40.0v	64.2v	96.8v	45.3v	0.0v	565.33v
812	Miss IS O'Bryan	T	66.4v	68.4v	45.3v	47.3v	44.3v	40.0v	44.2v	66.4v	99.6v	46.3v	0.0v	565.32v
813	Mr JL Poulin	O	67.4v	68.4v	47.4v	43.3v	44.1v	45.2v	45.2v	65.2v	95.5v	46.4v	0.0v	565.31v
814	Mr JA Horton	O	68.2v	68.4v	45.0v	44.4v	43.4v	44.2v	46.4v	70.2v	90.2v	47.5v	0.0v	565.29v
815	Mrs SM Mott	O	69.1v	69.6v	48.4v	49.5v	44.3v	38.0v	45.2v	71.3v	89.4v	43.1v	0.0v	565.29v
816	Mr JT Kennedy	T	68.5v	69.5v	45.2v	46.4v	48.6v	44.2v	45.4v	66.2v	93.4v	40.2v	0.0v	564.36v
817	LCpl EP Bryant	T	65.3v	68.4v	44.3v	46.4v	47.3v	45.3v	41.0v	72.8v	96.7v	40.1v	0.0v	564.36v
818	Mr RA Grundy	X	70.4v	71.3v	46.2v	36.0v	46.3v	41.2v	48.3v	74.8v	102.10v	30.1v	0.0v	564.36v
819	LCpl L Le Breuilly	T	68.5v	67.3v	46.1v	47.4v	44.4v	47.2v	48.3v	68.6v	92.7v	37.0v	0.0v	564.35v
820	Cdt PI Mare	T	62.4v	72.5v	44.2v	43.1v	46.4v	44.0v	44.3v	68.4v	96.7v	45.2v	0.0v	564.32v
821	Mr H Buitelaar	O	61.3v	69.4v	45.4v	46.2v	45.1v	47.3v	43.1v	70.4v	93.4v	45.3v	0.0v	564.29v
822	Mr NC Boyde	O	74.8v	73.10v	41.1v	48.3v	50.6v	45.2v	47.4v	72.5v	76.5v	37.2v	0.0v	563.46v
823	LCpl A Gray	T	70.7v	67.4v	48.3v	30.2v	49.6v	45.4v	46.4v	71.3v	91.3v	46.4v	0.0v	563.40v
824	Mrs KD Robertson	O	70.6v	68.3v	43.3v	47.3v	46.4v	41.1v	44.4v	68.6v	92.8v	44.2v	0.0v	563.40v
825	Mr FL Laberge	T	64.1v	70.4v	45.2v	46.4v	46.5v	43.2v	45.3v	65.6v	97.6v	42.2v	0.0v	563.35v
826	E Kimisik	O	70.4v	70.6v	48.2v	43.2v	45.2v	43.3v	45.1v	64.3v	90.7v	45.3v	0.0v	563.33v
827	Mr KSPB Brown	T	65.2v	70.2v	45.2v	30.1v	46.4v	48.3v	40.1v	70.4v	101.12v	48.1v	0.0v	563.32v
828	Mr AJ Bryant	O	70.6v	68.1v	45.2v	46.1v	46.2v	38.2v	45.2v	64.3v	97.8v	44.1v	0.0v	563.28v
829	Mr H Sanders	A	68.7v	71.7v	44.3v	48.5v	48.7v	46.0v	47.4v	75.12v	66.3v	49.4v	0.0v	562.52v
830	Mr GS Strong	T	67.2v	71.8v	42.1v	46.7v	48.3v	48.3v	41.4v	66.3v	92.5v	41.3v	0.0v	562.39v
831	Miss R Werner	X	68.3v	69.6v	40.2v	49.4v	43.1v	44.2v	42.3v	68.6v	94.7v	45.2v	0.0v	562.36v
832	Cdt BJB Briggs	T	65.3v	68.6v	47.1v	44.2v	48.3v	46.4v	43.1v	70.5v	97.9v	34.1v	0.0v	562.35v
833	J Kamau	O	64.4v	71.4v	44.2v	45.0v	44.1v	47.2v	46.5v	67.4v	94.7v	40.1v	0.0v	562.30v
834	Miss JC Melling	T	61.0v	68.4v	40.0v	47.3v	46.5v	48.4v	45.2v	63.1v	97.5v	47.2v	0.0v	562.26v
835	Mr M Ayling	O	68.2v	66.5v	45.2v	41.2v	42.1v	43.0v	44.3v	72.9v	97.7v	43.1v	0.0v	561.32v

836	Mr AE Le Page	X	67.3v	67.4v	46.3v	40.2v	48.3v	44.1v	42.2v	68.6v	97.6v	42.1v	0.0v	561.31v
837	Mr AW Sainter	O	64.3v	70.4v	45.2v	45.2v	40.1v	44.2v	45.2v	68.2v	99.10v	41.2v	0.0v	561.30v
838	Cpl L Thirlaway	T	64.3v	71.6v	42.3v	43.1v	43.1v	43.4v	47.4v	70.7v	93.8v	44.2v	0.0v	560.39v
839	Mr GD Moffatt	O	66.2v	72.8v	46.4v	46.4v	44.2v	42.3v	41.1v	62.5v	99.5v	42.3v	0.0v	560.37v
840	Mr D Odutola	T	68.2v	70.10v	46.5v	39.0v	44.2v	44.2v	47.3v	70.5v	93.6v	39.1v	0.0v	560.36v
841	Mr SA Lippiatt	O	65.3v	66.6v	48.3v	47.3v	44.1v	45.4v	47.4v	66.3v	91.4v	41.1v	0.0v	560.32v
842	Mr JPS Bloomfield	X	74.7v	73.5v	46.5v	46.5v	49.7v	49.5v	0.0v	73.10v	102.11v	47.4v	0.0v	559.59v
843	Mr A Wombell	O	69.5v	69.3v	47.3v	45.2v	39.0v	47.5v	41.1v	70.8v	97.5v	35.0v	0.0v	559.32v
844	Mr WH Handley	O	66.2v	70.6v	49.7v	46.4v	48.4v	46.4v	48.3v	69.8v	98.7v	18.1v	0.0v	558.46v
845	Mr MS Savage	T	65.1v	67.4v	50.2v	43.2v	44.4v	36.0v	47.2v	71.9v	91.12v	44.3v	0.0v	558.39v
846	Cdt A Johnston	T	63.2v	71.4v	45.3v	45.4v	49.6v	47.2v	45.3v	61.2v	92.6v	40.0v	0.0v	558.32v
847	Mr NJ Atkins	T	70.5v	68.3v	43.2v	45.2v	45.1v	43.2v	43.2v	66.3v	91.6v	44.2v	0.0v	558.28v
848	Mr AJ Mazumdar	T	66.0v	68.2v	46.4v	40.1v	41.3v	46.2v	46.5v	68.3v	98.6v	39.1v	0.0v	558.27v
849	J/Cpl AF Filhol	T	73.9v	65.2v	44.2v	45.0v	44.2v	44.0v	41.2v	70.4v	94.6v	38.0v	0.0v	558.27v
850	Mr LA Fisher	X	63.5v	67.2v	44.3v	49.4v	47.4v	43.4v	41.1v	61.2v	96.8v	46.4v	0.0v	557.37v
851	Major RJ Aitken	O	71.6v	65.4v	48.5v	46.5v	43.2v	43.1v	44.2v	70.5v	83.5v	44.1v	0.0v	557.36v
852	Mr AC Abrahams	T	67.4v	65.3v	45.2v	46.3v	47.4v	44.2v	44.3v	61.2v	93.6v	45.3v	0.0v	557.32v
853	Mr TW Harrison	O	67.4v	66.4v	45.2v	47.4v	44.3v	42.1v	43.3v	70.4v	95.7v	38.0v	0.0v	557.32v
854	Mr AJ Ball	O	66.3v	69.4v	46.4v	46.0v	48.3v	45.2v	40.2v	66.4v	94.10v	37.0v	0.0v	557.32v
855	Cdt GBA Anderson	T	71.6v	65.3v	44.3v	43.3v	47.4v	38.1v	45.4v	65.2v	95.3v	44.2v	0.0v	557.31v
856	Mr C Crabtree	T	68.4v	66.2v	40.2v	46.2v	47.3v	45.4v	45.2v	63.4v	96.7v	41.1v	0.0v	557.31v
857	Miss ME Wicker	O	70.4v	71.6v	45.4v	45.1v	44.2v	46.2v	40.0v	66.3v	91.3v	39.2v	0.0v	557.27v
858	Cdt AR Riopel	T	70.7v	70.5v	42.1v	46.4v	45.1v	49.6v	41.2v	72.7v	92.2v	29.0v	0.0v	556.35v
859	Cpl S Livingston	T	62.3v	71.3v	41.2v	47.3v	43.0v	49.3v	43.1v	69.2v	97.7v	34.1v	0.0v	556.25v
860	Mr B Humphreys	O	68.3v	71.7v	48.5v	46.3v	46.5v	44.3v	47.2v	73.10v	64.4v	48.4v	0.0v	555.46v
861	Mr FTG Amy	T	69.4v	70.6v	49.6v	47.3v	40.1v	41.1v	29.1v	71.8v	92.9v	47.4v	0.0v	555.43v
862	Mr I Brotherston	T	67.2v	62.1v	44.3v	45.2v	42.3v	42.1v	43.0v	68.6v	99.9v	43.1v	0.0v	555.28v
863	Mr SJ Clark	O	66.3v	69.3v	44.3v	45.2v	44.2v	45.2v	46.3v	64.5v	94.5v	37.1v	0.0v	554.29v
864	CSgt A McBain	T	68.5v	66.4v	45.3v	43.2v	45.0v	42.1v	43.3v	63.3v	94.4v	45.3v	0.0v	554.28v
865	Mr JH Molesworth	T	71.3v	63.1v	45.2v	41.1v	36.0v	47.2v	35.4v	67.2v	102.7v	47.4v	0.0v	554.26v
866	Miss M Miller	T	64.1v	64.2v	43.2v	45.3v	47.2v	41.2v	46.4v	74.6v	87.1v	43.3v	0.0v	554.26v
867	Miss E Stewart	T	62.0v	68.6v	43.1v	47.3v	46.4v	47.3v	46.2v	65.3v	88.2v	42.1v	0.0v	554.25v
868	Mr ND Gomez	O	70.4v	71.7v	50.6v	43.2v	46.4v	48.5v	46.3v	72.7v	65.4v	42.2v	0.0v	553.44v
869	Mr NT Davies	O	69.5v	70.8v	47.5v	49.2v	47.4v	39.1v	48.2v	71.3v	66.4v	47.4v	0.0v	553.38v
870	Mr SMW Clifford	T	68.4v	69.3v	44.1v	49.3v	49.7v	46.3v	48.3v	70.8v	66.3v	44.3v	0.0v	553.38v
871	Mrs I Pioche	O	65.3v	70.2v	48.4v	46.5v	46.3v	34.0v	42.0v	67.5v	99.7v	36.1v	0.0v	553.30v
872	Mr RP Birch	T	59.2v	66.3v	43.1v	40.1v	48.5v	44.2v	46.4v	65.3v	96.7v	45.3v	0.0v	552.31v
873	Cpl M Day	T	68.2v	64.4v	46.3v	44.1v	43.2v	42.1v	45.4v	66.2v	95.4v	39.1v	0.0v	552.24v
874	Mr M Persaud	A	74.11v	70.9v	49.4v	48.6v	48.5v	39.2v	6.3v	71.6v	103.9v	43.2v	0.0v	551.57v
875	Mr TV Vlad	T	71.8v	70.5v	48.4v	46.4v	49.6v	0.0v	46.2v	74.9v	102.11v	45.2v	0.0v	551.51v
876	Dr NG Jeffs	O	72.7v	67.4v	49.3v	49.4v	48.4v	44.5v	42.2v	69.6v	64.5v	47.6v	0.0v	551.46v
877	Mr BR Shouler	O	69.4v	69.7v	48.3v	48.3v	45.3v	47.4v	47.2v	72.3v	65.4v	41.2v	0.0v	551.35v
878	M Dida	O	65.3v	66.4v	48.4v	39.0v	47.4v	42.0v	45.3v	66.2v	90.3v	43.2v	0.0v	551.25v
879	Mr WT Bridger	O	69.5v	66.0v	45.1v	47.1v	42.1v	44.2v	41.3v	69.4v	86.1v	42.2v	0.0v	551.20v
880	Mr E Stuart-Bamford	O	70.6v	64.1v	46.1v	49.5v	46.1v	46.5v	47.4v	67.2v	68.7v	47.4v	0.0v	550.36v
881	Cdt MT Lehmann	T	64.0v	66.3v	42.1v	46.2v	41.1v	43.5v	45.2v	68.5v	95.8v	40.2v	0.0v	550.29v
882	Cdt SR Sharma	T	64.1v	69.2v	46.3v	42.2v	43.2v	43.2v	45.4v	71.6v	89.3v	38.2v	0.0v	550.27v
883	Mr SJ Ayres	O	67.1v	68.2v	44.0v	45.5v	48.4v	39.1v	40.2v	67.6v	92.3v	40.1v	0.0v	550.25v
884	Mr JF Jackman	O	70.6v	71.8v	46.1v	44.5v	50.8v	48.4v	0.0v	74.10v	103.5v	43.2v	0.0v	549.49v
885	Mr JP Raine	O	69.7v	69.8v	48.3v	43.2v	44.1v	38.1v	41.1v	61.3v	94.5v	42.3v	0.0v	549.34v
886	Mrs LJ Brister	A	70.6v	71.4v	48.3v	46.4v	46.3v	48.7v	47.2v	71.3v	57.0v	45.1v	0.0v	549.33v
887	Miss LP McKibbin	O	65.3v	63.0v	45.5v	42.1v	46.3v	43.2v	43.3v	69.2v	91.4v	42.1v	0.0v	549.24v
888	LCpl B Robson	T	61.3v	69.4v	42.3v	44.4v	44.4v	39.0v	44.3v	68.6v	98.6v	39.0v	0.0v	548.33v
889	Miss PK Kirk	T	66.4v	70.3v	46.2v	41.2v	47.3v	40.1v	49.5v	66.3v	82.3v	41.5v	0.0v	548.31v
890	Mr JSW Hunter	O	69.4v	67.3v	47.2v	46.4v	46.1v	45.1v	38.1v	59.4v	87.5v	44.5v	0.0v	548.30v
891	Mr RJ Jardine	T	68.5v	66.3v	43.2v	48.5v	41.1v	45.1v	46.5v	63.1v	88.5v	40.0v	0.0v	548.28v
892	Mr DL Wiles	O	71.7v	75.10v	47.3v	47.6v	49.4v	44.2v	43.0v	65.3v	61.2v	45.3v	0.0v	547.40v
893	Dr R Pizer	O	65.1v	64.4v	44.4v	42.1v	47.2v	45.3v	44.1v	64.4v	89.5v	43.2v	0.0v	547.27v
894	Mr PJW Sparks	O	67.2v	65.2v	41.2v	44.1v	42.1v	42.2v	43.3v	71.6v	96.6v	36.1v	0.0v	547.26v
895	Mr AP Biggs	O	69.5v	69.4v	47.4v	46.1v	45.3v	46.5v	43.1v	74.7v	97.6v	10.1v	0.0v	546.37v
896	Mr L Gibbons	T	67.4v	66.4v	47.6v	45.5v	48.6v	43.2v	42.0v	61.1v	87.1v	40.1v	0.0v	546.30v
897	Mr EA Graves	T	63.4v	71.4v	45.3v	42.1v	45.4v	39.1v	47.4v	70.3v	96.5v	28.1v	0.0v	546.30v
898	Mr J Macaulay	T	71.9v	72.8v	45.3v	46.4v	46.4v	49.4v	45.3v	67.3v	103.12v	0.0v	0.0v	544.50v
899	Mr TF Kurn	O	72.5v	70.6v	49.5v	0.0v	46.6v	43.1v	49.5v	74.9v	100.7v	41.2v	0.0v	544.46v
900	Mr P Wale	O	64.2v	66.3v	44.4v	40.3v	47.3v	37.1v	45.1v	67.3v	90.2v	44.3v	0.0v	544.25v
901	Mr P Cameron Taylor	O	68.5v	74.9v	47.5v	48.6v	48.6v	0.0v	47.4v	74.7v	102.7v	35.1v	0.0v	543.50v
902	Mr BW Cairns	O	72.6v	73.7v	50.5v	41.1v	45.3v	44.3v	0.0v	73.11v	102.11v	43.1v	0.0v	543.48v
903	Cdt HSJC Cubbin	T	71.4v	68.5v	44.2v	45.3v	48.4v	46.4v	48.3v	72.9v	101.10v	0.0v	0.0v	543.44v
904	Mr HL Hunter	X	72.7v	73.9v	47.3v	46.3v	47.3v	0.0v	44.3v	72.7v	97.6v	45.1v	0.0v	543.42v
905	Mr MP Hudson	T	61.2v	71.7v	40.1v	47.3v	43.2v	48.4v	41.3v	61.0v	89.5v	41.2v	0.0v	542.29v
906	Mr PH Gardner	O	67.2v	67.3v	45.4v	44.1v	43.1v	30.2v	40.1v	68.8v	93.3v	45.2v	0.0v	542.27v

907	Miss CLP Peacock	O	65.3v	64.1v	42.2v	42.1v	46.4v	46.4v	46.1v	68.5v	94.5v	29.0v	0.0v	542.26v
908	Mr RM Culverwell	O	64.0v	69.4v	42.2v	46.2v	40.0v	42.2v	45.4v	56.0v	99.9v	39.2v	0.0v	542.25v
909	Mr BS Preece	O	62.0v	66.3v	44.2v	45.2v	43.4v	43.3v	41.3v	70.4v	91.2v	37.1v	0.0v	542.24v
910	Mr PJS Smith	O	70.4v	70.6v	46.5v	46.4v	50.3v	45.2v	46.4v	72.6v	96.6v	0.0v	0.0v	541.40v
911	Mr CP Moon	O	70.4v	66.5v	43.1v	41.1v	43.1v	47.3v	37.1v	64.1v	87.9v	43.1v	0.0v	541.27v
912	Mr FE Neale	O	70.3v	69.4v	49.6v	0.0v	44.1v	43.3v	49.6v	71.6v	100.9v	45.3v	0.0v	540.41v
913	Cdt CH Sayers	T	60.4v	62.2v	44.2v	44.4v	47.2v	34.1v	43.3v	63.3v	100.7v	43.2v	0.0v	540.30v
914	Pte G Evans	T	64.3v	66.5v	43.2v	43.1v	42.3v	46.3v	44.3v	66.5v	93.4v	32.3v	0.0v	539.32v
915	Ms SJ Dick	T	71.3v	62.6v	46.2v	44.4v	39.1v	37.1v	38.1v	70.5v	95.7v	37.1v	0.0v	539.31v
916	Mr HJM Awin	T	62.4v	69.3v	43.3v	47.4v	43.3v	38.0v	39.0v	68.3v	85.5v	45.3v	0.0v	539.28v
917	Mr PERD Hunt	T	70.6v	65.2v	42.3v	46.3v	37.2v	41.3v	44.2v	69.3v	90.5v	34.0v	0.0v	538.29v
918	Mr V Robertshaw	O	68.5v	73.7v	47.3v	44.2v	46.3v	46.1v	46.2v	68.7v	99.6v	0.0v	0.0v	537.36v
919	Mr PJ Amy	O	68.3v	61.2v	41.0v	47.2v	43.0v	44.3v	37.2v	65.5v	94.5v	37.0v	0.0v	537.22v
920	Miss KE Pope	T	68.4v	70.4v	48.5v	0.0v	49.8v	47.3v	50.5v	68.6v	99.4v	37.1v	0.0v	536.40v
921	Mr FCP Mostyn	O	70.5v	72.6v	46.3v	47.2v	49.3v	41.2v	0.0v	70.6v	98.7v	43.1v	0.0v	536.35v
922	Mr H Tancred-Holmes	T	64.3v	70.6v	44.3v	40.0v	44.3v	41.1v	40.2v	64.5v	97.7v	32.3v	0.0v	536.33v
923	Cdt RF Fagan	T	62.1v	68.4v	32.1v	43.5v	46.6v	40.1v	46.3v	67.3v	94.3v	35.2v	0.0v	533.29v
924	Cpl LM Potter	T	67.6v	70.4v	36.1v	45.1v	43.2v	41.3v	46.1v	69.3v	87.3v	29.2v	0.0v	533.26v
925	Mr DA Grant	O	71.3v	72.5v	45.2v	43.2v	47.4v	45.4v	0.0v	71.6v	97.9v	41.1v	0.0v	532.36v
926	Miss EL Sweet	T	65.3v	62.2v	42.2v	48.5v	45.3v	43.0v	45.4v	48.2v	91.6v	43.1v	0.0v	532.28v
927	LCpl T Mason	T	62.2v	66.4v	40.3v	38.3v	42.0v	38.1v	46.2v	65.5v	92.4v	43.3v	0.0v	532.27v
928	Mr T Waycott	T	66.3v	66.5v	40.2v	40.1v	41.1v	36.2v	46.4v	63.8v	93.5v	40.2v	0.0v	531.33v
929	Mr CJ Anyan	O	60.2v	46.1v	37.1v	45.1v	47.2v	45.2v	46.4v	65.3v	97.7v	43.1v	0.0v	531.24v
930	Miss ER Chamberlain	T	62.2v	63.1v	43.3v	45.3v	43.3v	46.2v	35.1v	59.2v	91.4v	44.2v	0.0v	531.23v
931	Cpl T Shair	T	68.4v	72.7v	49.8v	47.3v	42.2v	0.0v	47.5v	71.5v	95.5v	39.2v	0.0v	530.41v
932	Mr WA O'Dair	O	58.3v	63.2v	46.1v	40.0v	40.0v	42.2v	47.3v	64.2v	92.3v	37.1v	0.0v	529.17v
933	Mr JMF Ford	A	70.3v	74.8v	49.5v	49.3v	48.4v	43.0v	49.4v	74.11v	28.3v	44.3v	0.0v	528.44v
934	Mr NR Wells	O	66.4v	70.8v	0.0v	45.4v	46.2v	46.1v	48.3v	67.3v	98.6v	42.1v	0.0v	528.32v
935	Mr SFD Dash	O	0.0v	67.6v	49.6v	46.1v	49.6v	47.5v	45.2v	74.10v	102.14v	47.3v	0.0v	526.53v
936	Mr NH Heald	T	63.1v	72.6v	0.0v	47.3v	45.4v	43.2v	41.1v	70.2v	99.10v	46.1v	0.0v	526.30v
937	Miss M McLoughlin	O	73.5v	60.4v	39.1v	39.2v	41.2v	42.4v	41.1v	66.1v	90.7v	35.2v	0.0v	526.29v
938	Mr CA Stewart	O	68.4v	69.4v	47.3v	47.5v	44.3v	48.5v	0.0v	64.4v	94.5v	44.1v	0.0v	525.34v
939	Miss EKB Beech	T	68.2v	68.5v	47.4v	38.3v	43.3v	42.2v	37.2v	63.2v	80.3v	39.1v	0.0v	525.27v
940	Jnr Cpl HL Holah	T	64.3v	65.3v	46.4v	37.1v	40.2v	46.2v	44.3v	68.15v	79.3v	34.2v	0.0v	523.38v
941	LCpl WA Shelton	T	65.2v	72.5v	45.3v	0.0v	47.4v	47.6v	34.0v	72.6v	93.6v	46.2v	0.0v	521.34v
942	Pte C Howells	T	67.4v	61.2v	37.1v	41.4v	41.3v	38.1v	38.1v	60.2v	93.5v	43.2v	0.0v	519.25v
943	Cdt CJ Beynon	T	71.4v	68.4v	43.1v	45.2v	46.3v	46.4v	0.0v	68.5v	98.5v	33.0v	0.0v	518.28v
944	Mr T Hendriks	O	67.4v	67.2v	48.7v	48.2v	42.2v	41.1v	30.2v	63.3v	68.6v	43.1v	0.0v	517.30v
945	Mr AJP Paluch	T	63.2v	58.1v	45.4v	39.1v	39.1v	40.1v	43.2v	69.5v	85.2v	36.2v	0.0v	517.21v
946	Mr IF Coventry	O	64.1v	67.2v	42.1v	37.3v	36.1v	44.4v	47.2v	61.3v	87.3v	32.1v	0.0v	517.21v
947	Cdt J Surmon	T	67.7v	69.3v	49.6v	47.4v	0.0v	46.3v	45.2v	67.6v	87.5v	39.1v	0.0v	516.37v
948	Miss JE Lewsey	T	65.2v	68.5v	42.2v	0.0v	48.3v	42.1v	43.3v	68.3v	96.5v	43.2v	0.0v	515.26v
949	Miss RE Knight	O	66.5v	71.0v	48.6v	47.1v	47.3v	44.4v	45.3v	0.0v	100.10v	42.3v	0.0v	510.35v
950	Cdt DB O'Hare	T	61.1v	60.2v	46.1v	46.5v	37.1v	39.0v	42.2v	63.3v	88.3v	27.1v	0.0v	509.19v
951	Cdt PA Evans	T	63.2v	66.4v	39.1v	42.3v	40.1v	37.2v	42.2v	60.1v	84.2v	35.0v	0.0v	508.18v
952	Cpl JH Holding	T	62.3v	67.4v	0.0v	45.1v	42.2v	45.1v	44.4v	64.3v	93.5v	45.2v	0.0v	507.25v
953	Miss KR Sharpington	T	61.0v	65.3v	45.1v	42.2v	45.5v	36.0v	40.1v	63.2v	86.3v	24.0v	0.0v	507.17v
954	Mr CMAG Greaves	T	62.3v	63.3v	39.1v	39.0v	43.2v	39.1v	33.0v	65.5v	93.6v	30.1v	0.0v	506.22v
955	Mr WJS Hayman	T	67.5v	69.4v	44.4v	48.4v	47.4v	46.4v	42.1v	0.0v	101.9v	41.1v	0.0v	505.36v
956	Cdt ASW Waterworth	T	64.3v	70.4v	36.2v	40.2v	48.5v	38.1v	37.0v	56.0v	86.5v	28.0v	0.0v	503.22v
957	Mr GCRG Greenbury	T	67.5v	69.3v	47.5v	43.1v	47.2v	46.4v	44.2v	0.0v	98.5v	40.0v	0.0v	501.27v
958	Sjt CD Bean	T	62.2v	67.3v	39.0v	40.0v	40.2v	39.0v	41.1v	43.0v	87.2v	39.1v	0.0v	497.11v
959	Mr SS Qaisar	T	65.4v	64.3v	44.3v	42.3v	43.1v	42.3v	3.0v	60.1v	93.4v	40.1v	0.0v	496.23v
960	LC R Laughlin	T	63.4v	66.1v	37.1v	45.4v	46.6v	43.3v	43.2v	65.2v	87.4v	0.0v	0.0v	495.27v
961	Mr S Ennion	O	73.6v	72.9v	42.3v	46.6v	44.5v	43.2v	0.0v	73.6v	99.9v	0.0v	0.0v	492.46v
962	Mr JN Lowe	T	0.0v	67.2v	39.0v	46.4v	47.2v	48.5v	45.2v	67.4v	95.8v	38.1v	0.0v	492.28v
963	Mr PR Sirett	X	69.5v	65.3v	45.1v	42.2v	44.2v	40.2v	46.5v	68.6v	31.0v	42.1v	0.0v	492.27v
964	Mr PL Redstone	A	69.3v	69.6v	46.4v	47.3v	48.5v	40.2v	0.0v	64.4v	62.2v	46.2v	0.0v	491.31v
965	Mr C Downer	T	67.2v	69.2v	46.3v	48.6v	48.7v	42.2v	38.2v	0.0v	89.4v	44.2v	0.0v	491.30v
966	Cdt A Hay	T	61.0v	64.4v	44.1v	40.2v	41.2v	0.0v	37.1v	60.1v	94.8v	45.1v	0.0v	486.20v
967	Mr BJA Parke	O	56.0v	66.4v	47.2v	40.4v	36.1v	38.0v	35.1v	52.1v	85.4v	31.0v	0.0v	486.17v
968	Miss C Clarke	O	69.6v	69.5v	40.2v	41.1v	45.2v	47.3v	44.6v	0.0v	86.5v	44.3v	0.0v	485.33v
969	Cdt JM Price	T	49.2v	59.0v	42.1v	48.5v	24.0v	40.1v	42.3v	55.1v	88.3v	34.1v	0.0v	481.17v
970	Mr JRC Stanford-Beale	T	64.1v	65.2v	43.2v	42.1v	35.0v	43.4v	0.0v	66.2v	82.3v	36.1v	0.0v	476.16v
971	Cpl K Perrett	T	61.1v	67.5v	34.1v	39.0v	27.0v	43.1v	37.0v	61.3v	84.1v	22.0v	0.0v	475.12v
972	Mr MR Ball	X	68.8v	0.0v	49.5v	40.5v	49.6v	46.3v	0.0v	74.9v	101.9v	47.6v	0.0v	474.51v
973	Sgt H Martin	T	61.2v	58.2v	44.1v	33.4v	41.3v	30.0v	30.0v	50.2v	81.1v	40.2v	0.0v	468.17v
974	WO2 J Petrie	T	50.1v	60.2v	32.0v	40.2v	32.0v	35.1v	47.2v	53.0v	82.6v	35.1v	0.0v	466.15v
975	Mr ITRJ Jobling	T	68.4v	70.8v	48.2v	47.2v	0.0v	45.3v	50.4v	0.0v	100.8v	37.1v	0.0v	465.32v
976	Cpl A Jordan	T	61.3v	61.3v	41.1v	31.0v	30.0v	36.2v	44.0v	60.2v	58.2v	39.1v	0.0v	461.14v
977	Mr W Quick	X	72.4v	67.4v	37.1v	28.2v	40.1v	41.2v	0.0v	66.5v	93.8v	0.0v	0.0v	444.27v

