

NRA 150th Anniversary Meeting

Total Entry: 368

Century Range Aggregate

		Century	D'gall	DT	DM	Alex	Times	Wimb	St. G.	Queens	POW	Total		
The Challenge Trophy, a Gold Bar and £40.00														
1	Dr GCD Barnett	XS	49.6v	48.5v	49.8v	75.6v	74.8v	49.6v	50.8v	49.3v	75.10v	105.14v	75.12v	698.86v £ 4
A Silver Bar and £20.00														
2	Mr JC Underwood	XS	47.1v	49.5v	49.7v	75.12v	74.13v	49.8v	50.8v	49.5v	75.12v	105.12v	75.12v	697.95v £ 4
A Bronze Bar and £10.00														
3	Mr DC Luckman	XS	48.4v	47.5v	50.10v	72.9v	75.11v	50.6v	50.9v	49.7v	75.14v	105.18v	75.12v	696.105v £ 4
Winners of a Bronze Bar														
4	Mr GE Morris	XS	49.3v	47.4v	50.7v	74.8v	74.13v	50.6v	50.7v	50.4v	75.13v	102.11v	75.13v	696.89v £ 4
5	Mr JCT Kent	XS	48.4v	47.4v	49.9v	75.8v	75.13v	50.6v	50.8v	48.4v	75.8v	104.13v	74.9v	695.86v £ 4
6	Mr JAM Paton	XS	48.7v	50.5v	48.6v	75.12v	73.9v	49.7v	49.5v	48.4v	75.11v	105.16v	74.12v	694.94v £ 4
7	Mr NJ Ball	XS	49.6v	48.5v	50.7v	73.10v	72.9v	49.2v	50.8v	49.4v	75.9v	105.13v	74.9v	694.82v £ 4
8	Mr WCP Richards	XS	48.6v	48.3v	49.7v	74.9v	74.8v	48.6v	50.8v	49.4v	75.10v	104.12v	75.6v	694.79v £ 4
9	Wg Cdr DP Calvert	XS	49.5v	45.3v	50.6v	75.11v	75.12v	49.6v	50.8v	48.3v	74.9v	105.16v	73.10v	693.89v
10	Mr JWE Lewis	XS	48.5v	48.4v	49.4v	75.10v	75.11v	50.6v	49.4v	47.4v	74.10v	104.14v	74.12v	693.84v
11	Mr CN Tremlett	XS	50.9v	48.3v	49.6v	74.9v	75.10v	46.3v	50.7v	48.5v	75.13v	103.10v	75.8v	693.83v
12	Mr ANR Walker	X	49.6v	46.3v	49.5v	75.8v	75.11v	47.4v	49.7v	50.6v	75.11v	103.10v	75.8v	693.79v
13	Dr PD Sykes	X	48.5v	48.5v	49.7v	74.7v	74.12v	50.4v	50.9v	49.5v	75.12v	104.12v	71.9v	692.87v
14	Mr JMA Thompson	XS	49.6v	49.9v	48.3v	75.9v	70.6v	49.5v	50.7v	49.8v	75.12v	103.10v	75.9v	692.84v
15	Mr SD Shouler	X	49.5v	49.6v	49.7v	74.11v	75.7v	49.7v	49.6v	45.1v	75.10v	104.11v	74.13v	692.84v
16	Mr AC Haley	A	49.7v	46.4v	49.5v	74.12v	73.7v	50.4v	50.6v	50.3v	74.12v	103.10v	74.10v	692.80v
17	Mr P Patel	XS	49.7v	49.4v	50.8v	73.9v	73.9v	49.7v	50.9v	48.5v	75.14v	100.6v	75.11v	691.89v
18	Mr TM Green	X	50.8v	47.4v	50.3v	72.10v	75.10v	50.7v	50.6v	49.5v	74.13v	103.13v	71.8v	691.87v
19	Zulkeflee Hamsan	X	50.8v	47.4v	48.6v	74.10v	74.9v	49.6v	50.8v	48.4v	73.7v	103.12v	75.9v	691.83v
20	Mrs SV Luckman	A	47.3v	50.4v	49.7v	75.7v	73.10v	48.5v	47.5v	49.3v	75.14v	105.14v	73.9v	691.81v
21	Mr RA Benest	XS	50.6v	48.6v	50.9v	73.6v	72.9v	49.5v	50.5v	49.6v	75.11v	101.7v	74.11v	691.81v
22	Mr GW Woodman	XS	50.6v	48.4v	50.8v	73.8v	73.12v	48.6v	49.8v	48.6v	75.13v	104.15v	72.7v	690.93v
23	Mr MI Buchanan	XS	49.6v	47.6v	49.7v	75.8v	72.8v	49.5v	50.9v	47.2v	75.13v	102.13v	75.11v	690.88v
24	Mr CTS Belk	AS	50.6v	46.4v	50.8v	74.9v	72.10v	47.4v	48.6v	50.4v	73.11v	105.13v	75.12v	690.87v £ 4
25	Mr NC Mace	XS	49.5v	46.4v	50.8v	73.9v	73.8v	49.8v	50.8v	47.5v	75.10v	103.10v	75.10v	690.85v
26	Dr AM Jory	XS	47.2v	47.3v	50.8v	74.10v	73.8v	50.7v	48.7v	48.4v	75.10v	103.14v	75.11v	690.84v
27	Mr JA Watson	XS	46.5v	47.3v	50.8v	72.8v	73.6v	47.4v	50.7v	50.6v	75.12v	105.14v	75.10v	690.83v
28	Mr PM Jory	X	49.5v	49.7v	49.3v	74.9v	73.8v	49.6v	50.8v	44.4v	74.11v	104.14v	75.8v	690.83v
Last 'X' In														
29	Mrs MM Norman	AS	48.6v	49.3v	50.7v	73.8v	73.4v	48.7v	50.6v	49.5v	75.12v	104.10v	71.8v	690.76v £ 4
30	Flt Lt IW Robertson	A	50.8v	48.6v	47.5v	74.6v	73.11v	49.4v	50.3v	49.4v	72.8v	105.8v	73.12v	690.75v
31	Mr DW Gardiner	OS	48.8v	48.4v	47.4v	72.6v	75.8v	49.5v	50.7v	49.5v	75.7v	104.12v	73.9v	690.75v £ 4
32	Mr NBS Logan	AS	47.6v	50.7v	47.5v	74.11v	75.8v	48.5v	48.7v	48.4v	73.9v	104.13v	75.10v	689.85v £ 4
33	Cdt MJ Purdy	AS	49.8v	49.5v	49.7v	71.4v	71.4v	49.6v	50.6v	50.8v	75.11v	101.13v	75.10v	689.82v
34	Mr MG Whicher	AS	48.3v	49.3v	50.8v	74.6v	72.7v	49.7v	50.7v	48.4v	73.8v	104.13v	72.9v	689.75v
35	Lt Col CR Claridge	OS	48.3v	50.5v	49.7v	72.5v	74.10v	47.5v	50.10v	48.4v	75.12v	104.13v	71.10v	688.84v £ 4
36	Cdt CA Staples	O	47.4v	50.6v	49.5v	73.7v	74.10v	50.7v	49.7v	46.5v	75.10v	102.10v	73.9v	688.80v
37	Mr IT Jones	OS	47.5v	49.6v	50.6v	75.13v	72.9v	50.5v	50.5v	48.4v	74.11v	103.9v	70.7v	688.80v £ 4
38	Mr RBC Baker	A	49.7v	49.6v	48.6v	75.9v	72.7v	48.6v	49.6v	50.4v	74.10v	102.9v	72.8v	688.78v
39	Cdt GW Davies	AS	46.4v	49.4v	50.5v	74.6v	71.10v	47.3v	50.7v	49.7v	74.10v	103.13v	75.8v	688.77v
40	Mr KO Pugh	AS	48.5v	48.4v	50.6v	72.7v	74.6v	46.5v	50.7v	48.5v	74.7v	104.15v	73.11v	687.78v
41	Mr RC Oxford	A	49.6v	47.2v	49.4v	73.5v	73.9v	49.6v	49.4v	50.5v	75.8v	100.10v	73.10v	687.69v
Last 'A' In														
42	Mr MT Phipps	O	48.5v	48.4v	47.3v	73.8v	72.12v	49.5v	50.7v	49.6v	74.11v	104.13v	71.9v	685.83v
43	Mr BGE Picton	OS	46.3v	49.7v	50.6v	70.6v	75.8v	48.3v	50.6v	50.5v	73.7v	101.11v	73.8v	685.70v £ 4
44	Mr RR Goodluck	OS	50.3v	46.3v	49.3v	74.6v	72.6v	49.7v	48.3v	47.4v	73.6v	103.13v	74.9v	685.63v £ 4
45	Cdt Cpl HAD Howard	OS	50.5v	45.5v	47.5v	73.2v	74.7v	48.3v	48.6v	49.5v	72.11v	103.11v	75.10v	684.70v £ 4
46	Wg Cdr CJ Hockley	OS	48.6v	47.4v	49.4v	73.8v	73.5v	47.3v	49.8v	48.3v	75.12v	102.8v	73.9v	684.70v £ 4
47	Mr NG Smith	OS	45.4v	47.3v	49.4v	72.8v	74.11v	50.4v	50.7v	46.3v	75.12v	102.7v	73.10v	683.73v £ 4
48	Mr JI Jobson	OS	48.6v	48.4v	49.7v	71.8v	72.9v	49.6v	49.5v	48.3v	72.8v	101.11v	74.8v	681.75v
49	Cdt JW Alexander	OS	47.4v	47.5v	47.5v	72.6v	74.8v	50.5v	49.8v	47.6v	74.10v	103.9v	71.6v	681.72v
50	Mr P Dawes	OS	45.2v	49.2v	50.7v	73.7v	72.5v	50.9v	50.4v	46.2v	73.9v	101.10v	72.7v	681.64v
51	Mr GC Baylis	OS	47.5v	47.2v	50.5v	73.7v	70.4v	47.5v	50.8v	48.5v	74.5v	101.8v	74.8v	681.62v
52	Mr RN Stebbings	O	48.4v	46.5v	47.3v	72.11v	73.7v	48.5v	49.6v	47.6v	74.11v	102.12v	74.8v	680.78v
53	Mr IF Luckman	O	48.6v	45.1v	50.8v	70.5v	75.8v	46.4v	48.3v	50.4v	75.12v	98.10v	75.8v	680.69v
54	Mr DCW Lloyd	O	50.6v	45.1v	48.2v	72.7v	74.5v	47.4v	50.8v	48.4v	73.7v	101.9v	72.5v	680.58v
55	Miss JE Ouston	OS	47.5v	46.2v	49.4v	74.8v	75.10v	50.4v	45.2v	48.4v	72.9v	102.11v	71.7v	679.66v
56	Mr JH Wood	OS	47.4v	45.2v	47.4v	75.9v	70.6v	49.6v	50.7v	49.4v	72.9v	101.11v	73.10v	678.72v
57	Cdt HCM Bennett	OS	47.2v	47.3v	47.3v	72.7v	73.8v	48.5v	50.8v	48.5v	72.9v	101.8v	73.6v	678.64v
58	Mr KB Hill	OS	48.3v	45.0v	48.6v	71.7v	72.7v	47.2v	49.5v	49.5v	74.11v	102.10v	73.6v	678.62v
59	Prof MJ Guille	OS	48.6v	49.5v	48.5v	73.9v	72.9v	47.5v	46.6v	47.6v	72.4v	102.6v	72.6v	676.67v
60	Mr CDP Pocock	OS	46.4v	48.5v	50.6v	74.9v	74.8v	47.4v	47.5v	45.4v	73.7v	100.7v	72.6v	676.65v

