

Grand Aggregate

	DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW	Total		
The DCRA Challenge Shield, The N.R.A. Gold Cross, a Gold Bar and £200.00														
1 Dr GCD Barnett	XS	75.9v	73.8v	50.5v	50.7v	50.7v	50.7v	50.8v	75.12v	105.15v	49.4v	75.10v	702.92v	£ 4
The N.R.A. Silver Cross, a Silver Bar and £175.00														
2 Mr DC Luckman	XS	75.12v	75.10v	49.6v	50.8v	49.6v	49.7v	50.8v	75.13v	105.17v	48.5v	75.13v	700.105v	£ 4
The N.R.A. Bronze Cross, a Bronze Bar and £150.00														
3 Mr FWA Coetzee	X	75.12v	74.8v	49.5v	50.8v	49.7v	50.7v	49.5v	75.13v	105.16v	48.3v	75.12v	699.96v	
An N.R.A. Bronze Cross, a Bronze Bar and £125.00														
4 Mr J Corbett	X	75.10v	75.14v	48.5v	50.5v	50.9v	49.4v	50.6v	75.15v	105.18v	46.2v	75.12v	698.100v	
An N.R.A. Bronze Cross, a Bronze Bar and £100.00														
5 Mr P Patel	XS	73.8v	73.10v	50.7v	49.5v	49.7v	49.7v	50.10v	75.11v	104.17v	50.9v	75.12v	697.103v	£ 4
6 Mr DA Richardson	XS	74.9v	73.11v	49.4v	49.4v	50.7v	49.7v	49.7v	75.10v	105.18v	49.6v	75.13v	697.96v	£ 4
An N.R.A. Bronze Cross, a Bronze Bar and £80.00														
7 Mr SD Shouler	XS	75.6v	72.5v	50.6v	50.6v	49.8v	50.7v	48.4v	74.9v	105.15v	49.3v	75.14v	697.83v	£ 4
8 Mr PG Kent	X	71.5v	73.6v	50.8v	50.9v	49.6v	50.9v	50.7v	75.12v	104.18v	49.7v	75.12v	696.99v	
9 Mr WCP Richards	XS	73.9v	74.9v	50.5v	49.6v	50.6v	50.7v	49.3v	75.12v	105.18v	47.3v	74.11v	696.89v	£ 4
10 Mr DC Dyson	X	75.9v	73.9v	47.5v	50.3v	50.8v	50.6v	49.8v	74.11v	105.16v	49.3v	74.7v	696.85v	
An N.R.A. Bronze Cross and 60.00														
11 Mr CJ Watson	X	73.10v	74.13v	48.4v	49.7v	48.3v	50.8v	50.6v	74.7v	105.19v	49.3v	75.14v	695.94v	
12 Dr HHG Pollock	AS	74.8v	70.7v	49.4v	50.7v	49.6v	50.8v	49.6v	75.13v	105.17v	49.6v	75.9v	695.91v	£ 4
13 Mr ARH Jones	OS	75.13v	75.11v	47.3v	47.2v	50.8v	47.2v	50.10v	75.8v	105.12v	49.4v	75.13v	695.86v	£ 4
14 Mr PB Bromley	X	75.11v	75.5v	49.5v	50.5v	50.9v	49.4v	48.7v	74.12v	105.16v	46.3v	74.9v	695.86v	
15 Wg Cdr DP Calvert	XS	74.7v	74.8v	49.5v	50.7v	48.6v	50.5v	50.6v	74.7v	104.16v	47.4v	75.11v	695.82v	£ 4
16 Mr T Steele	XS	74.10v	75.11v	47.6v	50.4v	49.3v	50.7v	49.4v	75.10v	104.13v	49.5v	73.6v	695.79v	£ 4
17 Mr ERT Jeens	XS	75.10v	73.6v	47.4v	49.5v	49.2v	50.8v	50.9v	73.11v	105.19v	48.4v	75.11v	694.89v	
18 Mr CN Tremlett	XS	74.7v	73.7v	49.4v	48.3v	49.7v	50.5v	50.9v	75.12v	104.16v	49.3v	73.10v	694.83v	
19 Cdt WJD Broad	AS	74.10v	75.8v	50.7v	47.4v	48.4v	50.6v	48.3v	75.9v	105.15v	47.2v	75.13v	694.81v	£ 4
The Olle Beckett Memorial Trophy														
20 Capt AW Gill	AS	74.9v	74.7v	50.7v	47.2v	50.7v	50.5v	49.4v	75.11v	105.15v	45.0v	75.9v	694.76v	£ 4
An N.R.A. Bronze Cross, a Bronze Bar and £40.00														
21 Mr KWD Ramsey	XS	75.11v	71.9v	50.4v	48.5v	49.7v	49.8v	50.9v	74.10v	105.16v	48.3v	74.10v	693.92v	
22 Miss S-J Binder	X	75.12v	73.7v	49.5v	49.7v	50.5v	49.5v	48.7v	75.10v	104.15v	47.4v	74.10v	693.87v	
23 Mr NC Mace	XS	75.8v	74.10v	48.5v	47.4v	50.6v	48.5v	50.6v	74.12v	105.17v	48.2v	74.11v	693.86v	
24 Mr AG Mitchell	A	73.8v	74.8v	49.5v	49.6v	49.7v	49.5v	49.5v	75.13v	105.13v	47.5v	74.11v	693.86v	
25 Mr ANR Walker	X	72.10v	73.8v	48.5v	49.5v	50.7v	50.9v	49.8v	75.9v	102.17v	50.5v	74.10v	692.93v	
26 Mr SA Thomas	X	71.4v	74.8v	49.7v	49.4v	50.8v	49.7v	50.8v	75.11v	104.17v	47.4v	74.10v	692.88v	
27 Mr AR Langley	XS	74.10v	74.9v	50.7v	47.3v	48.8v	50.5v	49.6v	72.7v	105.11v	48.7v	75.14v	692.87v	
28 Dr JD Warburton	XS	75.8v	75.12v	48.5v	47.5v	50.6v	48.5v	48.6v	75.11v	105.15v	47.3v	74.11v	692.87v	
29 Mr GS Cotton	X	74.9v	73.7v	50.9v	47.6v	50.5v	48.6v	48.4v	75.10v	105.16v	47.4v	75.10v	692.86v	
30 Mr RI Nelson	AS	72.9v	73.9v	47.1v	50.7v	49.7v	49.4v	50.5v	74.8v	105.16v	48.2v	75.12v	692.80v	£ 4
31 Mr MG Whicher	XS	75.9v	73.7v	49.4v	48.5v	50.6v	48.5v	49.7v	75.11v	105.12v	45.2v	75.11v	692.79v	
32 Wg Cdr RJS Clark	AS	74.9v	73.5v	49.4v	50.7v	49.6v	47.2v	50.9v	75.12v	103.10v	48.5v	74.7v	692.76v	£ 4
33 Mr GK Alexander	XS	74.9v	73.9v	49.6v	49.4v	48.5v	49.8v	49.6v	73.7v	105.15v	47.4v	75.14v	691.87v	
34 Mr IP Davison	X	75.9v	74.8v	50.5v	49.4v	50.5v	48.7v	47.2v	75.11v	104.15v	44.2v	75.12v	691.80v	
35 Mr SNS Penrose	X	74.8v	75.10v	49.5v	49.2v	48.5v	48.6v	48.6v	74.11v	104.13v	48.3v	74.10v	691.79v	
An N.R.A. Bronze Cross, a Bronze Bar and £20.00														
36 Sgt HJ Golaszewski	X	72.5v	73.10v	50.8v	50.4v	48.4v	49.6v	48.3v	73.7v	105.11v	48.2v	75.13v	691.73v	
37 Mr TA Ringer	XS	74.11v	73.7v	48.6v	47.3v	48.8v	48.4v	50.8v	75.12v	105.17v	47.3v	75.9v	690.88v	
38 Mr JGM Webster	XS	75.14v	73.5v	49.8v	47.2v	50.6v	49.5v	49.6v	75.13v	104.11v	44.4v	75.14v	690.88v	
39 Miss SP Ward	X	71.6v	70.4v	48.3v	50.10v	50.8v	49.4v	50.8v	74.10v	105.15v	48.4v	75.6v	690.78v	
40 Mr JAM Paton	XS	72.7v	74.11v	50.8v	47.4v	47.3v	48.7v	50.10v	74.12v	105.14v	48.4v	74.10v	689.90v	
41 Mr PR Thompson	AS	74.9v	73.11v	49.6v	48.7v	49.6v	45.2v	50.4v	75.10v	102.12v	49.8v	75.14v	689.90v	
42 Capt NJ Ball	XS	75.12v	74.12v	50.5v	47.4v	49.8v	48.3v	48.5v	75.13v	105.18v	43.2v	75.7v	689.89v	
43 Mr GC Childs	AS	73.9v	71.6v	47.3v	49.7v	50.6v	50.8v	49.6v	74.12v	105.15v	46.4v	75.12v	689.88v	
44 Mr JR Tuck	X	73.6v	74.10v	50.8v	49.5v	50.10v	48.4v	49.7v	75.8v	104.16v	43.3v	74.11v	689.88v	
45 Mr RJ Booth	AS	73.6v	71.8v	46.5v	50.6v	50.7v	48.5v	50.7v	75.14v	105.12v	47.4v	74.11v	689.85v	
46 Mr TJD Raincock	XS	75.11v	74.6v	50.7v	49.5v	48.7v	46.3v	48.7v	75.11v	104.13v	47.4v	73.11v	689.85v	
47 Mr GW Morgan	O	74.8v	71.7v	50.7v	47.2v	47.4v	50.8v	48.6v	75.13v	103.14v	50.3v	74.7v	689.79v	
48 Mr ER Welford	XS	71.6v	75.11v	48.6v	50.7v	48.6v	47.2v	50.7v	74.11v	102.9v	49.5v	75.8v	689.78v	
49 Mr JA Watson	XS	73.8v	71.5v	50.6v	47.5v	49.5v	48.3v	50.9v	74.8v	104.13v	48.5v	75.11v	689.78v	
50 Mr MJ Purdy	AS	72.10v	74.7v	48.6v	47.3v	50.6v	49.3v	50.5v	74.12v	103.14v	47.3v	75.9v	689.78v	

Winners of a Bronze Bar

51	Mr D Le Quesne	XS	75.10v	75.11v	47.3v	48.7v	50.5v	46.4v	47.4v	75.10v	105.11v	46.4v	75.9v	689.78v
52	Mr D Blake	X	73.8v	75.6v	48.5v	48.5v	50.8v	48.5v	50.5v	74.9v	104.15v	45.2v	74.8v	689.76v
53	Mr AD Le Cheminant	XS	73.8v	74.8v	49.2v	50.4v	50.8v	49.2v	48.4v	75.13v	104.11v	46.4v	71.7v	689.71v
54	Miss JH Messer	XS	73.11v	75.11v	50.8v	48.8v	50.8v	48.6v	48.7v	70.13v	105.17v	47.5v	74.8v	688.102v
55	Mr DGM Coleman	X	73.7v	73.9v	49.7v	45.5v	49.5v	49.9v	50.10v	73.11v	104.14v	48.4v	75.13v	688.94v
56	Dr CD Haley	X	73.10v	74.14v	49.8v	48.7v	48.7v	49.5v	47.5v	75.11v	104.16v	46.1v	75.9v	688.93v
57	Mr GE Morris	XS	71.9v	72.7v	48.7v	49.8v	50.8v	50.7v	50.6v	73.9v	105.17v	45.1v	75.12v	688.91v
58	Mr TJG Greenhalgh	O	74.11v	72.8v	44.2v	49.4v	50.7v	49.7v	49.6v	75.10v	105.19v	46.3v	75.12v	688.89v
59	Mr NBS Logan	X	71.7v	74.9v	48.6v	47.6v	49.6v	50.5v	50.6v	75.12v	102.12v	48.2v	74.12v	688.83v
60	Mr JRJ Hinde	X	75.11v	71.8v	50.2v	49.6v	49.7v	47.3v	49.5v	75.12v	103.12v	45.3v	75.13v	688.82v
61	Mr S Young	XS	74.9v	73.9v	49.6v	49.6v	50.6v	47.2v	50.8v	74.10v	104.13v	47.3v	71.7v	688.79v
62	Mr MRM Millar	XS	74.8v	72.8v	49.5v	49.6v	47.4v	49.4v	49.5v	73.9v	103.13v	48.4v	75.10v	688.76v
63	Mr PR Bain	O	73.9v	74.9v	49.6v	50.6v	50.3v	49.6v	48.2v	75.11v	103.13v	44.2v	72.8v	688.75v
64	Mr BA Young	XS	73.7v	69.5v	49.6v	50.6v	49.3v	49.4v	49.6v	74.11v	104.10v	48.5v	74.8v	688.71v
65	Mr IDC Brechin	O	72.5v	72.5v	45.3v	48.3v	49.7v	48.4v	50.5v	75.8v	105.14v	50.4v	74.9v	688.67v
66	Mr DR Armstrong	XS	74.11v	73.7v	48.6v	49.6v	49.5v	47.5v	47.5v	74.11v	104.16v	47.5v	75.11v	687.88v
67	Miss LAE Crowson	X	73.9v	73.9v	48.6v	45.3v	48.6v	49.7v	49.9v	74.9v	104.16v	49.2v	75.11v	687.87v
68	Mr MJ Wood	X	73.8v	71.8v	47.4v	48.6v	48.6v	50.8v	50.8v	72.10v	105.13v	48.2v	75.12v	687.85v
69	Mr JC Underwood	XS	72.8v	70.9v	49.5v	50.6v	50.8v	49.6v	50.5v	72.8v	103.13v	47.4v	75.11v	687.83v
70	Mr G Trembath	O	72.10v	72.5v	48.5v	49.7v	48.6v	49.5v	48.5v	74.8v	105.14v	47.5v	75.12v	687.82v
71	Mr CES Dickenson	X	73.6v	73.8v	49.5v	48.5v	49.6v	49.8v	50.7v	75.9v	105.17v	44.3v	72.8v	687.82v
72	Dr CI Johnston	XS	74.9v	73.5v	49.5v	46.7v	49.7v	48.3v	48.7v	74.9v	104.14v	47.4v	75.11v	687.81v
73	Miss LCP-L Watson	OS	73.6v	74.9v	50.5v	49.7v	49.6v	49.4v	48.5v	74.12v	104.16v	42.2v	75.9v	687.81v E 4
74	Mr CL Leighton	O	75.11v	73.7v	48.7v	48.5v	49.7v	49.6v	49.4v	74.8v	101.9v	46.3v	75.13v	687.80v
75	Mr SHJ Harley	X	74.7v	73.5v	47.4v	48.5v	50.6v	50.8v	50.9v	73.9v	103.13v	46.4v	73.8v	687.78v
76	Mr JA Borland	A	73.10v	74.8v	49.4v	48.7v	50.6v	49.4v	49.5v	75.8v	104.13v	43.3v	73.10v	687.78v
77	Mr GA Cann	XS	72.7v	70.5v	48.4v	49.2v	50.6v	49.5v	48.5v	74.9v	104.16v	49.6v	74.11v	687.76v
78	Mr CR Aitken	AS	73.10v	72.6v	49.2v	46.3v	50.6v	50.4v	50.5v	75.10v	103.12v	46.5v	73.8v	687.71v
79	Mr RHG Riley	O	73.6v	72.5v	49.3v	49.6v	48.3v	49.7v	48.6v	73.6v	104.18v	47.3v	75.7v	687.70v
80	Mr PS Gray	A	72.5v	74.6v	50.6v	49.6v	50.6v	47.5v	47.5v	75.7v	103.10v	47.5v	73.8v	687.69v
81	Mr KO Pugh	AS	73.9v	74.7v	47.2v	50.4v	48.2v	48.2v	48.5v	73.10v	105.11v	46.3v	75.11v	687.66v
82	Mr JB Hull	XS	74.11v	71.7v	48.4v	47.3v	48.5v	49.8v	50.8v	74.13v	103.16v	49.6v	73.9v	686.90v
83	Mr RP Rosling	X	73.9v	74.14v	50.7v	48.4v	45.3v	47.5v	50.8v	72.9v	103.14v	49.4v	75.13v	686.90v
84	Dr AJ Pilgrim	X	70.6v	73.11v	50.6v	46.4v	47.4v	49.7v	48.6v	75.10v	104.16v	49.3v	75.7v	686.80v
85	Mr MT Phipps	A	74.6v	71.6v	50.6v	48.6v	48.5v	49.7v	48.7v	74.10v	102.12v	48.4v	74.11v	686.80v
86	Dr JDS Langley	XS	70.6v	74.9v	45.4v	49.7v	50.6v	49.6v	49.7v	75.11v	105.16v	47.1v	73.6v	686.79v
87	Dr AM Jory	X	72.8v	73.9v	50.6v	49.3v	47.5v	48.3v	49.5v	75.12v	103.15v	45.3v	75.9v	686.78v
88	Mr AC Haley	XS	74.8v	72.7v	49.7v	47.4v	47.3v	50.5v	49.4v	73.8v	105.19v	48.3v	72.7v	686.75v
89	Mr TM Green	A	70.5v	72.8v	49.7v	50.6v	50.5v	50.6v	49.5v	70.7v	102.10v	50.7v	74.8v	686.74v
90	Mrs LK Mace	X	75.8v	72.8v	49.5v	48.4v	49.4v	49.5v	48.3v	74.8v	103.15v	46.2v	73.12v	686.74v
91	Mr DG Young	XS	74.9v	73.7v	47.5v	47.4v	49.5v	49.5v	48.3v	75.8v	104.15v	47.4v	73.8v	686.73v
92	Mr T Drysdale	OS	73.10v	73.5v	49.6v	50.4v	48.5v	50.4v	47.4v	74.10v	99.8v	48.7v	75.9v	686.72v E 4
93	Mr TLW Kidner	XS	75.10v	70.6v	48.4v	48.3v	48.4v	50.6v	50.6v	74.10v	103.10v	45.3v	75.10v	686.72v
94	Cdt BA Boyle	TS	71.5v	74.10v	49.3v	46.3v	49.4v	50.8v	50.6v	72.5v	105.15v	45.2v	75.11v	686.72v E 4
95	Mr AK Henderson	OS	74.5v	71.9v	48.4v	46.4v	49.5v	50.4v	49.8v	74.8v	104.9v	46.3v	75.12v	686.71v E 4
96	Mr S Glen	AS	72.8v	73.7v	45.2v	48.5v	47.4v	49.5v	50.4v	75.8v	105.13v	48.5v	74.9v	686.70v
97	Mr A Marion	X	74.5v	72.5v	48.4v	48.3v	49.5v	49.5v	50.7v	75.11v	105.13v	42.1v	74.11v	686.70v
98	Mr SW Cullinan	O	72.5v	72.8v	49.7v	44.2v	50.3v	49.3v	50.7v	75.10v	104.12v	46.3v	75.9v	686.69v
99	Mr IMR Power	O	75.7v	73.7v	50.6v	48.2v	50.6v	48.5v	48.6v	73.7v	103.12v	46.1v	72.7v	686.66v
100	Mr ITG Shaw	XS	71.7v	70.4v	49.6v	48.6v	50.8v	49.6v	50.7v	75.13v	105.18v	43.2v	75.14v	685.91v
101	Mr TW Hunter	XS	71.7v	70.7v	49.6v	46.4v	49.6v	48.7v	50.7v	75.11v	105.15v	47.2v	75.12v	685.84v
102	Mr MR Fugeman	X	74.8v	70.6v	50.6v	48.5v	49.3v	48.6v	49.5v	72.11v	104.16v	47.4v	74.10v	685.80v
103	Mr PM Lanigan	X	74.9v	74.5v	48.5v	47.3v	48.6v	50.6v	49.5v	74.10v	101.16v	46.5v	74.10v	685.80v
104	Mr H Sanders	A	73.6v	72.7v	47.5v	50.6v	47.4v	50.9v	50.6v	75.10v	104.11v	42.3v	75.13v	685.80v
105	Mr APW Daw	A	73.7v	70.9v	48.7v	49.4v	49.5v	48.6v	50.6v	71.5v	103.14v	49.5v	75.11v	685.79v
106	Mr CW Slator	AS	70.5v	73.8v	47.3v	49.5v	46.4v	50.4v	49.8v	75.8v	105.17v	46.4v	75.13v	685.79v
107	Mr MJ Lidgitt	O	72.8v	74.10v	48.5v	45.2v	50.7v	48.7v	49.6v	75.11v	105.12v	48.5v	71.5v	685.78v
108	Mr TP Clarke	A	71.6v	72.7v	48.6v	46.3v	50.6v	49.5v	50.9v	72.4v	104.15v	48.5v	75.11v	685.77v
109	Mr RG Scott	AS	71.8v	72.6v	50.5v	48.2v	47.2v	49.6v	50.7v	75.14v	105.17v	45.1v	73.9v	685.77v
110	Mr CJ Morton	XS	74.6v	74.9v	41.1v	50.7v	50.8v	47.3v	50.7v	74.9v	103.11v	47.3v	75.12v	685.76v
111	Dr AF Aspin	AS	72.7v	73.8v	50.5v	49.4v	50.7v	49.7v	49.7v	72.5v	103.13v	45.2v	73.11v	685.76v
112	Mr GMLN Gilpin	XS	75.7v	74.8v	48.7v	49.4v	48.4v	49.7v	49.6v	74.9v	104.11v	41.2v	74.9v	685.74v
113	Mr ACH Bryson	X	74.12v	70.6v	48.3v	45.3v	49.6v	50.6v	50.9v	74.10v	104.7v	47.4v	74.7v	685.73v
114	Mr J Pugsley	XS	74.8v	73.8v	46.6v	47.4v	50.4v	48.4v	46.1v	73.5v	105.15v	48.5v	75.11v	685.71v
115	Mrs CJ Clifford-Evans	X	73.9v	73.7v	49.8v	49.5v	50.1v	48.3v	49.4v	70.5v	102.10v	48.5v	74.12v	685.69v
116	Cdt CA Evans	OS	74.9v	72.8v	49.6v	48.4v	48.4v	49.4v	48.4v	75.12v	103.8v	48.2v	71.7v	685.68v E 4
117	Mr EM Brice	O	74.9v	73.6v	50.1v	46.3v	48.4v	45.2v	47.3v	74.8v	104.10v	49.4v	75.9v	685.59v
118	Mr JP Tapster	XS	73.8v	74.8v	49.7v	50.6v	49.6v	47.6v	48.4v	75.13v	104.16v	42.0v	73.10v	684.84v
119	Mr ADJ Stewart	OS	74.10v	72.7v	48.6v	46.4v	47.5v	49.4v	49.3v	75.11v	103.17v	46.4v	75.12v	684.83v E 4
120	Dr MJ Schwarz	OS	73.11v	72.9v	47.4v	46.2v	50.7v	49.8v	49.5v	72.8v	104.15v	48.3v	74.9v	684.81v E 4
121	Mr RA Benest	XS	75.9v	71.8v	49.3v	47.5v	48.6v	49.6v	48.6v	75.13v	104.14v	46.3v	72.7v	684.80v
122	Cdt HW Orpen-Smellie	OS	74.7v	71.9v	47.6v	42.2v	49.5v	50.8v	50.5v	75.11v	104.12v	47.3v	75.11v	684.79v E 4
123	Mr BJ Le Cheminant	OS	74.9v	72.10v	48.1v	47.5v	50.6v	48.6v	50.6v	72.11v	105.13v	45.3v	73.9v	684.79v E 4
124	Mr DC Crispin	X	74.11v	71.8v	48.5v	48.5v	49.6v	47.4v	46.3v	72.7v	104.13v	50.4v	75.12v	684.78v
125	Mr MD Joyce	AS	72.7v	70.8v	50.6v	49.6v	49.4v	49.5v	49.5v	72.8v	103.13v	48.6v	73.9v	684.77v
126	Mr WDH Burden	X	72.6v	73.4v	50.7v	47.6v	48.8v	49.4v	49.4v	74.10v	102.15v	45.2v	75.11v	684.77v
127	Mr B Jones	O	74.8v	74.9v	47.6v	50.8v	50.6v	47.5v	47.4v	75.9v	103.12v	43.3v	74.7v	684.77v
128	Mr OP Henry	AS	73.10v	72.9v	45.3v	50.8v	50.4v	50.5v	48.3v	74.8v	102.11v	47.6v	73.9v	684.76v

129	Mr JCT Kent	XS	73.8v	73.7v	49.6v	50.7v	48.5v	45.2v	47.5v	73.6v	104.12v	47.4v	75.13v	684.75v	
130	Mr RM Hatcher	XS	72.4v	69.8v	48.6v	49.7v	49.3v	49.5v	49.7v	71.8v	104.14v	49.4v	75.6v	684.72v	
131	Mr SJ Bissonnette	XS	74.11v	72.8v	49.4v	48.4v	48.4v	49.6v	49.3v	75.8v	101.12v	46.4v	73.7v	684.71v	
132	Lt Col CR Claridge	XS	73.8v	74.9v	47.3v	49.5v	47.5v	48.4v	50.5v	72.5v	101.10v	49.4v	74.10v	684.68v	
133	Mr SJ East	AS	74.8v	72.4v	49.5v	47.6v	48.4v	49.4v	49.8v	73.6v	103.11v	48.3v	72.9v	684.68v	
134	Mr DA Taylor	AS	70.3v	75.8v	48.1v	48.5v	50.4v	46.4v	47.6v	73.6v	105.13v	47.6v	75.12v	684.68v	
135	Mr RCT Jeens	XS	72.5v	73.3v	47.3v	49.9v	49.8v	49.5v	49.5v	73.8v	103.10v	47.5v	73.7v	684.68v	
136	Mr BH Huget	T	75.10v	71.8v	50.1v	49.4v	50.9v	48.4v	46.2v	74.8v	101.12v	46.3v	74.7v	684.68v	
137	Mr PJ Johnson	X	69.4v	74.6v	48.8v	48.6v	50.7v	50.5v	48.4v	74.10v	102.8v	46.1v	75.9v	684.68v	
138	Mr EC Dickson	X	72.7v	71.3v	46.2v	47.4v	49.3v	50.8v	49.3v	74.11v	105.12v	46.3v	75.11v	684.67v	
139	Mr D Rose	X	74.4v	72.7v	48.4v	47.4v	48.5v	49.6v	50.6v	73.7v	100.8v	49.6v	74.7v	684.64v	
140	Mr J Cload	XS	72.8v	72.11v	47.3v	50.6v	47.4v	49.7v	48.7v	75.12v	105.15v	46.3v	72.8v	683.84v	
141	Mr MW Silver	X	70.8v	71.5v	47.5v	50.5v	49.6v	49.7v	49.7v	74.10v	105.13v	45.4v	74.14v	683.84v	
142	Dr IT Matsumoto	OS	74.6v	73.7v	49.6v	48.5v	46.4v	50.8v	45.2v	74.13v	104.16v	47.4v	73.10v	683.81v	£ 4
143	Mr C Fitzpatrick	X	73.8v	71.7v	48.7v	48.5v	47.4v	49.7v	49.6v	74.10v	103.11v	46.4v	75.12v	683.81v	
144	Cdt HAD Howard	AS	72.9v	73.6v	43.2v	47.2v	49.6v	50.7v	48.5v	75.10v	104.16v	48.5v	74.11v	683.79v	
145	Mr MJ O'Leary	AS	74.7v	72.8v	48.5v	49.6v	49.7v	49.4v	48.6v	73.10v	104.14v	44.3v	73.9v	683.79v	
146	Mr JEM Bellringer	AS	72.9v	68.7v	47.5v	48.5v	50.5v	49.8v	49.7v	72.6v	105.14v	48.0v	75.12v	683.78v	
147	Miss DL Fenn	XS	73.10v	70.7v	47.2v	49.5v	47.3v	49.4v	49.8v	73.10v	104.13v	47.5v	75.11v	683.78v	
148	Mr MA Kirkillo-Stacewicz	X	73.7v	74.9v	46.4v	49.7v	50.6v	48.5v	49.6v	74.11v	103.13v	43.2v	74.8v	683.78v	
149	Mr RAV Hebblethwaite	XS	73.10v	71.8v	48.5v	47.5v	48.5v	49.3v	50.7v	75.8v	102.11v	46.1v	74.13v	683.76v	
150	Mr LM Peden	AS	73.8v	70.6v	48.3v	49.6v	49.6v	49.7v	48.6v	75.5v	104.16v	45.4v	73.9v	683.76v	
151	Miss GJF Ogden	OS	69.7v	70.7v	47.3v	49.4v	50.6v	50.5v	50.7v	75.14v	103.12v	45.1v	75.10v	683.76v	£ 4
152	Mr A Thomson	A	72.9v	73.7v	47.4v	48.4v	49.5v	50.6v	48.6v	72.8v	103.14v	47.1v	74.10v	683.74v	
153	Mr ML Cotillard	OS	73.9v	71.7v	48.3v	47.3v	48.3v	49.5v	50.5v	75.13v	102.13v	46.2v	74.11v	683.74v	£ 4
154	Mr AS Errey	O	74.7v	73.7v	48.5v	48.5v	47.6v	50.5v	47.6v	75.12v	103.13v	45.4v	73.4v	683.74v	
155	Mr NRJ Brasier	XS	71.8v	73.10v	48.5v	49.5v	49.6v	49.4v	48.6v	72.7v	102.10v	50.4v	72.8v	683.73v	
156	Mr SH Cox	X	75.8v	74.10v	48.7v	49.7v	48.6v	45.1v	48.1v	73.9v	105.12v	44.3v	74.8v	683.72v	
157	Mr RSF Shouler	X	71.7v	71.1v	48.5v	49.3v	47.2v	48.6v	48.8v	74.8v	102.16v	50.6v	75.9v	683.71v	
158	Mr S Belither	OS	72.11v	72.7v	47.2v	48.2v	46.5v	49.4v	50.6v	73.8v	103.12v	49.5v	74.9v	683.71v	£ 4
159	Mr P De Voil	A	71.5v	72.9v	49.1v	47.5v	50.5v	48.5v	48.4v	72.9v	102.10v	49.5v	75.12v	683.70v	
160	Mr RJ Waters	A	74.9v	71.4v	48.5v	49.6v	48.4v	49.4v	50.8v	71.6v	103.12v	48.5v	72.6v	683.69v	
161	Sgt J Wallace	AS	71.6v	74.8v	49.6v	48.3v	48.4v	48.3v	49.4v	74.11v	102.10v	46.3v	74.10v	683.68v	
162	Mr J Payne	A	73.6v	73.6v	48.5v	49.4v	48.5v	49.6v	50.5v	74.10v	102.15v	45.1v	72.5v	683.68v	
163	Mr SJ Pascoe	O	73.7v	71.5v	49.5v	47.3v	50.6v	46.4v	47.6v	74.9v	105.11v	47.3v	74.8v	683.67v	
164	Mr J Bullock	X	74.6v	73.7v	49.5v	49.7v	48.6v	49.5v	47.3v	74.9v	104.14v	42.0v	74.5v	683.67v	
165	Mr TJ Brooking	A	71.6v	75.5v	49.6v	49.3v	50.5v	49.6v	49.6v	71.10v	102.9v	43.2v	75.6v	683.64v	
166	Mr DN Lindsay	OS	72.7v	73.7v	49.5v	47.2v	47.4v	49.4v	49.5v	74.5v	104.14v	45.2v	74.7v	683.62v	£ 4
167	Mr RE Clarke	O	74.11v	74.10v	47.4v	47.6v	50.7v	47.6v	50.7v	74.10v	100.11v	47.5v	72.7v	682.84v	
168	Mr CTS Belk	XS	70.7v	74.9v	47.4v	47.2v	49.8v	48.5v	48.7v	73.8v	105.17v	46.4v	75.13v	682.84v	
169	Mr MR Frost	OS	69.7v	70.7v	50.5v	48.4v	49.5v	50.9v	50.4v	73.9v	104.16v	45.4v	74.11v	682.81v	£ 4
170	Mrs MM Norman	A	75.11v	75.10v	49.6v	47.3v	48.4v	50.4v	46.4v	74.13v	105.14v	39.1v	74.11v	682.81v	
171	Mr SJ Carson	AS	73.10v	71.4v	50.6v	48.3v	48.2v	49.8v	49.8v	69.6v	105.18v	47.6v	73.9v	682.80v	
172	Mr R McQuillan	XS	71.8v	75.7v	48.4v	47.7v	49.5v	48.7v	45.3v	74.9v	104.16v	47.6v	74.8v	682.80v	
173	Mr RA Dix	X	73.12v	72.10v	48.6v	47.2v	50.6v	50.7v	47.4v	74.8v	102.13v	45.3v	74.9v	682.80v	
174	Mr C Mallett	AS	72.9v	72.8v	49.6v	49.6v	50.8v	48.6v	49.6v	73.7v	102.12v	45.4v	73.7v	682.79v	
175	Mr MJ Barlow	X	74.13v	72.5v	49.5v	49.7v	47.5v	48.5v	49.6v	75.9v	104.15v	42.0v	73.9v	682.79v	
176	Mr J Bullock	XS	67.6v	73.6v	47.8v	48.5v	49.4v	50.7v	50.6v	74.9v	103.12v	47.3v	74.12v	682.78v	
177	Miss EG Joseph	OS	73.9v	70.8v	47.5v	49.6v	48.4v	50.5v	47.5v	74.9v	103.13v	47.3v	74.10v	682.77v	
178	Mr AW Lothian	A	73.6v	73.10v	45.6v	48.7v	49.4v	47.6v	50.7v	75.7v	103.12v	45.1v	74.11v	682.77v	
179	Major JRW Postle	AS	75.6v	72.5v	48.6v	47.5v	47.5v	49.4v	49.7v	73.12v	103.14v	44.3v	75.10v	682.77v	
180	Mr C Rivett-Carnac	O	71.5v	72.9v	48.5v	45.4v	48.6v	49.6v	50.8v	75.8v	103.14v	47.3v	74.8v	682.76v	
181	Prof AR Horrocks	XS	71.7v	70.6v	48.3v	49.6v	47.6v	49.5v	49.6v	73.8v	104.14v	47.2v	75.12v	682.75v	
182	Mr CP Weeden	X	73.9v	73.8v	47.4v	47.5v	49.6v	46.3v	49.5v	75.12v	105.13v	45.1v	73.9v	682.75v	
183	Wg Cdr MJ Gregory	O	73.6v	69.7v	45.2v	49.4v	48.6v	49.6v	49.6v	72.9v	105.11v	48.4v	75.11v	682.72v	
184	Mr IF Luckman	A	74.9v	73.7v	47.3v	48.3v	44.5v	49.5v	49.6v	75.9v	102.9v	48.6v	73.9v	682.71v	
185	Mr TA Purvis	O	73.11v	71.5v	45.4v	50.4v	50.5v	48.6v	48.5v	74.8v	101.9v	47.5v	75.9v	682.71v	
186	Major AG McLean	XS	73.8v	73.8v	47.1v	48.6v	46.2v	49.6v	50.7v	75.9v	101.8v	47.4v	73.12v	682.71v	
187	Mr RE Ellis	A	74.9v	73.5v	47.2v	50.7v	49.5v	44.2v	49.5v	75.11v	105.14v	42.1v	74.10v	682.71v	
188	Mr DJ Archer	A	73.6v	72.8v	47.0v	48.4v	48.5v	49.4v	49.5v	75.12v	101.12v	47.2v	73.9v	682.67v	
189	Flt Lt KP Cressy	A	71.5v	75.10v	47.4v	49.5v	47.3v	48.1v	46.2v	75.12v	105.14v	46.3v	73.8v	682.67v	
190	Mr P Seebohm	OS	73.5v	71.5v	47.4v	50.4v	49.6v	47.5v	50.4v	73.9v	102.11v	45.2v	75.11v	682.66v	
191	Mr IW Robertson	X	72.6v	74.8v	49.8v	46.3v	49.4v	49.5v	48.6v	74.9v	104.7v	45.2v	72.7v	682.65v	
192	Mr TJ Roberts	AS	71.4v	73.7v	46.3v	49.5v	49.6v	49.6v	47.4v	74.9v	103.9v	47.2v	74.9v	682.64v	
193	Sgt D Cottrill	T	73.10v	74.6v	43.2v	49.3v	48.2v	49.7v	48.4v	73.5v	102.7v	49.3v	74.10v	682.59v	
194	Mr DE Nuthall	XS	72.9v	72.11v	48.4v	47.4v	47.5v	48.5v	50.5v	68.10v	105.15v	49.6v	75.12v	681.86v	
195	Mr PG Oxnam	A	72.10v	70.7v	49.8v	48.5v	46.5v	50.8v	49.4v	74.8v	104.16v	45.5v	74.10v	681.86v	
196	Mr RBC Baker	AS	73.8v	72.8v	48.6v	50.8v	50.6v	49.5v	49.7v	74.9v	102.15v	40.3v	74.11v	681.86v	
197	Mr RK Sheead	OS	75.11v	73.6v	50.6v	45.6v	49.8v	48.3v	46.4v	73.7v	101.15v	47.4v	74.11v	681.81v	
198	CWO ATJV Voorthuyzen	O	70.6v	71.4v	46.6v	47.4v	48.8v	49.5v	50.8v	74.13v	102.9v	49.6v	75.11v	681.80v	
199	Mr ATB Tompson	X	73.4v	74.7v	46.6v	47.5v	47.5v	49.6v	47.7v	75.8v	104.15v	44.3v	75.9v	681.75v	
200	Mr IRM Brown	A	72.9v	73.7v	48.7v	49.4v	50.6v	48.3v	49.4v	72.9v	101.11v	45.2v	74.9v	681.71v	

NRA 142nd Imperial Meeting

Grand Aggregate

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW	Total	
1	Dr GCD Barnett	X	75.9v	73.8v	50.5v	50.7v	50.7v	50.8v	75.12v	105.15v	49.4v	75.10v	702.92v	
2	Mr DC Luckman	X	75.12v	75.10v	49.6v	50.8v	49.6v	49.7v	50.8v	75.13v	105.17v	48.5v	75.13v	700.105v
3	Mr FWA Coetzee	X	75.12v	74.8v	49.5v	50.8v	49.7v	50.7v	49.5v	75.13v	105.16v	48.3v	75.12v	699.96v
4	Mr J Corbett	X	75.10v	75.14v	48.5v	50.5v	50.9v	49.4v	50.6v	75.15v	105.18v	46.2v	75.12v	698.100v
5	Mr P Patel	X	73.8v	73.10v	50.7v	49.5v	49.7v	49.7v	50.10v	75.11v	104.17v	50.9v	75.12v	697.103v
6	Mr DA Richardson	X	74.9v	73.11v	49.4v	49.4v	50.7v	49.7v	49.7v	75.10v	105.18v	49.6v	75.13v	697.96v
7	Mr SD Shouler	X	75.6v	72.5v	50.6v	50.6v	49.8v	50.7v	48.4v	74.9v	105.15v	49.3v	75.14v	697.83v
8	Mr PG Kent	X	71.5v	73.6v	50.8v	50.9v	49.6v	50.9v	50.7v	75.12v	104.18v	49.7v	75.12v	696.99v
9	Mr WCP Richards	X	73.9v	74.9v	50.5v	49.6v	50.6v	50.7v	49.3v	75.12v	105.18v	47.3v	74.11v	696.89v
10	Mr DC Dyson	X	75.9v	73.9v	47.5v	50.3v	50.8v	50.6v	49.8v	74.11v	105.16v	49.3v	74.7v	696.85v
11	Mr CJ Watson	X	73.10v	74.13v	48.4v	49.7v	48.3v	50.8v	50.6v	74.7v	105.19v	49.3v	75.14v	695.94v
12	Dr HHG Pollock	A	74.8v	70.7v	49.4v	50.7v	49.6v	50.8v	49.6v	75.13v	105.17v	49.6v	75.9v	695.91v
13	Mr ARH Jones	O	75.13v	75.11v	47.3v	47.2v	50.8v	47.2v	50.10v	75.8v	105.12v	49.4v	75.13v	695.86v
14	Mr PB Bromley	X	75.11v	75.5v	49.5v	50.5v	50.9v	49.4v	48.7v	74.12v	105.16v	46.3v	74.9v	695.86v
15	Wg Cdr DP Calvert	X	74.7v	74.8v	49.5v	50.7v	48.6v	50.5v	50.6v	74.7v	104.16v	47.4v	75.11v	695.82v
16	Mr T Steele	X	74.10v	75.11v	47.6v	50.4v	49.3v	50.7v	49.4v	75.10v	104.13v	49.5v	73.6v	695.79v
17	Mr ERT Jeens	X	75.10v	73.6v	47.4v	49.5v	49.2v	50.8v	50.9v	73.11v	105.19v	48.4v	75.11v	694.89v
18	Mr CN Tremlett	X	74.7v	73.7v	49.4v	48.3v	49.7v	50.5v	50.9v	75.12v	104.16v	49.3v	73.10v	694.83v
19	Cdt WJD Broad	A	74.10v	75.8v	50.7v	47.4v	48.4v	50.6v	48.3v	75.9v	105.15v	47.2v	75.13v	694.81v
20	Capt AW Gill	A	74.9v	74.7v	50.7v	47.2v	50.7v	50.5v	49.4v	75.11v	105.15v	45.0v	75.9v	694.76v
21	Mr KWD Ramsey	X	75.11v	71.9v	50.4v	48.5v	49.7v	49.8v	50.9v	74.10v	105.16v	48.3v	74.10v	693.92v
22	Miss S-J Binder	X	75.12v	73.7v	49.5v	49.7v	50.5v	49.5v	48.7v	75.10v	104.15v	47.4v	74.10v	693.87v
23	Mr AC Mace	X	75.8v	74.10v	48.5v	47.4v	50.6v	48.5v	50.6v	74.12v	105.17v	48.2v	74.11v	693.86v
24	Mr AG Mitchell	A	73.8v	74.8v	49.5v	49.6v	49.7v	49.5v	49.5v	75.13v	105.13v	47.5v	74.11v	693.86v
25	Mr ANR Walker	X	72.10v	73.8v	48.5v	49.5v	50.7v	50.9v	49.8v	75.9v	102.17v	50.5v	74.10v	692.93v
26	Mr SA Thomas	X	71.4v	74.8v	49.7v	49.4v	50.8v	49.7v	50.8v	75.11v	104.17v	47.4v	74.10v	692.88v
27	Mr AR Langley	X	74.10v	74.9v	50.7v	47.3v	48.8v	50.5v	49.6v	72.7v	105.11v	48.7v	75.14v	692.87v
28	Dr JD Warburton	X	75.8v	75.12v	48.5v	47.5v	50.6v	48.5v	48.6v	75.11v	105.15v	47.3v	74.11v	692.87v
29	Mr GS Cotton	X	74.9v	73.7v	50.9v	47.6v	50.5v	48.6v	48.4v	75.10v	105.16v	47.4v	75.10v	692.86v
30	Mr RI Nelson	A	72.9v	73.9v	47.1v	50.7v	49.7v	49.4v	50.5v	74.8v	105.16v	48.2v	75.12v	692.80v
31	Mr MG Whicher	X	75.9v	73.7v	49.4v	48.5v	50.6v	48.5v	49.7v	75.11v	105.12v	45.2v	75.11v	692.79v
32	Wg Cdr RJS Clark	A	74.9v	73.5v	49.4v	50.7v	49.6v	47.2v	50.9v	75.12v	103.10v	48.5v	74.7v	692.76v
33	Mr GK Alexander	X	74.9v	73.9v	49.6v	49.4v	48.5v	49.8v	49.6v	73.7v	105.15v	47.4v	75.14v	691.87v
34	Mr IP Davison	X	75.9v	74.8v	50.5v	49.4v	50.5v	48.7v	47.2v	75.11v	104.15v	44.2v	75.12v	691.80v
35	Mr SNS Penrose	X	74.8v	75.10v	49.5v	49.2v	48.5v	48.6v	48.6v	74.11v	104.13v	48.3v	74.10v	691.79v
36	Sgt HJ Golaszewski	X	72.5v	73.10v	50.8v	50.4v	48.4v	49.6v	48.3v	73.7v	105.11v	48.2v	75.13v	691.73v
37	Mr TA Ringer	X	74.11v	73.7v	48.6v	47.3v	48.8v	48.4v	50.8v	75.12v	105.17v	47.3v	75.9v	690.88v
38	Mr JGM Webster	X	75.14v	73.5v	49.8v	47.2v	50.6v	49.5v	49.6v	75.13v	104.11v	44.4v	75.14v	690.88v
39	Miss SP Ward	X	71.6v	70.4v	48.3v	50.10v	50.8v	49.4v	50.8v	74.10v	105.15v	48.4v	75.6v	690.78v
40	Mr JAM Paton	X	72.7v	74.11v	50.8v	47.4v	47.3v	48.7v	50.10v	74.12v	105.14v	48.4v	74.10v	689.90v
41	Mr PR Thompson	A	74.9v	73.11v	49.6v	48.7v	49.6v	45.2v	50.4v	75.10v	102.12v	49.8v	75.14v	689.89v
42	Capt NJ Ball	X	75.12v	74.12v	50.5v	47.4v	49.8v	48.3v	48.5v	75.13v	105.18v	43.2v	75.7v	689.89v
43	Mr GC Childs	A	73.9v	71.6v	47.3v	49.7v	50.6v	50.8v	49.6v	74.12v	105.15v	46.4v	75.12v	689.88v
44	Mr JR Tuck	X	73.6v	74.10v	50.8v	49.5v	50.10v	48.4v	49.7v	75.8v	104.16v	43.3v	74.11v	689.88v
45	Mr RJ Booth	A	73.6v	71.8v	46.5v	50.6v	50.7v	48.5v	50.7v	75.14v	105.12v	47.4v	74.11v	689.85v
46	Mr TJD Raincock	X	75.11v	74.6v	50.7v	49.5v	48.7v	46.3v	48.7v	75.11v	104.13v	47.4v	73.11v	689.85v
47	Mr GW Morgan	O	74.8v	71.7v	50.7v	47.2v	47.4v	50.8v	48.6v	75.13v	103.14v	50.3v	74.7v	689.79v
48	Mr ER Welford	X	71.6v	75.11v	48.6v	50.7v	48.6v	47.2v	50.7v	74.11v	102.9v	49.5v	75.8v	689.78v
49	Mr JA Watson	X	73.8v	71.5v	50.6v	47.5v	49.5v	48.3v	50.9v	74.8v	104.13v	48.5v	75.11v	689.78v
50	Mr MJ Purdy	A	72.10v	74.7v	48.6v	47.3v	50.6v	49.3v	50.5v	74.12v	103.14v	47.3v	75.9v	689.78v
51	Mr D Le Quesne	X	75.10v	75.11v	47.3v	48.7v	50.5v	46.4v	47.4v	75.10v	105.11v	46.4v	75.9v	689.78v
52	Mr D Blake	X	73.8v	75.6v	48.5v	48.5v	50.8v	48.5v	50.5v	74.9v	104.15v	45.2v	74.8v	689.76v
53	Mr AD Le Cheminant	X	73.8v	74.8v	49.2v	50.4v	50.8v	49.2v	48.4v	75.13v	104.11v	46.4v	71.7v	689.71v
54	Miss JH Messer	X	73.11v	75.11v	50.8v	48.8v	50.8v	48.6v	48.7v	70.13v	105.17v	47.5v	74.8v	688.102v
55	Mr DGM Coleman	X	73.7v	73.9v	49.7v	45.5v	49.5v	49.9v	50.10v	73.11v	104.14v	48.4v	75.13v	688.94v
56	Dr CD Haley	X	73.10v	74.14v	49.8v	48.7v	48.7v	49.5v	47.5v	75.11v	104.16v	46.1v	75.9v	688.93v

57	Mr GE Morris	X	71.9v	72.7v	48.7v	49.8v	50.8v	50.7v	50.6v	73.9v	105.17v	45.1v	75.12v	688.91v
58	Mr TJG Greenhalgh	O	74.11v	72.8v	44.2v	49.4v	50.7v	49.7v	49.6v	75.10v	105.19v	46.3v	75.12v	688.89v
59	Mr NBS Logan	X	71.7v	74.9v	48.6v	47.6v	49.6v	50.5v	50.6v	75.12v	102.12v	48.2v	74.12v	688.83v
60	Mr JRJ Hinde	X	75.11v	71.8v	50.2v	49.6v	49.7v	47.3v	49.5v	75.12v	103.12v	45.3v	75.13v	688.82v
61	Mr S Young	X	74.9v	73.9v	49.6v	49.6v	50.6v	47.2v	50.8v	74.10v	104.13v	47.3v	71.7v	688.79v
62	Mr MRM Millar	X	74.8v	72.8v	49.5v	49.6v	47.4v	49.4v	49.5v	73.9v	103.13v	48.4v	75.10v	688.76v
63	Mr PR Bain	O	73.9v	74.9v	49.6v	50.6v	50.3v	50.6v	48.2v	75.11v	103.13v	44.2v	72.8v	688.75v
64	Mr BA Young	X	73.7v	69.5v	49.6v	50.6v	49.3v	49.4v	49.6v	74.11v	104.10v	48.5v	74.8v	688.71v
65	Mr IDC Brechin	O	72.5v	72.5v	45.3v	48.3v	49.7v	48.4v	50.5v	75.8v	105.14v	50.4v	74.9v	688.67v
66	Mr DR Armstrong	X	74.11v	73.7v	48.6v	49.6v	49.5v	47.5v	47.5v	74.11v	104.16v	47.5v	75.11v	687.88v
67	Miss LAE Crowson	X	73.9v	73.9v	48.6v	45.3v	48.6v	49.7v	49.9v	74.9v	104.16v	49.2v	75.11v	687.87v
68	Mr MJ Wood	X	73.8v	71.8v	47.4v	48.6v	48.6v	50.8v	50.8v	72.10v	105.13v	48.2v	75.12v	687.85v
69	Mr JC Underwood	X	72.8v	70.9v	49.5v	50.6v	50.8v	49.6v	50.5v	72.8v	103.13v	47.4v	75.11v	687.83v
70	Mr G Trembath	O	72.10v	72.5v	48.5v	49.7v	48.6v	49.5v	48.5v	74.8v	105.14v	47.5v	75.12v	687.82v
71	Mr CES Dickenson	X	73.6v	73.8v	49.5v	48.5v	49.6v	49.8v	50.7v	75.9v	105.17v	44.3v	72.8v	687.82v
72	Dr CI Johnston	X	74.9v	73.5v	49.5v	46.7v	49.7v	48.3v	48.7v	74.9v	104.14v	47.4v	75.11v	687.81v
73	Miss LCP-L Watson	O	73.6v	74.9v	50.5v	49.7v	49.6v	49.4v	48.5v	74.12v	104.16v	42.2v	75.9v	687.81v
74	Mr CL Leighton	O	75.11v	73.7v	48.7v	48.5v	49.7v	49.6v	49.4v	74.8v	101.9v	46.3v	75.13v	687.80v
75	Mr SHJ Harley	X	74.7v	73.5v	47.4v	48.5v	50.6v	50.8v	50.9v	73.9v	103.13v	46.4v	73.8v	687.78v
76	Mr JA Borland	A	73.10v	74.8v	49.4v	48.7v	50.6v	49.4v	49.5v	75.8v	104.13v	43.3v	73.10v	687.78v
77	Mr GA Cann	X	72.7v	70.5v	48.4v	49.2v	50.6v	49.5v	48.5v	74.9v	104.16v	49.6v	74.11v	687.76v
78	Mr CR Aitken	A	73.10v	72.6v	49.2v	46.3v	50.6v	50.4v	50.5v	75.10v	103.12v	46.5v	73.8v	687.71v
79	Mr RHG Riley	O	73.6v	72.5v	49.3v	49.6v	48.3v	49.7v	48.6v	73.6v	104.18v	47.3v	75.7v	687.70v
80	Mr PS Gray	A	72.5v	74.6v	50.6v	49.6v	50.6v	47.5v	47.5v	75.7v	103.10v	47.5v	73.8v	687.69v
81	Mr KO Pugh	A	73.9v	74.7v	47.2v	50.4v	48.2v	48.2v	48.5v	73.10v	105.11v	46.3v	75.11v	687.66v
82	Mr JB Hull	X	74.11v	71.7v	48.4v	47.3v	48.5v	49.8v	50.8v	74.13v	103.16v	49.6v	73.9v	686.90v
83	Mr RP Rosling	X	73.9v	74.14v	50.7v	48.4v	45.3v	47.5v	50.8v	72.9v	103.14v	49.4v	75.13v	686.90v
84	Dr AJ Pilgrim	X	70.6v	73.11v	50.6v	46.4v	47.4v	49.7v	48.6v	75.10v	104.16v	49.3v	75.7v	686.80v
85	Mr MT Phipps	A	74.6v	71.6v	50.6v	48.6v	48.5v	49.7v	48.7v	74.10v	102.12v	48.4v	74.11v	686.80v
86	Dr JDS Langley	X	70.6v	74.9v	45.4v	49.7v	50.6v	49.6v	49.7v	75.11v	105.16v	47.1v	73.6v	686.79v
87	Dr AM Jory	X	72.8v	73.9v	50.6v	49.3v	47.5v	48.3v	49.5v	75.12v	103.15v	45.3v	75.9v	686.78v
88	Mr AC Haley	X	74.8v	72.7v	49.7v	47.4v	47.3v	50.5v	49.4v	73.8v	105.19v	48.3v	72.7v	686.75v
89	Mr TM Green	A	70.5v	72.8v	49.7v	50.6v	50.5v	50.6v	49.5v	70.7v	102.10v	50.7v	74.8v	686.74v
90	Mrs LK Mace	X	75.8v	72.8v	49.5v	48.4v	49.4v	49.5v	48.3v	74.8v	103.15v	46.2v	73.12v	686.74v
91	Mr DG Young	X	74.9v	73.7v	47.5v	47.4v	49.5v	49.5v	48.3v	75.8v	104.15v	47.4v	73.8v	686.73v
92	Mr T Drysdale	O	73.10v	73.5v	49.6v	50.4v	48.5v	50.4v	47.4v	74.10v	99.8v	48.7v	75.9v	686.72v
93	Mr TLW Kidner	X	75.10v	70.6v	48.4v	48.3v	48.4v	50.6v	50.6v	74.10v	103.10v	45.3v	75.10v	686.72v
94	Cdt BA Boyle	T	71.5v	74.10v	49.3v	46.3v	49.4v	50.8v	50.6v	72.5v	105.15v	45.2v	75.11v	686.72v
95	Mr AK Henderson	O	74.5v	71.9v	48.4v	46.4v	49.5v	50.4v	49.8v	74.8v	104.9v	46.3v	75.12v	686.71v
96	Mr S Glen	A	72.8v	73.7v	45.2v	48.5v	47.4v	49.5v	50.4v	75.8v	105.13v	48.5v	74.9v	686.70v
97	Mr A Marion	X	74.5v	72.5v	48.4v	48.3v	49.5v	49.5v	50.7v	75.11v	105.13v	42.1v	74.11v	686.70v
98	Mr SW Cullinan	O	72.5v	72.8v	49.7v	44.2v	50.3v	49.3v	50.7v	75.10v	104.12v	46.3v	75.9v	686.69v
99	Mr IMR Power	O	75.7v	73.7v	50.6v	48.2v	50.6v	48.5v	48.6v	73.7v	103.12v	46.1v	72.7v	686.66v
100	Mr ITG Shaw	X	71.7v	70.4v	49.6v	48.6v	50.8v	49.6v	50.7v	75.13v	105.18v	43.2v	75.14v	685.91v
101	Mr TW Hunter	X	71.7v	70.7v	49.6v	46.4v	49.6v	48.7v	50.7v	75.11v	105.15v	47.2v	75.12v	685.84v
102	Mr MR Fugeman	X	74.8v	70.6v	50.6v	48.5v	49.3v	48.6v	49.5v	72.11v	104.16v	47.4v	74.10v	685.80v
103	Mr PM Lanigan	X	74.9v	74.5v	48.5v	47.3v	48.6v	50.6v	49.5v	74.10v	101.16v	46.5v	74.10v	685.80v
104	Mr H Sanders	A	73.6v	72.7v	47.5v	50.6v	47.4v	50.9v	50.6v	75.10v	104.11v	42.3v	75.13v	685.80v
105	Mr APW Daw	A	73.7v	70.9v	48.7v	49.4v	49.5v	48.6v	50.6v	71.5v	103.14v	49.5v	75.11v	685.79v
106	Mr CW Slator	A	70.5v	73.8v	47.3v	49.5v	46.4v	50.4v	49.8v	75.8v	105.17v	46.4v	75.13v	685.79v
107	Mr MJ Lidgitt	O	72.8v	74.10v	48.5v	45.2v	50.7v	48.7v	49.6v	75.11v	105.12v	48.5v	71.5v	685.78v
108	Mr TP Clarke	A	71.6v	72.7v	48.6v	46.3v	50.6v	49.5v	50.9v	72.4v	104.15v	48.5v	75.11v	685.77v
109	Mr RG Scott	A	71.8v	72.6v	50.5v	48.2v	47.2v	49.6v	50.7v	75.14v	105.17v	45.1v	73.9v	685.77v
110	Mr CJ Morton	X	74.6v	74.9v	41.1v	50.7v	50.8v	47.3v	50.7v	74.9v	103.11v	47.3v	75.12v	685.76v
111	Dr AF Aspin	A	72.7v	73.8v	50.5v	49.4v	50.7v	49.7v	49.7v	72.5v	103.13v	45.2v	73.11v	685.76v
112	Mr GMLN Gilpin	X	75.7v	74.8v	48.7v	49.4v	48.4v	49.7v	49.6v	74.9v	104.11v	41.2v	74.9v	685.74v
113	Mr ACH Bryson	X	74.12v	70.6v	48.3v	45.3v	49.6v	50.6v	50.9v	74.10v	104.7v	47.4v	74.7v	685.73v
114	Mr J Pugsley	X	74.8v	73.8v	46.6v	47.4v	50.4v	48.4v	46.1v	73.5v	105.15v	48.5v	75.11v	685.71v
115	Mrs CJ Clifford-Evans	X	73.9v	73.7v	49.8v	49.5v	50.1v	48.3v	49.4v	70.5v	102.10v	48.5v	74.12v	685.69v
116	Cdt CA Evans	O	74.9v	72.8v	49.6v	48.4v	48.4v	49.4v	48.4v	75.12v	103.8v	48.2v	71.7v	685.68v
117	Mr EM Brice	O	74.9v	73.6v	50.1v	46.3v	48.4v	45.2v	47.3v	74.8v	104.10v	49.4v	75.9v	685.59v
118	Mr JP Tapster	X	73.8v	74.8v	49.7v	50.6v	49.6v	47.6v	48.4v	75.13v	104.16v	42.0v	73.10v	684.84v
119	Mr ADJ Stewart	O	74.10v	72.7v	48.6v	46.4v	47.5v	49.4v	49.3v	75.11v	103.17v	46.4v	75.12v	684.83v
120	Dr MJ Schwarz	O	73.11v	72.9v	47.4v	46.2v	50.7v	49.8v	49.5v	72.8v	104.15v	48.3v	74.9v	684.81v
121	Mr RA Benest	X	75.9v	71.8v	49.3v	47.5v	48.6v	49.6v	48.6v	75.13v	104.14v	46.3v	72.7v	684.80v
122	Cdt HW Orpen-Smellie	O	74.7v	71.9v	47.6v	42.2v	49.5v	50.8v	50.5v	75.11v	104.12v	47.3v	75.11v	684.79v
123	Mr BJ Le Cheminant	O	74.9v	72.10v	48.1v	47.5v	50.6v	48.6v	50.6v	72.11v	105.13v	45.3v	73.9v	684.79v
124	Mr DC Crispin	X	74.11v	71.8v	48.5v	48.5v	49.6v	47.4v	46.3v	72.7v	104.13v	50.4v	75.12v	684.78v
125	Mr MD Joyce	A	72.7v	70.8v	50.6v	49.6v	49.4v	49.5v	49.5v	72.8v	103.13v	48.6v	73.9v	684.77v
126	Mr WDH Burden	X	72.6v	73.4v	50.7v	47.6v	48.8v	49.4v	49.4v	74.10v	102.15v	45.2v	75.11v	684.77v
127	Mr B Jones	O	74.8v	74.9v	47.6v	50.8v	50.6v	47.5v	47.4v	75.9v	103.12v	43.3v	74.7v	684.77v

128	Mr OP Henry	A	73.10v	72.9v	45.3v	50.8v	50.4v	50.5v	48.3v	74.8v	102.11v	47.6v	73.9v	684.76v
129	Mr JCT Kent	X	73.8v	73.7v	49.6v	50.7v	48.5v	45.2v	47.5v	73.6v	104.12v	47.4v	75.13v	684.75v
130	Mr RM Hatcher	X	72.4v	69.8v	48.6v	49.7v	49.3v	49.5v	49.7v	71.8v	104.14v	49.4v	75.6v	684.72v
131	Mr SJ Bissonnette	X	74.11v	72.8v	49.4v	48.4v	48.4v	49.6v	49.3v	75.8v	101.12v	46.4v	73.7v	684.71v
132	Lt Col CR Claridge	X	73.8v	74.9v	47.3v	49.5v	47.5v	48.4v	50.5v	72.5v	101.10v	49.4v	74.10v	684.68v
133	Mr SJ East	A	74.8v	72.4v	49.5v	47.6v	48.4v	49.4v	49.8v	73.6v	103.11v	48.3v	72.9v	684.68v
134	Mr DA Taylor	A	70.3v	75.8v	48.1v	48.5v	50.4v	46.4v	47.6v	73.6v	105.13v	47.6v	75.12v	684.68v
135	Mr RCT Jeens	X	72.5v	73.3v	47.3v	49.9v	49.8v	49.5v	49.5v	73.8v	103.10v	47.5v	73.7v	684.68v
136	Mr BH Huget	T	75.10v	71.8v	50.1v	49.4v	50.9v	48.4v	46.2v	74.8v	101.12v	46.3v	74.7v	684.68v
137	Mr PJ Johnson	X	69.4v	74.6v	48.8v	48.6v	50.7v	50.5v	48.4v	74.10v	102.8v	46.1v	75.9v	684.68v
138	Mr EC Dickson	X	72.7v	71.3v	46.2v	47.4v	49.3v	50.8v	49.3v	74.11v	105.12v	46.3v	75.11v	684.67v
139	Mr D Rose	X	74.4v	72.7v	48.4v	47.4v	48.5v	49.6v	50.6v	73.7v	100.8v	49.6v	74.7v	684.64v
140	Mr J Cload	X	72.8v	72.11v	47.3v	50.6v	47.4v	49.7v	48.7v	75.12v	105.15v	46.3v	72.8v	683.84v
141	Mr MW Silver	X	70.8v	71.5v	47.5v	50.5v	49.6v	49.7v	49.7v	74.10v	105.13v	45.4v	74.14v	683.84v
142	Dr IT Matsumoto	O	74.6v	73.7v	49.6v	48.5v	46.4v	50.8v	45.2v	74.13v	104.16v	47.4v	73.10v	683.81v
143	Mr C Fitzpatrick	X	73.8v	71.7v	48.7v	48.5v	47.4v	49.7v	49.6v	74.10v	103.11v	46.4v	75.12v	683.81v
144	Cdt HAD Howard	A	72.9v	73.6v	43.2v	47.2v	49.6v	50.7v	48.5v	75.10v	104.16v	48.5v	74.11v	683.79v
145	Mr MJ O'Leary	A	74.7v	72.8v	48.5v	49.6v	49.7v	49.4v	48.6v	73.10v	104.14v	44.3v	73.9v	683.79v
146	Mr JEM Bellringer	A	72.9v	68.7v	47.5v	48.5v	50.5v	49.8v	49.7v	72.6v	105.14v	48.0v	75.12v	683.78v
147	Miss DL Fenn	X	73.10v	70.7v	47.2v	49.5v	47.3v	49.4v	49.8v	73.10v	104.13v	47.5v	75.11v	683.78v
148	Mr MA Kirkillio-Stacewicz	X	73.7v	74.9v	46.4v	49.7v	50.6v	48.5v	49.6v	74.11v	103.13v	43.2v	74.8v	683.78v
149	Mr RAV Hebblethwaite	X	73.10v	71.8v	48.5v	47.5v	48.5v	49.3v	50.7v	75.8v	102.11v	46.1v	74.13v	683.76v
150	Mr LM Peden	A	73.8v	70.6v	48.3v	49.6v	49.6v	49.7v	48.6v	75.5v	104.16v	45.4v	73.9v	683.76v
151	Miss GJF Ogden	O	69.7v	70.7v	47.3v	49.4v	50.6v	50.5v	50.7v	75.14v	103.12v	45.1v	75.10v	683.76v
152	Mr A Thomson	A	72.9v	73.7v	47.4v	48.4v	49.5v	50.6v	48.6v	72.8v	103.14v	47.1v	74.10v	683.74v
153	Mr ML Cotillard	O	73.9v	71.7v	48.3v	47.3v	48.3v	49.5v	50.5v	75.13v	102.13v	46.2v	74.11v	683.74v
154	Mr AS Errey	O	74.7v	73.7v	48.5v	48.5v	47.6v	50.5v	47.6v	75.12v	103.13v	45.4v	73.4v	683.74v
155	Mr NRJ Brasier	X	71.8v	73.10v	48.5v	49.5v	49.6v	49.4v	48.6v	72.7v	102.10v	50.4v	72.8v	683.73v
156	Mr SH Cox	X	75.8v	74.10v	48.7v	49.7v	48.6v	45.1v	48.1v	73.9v	105.12v	44.3v	74.8v	683.72v
157	Mr RSF Shouler	X	71.7v	71.1v	48.5v	49.3v	47.2v	48.6v	48.8v	74.8v	102.16v	50.6v	75.9v	683.71v
158	Mr S Belither	O	72.11v	72.7v	47.2v	48.2v	46.5v	49.4v	50.6v	73.8v	103.12v	49.5v	74.9v	683.71v
159	Mr P De Voil	A	71.5v	72.9v	49.1v	47.5v	50.5v	48.5v	48.4v	72.9v	102.10v	49.5v	75.12v	683.70v
160	Mr RJ Waters	A	74.9v	71.4v	48.5v	49.6v	48.4v	49.4v	50.8v	71.6v	103.12v	48.5v	72.6v	683.69v
161	Sgt J Wallace	A	71.6v	74.8v	49.6v	48.3v	48.4v	48.3v	49.4v	74.11v	102.10v	46.3v	74.10v	683.68v
162	Mr J Payne	A	73.6v	73.6v	48.5v	49.4v	48.5v	49.6v	50.5v	74.10v	102.15v	45.1v	72.5v	683.68v
163	Mr SJ Pascoe	O	73.7v	71.5v	49.5v	47.3v	50.6v	46.4v	47.6v	74.9v	105.11v	47.3v	74.8v	683.67v
164	Mr NJ Branch	X	74.6v	73.7v	49.5v	49.7v	48.6v	49.5v	47.3v	74.9v	104.14v	42.0v	74.5v	683.67v
165	Mr TJ Brooking	A	71.6v	75.5v	49.6v	49.3v	50.5v	49.6v	49.6v	71.10v	102.9v	43.2v	75.6v	683.64v
166	Mr DN Lindsay	O	72.7v	73.7v	49.5v	47.2v	47.4v	49.4v	49.5v	74.5v	104.14v	45.2v	74.7v	683.62v
167	Mr RE Clarke	O	74.11v	74.10v	47.4v	47.6v	50.7v	47.6v	50.7v	74.10v	100.11v	47.5v	72.7v	682.84v
168	Mr CTS Belk	X	70.7v	74.9v	47.4v	47.2v	49.8v	48.5v	48.7v	73.8v	105.17v	46.4v	75.13v	682.84v
169	Mr MR Frost	O	69.7v	70.7v	50.5v	48.4v	49.5v	50.9v	50.4v	73.9v	104.16v	45.4v	74.11v	682.81v
170	Mrs MM Norman	A	75.11v	75.10v	49.6v	47.3v	48.4v	50.4v	46.4v	74.13v	105.14v	39.1v	74.11v	682.81v
171	Mr SJ Carson	A	73.10v	71.4v	50.6v	48.3v	48.2v	49.8v	49.8v	69.6v	105.18v	47.6v	73.9v	682.80v
172	Mr R McQuillan	X	71.8v	75.7v	48.4v	47.7v	49.5v	48.7v	45.3v	74.9v	104.16v	47.6v	74.8v	682.80v
173	Mr RA Dix	X	73.12v	72.10v	48.6v	47.2v	50.6v	50.7v	47.4v	74.8v	102.13v	45.3v	74.9v	682.80v
174	Mr C Mallett	A	72.9v	72.8v	49.6v	49.6v	50.8v	48.6v	49.6v	73.7v	102.12v	45.4v	73.7v	682.79v
175	Mr MJ Barlow	X	74.13v	72.5v	49.5v	49.7v	47.5v	48.5v	49.6v	75.9v	104.15v	42.0v	73.9v	682.79v
176	Mr J Bullock	X	67.6v	73.6v	47.8v	48.5v	49.4v	50.7v	50.6v	74.9v	103.12v	47.3v	74.12v	682.78v
177	Miss EG Joseph	O	73.9v	70.8v	47.5v	49.6v	48.4v	50.5v	47.5v	74.9v	103.13v	47.3v	74.10v	682.77v
178	Mr AW Lothian	A	73.6v	73.10v	45.6v	48.7v	49.4v	47.6v	50.7v	75.7v	103.12v	45.1v	74.11v	682.77v
179	Major JRW Postle	A	75.6v	72.5v	48.6v	47.5v	47.5v	49.4v	49.7v	73.12v	103.14v	44.3v	75.10v	682.77v
180	Mr C Rivett-Carnac	O	71.5v	72.9v	48.5v	45.4v	48.6v	49.6v	50.8v	75.8v	103.14v	47.3v	74.8v	682.76v
181	Prof AR Horrocks	X	71.7v	70.6v	48.3v	49.6v	47.6v	49.5v	49.6v	73.8v	104.14v	47.2v	75.12v	682.75v
182	Mr CP Weeden	X	73.9v	73.8v	47.4v	47.5v	49.6v	46.3v	49.5v	75.12v	105.13v	45.1v	73.9v	682.75v
183	Wg Cdr MJ Gregory	O	73.6v	69.7v	45.2v	49.4v	48.6v	49.6v	49.6v	72.9v	105.11v	48.4v	75.11v	682.72v
184	Mr IF Luckman	A	74.9v	73.7v	47.3v	48.3v	44.5v	49.5v	49.6v	75.9v	102.9v	48.6v	73.9v	682.71v
185	Mr TA Purvis	O	73.11v	71.5v	45.4v	50.4v	50.5v	48.6v	48.5v	74.8v	101.9v	47.5v	75.9v	682.71v
186	Major AG McLean	X	73.8v	73.8v	47.1v	48.6v	46.2v	49.6v	50.7v	75.9v	101.8v	47.4v	73.12v	682.71v
187	Mr RE Ellis	A	74.9v	73.5v	47.2v	50.7v	49.5v	44.2v	49.5v	75.11v	105.14v	42.1v	74.10v	682.71v
188	Mr DJ Archer	A	73.6v	72.8v	47.0v	48.4v	48.5v	49.4v	49.5v	75.12v	101.12v	47.2v	73.9v	682.67v
189	Flt Lt KP Cressy	A	71.5v	75.10v	47.4v	49.5v	47.3v	48.1v	46.2v	75.12v	105.14v	46.3v	73.8v	682.67v
190	Mr P Seebohm	O	73.5v	71.5v	47.4v	50.4v	49.6v	47.5v	50.4v	73.9v	102.11v	45.2v	75.11v	682.66v
191	Mr IW Robertson	X	72.6v	74.8v	49.8v	46.3v	49.4v	49.5v	48.6v	74.9v	104.7v	45.2v	72.7v	682.65v
192	Mr TJ Roberts	A	71.4v	73.7v	46.3v	49.5v	49.6v	49.6v	47.4v	74.9v	103.9v	47.2v	74.9v	682.64v
193	Sgt D Cottrill	T	73.10v	74.6v	43.2v	49.3v	48.2v	49.7v	48.4v	73.5v	102.7v	49.3v	74.10v	682.59v
194	Mr DE Nuthall	X	72.9v	72.11v	48.4v	47.4v	47.5v	48.5v	50.5v	68.10v	105.15v	49.6v	75.12v	681.86v
195	Mr PG Oxnam	A	72.10v	70.7v	49.8v	48.5v	46.5v	50.8v	49.4v	74.8v	104.16v	45.5v	74.10v	681.86v
196	Mr RBC Baker	A	73.8v	72.8v	48.6v	50.8v	50.6v	49.5v	49.7v	74.9v	102.15v	40.3v	74.11v	681.86v
197	Mr RK Sheead	O	75.11v	73.6v	50.6v	45.6v	49.8v	48.3v	46.4v	73.7v	101.15v	47.4v	74.11v	681.81v
198	CWO ATJV Voorthuyzen	O	70.6v	71.4v	46.6v	47.4v	48.8v	49.5v	50.8v	74.13v	102.9v	49.6v	75.11v	681.80v

199	Mr ATB Tompson	X	73.4v	74.7v	46.6v	47.5v	47.5v	49.6v	47.7v	75.8v	104.15v	44.3v	75.9v	681.75v
200	Mr IRM Brown	A	72.9v	73.7v	48.7v	49.4v	50.6v	48.3v	49.4v	72.9v	101.11v	45.2v	74.9v	681.71v
201	Mr GW Robinson	A	72.7v	72.10v	48.7v	47.4v	49.5v	47.4v	47.3v	74.8v	102.9v	48.3v	75.10v	681.70v
202	Mr JA Lindsay III	A	74.9v	74.4v	47.5v	48.2v	42.4v	49.4v	48.6v	73.7v	102.13v	50.4v	74.11v	681.69v
203	Mr SKC Hunter	X	74.10v	74.7v	50.5v	49.8v	47.4v	47.5v	47.4v	73.7v	102.8v	46.4v	72.7v	681.69v
204	Miss HA Pugsley	O	72.7v	72.7v	49.6v	48.1v	47.5v	49.7v	49.5v	74.6v	102.13v	45.4v	74.8v	681.69v
205	Mr JA Anderson	X	74.8v	73.11v	49.5v	45.3v	48.4v	48.6v	49.5v	71.7v	105.12v	45.3v	74.5v	681.69v
206	Sgt M Lekalaile	O	73.9v	71.5v	46.4v	47.4v	50.6v	48.3v	47.3v	73.8v	103.10v	49.5v	74.10v	681.67v
207	Miss HM Taylor	A	74.6v	73.8v	48.1v	47.6v	49.6v	50.8v	48.3v	71.9v	102.13v	47.3v	72.3v	681.66v
208	Miss TJ Fitzsimons	A	71.4v	74.6v	50.6v	48.3v	48.5v	47.5v	49.3v	75.10v	104.14v	42.2v	73.8v	681.66v
209	Mr D Lowe	X	73.8v	73.6v	46.3v	48.2v	46.3v	50.4v	48.3v	74.10v	104.13v	46.3v	73.7v	681.62v
210	Mr MF Martel	A	73.6v	72.6v	48.4v	49.3v	48.3v	48.4v	48.3v	74.6v	101.11v	47.4v	73.9v	681.59v
211	Mr R de V Chase	A	73.5v	72.3v	45.3v	49.3v	49.7v	46.1v	48.4v	74.4v	103.10v	47.5v	75.8v	681.53v
212	Miss HP McCullough	X	73.7v	70.9v	46.3v	50.8v	48.6v	48.4v	49.7v	74.8v	104.17v	44.2v	74.9v	680.80v
213	Miss HCM Bennett	O	73.9v	72.9v	46.2v	43.3v	50.8v	49.5v	49.6v	74.13v	104.11v	45.2v	75.11v	680.79v
214	Mr LT Wicker	X	75.10v	74.5v	50.4v	47.3v	48.5v	47.4v	47.6v	75.11v	105.17v	43.2v	69.10v	680.77v
215	Mr MJ Ensor	X	73.6v	70.5v	48.5v	48.5v	47.4v	47.4v	49.9v	75.10v	103.14v	45.3v	75.11v	680.76v
216	Mr JA Heward	A	68.3v	69.6v	47.5v	48.6v	49.7v	48.4v	50.6v	71.7v	105.13v	50.6v	75.12v	680.75v
217	Mrs K Le Quesne	A	71.6v	73.7v	50.7v	46.3v	48.6v	47.5v	48.7v	75.11v	102.8v	45.3v	75.12v	680.75v
218	Mr S Osmond	O	71.4v	71.6v	47.4v	46.5v	47.5v	49.3v	48.7v	75.13v	104.16v	48.3v	74.8v	680.74v
219	Mr BH Jones	O	71.4v	72.9v	49.6v	45.3v	47.5v	48.5v	50.7v	73.9v	105.13v	45.3v	75.10v	680.74v
220	Mr A Chown	A	71.7v	69.7v	46.2v	47.7v	50.7v	49.5v	48.5v	75.9v	105.14v	46.3v	74.7v	680.73v
221	Wg Cdr CR Smith	A	73.6v	71.5v	45.5v	46.4v	47.4v	50.5v	50.9v	75.11v	102.13v	46.1v	75.8v	680.71v
222	Miss AMG Ogilvie	A	73.5v	75.12v	47.3v	49.7v	46.4v	46.3v	50.5v	71.4v	104.16v	44.3v	75.9v	680.71v
223	Mr MCJ Button	X	74.8v	70.8v	49.2v	49.5v	48.7v	47.3v	49.7v	70.6v	104.14v	46.2v	74.8v	680.70v
224	Mr JMA Thompson	X	73.11v	72.8v	49.5v	47.4v	48.3v	48.3v	47.4v	71.7v	105.13v	46.4v	74.7v	680.69v
225	Mr MD Hayter	T	72.7v	73.4v	49.6v	47.5v	48.5v	49.6v	47.4v	72.9v	105.14v	44.1v	74.8v	680.69v
226	Mr WR Steward	A	73.8v	70.5v	47.4v	48.4v	49.6v	49.5v	50.6v	74.10v	103.11v	43.0v	74.7v	680.66v
227	Mr RA Hyndman	O	72.4v	69.7v	49.8v	46.4v	49.6v	50.3v	47.3v	73.7v	103.11v	50.4v	72.8v	680.65v
228	Cdt RL Johnson	O	71.4v	75.8v	44.5v	49.4v	48.4v	49.5v	47.3v	72.7v	103.14v	49.2v	73.9v	680.65v
229	Mr JEC Branch	A	73.7v	74.5v	46.5v	50.7v	49.5v	48.4v	47.4v	71.6v	104.12v	46.1v	72.9v	680.65v
230	Mr JPL Sweet	X	72.8v	73.4v	48.3v	48.5v	45.2v	49.5v	49.7v	74.8v	103.12v	44.2v	75.9v	680.65v
231	Mr D de Vere	O	74.6v	71.4v	46.5v	49.7v	48.3v	49.6v	48.3v	73.6v	100.6v	47.6v	75.12v	680.64v
232	Mr M Cooper	O	71.7v	73.7v	48.3v	48.4v	48.4v	47.3v	50.5v	75.8v	102.8v	44.2v	74.10v	680.61v
233	Mr KM Willingale	A	70.5v	72.8v	50.3v	49.3v	48.2v	47.3v	50.6v	72.8v	102.7v	47.5v	73.6v	680.56v
234	Mr DJ Tracey	A	75.15v	74.10v	48.3v	47.5v	45.5v	47.5v	47.5v	75.13v	103.12v	44.4v	74.10v	679.87v
235	Mr DJ Grass	X	71.9v	72.7v	48.7v	48.4v	50.8v	49.5v	50.8v	72.9v	103.12v	44.2v	72.10v	679.81v
236	Eur Ing CA Painting	X	72.9v	70.8v	49.6v	49.6v	49.5v	45.1v	48.8v	71.6v	103.12v	48.5v	75.13v	679.79v
237	Mr DH Allen	O	68.6v	74.9v	46.4v	49.7v	47.3v	50.8v	50.9v	73.7v	103.14v	46.2v	73.9v	679.78v
238	Lt Col AJW Sturrock	A	71.6v	73.7v	45.4v	49.7v	49.5v	49.6v	48.5v	74.9v	104.14v	45.4v	72.6v	679.73v
239	Mr RA Mullin	A	73.8v	70.5v	47.3v	49.7v	50.8v	49.7v	47.4v	73.9v	104.13v	45.3v	72.6v	679.73v
240	Mr BMA Stevens	X	74.11v	74.11v	48.5v	47.4v	49.4v	49.4v	47.4v	73.10v	102.10v	42.2v	74.6v	679.71v
241	Mr JM Taylor	A	75.9v	71.7v	49.5v	49.6v	47.3v	47.2v	49.3v	73.10v	102.13v	43.1v	74.11v	679.70v
242	Mr DS Murray	X	73.8v	72.6v	45.2v	47.3v	48.3v	50.2v	50.7v	73.10v	105.17v	42.3v	74.9v	679.70v
243	Mr C Mitchell	O	73.8v	71.4v	47.5v	45.4v	49.8v	46.1v	50.6v	72.7v	104.14v	48.3v	74.8v	679.68v
244	Mr SJ Comins	O	74.10v	69.6v	48.5v	48.5v	48.6v	47.4v	50.5v	73.11v	101.8v	46.1v	75.7v	679.68v
245	Mr TG Rylands	X	73.7v	69.4v	47.3v	50.8v	50.8v	46.2v	50.6v	75.9v	103.13v	43.2v	73.6v	679.68v
246	Miss D O'Kelly	A	74.7v	73.6v	49.6v	47.4v	49.3v	46.3v	49.8v	72.7v	100.9v	46.3v	74.11v	679.67v
247	Mr SP O'Brien	O	73.7v	71.8v	46.4v	50.3v	49.6v	49.6v	47.5v	73.7v	101.13v	46.1v	74.7v	679.67v
248	TP Wharram	O	70.6v	72.5v	46.3v	50.5v	47.3v	50.7v	47.5v	73.9v	103.13v	48.2v	73.7v	679.65v
249	Mr B Lottritz	O	70.5v	71.4v	47.4v	45.2v	50.5v	50.8v	50.7v	73.6v	103.13v	47.3v	73.8v	679.65v
250	Dr GP Nelson	A	74.10v	71.3v	47.5v	46.2v	49.6v	48.5v	49.3v	75.11v	103.10v	43.1v	74.9v	679.65v
251	Mr H Lottritz	O	69.5v	72.8v	47.4v	50.2v	49.9v	48.4v	50.3v	72.7v	102.8v	48.5v	72.9v	679.64v
252	Mr JR Stirland	O	72.7v	73.3v	48.2v	49.5v	48.2v	49.6v	47.5v	73.10v	103.12v	43.1v	74.9v	679.62v
253	Dr JR Deane	X	74.10v	67.7v	50.7v	47.7v	50.6v	49.5v	48.7v	75.10v	105.16v	39.0v	74.10v	678.85v
254	Cdt HJC Green	T	74.8v	75.10v	48.7v	47.4v	42.5v	46.3v	47.5v	75.11v	105.16v	45.3v	74.12v	678.84v
255	Mr MJM Black	A	72.11v	72.7v	44.1v	49.8v	49.5v	48.6v	48.4v	74.9v	103.13v	44.2v	75.10v	678.76v
256	Mr MJ Creber	X	73.11v	71.8v	45.1v	48.7v	47.4v	50.8v	50.4v	74.11v	102.11v	43.1v	75.10v	678.76v
257	Dr PD Sykes	X	71.8v	70.8v	45.2v	48.5v	50.5v	46.2v	49.9v	73.8v	104.11v	47.4v	75.11v	678.73v
258	Mr A Dowle	O	71.8v	71.5v	46.3v	48.3v	49.4v	49.6v	50.8v	74.9v	103.13v	46.6v	71.7v	678.72v
259	Miss JM Rankin	A	72.6v	69.5v	48.6v	49.5v	50.9v	48.2v	49.6v	75.11v	103.13v	43.1v	72.8v	678.72v
260	Mr PG Cann	X	74.5v	73.7v	45.2v	47.6v	47.3v	48.4v	48.4v	71.4v	102.13v	48.6v	75.14v	678.68v
261	Mr PCAG Slater	X	74.7v	73.6v	47.4v	48.5v	47.4v	49.4v	46.2v	74.10v	103.13v	42.2v	75.8v	678.65v
262	Ag IP S Letoya	O	69.5v	71.6v	48.4v	46.4v	50.2v	48.5v	49.8v	74.11v	104.9v	45.2v	74.8v	678.64v
263	Prof MJ Guille	O	71.10v	70.8v	48.7v	47.4v	46.3v	50.7v	50.5v	74.8v	105.18v	45.6v	71.4v	677.80v
264	Mr G Williams	O	72.7v	72.9v	47.4v	46.5v	49.8v	48.6v	48.6v	74.9v	103.14v	43.2v	75.8v	677.78v
265	Mr PM Jory	X	73.9v	70.8v	48.3v	49.4v	50.8v	49.7v	45.5v	73.8v	104.16v	43.4v	73.5v	677.77v
266	Dr JS Rennie	X	70.4v	72.8v	48.4v	46.4v	50.8v	50.6v	50.5v	71.7v	105.14v	41.2v	74.10v	677.72v
267	Mr CB Cotillard	A	72.6v	71.8v	46.3v	48.5v	48.4v	48.7v	48.3v	73.12v	104.12v	45.2v	74.8v	677.70v
268	Mr C Brook	O	73.7v	69.7v	48.7v	46.2v	48.6v	48.4v	48.6v	72.8v	101.11v	49.1v	75.9v	677.68v
269	PC S Otundo	O	73.9v	73.7v	48.5v	46.4v	48.5v	48.7v	48.5v	74.8v	105.10v	41.1v	73.7v	677.68v

270	Mr EBD Reis	A	73.9v	69.5v	47.3v	50.7v	50.3v	47.6v	47.2v	73.8v	103.15v	43.2v	75.7v	677.67v
271	Mr MJJ Charlton	A	73.4v	71.8v	49.4v	49.5v	47.5v	48.7v	48.5v	71.6v	102.9v	47.5v	72.7v	677.65v
272	Mr CA Skellett	O	73.5v	69.6v	47.7v	47.4v	48.2v	50.5v	50.7v	72.5v	105.15v	43.3v	73.6v	677.65v
273	Mr SD Spinney	X	70.6v	68.4v	50.5v	48.4v	49.5v	49.6v	49.4v	74.8v	101.10v	47.3v	72.8v	677.63v
274	Mr MM Moore	T	69.7v	72.9v	45.1v	50.6v	50.6v	47.2v	49.7v	72.6v	103.10v	46.3v	74.6v	677.63v
275	Mr HL Hunter	X	72.5v	72.7v	48.2v	49.7v	50.8v	46.3v	47.5v	73.7v	101.7v	45.4v	74.8v	677.63v
276	Cdt DLT Taylor	O	72.3v	71.4v	46.2v	48.5v	47.4v	49.7v	47.4v	73.8v	104.11v	46.5v	74.7v	677.60v
277	Lt Col FC Sykes	O	72.6v	71.5v	46.3v	48.6v	48.4v	48.3v	48.4v	75.7v	103.11v	43.1v	75.9v	677.59v
278	Mr M Woolger	X	70.8v	73.7v	49.7v	47.6v	47.5v	44.2v	49.4v	74.13v	102.15v	46.5v	75.9v	676.81v
279	Miss DS Hume	A	73.6v	71.6v	47.4v	48.4v	50.8v	49.6v	45.6v	70.9v	103.13v	47.5v	73.7v	676.74v
280	Mr AJ Luckman	X	68.7v	74.10v	48.2v	49.7v	49.6v	48.2v	49.6v	74.11v	103.11v	43.3v	71.7v	676.72v
281	Mr BA Horwood	X	69.4v	72.10v	48.5v	48.5v	47.5v	49.8v	48.4v	72.5v	103.13v	46.3v	74.9v	676.71v
282	Mr RG Faulkner	A	73.8v	75.11v	47.3v	48.3v	44.4v	45.2v	48.5v	73.10v	103.13v	46.1v	74.10v	676.70v
283	Mr TAD Lilley	X	74.9v	74.9v	48.6v	47.3v	50.5v	48.2v	43.5v	74.10v	102.12v	42.3v	74.6v	676.70v
284	Mr R Birtwistle	A	69.3v	72.7v	50.7v	46.3v	48.5v	48.7v	50.7v	70.5v	104.13v	47.3v	72.9v	676.69v
285	Mr AI Brown	A	70.5v	70.5v	50.7v	48.4v	48.4v	49.4v	48.3v	74.10v	102.12v	45.3v	72.11v	676.68v
286	Mr ORW Russell	O	72.8v	70.8v	47.5v	46.1v	50.6v	48.7v	49.8v	74.6v	102.11v	45.1v	73.6v	676.67v
287	Mr SC Postins	X	72.5v	69.3v	47.3v	47.6v	50.7v	47.4v	48.6v	72.8v	103.8v	46.3v	75.12v	676.65v
288	Cdt RJA Argo	O	71.4v	68.4v	47.4v	48.5v	48.2v	48.5v	50.5v	73.10v	101.11v	49.5v	73.9v	676.64v
289	Mr E McConnell	O	71.6v	72.7v	49.4v	48.3v	48.6v	47.5v	50.6v	71.8v	101.10v	45.2v	74.7v	676.64v
290	Mr KB Hill	A	72.5v	72.9v	49.6v	46.3v	49.6v	48.5v	49.6v	71.5v	101.8v	48.5v	71.5v	676.63v
291	Mr JC Ng	O	71.6v	69.6v	49.4v	45.4v	47.3v	49.3v	48.5v	73.10v	103.9v	47.3v	75.9v	676.62v
292	CWO A Sladek	O	72.6v	72.7v	49.4v	49.5v	46.4v	48.4v	46.5v	74.5v	102.12v	45.2v	73.7v	676.61v
293	Major M Geernaert-Davies	O	69.5v	70.5v	49.5v	47.4v	49.5v	46.3v	48.5v	75.7v	102.10v	49.2v	72.7v	676.58v
294	Mr NC Boyde	O	70.2v	67.5v	49.5v	49.4v	48.4v	50.6v	49.3v	75.6v	101.10v	45.3v	73.10v	676.58v
295	Cdt OL Ryndziewicz	O	74.7v	69.4v	48.3v	48.5v	47.2v	49.6v	48.5v	72.5v	104.10v	44.1v	73.9v	676.57v
296	Mr JW Alexander	A	72.6v	72.6v	48.5v	49.5v	47.4v	42.3v	48.3v	75.13v	100.13v	47.5v	75.14v	675.77v
297	Mr WA Langley	A	72.11v	70.8v	47.5v	47.4v	49.4v	47.2v	49.6v	73.10v	102.11v	45.2v	74.11v	675.74v
298	Mr JDI Hossack	A	69.4v	74.10v	48.6v	47.4v	46.4v	48.5v	46.5v	74.10v	104.12v	45.3v	74.10v	675.73v
299	Mr WHC Alexander	A	67.6v	71.2v	49.4v	48.3v	48.6v	47.6v	48.6v	72.8v	103.13v	48.5v	74.13v	675.72v
300	Mr RH Kitson	A	72.4v	68.6v	47.4v	45.3v	50.5v	47.4v	50.8v	73.8v	105.15v	48.6v	70.7v	675.70v
301	Mr S Pearson	A	72.7v	73.9v	47.5v	50.8v	48.3v	48.3v	46.3v	75.7v	103.15v	42.1v	71.9v	675.70v
302	Mr CJ Sherratt	O	70.6v	74.9v	48.4v	48.5v	47.5v	47.7v	47.1v	72.9v	103.10v	48.5v	71.8v	675.69v
303	Mr SO Jauncey	O	69.5v	71.3v	48.5v	46.4v	49.8v	48.5v	50.6v	71.9v	104.10v	45.2v	74.12v	675.69v
304	Mr DMJ Coutts	X	72.7v	70.4v	48.5v	47.6v	49.7v	48.5v	48.7v	73.10v	102.8v	45.1v	73.9v	675.69v
305	Mr RJR Mott	O	72.4v	74.10v	46.2v	48.6v	49.5v	49.7v	49.5v	75.9v	101.11v	42.3v	70.6v	675.68v
306	PC J Serem	O	71.5v	70.6v	48.4v	46.3v	49.7v	50.5v	48.6v	74.9v	102.10v	43.1v	74.10v	675.66v
307	Wg Cdr CJ Hockley	O	74.5v	70.8v	48.4v	49.3v	46.4v	48.7v	50.5v	68.6v	101.10v	48.4v	73.9v	675.65v
308	Mrs RMS Merridew	O	72.6v	69.7v	48.5v	47.3v	49.6v	48.4v	50.7v	69.4v	101.11v	47.5v	75.7v	675.65v
309	Mr PR Coley	A	70.7v	69.2v	49.4v	49.6v	50.5v	48.7v	50.6v	74.5v	101.12v	46.3v	69.7v	675.64v
310	Mr PJS Bysshe	O	72.8v	70.8v	48.4v	49.4v	49.2v	45.3v	49.5v	72.8v	101.10v	48.3v	72.8v	675.63v
311	Mr DGF Evans	O	73.7v	73.4v	49.6v	43.4v	47.4v	47.4v	48.6v	74.8v	104.8v	46.4v	71.7v	675.62v
312	Mr MHH John	O	71.6v	72.9v	47.3v	49.4v	48.2v	48.4v	48.4v	72.8v	105.12v	42.3v	73.7v	675.62v
313	Mr JWE Lewis	X	73.7v	72.5v	48.3v	47.5v	46.2v	49.5v	49.7v	71.6v	100.8v	46.3v	74.10v	675.61v
314	Mr MJLA Landreville	O	71.8v	74.9v	48.4v	46.4v	50.6v	48.5v	48.2v	74.6v	100.6v	43.1v	73.8v	675.59v
315	Mr G French	O	72.4v	70.5v	47.3v	50.7v	48.6v	48.5v	47.3v	71.5v	102.11v	45.2v	75.7v	675.58v
316	Mr M Neal	O	71.4v	75.6v	48.5v	47.4v	49.6v	49.2v	46.2v	74.8v	100.12v	44.1v	72.8v	675.58v
317	Mr PJ Chapman-Sheath	O	73.8v	73.7v	45.2v	47.5v	46.3v	47.4v	47.5v	75.12v	104.13v	43.6v	74.10v	674.75v
318	Cdt GC Coburn	O	72.7v	68.7v	48.5v	48.3v	48.4v	49.6v	47.5v	72.5v	104.17v	44.3v	74.12v	674.74v
319	Mr GW Davies	X	74.9v	70.7v	47.4v	47.2v	47.5v	47.3v	47.3v	74.12v	102.13v	45.1v	74.11v	674.70v
320	Mr ND Stangroom	X	74.9v	69.4v	47.3v	49.5v	47.2v	49.6v	47.5v	72.9v	103.14v	44.3v	73.10v	674.70v
321	Mr NW Penn	A	71.8v	73.9v	48.4v	44.0v	47.4v	50.5v	46.6v	73.8v	105.15v	46.2v	71.7v	674.68v
322	Mr J Purdy	O	73.7v	72.7v	46.3v	49.6v	46.4v	46.4v	47.4v	73.8v	103.11v	45.5v	74.8v	674.67v
323	Mr JR Davies	X	69.7v	74.9v	50.6v	48.1v	46.5v	45.3v	49.7v	74.6v	100.11v	45.2v	74.10v	674.67v
324	Mr CD Heales	A	73.8v	72.8v	47.4v	47.5v	45.4v	48.4v	49.2v	71.7v	104.13v	47.5v	71.6v	674.66v
325	Miss EJ Cannings	O	74.7v	72.7v	47.6v	49.6v	48.3v	49.3v	49.4v	71.7v	101.12v	41.1v	73.10v	674.66v
326	Mr OC Collas	O	72.9v	73.9v	49.3v	47.4v	48.5v	46.4v	46.1v	73.6v	101.11v	44.3v	75.10v	674.65v
327	Mr ME Barr	O	73.9v	64.6v	47.5v	47.1v	48.4v	47.5v	49.6v	72.4v	102.7v	50.6v	75.11v	674.64v
328	Miss JE Ouston	O	71.10v	68.2v	48.3v	46.4v	47.5v	48.4v	49.7v	73.7v	102.12v	48.3v	74.7v	674.64v
329	Mr T Keen	A	70.6v	71.6v	48.6v	44.2v	46.5v	49.5v	50.6v	73.6v	105.12v	46.2v	72.7v	674.63v
330	Mr ITR Jobling	O	71.7v	69.5v	46.4v	45.1v	49.1v	49.6v	49.4v	75.10v	104.14v	44.3v	73.8v	674.63v
331	Mr RI Coventry	O	72.7v	73.7v	49.6v	49.6v	50.6v	50.2v	46.5v	71.6v	98.7v	44.2v	72.9v	674.63v
332	Miss SIM Anderson	O	72.6v	70.4v	48.5v	45.3v	50.6v	48.4v	46.3v	73.8v	103.9v	45.6v	74.8v	674.62v
333	Mr JWE Lothian	X	70.8v	73.4v	49.6v	44.2v	48.5v	49.1v	48.7v	70.3v	101.11v	48.3v	74.10v	674.60v
334	Mr PD Griggs	X	75.5v	70.6v	41.1v	46.4v	47.4v	50.9v	50.7v	74.8v	104.10v	46.0v	71.6v	674.60v
335	Mr T Horrocks	O	74.9v	75.9v	47.5v	45.4v	46.4v	44.2v	45.1v	74.10v	102.7v	47.0v	75.8v	674.59v
336	Mr PWG Glen	T	70.4v	70.8v	49.5v	48.6v	50.7v	47.5v	48.4v	71.4v	104.10v	46.2v	71.4v	674.59v
337	Mr S Harding	X	70.6v	72.5v	48.3v	49.4v	48.5v	48.4v	47.2v	73.7v	102.15v	44.1v	73.6v	674.58v
338	Mr R Kloosterman	A	70.4v	71.8v	47.3v	48.6v	46.2v	50.3v	48.3v	73.7v	101.7v	48.6v	72.6v	674.55v
339	Mr RW McVeigh	O	72.6v	70.7v	46.4v	43.1v	50.7v	49.5v	49.8v	74.10v	103.13v	44.2v	73.11v	673.74v
340	Mr A Leech	O	72.10v	70.8v	48.3v	48.5v	47.4v	45.4v	50.3v	71.6v	103.13v	45.3v	74.11v	673.70v

341	Mr M Persaud	A	71.7v	71.7v	48.6v	43.4v	49.6v	47.6v	49.6v	75.9v	103.5v	44.2v	73.8v	673.66v
342	Mr RH Gardiner	O	73.10v	71.8v	47.1v	49.5v	48.3v	50.5v	48.3v	69.8v	101.9v	45.5v	72.6v	673.63v
343	Cdt NJB Blunsom	O	71.6v	71.7v	47.2v	49.3v	47.7v	48.5v	46.3v	75.9v	103.12v	44.2v	72.7v	673.63v
344	Mr ND Gomez	O	73.5v	71.5v	48.2v	45.2v	48.6v	49.5v	49.5v	73.8v	103.9v	43.3v	71.9v	673.59v
345	WO2 M Carberry	O	73.7v	74.8v	46.3v	50.1v	48.7v	47.2v	47.3v	73.5v	105.14v	42.2v	68.4v	673.56v
346	Mr SFD Dash	O	73.11v	70.6v	44.3v	46.4v	49.8v	49.6v	49.7v	75.12v	104.13v	39.2v	74.10v	672.82v
347	Mr AP Barnes	X	72.8v	71.7v	48.4v	47.4v	44.4v	44.6v	50.5v	72.9v	103.12v	48.5v	73.10v	672.74v
348	Cdt ES Maclean	T	72.8v	74.8v	50.8v	46.4v	48.6v	44.2v	49.7v	73.8v	102.12v	40.3v	74.7v	672.73v
349	Mr JA Munnion	O	71.6v	70.8v	48.6v	47.3v	49.4v	45.3v	50.9v	70.6v	103.15v	44.3v	75.9v	672.72v
350	Mr RM Roberts	X	73.8v	73.8v	48.2v	43.3v	46.5v	47.5v	48.3v	75.13v	104.14v	42.2v	73.7v	672.70v
351	Mr R Winney	O	73.6v	75.11v	50.7v	48.4v	47.2v	47.3v	46.5v	74.11v	102.11v	41.1v	69.6v	672.67v
352	Mr HN Watson	X	75.6v	67.6v	44.1v	46.5v	48.5v	48.5v	50.5v	75.11v	104.17v	41.0v	74.6v	672.67v
353	Mr JM Burger	T	73.9v	70.4v	46.3v	46.3v	49.3v	48.3v	49.6v	73.11v	103.12v	40.3v	75.10v	672.67v
354	Mr PJ Chance	X	72.4v	71.6v	49.4v	47.3v	49.8v	46.4v	45.6v	70.6v	101.13v	47.2v	75.10v	672.66v
355	Mr AP Smith	O	71.8v	73.7v	46.2v	48.3v	43.5v	50.9v	46.1v	73.10v	103.12v	46.4v	73.5v	672.66v
356	Miss KA Berman	X	71.6v	69.4v	47.3v	49.6v	45.4v	49.3v	48.6v	72.9v	103.12v	45.5v	74.8v	672.66v
357	Cdt MAJ Barber	O	68.6v	71.3v	47.7v	48.4v	50.5v	49.3v	50.7v	71.9v	101.11v	43.1v	74.10v	672.66v
358	Mr CM Brooks	O	68.3v	73.9v	49.5v	49.3v	46.4v	46.3v	49.5v	69.6v	101.12v	48.3v	74.12v	672.65v
359	Mr RJ Hull	A	69.5v	67.4v	49.7v	49.7v	47.3v	47.6v	47.3v	73.8v	105.10v	48.5v	71.6v	672.64v
360	Mr TP Hammond	A	73.5v	68.5v	48.7v	46.4v	50.5v	46.6v	47.4v	71.5v	102.11v	46.3v	75.8v	672.63v
361	Mr DL Wiles	O	71.9v	70.3v	47.5v	49.4v	49.7v	46.3v	49.4v	71.8v	103.12v	46.2v	71.6v	672.63v
362	Mr TW Tatchell	A	72.5v	73.8v	46.3v	46.3v	50.7v	47.3v	48.4v	71.7v	102.12v	45.3v	72.7v	672.62v
363	Mr CP Goad	O	72.8v	70.6v	48.1v	47.5v	48.7v	49.2v	49.4v	72.7v	101.8v	41.2v	75.12v	672.62v
364	Mr AK Fitch	O	69.6v	70.6v	46.2v	49.7v	46.3v	48.2v	50.4v	72.6v	103.13v	45.2v	74.9v	672.60v
365	Mr HJM Awin	T	70.5v	71.6v	49.4v	48.3v	47.2v	49.4v	49.8v	72.4v	104.15v	40.0v	73.9v	672.60v
366	Mr BR Ebbetts	O	69.7v	66.0v	50.7v	45.3v	46.5v	48.3v	50.5v	73.5v	101.9v	50.6v	74.9v	672.59v
367	Mr DCW Lloyd	O	72.8v	72.9v	49.3v	49.6v	48.3v	49.5v	48.4v	73.7v	99.7v	42.2v	71.5v	672.59v
368	Mr PB Cutts	O	71.3v	70.4v	48.4v	44.2v	48.4v	47.4v	48.7v	73.8v	100.11v	49.5v	74.4v	672.56v
369	Mrs T Newbold	A	65.1v	72.8v	48.4v	47.3v	48.4v	50.3v	50.7v	72.7v	101.9v	48.2v	71.8v	672.56v
370	Mr SAJ Dowley	A	72.7v	74.7v	45.4v	48.6v	49.5v	47.4v	48.7v	74.12v	101.15v	40.1v	73.7v	671.75v
371	Mr J Macaulay	T	72.5v	72.9v	45.2v	46.5v	42.1v	49.6v	48.5v	74.6v	102.14v	47.7v	74.12v	671.72v
372	Cpl D Kirui	O	74.11v	70.7v	45.0v	46.4v	50.3v	47.5v	50.7v	74.11v	100.8v	43.3v	72.11v	671.70v
373	Mr ISL Dampney	X	72.9v	71.8v	49.6v	46.5v	45.4v	50.6v	47.6v	69.5v	98.10v	49.2v	75.8v	671.69v
374	Cdt LCpl GM Irish	T	71.7v	73.12v	49.6v	49.2v	44.3v	49.4v	49.8v	71.7v	103.10v	40.1v	73.9v	671.69v
375	Mr NC Granger	O	72.8v	73.6v	50.4v	47.5v	49.6v	47.3v	46.5v	75.12v	100.11v	41.0v	71.7v	671.67v
376	Mr RJ Quay	A	68.4v	72.6v	47.3v	49.7v	49.6v	49.5v	46.3v	74.8v	104.13v	40.1v	73.9v	671.65v
377	Mr DJ Curtis	X	73.9v	69.4v	45.1v	42.2v	47.2v	49.7v	48.6v	73.8v	103.8v	47.4v	75.9v	671.60v
378	Mr IR Thomson	O	73.9v	68.4v	44.2v	44.4v	49.4v	50.5v	48.3v	69.6v	104.8v	47.4v	75.8v	671.57v
379	Capt MG Reid	A	71.3v	70.5v	46.4v	46.1v	47.6v	49.5v	47.3v	72.8v	103.8v	45.4v	75.10v	671.57v
380	Mr ADE Grounds	A	71.4v	70.8v	47.2v	46.4v	44.1v	50.6v	50.7v	71.1v	100.8v	48.6v	74.9v	671.56v
381	Mr CI Cooper	O	73.6v	71.9v	49.7v	44.4v	49.8v	46.2v	47.5v	74.12v	96.11v	48.2v	73.9v	670.75v
382	CSjt BG Mulvey	T	69.4v	72.9v	46.6v	48.7v	49.7v	46.3v	47.6v	71.9v	102.12v	46.4v	74.8v	670.75v
383	Mr M Fray	A	71.8v	67.4v	47.5v	48.7v	49.7v	48.4v	47.5v	73.9v	100.11v	46.2v	74.9v	670.71v
384	Flt Lt NP Moxon	A	68.5v	71.8v	47.4v	45.4v	48.5v	49.7v	49.5v	75.9v	98.14v	48.4v	72.5v	670.70v
385	Mr RDP Knapstein	A	69.5v	71.5v	45.4v	48.5v	49.8v	48.7v	46.3v	74.9v	104.11v	42.1v	74.10v	670.68v
386	Mr GAE Larcombe	O	70.7v	70.7v	46.3v	47.4v	50.10v	47.4v	50.8v	72.3v	99.9v	47.3v	72.8v	670.66v
387	Cpl AC Brooker	O	69.4v	70.3v	49.7v	50.3v	46.5v	49.7v	47.4v	71.7v	104.16v	43.2v	72.6v	670.64v
388	Miss EL Hoolahan	T	71.7v	71.2v	49.8v	44.3v	46.6v	49.4v	49.6v	75.8v	102.10v	44.1v	70.8v	670.63v
389	Mr DR Niblett	O	71.6v	74.8v	45.1v	47.5v	45.4v	49.5v	48.3v	73.7v	102.14v	43.4v	73.6v	670.63v
390	Flt Lt BDW Parsons	O	72.7v	72.9v	47.5v	47.4v	47.3v	47.4v	46.2v	75.11v	102.9v	44.2v	71.6v	670.62v
391	Mr A Kolenko	X	71.9v	70.6v	48.2v	49.4v	48.5v	46.3v	48.2v	73.8v	102.12v	44.2v	71.8v	670.61v
392	Mr FPR Northam	O	73.8v	72.6v	49.5v	46.2v	45.3v	47.4v	50.7v	69.5v	100.8v	46.3v	73.6v	670.57v
393	Mr MR Cosway	O	69.3v	73.9v	48.5v	46.3v	48.3v	47.5v	50.5v	69.4v	103.10v	44.2v	73.8v	670.57v
394	Mr P Barber	O	71.8v	69.5v	45.2v	47.5v	47.2v	49.6v	49.4v	71.7v	104.10v	43.1v	75.7v	670.57v
395	Miss S Ponter	O	71.5v	72.6v	47.3v	46.3v	47.4v	47.4v	49.6v	71.7v	104.12v	43.1v	73.6v	670.57v
396	Mr TA French	T	70.4v	72.6v	48.5v	48.6v	47.4v	44.2v	45.4v	73.6v	100.9v	49.4v	74.6v	670.56v
397	Mr CRM Asquith	A	71.6v	71.4v	48.4v	43.1v	49.5v	49.5v	47.3v	72.6v	101.9v	44.1v	75.8v	670.52v
398	Mr HS Bush	O	72.8v	70.5v	44.1v	47.5v	48.5v	49.7v	49.5v	73.9v	104.15v	40.1v	73.12v	669.73v
399	Mr JA Garnett	A	72.9v	68.4v	48.6v	49.5v	44.3v	47.7v	48.3v	71.9v	100.9v	48.6v	74.11v	669.72v
400	Mr JF Hager	T	72.7v	70.6v	48.6v	43.3v	47.5v	47.4v	49.3v	71.11v	103.12v	44.3v	75.10v	669.70v
401	Mr B Taylor	A	74.12v	72.9v	50.4v	48.2v	46.5v	38.2v	47.5v	71.6v	104.11v	45.3v	74.9v	669.68v
402	Mr CDP Pocock	O	74.11v	68.3v	47.5v	47.3v	48.6v	44.3v	48.4v	73.8v	102.11v	44.2v	74.11v	669.67v
403	Miss RL Laird	A	71.6v	72.6v	48.5v	45.4v	48.3v	49.7v	44.1v	73.10v	103.13v	41.3v	75.9v	669.67v
404	CI E Legei	O	71.7v	69.6v	47.3v	46.3v	49.6v	48.6v	47.8v	71.5v	103.13v	45.1v	73.7v	669.65v
405	Mr D Davies	X	71.7v	71.3v	46.4v	47.2v	48.5v	47.4v	49.6v	75.11v	98.10v	48.3v	69.5v	669.60v
406	Mr JF Lawrie	O	67.4v	68.5v	48.5v	46.5v	47.4v	49.3v	48.5v	74.7v	103.9v	47.6v	72.7v	669.60v
407	Mr CRF Leather	O	69.5v	71.4v	47.4v	45.5v	47.4v	47.3v	49.6v	73.8v	103.11v	44.3v	74.7v	669.60v
408	Mr LR Chisholm	O	71.6v	70.5v	42.4v	48.4v	49.4v	49.4v	48.3v	74.8v	103.13v	42.1v	73.8v	669.60v
409	Dr IA Mollan	O	70.5v	70.5v	47.5v	48.3v	47.5v	48.5v	45.4v	73.6v	102.9v	44.2v	75.9v	669.58v
410	Mr A Mabon	O	68.2v	73.7v	46.2v	48.6v	46.3v	45.5v	50.4v	73.9v	100.8v	47.3v	73.8v	669.57v
411	Mr FCP Mostyn	O	74.9v	73.7v	48.5v	42.2v	48.3v	48.2v	45.4v	73.6v	103.12v	42.1v	73.6v	669.57v

412	SAC(T) SDJ Glanville	A	73.8v	69.5v	47.3v	45.3v	47.5v	47.1v	49.6v	73.9v	101.10v	44.0v	74.6v	669.56v
413	Mr GRP Shapland	O	70.3v	71.7v	48.5v	47.6v	47.3v	45.1v	48.7v	73.6v	101.8v	49.3v	70.5v	669.54v
414	Cdt GB Anderson	T	68.4v	71.3v	46.2v	46.4v	46.3v	47.4v	47.4v	74.6v	103.12v	47.3v	74.8v	669.53v
415	Mr RCG Knight	O	72.8v	71.3v	46.2v	49.8v	50.7v	48.6v	46.3v	69.2v	100.7v	45.2v	73.5v	669.53v
416	Mr SH Dickson	O	72.7v	68.2v	48.3v	48.2v	47.3v	47.5v	47.1v	70.5v	104.13v	45.3v	73.7v	669.51v
417	Mr N Cole-Hawkins	A	70.7v	71.7v	45.4v	46.5v	48.6v	47.5v	50.8v	72.7v	103.14v	43.3v	73.9v	668.75v
418	Mr ER Johnson	X	73.8v	71.5v	45.5v	47.5v	47.3v	46.5v	47.7v	71.4v	104.14v	43.3v	74.9v	668.68v
419	Mr M Liversage	O	73.9v	70.5v	46.4v	46.4v	47.6v	48.3v	48.6v	73.11v	103.13v	43.2v	71.4v	668.67v
420	Mr LW Belton	O	72.5v	67.2v	46.3v	48.7v	47.4v	46.4v	49.7v	72.9v	101.12v	48.2v	72.10v	668.65v
421	Mr ID Macdonald	O	73.9v	68.4v	47.5v	39.1v	46.5v	49.6v	48.3v	74.10v	102.9v	47.4v	75.9v	668.65v
422	Sgt OJN Lyon	O	69.4v	69.6v	47.5v	49.6v	45.4v	47.5v	47.2v	71.6v	104.14v	46.4v	74.9v	668.65v
423	Mr MR Leyman	O	68.4v	70.6v	47.2v	46.2v	49.6v	47.3v	48.6v	72.10v	103.13v	45.2v	73.8v	668.62v
424	Miss AR Southall	T	71.6v	71.8v	49.6v	45.4v	48.6v	47.3v	47.4v	71.6v	101.8v	44.1v	74.10v	668.62v
425	Mr TJ Reeve	O	73.6v	69.2v	48.4v	45.3v	49.4v	49.6v	48.5v	72.9v	96.11v	48.4v	71.7v	668.61v
426	Mr X Barrette Lecoin	T	70.6v	74.7v	47.3v	46.2v	49.7v	46.4v	46.3v	70.9v	104.12v	43.3v	73.5v	668.61v
427	Mr TS Smith	O	69.6v	70.7v	45.2v	48.5v	48.3v	47.4v	50.5v	71.7v	105.12v	40.1v	75.9v	668.61v
428	Mr SM Amin	O	69.6v	70.4v	48.2v	43.5v	48.2v	46.4v	48.7v	72.8v	104.10v	47.5v	73.7v	668.60v
429	Mr T Hembrow	O	73.5v	71.6v	44.5v	45.3v	50.6v	49.6v	45.2v	70.6v	101.6v	49.6v	71.8v	668.59v
430	Mr MR Place	O	73.8v	69.6v	46.5v	49.5v	47.5v	47.1v	49.5v	71.6v	103.7v	41.2v	73.9v	668.59v
431	Mr K Todd	T	68.4v	72.7v	46.2v	45.2v	50.5v	49.5v	46.4v	75.10v	98.10v	47.4v	72.5v	668.58v
432	Miss SL Hayes	O	69.5v	72.7v	48.2v	46.1v	47.6v	47.5v	50.5v	69.2v	102.14v	44.1v	74.10v	668.58v
433	Cdt AT Talbot	T	74.9v	70.6v	48.4v	47.5v	49.2v	49.4v	44.2v	75.10v	99.8v	42.0v	71.8v	668.58v
434	Mr RW Shaw	A	72.7v	70.5v	47.3v	49.2v	41.0v	47.5v	48.7v	75.9v	105.11v	40.1v	74.7v	668.57v
435	Mr R Van Den Bossche	T	69.3v	69.4v	46.2v	45.2v	50.5v	47.4v	48.3v	72.4v	102.6v	46.3v	74.8v	668.44v
436	Mr RW Smith	O	68.5v	69.5v	48.4v	48.5v	46.3v	49.5v	49.4v	72.7v	101.15v	46.2v	71.10v	667.65v
437	Cdt RC Stevens	O	70.8v	72.7v	44.1v	47.4v	47.4v	49.4v	50.5v	75.12v	102.11v	40.3v	71.6v	667.65v
438	Dr PR Wheeler	O	68.4v	71.8v	49.4v	42.6v	49.5v	50.6v	47.5v	68.2v	103.14v	47.3v	73.6v	667.63v
439	Mr AG Jones	T	74.7v	72.9v	50.7v	46.4v	47.5v	44.2v	48.3v	68.5v	99.10v	46.3v	73.8v	667.63v
440	Ms BM Moore	O	74.8v	73.7v	45.2v	38.2v	46.2v	47.5v	47.3v	74.10v	103.11v	46.4v	74.7v	667.61v
441	Cpl J Kamau	O	69.6v	67.5v	48.3v	47.5v	47.3v	49.4v	49.6v	73.8v	102.10v	44.0v	72.8v	667.58v
442	Miss JF Hossack	O	73.9v	71.6v	47.5v	49.4v	45.2v	46.1v	48.5v	72.7v	103.13v	43.2v	70.4v	667.58v
443	Mr SL Larter-Whitcher	O	72.5v	72.3v	46.2v	42.2v	47.6v	48.6v	48.6v	75.8v	99.8v	45.3v	73.7v	667.56v
444	Mr DDS Stanoev	X	71.2v	71.7v	47.4v	46.3v	47.3v	49.1v	45.4v	73.9v	102.12v	44.2v	72.8v	667.55v
445	Cdt SM Montreuil	T	70.4v	70.7v	47.1v	46.3v	47.4v	50.5v	49.7v	72.7v	102.11v	42.3v	72.3v	667.55v
446	Mr AC Morley	O	71.8v	70.5v	44.2v	46.2v	47.2v	50.5v	49.6v	71.7v	102.10v	42.2v	75.6v	667.55v
447	Mr AJ Haggerty	O	68.5v	71.6v	48.3v	47.3v	45.4v	49.7v	49.4v	70.6v	100.4v	45.3v	75.9v	667.54v
448	Mr HA Day	A	72.2v	69.3v	48.4v	45.1v	46.3v	48.3v	48.5v	71.7v	101.13v	46.3v	73.9v	667.53v
449	Lt Col CST Lehmann	A	71.6v	72.6v	45.2v	49.7v	44.2v	48.3v	47.3v	73.6v	102.9v	45.2v	71.5v	667.51v
450	Cdt CJC Beynon	T	69.5v	71.5v	45.2v	46.2v	46.4v	47.3v	48.5v	75.5v	103.8v	45.2v	72.9v	667.50v
451	Dr BJ Winney	O	71.5v	65.5v	45.4v	48.5v	49.6v	49.3v	49.6v	73.7v	101.10v	42.2v	74.12v	666.65v
452	Mr RJ Coffin	O	71.6v	71.5v	47.4v	50.6v	47.3v	48.6v	42.4v	70.7v	104.12v	44.2v	72.8v	666.63v
453	Mr SJ Whitby	A	70.6v	71.7v	45.2v	48.6v	46.3v	49.4v	46.2v	75.10v	102.13v	43.3v	71.7v	666.63v
454	Dr N Hart	O	71.7v	72.4v	47.4v	47.4v	48.3v	48.3v	46.5v	71.8v	99.9v	45.5v	72.7v	666.59v
455	Mr R Harwood	O	72.7v	69.4v	49.2v	46.4v	47.3v	49.4v	50.7v	72.9v	102.8v	37.2v	73.9v	666.59v
456	Mr EI Cartwright	X	73.9v	68.3v	49.5v	48.4v	48.4v	47.4v	44.0v	71.6v	100.10v	45.4v	73.8v	666.57v
457	Miss S Cheslyn-Curtis	O	71.3v	68.3v	49.7v	45.5v	48.4v	48.3v	46.4v	72.9v	102.8v	46.5v	71.5v	666.56v
458	Mr WF de Beer	O	71.7v	72.5v	48.5v	45.1v	49.4v	47.3v	50.6v	73.7v	102.9v	37.0v	72.8v	666.55v
459	Mr AGH Van Koetsveld	A	73.5v	72.5v	50.3v	45.2v	47.4v	43.4v	49.5v	72.5v	99.10v	42.2v	74.9v	666.54v
460	Mrs SG Sirett	O	69.4v	69.3v	46.0v	49.5v	49.5v	47.5v	49.3v	71.7v	101.12v	43.1v	73.6v	666.51v
461	Mr P Merry	O	70.3v	70.4v	47.3v	49.1v	47.5v	48.6v	47.5v	73.8v	98.3v	46.4v	71.5v	666.47v
462	Mr RCQ Martin	O	71.7v	72.10v	45.2v	44.1v	46.2v	45.5v	48.7v	71.9v	103.15v	45.2v	75.11v	665.71v
463	Cdt AD Partridge	O	72.8v	72.4v	47.5v	43.6v	48.3v	46.4v	49.5v	68.7v	103.10v	46.3v	71.9v	665.64v
464	Mr SW Maris	O	69.4v	72.7v	49.4v	48.7v	48.4v	46.5v	48.3v	71.10v	101.10v	39.2v	74.8v	665.64v
465	Cdt AJH Hines	T	73.6v	69.8v	46.3v	45.3v	50.6v	46.4v	49.5v	72.9v	101.9v	40.3v	74.7v	665.63v
466	Mr JIB Halahan	A	71.7v	68.4v	42.5v	47.3v	48.5v	47.1v	48.6v	73.9v	104.11v	44.3v	73.7v	665.61v
467	Mr KG Firth	O	72.11v	70.6v	48.3v	44.1v	47.4v	46.2v	48.7v	73.9v	98.6v	48.3v	71.8v	665.60v
468	PC C Saina	O	70.5v	69.3v	48.4v	49.6v	49.4v	46.3v	49.7v	71.7v	102.10v	38.0v	74.11v	665.60v
469	Cdt OS Marshall	T	71.4v	65.1v	48.2v	46.4v	49.6v	48.3v	42.2v	72.8v	104.13v	46.5v	74.11v	665.59v
470	Mr J Hager	O	71.5v	67.3v	48.6v	45.3v	47.3v	49.7v	49.5v	72.7v	104.11v	41.0v	72.9v	665.59v
471	Mr WJ Gilpin	T	71.7v	71.5v	45.1v	46.3v	47.5v	48.7v	48.5v	72.6v	99.11v	46.0v	72.8v	665.58v
472	Cdt RR Davis	O	69.7v	75.9v	46.5v	47.2v	48.1v	48.4v	47.2v	71.6v	101.12v	42.2v	71.8v	665.58v
473	Mr RA Welford	O	69.7v	71.5v	46.2v	47.4v	47.3v	47.4v	49.5v	70.6v	103.9v	44.4v	72.7v	665.56v
474	Mr CJ Macdonald	T	71.5v	72.6v	44.2v	47.4v	45.2v	50.7v	46.3v	73.8v	102.13v	43.1v	72.5v	665.56v
475	Mr AN Tongue	O	73.6v	71.4v	49.3v	48.6v	44.2v	48.3v	48.2v	64.3v	102.14v	45.4v	73.8v	665.55v
476	Ms I Butland	T	72.4v	68.3v	44.1v	45.1v	47.7v	49.6v	49.6v	73.5v	101.11v	44.4v	73.7v	665.55v
477	Cpl A Gitonga	O	71.4v	73.8v	48.4v	45.2v	47.5v	46.3v	48.5v	71.8v	100.5v	44.3v	72.6v	665.53v
478	Col D Cooper	O	68.3v	67.1v	48.3v	46.2v	50.6v	46.4v	49.4v	71.5v	98.9v	48.4v	74.8v	665.49v
479	Mr SE Frost	X	74.7v	72.3v	45.2v	47.3v	47.2v	43.2v	49.7v	70.4v	102.8v	44.1v	72.7v	665.46v
480	Mr BP Etienne	T	72.7v	73.8v	48.6v	48.4v	44.1v	46.4v	48.5v	73.9v	101.12v	40.1v	71.6v	664.63v
481	Mr ARN Kinross	O	73.10v	69.4v	47.5v	46.4v	48.4v	47.4v	45.3v	71.7v	100.12v	49.3v	69.5v	664.61v
482	Mr JD Glen	T	72.7v	71.5v	47.3v	45.3v	47.5v	46.4v	48.4v	70.5v	101.9v	44.5v	73.10v	664.60v

483	Mr S Sehmi	O	72.11v	67.5v	48.4v	48.6v	46.2v	47.3v	46.2v	72.5v	99.9v	47.3v	72.9v	664.59v
484	Mr PT Dwyer	A	70.5v	67.3v	46.4v	48.4v	47.5v	48.6v	45.3v	71.7v	104.11v	45.3v	73.8v	664.59v
485	Mr HRM Bailie	A	71.7v	68.3v	49.4v	46.1v	49.4v	47.4v	46.2v	70.5v	100.13v	45.1v	73.13v	664.57v
486	Mr SWO Owen	T	72.5v	71.5v	49.6v	47.4v	45.1v	45.5v	49.6v	74.7v	98.10v	42.2v	72.6v	664.57v
487	Mr MSE Firman	A	69.6v	70.4v	44.5v	47.5v	49.5v	47.4v	47.5v	72.4v	100.8v	46.3v	73.7v	664.56v
488	Mr AC Grant	O	72.2v	69.3v	48.4v	46.4v	49.7v	47.3v	44.3v	72.7v	103.12v	42.1v	72.9v	664.55v
489	Miss JC Melling	T	71.6v	72.6v	45.1v	41.0v	48.5v	48.5v	45.3v	72.6v	104.13v	44.1v	74.8v	664.54v
490	Mr KR Trowbridge	X	72.6v	71.10v	46.4v	46.2v	48.2v	47.4v	48.4v	66.3v	101.9v	47.3v	72.6v	664.53v
491	Mr DAF Parkinson	O	68.4v	69.3v	47.4v	49.4v	47.3v	47.4v	48.6v	69.5v	101.8v	47.3v	72.8v	664.52v
492	Mr PF Davel	T	72.4v	67.5v	46.1v	45.4v	49.5v	48.4v	48.5v	71.7v	98.4v	47.4v	73.7v	664.50v
493	Mr NJ Burnip	O	72.9v	68.7v	41.2v	50.8v	46.5v	48.5v	46.3v	70.7v	101.11v	46.4v	75.9v	663.70v
494	Mr TEW Ward	O	72.8v	69.5v	45.3v	45.4v	46.3v	48.4v	45.4v	72.9v	103.11v	45.2v	73.10v	663.63v
495	Mr NS Suffield-Jones	O	71.4v	70.7v	47.4v	46.5v	47.2v	48.5v	46.4v	70.11v	102.9v	44.5v	72.5v	663.61v
496	Cdt CG Dickson	O	72.10v	68.5v	47.2v	44.4v	48.6v	47.3v	47.5v	72.9v	100.6v	45.1v	73.9v	663.60v
497	CSjt C Beddow	T	67.5v	69.8v	48.3v	48.3v	47.4v	48.6v	47.3v	70.7v	100.10v	45.2v	74.8v	663.59v
498	Mr MP Hudson	T	73.5v	69.4v	47.3v	42.1v	49.6v	48.6v	47.4v	67.3v	103.13v	46.5v	72.7v	663.57v
499	Mr ZCY Cheung	T	69.2v	67.9v	49.5v	46.4v	48.3v	47.2v	48.3v	69.6v	101.11v	46.3v	73.7v	663.55v
500	Mr AJCB de Launay	A	65.7v	69.6v	46.2v	47.2v	47.4v	48.3v	49.3v	74.9v	101.9v	46.3v	71.4v	663.52v
501	Mr MD Jenvey	O	72.6v	74.6v	46.3v	49.6v	45.4v	48.4v	45.3v	68.1v	98.7v	45.3v	73.8v	663.51v
502	Mr TR Webster	A	73.9v	68.5v	43.3v	46.0v	48.2v	46.5v	47.3v	73.7v	100.8v	45.1v	74.8v	663.51v
503	Mr FS Stewart	T	73.5v	70.5v	43.2v	47.3v	49.7v	45.3v	48.6v	73.7v	100.8v	42.0v	73.5v	663.51v
504	Miss KE Pope	O	72.8v	72.4v	46.1v	49.3v	45.2v	46.4v	50.7v	70.6v	100.8v	43.2v	70.5v	663.50v
505	Dr KW Genders	O	71.7v	71.7v	46.3v	46.2v	47.1v	46.3v	48.5v	69.6v	100.6v	44.1v	75.6v	663.47v
506	Mr NJ Atkins	O	72.5v	70.4v	45.2v	48.3v	47.1v	49.4v	47.2v	71.6v	99.6v	45.2v	70.5v	663.40v
507	Mr G Harris	A	69.6v	67.4v	46.1v	44.3v	49.5v	50.6v	46.3v	69.6v	104.16v	43.3v	75.8v	662.61v
508	Cdt JC Charbonneau	T	72.6v	72.8v	47.1v	46.2v	48.6v	48.6v	45.2v	71.8v	99.8v	40.2v	74.8v	662.57v
509	Mr CA Stewart	O	71.2v	70.9v	44.2v	46.4v	49.6v	46.3v	49.4v	70.6v	97.8v	49.5v	71.7v	662.56v
510	Mr U Solzer	O	73.6v	71.4v	48.2v	47.5v	44.3v	48.3v	47.4v	70.8v	101.13v	43.2v	70.6v	662.56v
511	Dr J Mehta	O	71.7v	68.4v	47.0v	48.4v	44.3v	44.3v	50.6v	72.5v	101.8v	45.3v	72.7v	662.50v
512	Cpl P Munene	O	70.1v	71.6v	46.5v	50.4v	48.3v	48.5v	46.2v	73.7v	99.9v	43.2v	68.6v	662.50v
513	Mr IC Brotherton	T	73.4v	69.2v	45.4v	48.3v	43.1v	47.1v	50.5v	72.7v	98.8v	46.5v	71.9v	662.49v
514	Mr RF Barrington	A	73.7v	70.2v	47.2v	47.5v	47.3v	45.3v	48.4v	67.3v	100.12v	46.1v	72.3v	662.45v
515	Maj P Mathenge	X	71.6v	73.9v	44.2v	37.1v	50.6v	48.5v	48.2v	73.9v	104.17v	41.3v	72.6v	661.66v
516	Mr AM Bullen	A	71.7v	71.6v	40.1v	47.6v	48.5v	50.6v	49.5v	72.7v	98.11v	41.3v	74.8v	661.65v
517	Mr JG Powell	O	70.8v	72.9v	47.1v	46.2v	47.5v	44.5v	48.4v	70.7v	103.12v	43.2v	71.9v	661.64v
518	Mr PGW Purdy	O	73.9v	69.7v	46.2v	47.4v	43.5v	46.5v	50.6v	68.6v	103.11v	46.2v	70.6v	661.63v
519	Mr F Bilton	O	73.11v	67.5v	49.8v	46.2v	48.7v	47.3v	49.5v	68.3v	100.11v	41.1v	73.5v	661.61v
520	Mr D Hanson	O	71.9v	68.7v	45.3v	43.0v	47.3v	50.6v	49.6v	71.6v	103.12v	42.2v	72.5v	661.59v
521	Cdt CE Mawson	T	70.5v	72.6v	47.5v	47.5v	46.3v	48.4v	47.5v	70.6v	100.5v	43.4v	71.8v	661.56v
522	Mr SCW Dixon	O	72.8v	70.7v	47.4v	48.4v	47.4v	43.2v	45.1v	71.7v	99.7v	47.3v	72.8v	661.55v
523	Dr PJ Morris	O	69.4v	68.7v	47.5v	47.2v	49.2v	47.5v	48.5v	70.6v	96.5v	48.6v	72.7v	661.54v
524	Mr DN Webber	O	70.6v	68.2v	48.2v	46.2v	45.2v	47.5v	48.5v	71.8v	101.8v	44.4v	73.9v	661.53v
525	Mr SR Davis	O	70.6v	70.5v	48.2v	48.5v	48.4v	45.3v	48.5v	71.7v	99.6v	43.1v	71.9v	661.53v
526	Sgt H Walker	T	72.6v	69.1v	46.3v	45.4v	45.2v	49.4v	47.4v	73.6v	102.11v	40.2v	73.10v	661.53v
527	Mr V Robertshaw	O	71.4v	71.6v	45.3v	45.1v	49.4v	46.4v	47.5v	72.8v	101.7v	40.2v	74.7v	661.51v
528	Mr TL Bedwell	O	69.6v	70.4v	41.2v	48.4v	46.6v	46.1v	48.3v	70.4v	101.9v	49.3v	73.6v	661.48v
529	Miss CA Staples	A	70.6v	71.7v	46.2v	43.1v	46.4v	46.2v	47.3v	72.5v	102.7v	44.4v	74.5v	661.46v
530	PR Sirett	O	70.6v	71.5v	48.4v	47.2v	45.2v	47.3v	50.4v	70.4v	99.9v	45.3v	69.3v	661.45v
531	Mr BN Craig	O	71.5v	73.3v	49.1v	45.3v	44.1v	48.3v	47.4v	69.4v	98.8v	43.2v	74.8v	661.42v
532	Mr CM McGuile	T	69.7v	70.6v	49.6v	45.3v	46.4v	46.4v	45.4v	72.9v	100.9v	46.3v	72.7v	660.62v
533	Mr AJD Saunders	O	68.6v	67.3v	46.3v	48.5v	46.4v	47.4v	49.5v	73.9v	100.12v	45.3v	71.7v	660.61v
534	Mr RS Binns	T	69.5v	69.6v	46.5v	48.4v	44.2v	47.5v	48.4v	70.8v	102.12v	44.2v	73.8v	660.61v
535	Mr GED Hart	T	70.6v	69.5v	50.5v	44.2v	46.3v	44.3v	48.6v	71.6v	102.9v	42.3v	74.11v	660.59v
536	Mr MR Rewston	O	67.5v	70.7v	47.4v	49.5v	47.5v	49.5v	47.4v	71.7v	102.7v	37.0v	74.9v	660.58v
537	Mr RJS McIlveen	O	70.8v	71.4v	46.3v	46.3v	46.4v	46.3v	44.4v	72.7v	101.9v	45.3v	73.8v	660.56v
538	S/Sgt JR Allum	T	70.5v	67.8v	45.3v	47.3v	48.5v	47.3v	45.4v	73.6v	101.9v	46.3v	71.6v	660.55v
539	Mr SJ Frank	T	72.6v	66.3v	49.4v	43.0v	48.6v	47.4v	45.2v	69.9v	101.9v	46.3v	74.8v	660.54v
540	Mr TSM Gordon	O	67.5v	71.4v	47.4v	46.3v	47.4v	46.4v	48.3v	66.6v	104.11v	45.1v	73.9v	660.54v
541	Cdt Sgt JH Holding	T	70.8v	72.6v	49.4v	48.4v	50.6v	46.3v	48.6v	70.2v	96.8v	41.1v	70.6v	660.54v
542	Mr RA Aube	T	72.7v	62.2v	44.2v	49.4v	49.4v	46.2v	45.4v	73.4v	101.12v	46.1v	73.11v	660.53v
543	Mr R Webb	O	68.7v	69.6v	47.4v	47.1v	48.6v	46.2v	49.6v	72.6v	101.8v	41.2v	72.5v	660.53v
544	Mr CD Atkins	O	73.7v	68.3v	46.4v	47.3v	49.5v	47.4v	47.2v	69.5v	102.11v	42.1v	70.7v	660.52v
545	Cdt CHM Mckeever	O	70.3v	68.5v	48.4v	50.5v	47.4v	45.3v	47.2v	72.5v	94.9v	48.3v	71.8v	660.51v
546	Dr NP Tucker	O	73.7v	70.4v	44.0v	46.3v	46.3v	46.3v	46.3v	71.5v	102.12v	43.4v	73.7v	660.51v
547	Mr S Hunt	T	69.5v	72.8v	49.3v	48.4v	46.2v	46.3v	48.4v	63.5v	103.7v	45.2v	71.6v	660.49v
548	Major N Stebbings	O	70.6v	68.1v	50.6v	48.3v	48.3v	49.2v	42.3v	68.2v	100.6v	44.2v	73.9v	660.43v
549	Mr I Hindshaw	O	72.5v	69.4v	47.3v	48.6v	47.6v	48.8v	48.5v	74.8v	91.5v	42.1v	73.10v	659.61v
550	Mr RG Hilyard	O	71.8v	68.5v	45.3v	49.4v	46.2v	49.5v	48.3v	68.6v	100.8v	45.6v	70.8v	659.58v
551	Miss LR Mckerrell	T	69.4v	69.6v	44.2v	45.3v	49.4v	43.2v	50.8v	71.7v	104.14v	42.1v	73.7v	659.58v
552	Mr K Baxby	O	73.10v	73.6v	47.5v	42.3v	45.2v	46.4v	46.5v	69.6v	104.7v	44.3v	70.5v	659.56v
553	Mr B Hirst	O	74.10v	73.6v	41.0v	47.5v	47.5v	48.7v	47.3v	70.3v	95.3v	44.3v	73.9v	659.54v

554	Cdt T Marsh	T	69.7v	73.8v	43.1v	44.1v	48.4v	45.4v	49.6v	73.6v	98.7v	43.1v	74.9v	659.54v
555	Mr J Tuffen	O	66.3v	69.4v	48.6v	46.3v	46.4v	47.5v	48.2v	70.9v	101.7v	44.0v	74.8v	659.51v
556	Mr MJ Moran	O	69.4v	71.7v	48.6v	46.3v	48.3v	46.2v	41.1v	70.5v	100.7v	46.5v	74.7v	659.50v
557	Miss TD Duhre	A	70.6v	69.5v	50.3v	47.4v	47.3v	46.3v	47.2v	71.5v	100.10v	42.2v	70.7v	659.50v
558	Mr GH Porter	O	73.3v	71.5v	47.4v	47.4v	44.2v	48.5v	45.2v	73.9v	99.8v	46.2v	66.5v	659.49v
559	Miss JE Harris	O	69.6v	70.5v	50.5v	48.2v	48.2v	49.5v	48.3v	63.2v	97.8v	46.2v	71.6v	659.46v
560	Mr C Waldron	O	71.5v	68.5v	49.4v	46.3v	48.2v	46.3v	47.2v	71.6v	100.10v	44.2v	69.4v	659.46v
561	Mr R Kligge	O	68.5v	69.6v	47.6v	48.3v	47.5v	48.5v	48.5v	70.5v	100.8v	41.2v	72.6v	658.56v
562	Mr RJ Stilgoe	T	70.3v	68.5v	47.5v	45.1v	46.3v	49.7v	49.4v	70.5v	97.11v	49.5v	68.6v	658.55v
563	Mr JD Webber	O	70.3v	69.5v	42.5v	47.3v	45.2v	46.5v	48.6v	73.6v	99.11v	45.2v	74.7v	658.55v
564	Mr FJ Carlin	O	69.4v	68.3v	49.6v	46.1v	47.3v	49.5v	50.2v	64.5v	99.8v	45.2v	72.9v	658.48v
565	Mr MW Brown	O	72.7v	74.8v	44.3v	49.4v	47.3v	44.2v	50.4v	68.3v	99.7v	40.0v	71.7v	658.48v
566	Mr JRJ Kennedy	O	67.2v	67.4v	47.4v	49.4v	48.1v	47.5v	48.7v	68.3v	102.11v	43.1v	72.5v	658.47v
567	Mr JE White	A	69.4v	69.4v	46.3v	46.2v	45.2v	50.5v	49.3v	73.6v	96.9v	45.3v	70.5v	658.46v
568	Mr RF Burden	O	69.4v	71.4v	46.2v	49.5v	44.1v	45.2v	48.5v	68.4v	102.9v	45.1v	71.7v	658.44v
569	WO1 N Batai	O	69.6v	70.3v	49.3v	50.6v	44.1v	45.2v	47.4v	71.9v	98.5v	43.1v	72.4v	658.44v
570	Mr JR McKellar	X	69.7v	71.5v	48.4v	38.1v	45.3v	45.3v	48.5v	72.6v	102.10v	46.3v	73.8v	657.55v
571	Miss CH Sayers	T	71.4v	70.8v	47.2v	44.3v	49.6v	45.2v	48.5v	70.5v	97.12v	44.1v	72.7v	657.55v
572	Mr TH Emck	O	70.7v	71.4v	48.4v	48.3v	43.3v	46.3v	49.6v	69.7v	102.12v	43.1v	68.5v	657.55v
573	Ms CH Hearn	T	68.5v	64.2v	49.5v	47.5v	50.3v	49.3v	45.5v	73.7v	103.13v	39.2v	70.5v	657.55v
574	Mr E Stuart-Bamford	O	70.2v	72.8v	46.4v	44.2v	49.5v	41.1v	48.2v	69.5v	102.11v	45.3v	71.10v	657.53v
575	Mr MR Ebbetts	O	72.4v	70.7v	47.3v	43.4v	48.3v	46.2v	49.6v	67.5v	101.11v	45.3v	69.4v	657.52v
576	Mr JT Kennedy	T	67.3v	68.7v	47.5v	46.1v	46.3v	47.3v	46.4v	70.4v	101.11v	48.2v	71.6v	657.49v
577	Mr DJ Stewart	O	68.5v	74.8v	43.2v	48.3v	43.1v	47.2v	44.1v	73.8v	99.8v	46.1v	72.7v	657.46v
578	Mr HSJ Cubbin	T	68.5v	66.3v	47.2v	40.0v	47.2v	50.3v	46.4v	73.6v	102.10v	44.3v	74.8v	657.46v
579	M. P Ginestet	O	70.4v	70.3v	46.3v	47.2v	46.6v	48.4v	49.6v	69.3v	96.7v	44.2v	72.6v	657.46v
580	Mr JS Shepherd	T	73.8v	69.5v	43.3v	40.3v	44.1v	46.4v	48.4v	70.6v	103.12v	49.6v	71.4v	656.56v
581	Mr JA Dallas	O	72.6v	71.8v	46.3v	41.3v	46.4v	46.3v	46.5v	72.7v	100.11v	44.1v	72.5v	656.56v
582	Miss LMA Bogie	O	70.8v	73.6v	45.3v	48.3v	46.4v	45.1v	48.1v	74.11v	92.8v	40.3v	75.5v	656.53v
583	Miss KMA Atkinson	T	71.7v	69.6v	46.2v	42.3v	45.2v	46.4v	50.3v	72.9v	99.6v	44.2v	74.8v	656.52v
584	Mr JR Lindsay	O	69.5v	70.5v	45.3v	50.7v	47.4v	43.2v	46.3v	70.6v	100.9v	44.2v	72.4v	656.50v
585	Mr DM Smith	O	72.9v	63.5v	45.1v	44.2v	45.2v	47.4v	50.5v	70.7v	99.4v	46.1v	75.9v	656.49v
586	Mr P Dorrer	O	68.8v	68.3v	45.4v	47.2v	48.3v	47.6v	49.5v	66.1v	99.7v	47.2v	72.7v	656.48v
587	WO1 E Muleyi	O	68.4v	73.5v	41.2v	48.4v	48.4v	47.3v	46.4v	68.2v	99.3v	46.4v	72.2v	656.37v
588	Mr FTG Amy	T	70.6v	67.2v	48.5v	43.2v	50.7v	49.7v	49.8v	72.8v	99.11v	39.1v	69.7v	655.64v
589	Mr AE Leigh-Pemberton	T	66.3v	70.6v	48.3v	48.4v	45.6v	48.5v	46.4v	72.7v	104.13v	41.1v	67.5v	655.57v
590	Mr T Newson	T	72.8v	66.4v	47.4v	48.5v	48.3v	44.4v	47.3v	70.4v	103.13v	41.0v	69.8v	655.56v
591	Mr JFJ Bryson	O	68.5v	72.7v	46.3v	37.4v	47.5v	47.3v	49.5v	72.5v	99.7v	47.3v	71.7v	655.54v
592	Mr GW Clarke	O	72.6v	74.9v	47.5v	47.3v	50.9v	48.4v	50.8v	71.4v	102.12v	43.4v	50.7v	654.71v
593	Mr TJ Bryan	O	72.3v	72.9v	48.5v	45.3v	48.4v	49.7v	48.4v	72.8v	100.8v	28.2v	72.10v	654.63v
594	Dr CW Freeman	O	69.7v	70.3v	46.3v	48.4v	40.2v	45.3v	45.3v	74.9v	100.9v	45.3v	72.5v	654.51v
595	Mr CC Mallett Jnr	A	72.7v	69.5v	49.4v	34.2v	48.5v	46.3v	49.2v	72.4v	100.9v	45.3v	70.7v	654.51v
596	Mr MJL Traynor	T	72.5v	72.7v	39.1v	46.2v	47.4v	48.4v	50.6v	72.11v	98.5v	45.1v	65.5v	654.51v
597	Mr J Frey	O	69.3v	67.4v	44.2v	48.4v	44.1v	45.3v	46.3v	71.7v	100.10v	45.1v	75.12v	654.50v
598	Dr C Wall	O	70.8v	68.3v	47.2v	47.3v	45.5v	48.2v	47.3v	67.4v	104.10v	41.2v	70.8v	654.50v
599	Mr DA Rowell	T	66.2v	73.8v	44.1v	39.1v	48.3v	49.5v	50.5v	71.7v	100.10v	43.3v	71.4v	654.49v
600	Miss HR Mackintosh	O	71.2v	69.3v	45.3v	48.2v	49.7v	41.3v	46.2v	70.6v	99.12v	45.0v	71.8v	654.48v
601	Cpl J Thompstone	T	68.3v	69.3v	48.5v	47.2v	40.1v	46.3v	42.2v	71.5v	102.10v	47.6v	74.7v	654.47v
602	Ms MB Burke	T	67.5v	67.3v	46.3v	45.3v	46.1v	48.6v	48.3v	70.5v	100.7v	47.5v	70.6v	654.47v
603	LCpl H Abdille	O	71.6v	67.3v	50.4v	39.0v	48.2v	45.3v	46.4v	71.4v	102.12v	43.1v	72.6v	654.45v
604	Mr JH Molesworth	T	71.6v	68.6v	45.3v	42.3v	44.2v	49.4v	49.5v	73.6v	101.3v	44.2v	68.3v	654.43v
605	Mr TEO Richards	O	72.4v	70.5v	43.1v	44.3v	47.2v	46.0v	48.6v	73.8v	97.6v	44.1v	70.6v	654.42v
606	Mr AW Coupland	O	69.2v	70.5v	46.2v	47.1v	48.2v	47.6v	45.2v	70.6v	96.4v	45.2v	71.4v	654.36v
607	Mr PD Pelly	O	68.1v	68.4v	47.5v	47.3v	47.4v	43.2v	46.4v	74.9v	100.13v	42.2v	71.7v	653.54v
608	Mr M Eifler	O	66.4v	68.2v	44.3v	46.3v	44.3v	48.3v	50.6v	66.8v	103.11v	43.2v	75.8v	653.53v
609	Mr NM Duncan	T	71.4v	67.3v	39.2v	44.3v	48.4v	48.2v	46.6v	67.3v	99.11v	50.4v	74.7v	653.49v
610	Cpl LA Sutton	T	68.4v	66.4v	47.4v	45.4v	48.3v	46.4v	43.2v	71.6v	100.12v	45.2v	73.8v	652.53v
611	Mr PL Redstone	X	69.6v	70.5v	47.4v	47.3v	46.5v	46.3v	47.5v	69.5v	99.8v	42.1v	70.6v	652.51v
612	Miss FMD Danczak	O	67.4v	73.8v	45.3v	41.2v	47.5v	50.3v	45.1v	73.5v	100.8v	41.1v	70.11v	652.51v
613	Cdt WO2 PS Lehmann	O	67.4v	68.7v	43.2v	48.4v	44.2v	49.5v	45.3v	70.5v	96.6v	48.2v	74.7v	652.47v
614	Mr D Markie	O	67.8v	67.4v	41.0v	48.3v	49.5v	49.4v	46.4v	71.6v	100.5v	43.2v	71.6v	652.47v
615	Cpl O Holloway	T	71.4v	72.5v	44.5v	44.4v	47.2v	47.2v	44.2v	70.5v	99.9v	42.1v	72.7v	652.46v
616	Cdt AD Despres	T	70.5v	68.1v	45.1v	45.2v	45.2v	47.2v	47.4v	69.6v	101.6v	46.4v	69.1v	652.34v
617	Mr BRF Perkins	T	67.4v	67.4v	45.2v	48.4v	49.4v	44.2v	47.5v	71.6v	97.9v	44.2v	72.6v	651.48v
618	Mr DF Nesbit	O	66.2v	72.5v	49.6v	45.4v	47.3v	48.5v	46.2v	68.3v	100.5v	43.5v	67.6v	651.46v
619	Mr FN Neathercoat	O	68.3v	68.5v	46.3v	45.1v	49.2v	44.2v	48.3v	72.3v	100.9v	45.3v	66.4v	651.38v
620	Mr KC Crabtree	T	69.3v	69.4v	49.3v	46.1v	45.4v	46.1v	45.1v	69.4v	97.5v	47.3v	69.4v	651.33v
621	Cdt RF Fagan	T	72.8v	68.1v	44.1v	44.1v	46.5v	45.3v	49.7v	70.5v	94.9v	45.3v	73.6v	650.49v
622	Mr A Coakes	O	73.4v	64.5v	47.3v	47.3v	47.4v	47.2v	46.4v	72.8v	93.7v	47.3v	67.4v	650.47v
623	Mr RJ Dare	O	68.5v	72.7v	42.1v	46.4v	46.3v	45.3v	49.3v	66.2v	95.5v	48.5v	73.6v	650.44v
624	Cdt J Surmon	T	70.5v	70.6v	43.0v	45.2v	44.3v	47.4v	48.4v	68.4v	100.6v	43.2v	72.3v	650.39v

625	Miss HV Southall	T	68.4v	72.6v	45.4v	41.2v	48.6v	46.3v	44.3v	68.5v	100.7v	44.3v	73.8v	649.51v
626	Sgt J Birgen	O	72.4v	71.6v	39.0v	49.5v	47.4v	43.3v	48.5v	70.7v	99.6v	41.2v	70.6v	649.48v
627	Mr ID Markwell	O	71.7v	71.6v	46.4v	48.4v	42.2v	48.4v	49.3v	71.7v	95.5v	38.1v	70.4v	649.47v
628	Mr KC Marshall	O	70.2v	70.4v	44.3v	44.2v	44.2v	48.6v	45.1v	67.3v	101.5v	44.4v	72.5v	649.37v
629	Mr F Roberts	O	72.5v	64.5v	48.5v	42.2v	46.3v	45.2v	47.4v	74.8v	100.10v	43.4v	67.5v	648.53v
630	Flt Lt G Basnett	T	69.4v	69.4v	43.1v	44.4v	46.6v	44.4v	50.3v	70.6v	96.9v	46.2v	71.8v	648.51v
631	Mr OCRB Ballsdon	T	73.8v	69.5v	48.3v	45.2v	45.5v	46.3v	48.7v	63.3v	96.6v	42.0v	73.8v	648.50v
632	Sgt L Thirlway	T	68.3v	70.3v	43.2v	50.5v	45.5v	43.4v	45.2v	70.7v	96.8v	46.2v	72.7v	648.48v
633	Mr MJ Judge	O	70.5v	70.7v	44.2v	49.4v	46.1v	45.3v	45.3v	70.5v	99.9v	43.2v	67.5v	648.46v
634	Cdt JWJ Annison	T	72.5v	66.4v	46.3v	47.2v	43.2v	50.5v	49.3v	70.4v	92.2v	41.4v	72.12v	648.46v
635	Miss AM Gray	T	71.5v	67.3v	45.3v	43.2v	47.1v	43.4v	50.7v	67.4v	98.6v	47.6v	70.4v	648.45v
636	Mr RJ Cade	A	72.6v	71.9v	45.1v	42.1v	46.4v	48.5v	46.1v	64.5v	102.7v	42.2v	70.4v	648.45v
637	Cdt SHM Keith	T	60.0v	65.3v	49.7v	46.2v	49.6v	48.3v	48.4v	67.5v	97.2v	47.6v	72.6v	648.44v
638	Sgt G Kariuki	O	71.8v	68.3v	46.3v	46.3v	46.4v	46.4v	45.2v	71.5v	100.8v	44.1v	65.1v	648.42v
639	Mr JS Ritchie	O	66.6v	72.3v	42.2v	47.3v	46.4v	47.3v	45.3v	71.4v	98.7v	44.1v	70.5v	648.41v
640	Mr JR Dodd	O	68.4v	70.2v	44.3v	47.4v	48.5v	45.3v	49.3v	66.2v	100.7v	40.1v	71.4v	648.38v
641	Mr AP Powell	O	67.3v	69.1v	45.1v	47.3v	47.4v	48.3v	48.1v	69.5v	99.6v	40.0v	69.6v	648.33v
642	Sgt RT Taylor	T	66.4v	71.4v	45.2v	43.3v	43.2v	46.5v	45.1v	68.6v	99.10v	48.4v	73.8v	647.49v
643	Mr NR Wells	O	70.5v	67.4v	47.4v	36.1v	45.2v	47.4v	46.4v	71.7v	103.10v	45.2v	70.6v	647.49v
644	Mr N Palfrey	T	66.3v	65.4v	46.2v	47.3v	43.3v	49.3v	47.2v	70.5v	100.11v	40.2v	74.9v	647.47v
645	Mr GL Clarke	O	70.7v	64.2v	48.4v	46.1v	47.3v	45.3v	45.1v	73.6v	101.10v	37.1v	71.6v	647.44v
646	Mr BF Witts	O	70.5v	68.5v	46.6v	43.1v	48.7v	46.1v	48.2v	72.4v	98.5v	43.4v	65.1v	647.41v
647	Mr GMO Overton	T	69.5v	66.5v	47.5v	47.4v	43.2v	48.3v	50.3v	71.4v	96.5v	42.2v	68.2v	647.40v
648	Mr HD Werner	O	73.6v	73.10v	44.3v	42.3v	43.3v	47.1v	45.2v	73.10v	103.13v	37.0v	66.5v	646.56v
649	Mr MJ Brister	X	70.3v	60.4v	43.3v	47.5v	47.5v	49.5v	48.5v	71.8v	95.5v	43.3v	73.4v	646.50v
650	Mr BBB Bingham	T	70.5v	74.4v	50.4v	45.2v	47.5v	47.2v	49.6v	74.11v	83.7v	41.1v	66.3v	646.50v
651	Cpl S Livingston	T	70.3v	71.4v	44.3v	44.4v	46.2v	48.6v	46.3v	70.7v	96.7v	43.4v	68.4v	646.47v
652	Cpl J Chebii	O	71.7v	68.2v	42.2v	46.3v	41.2v	46.4v	47.4v	70.2v	100.12v	47.2v	68.6v	646.46v
653	Dr JC Jobling	O	69.5v	68.3v	47.1v	49.5v	48.6v	44.3v	47.5v	71.8v	95.5v	36.0v	72.3v	646.44v
654	Mr B Stoichescu	T	67.6v	63.2v	45.3v	46.1v	46.3v	48.5v	50.5v	71.5v	97.6v	43.1v	70.4v	646.41v
655	Cdt WJ Briggs	T	68.7v	70.4v	46.6v	46.3v	43.3v	43.2v	49.8v	69.6v	96.6v	45.4v	70.6v	645.55v
656	Mr BH Yates	O	66.4v	70.6v	47.3v	43.2v	45.5v	49.3v	48.6v	66.5v	97.10v	41.1v	73.7v	645.52v
657	Mr TJ Bullock	T	70.6v	69.5v	47.3v	41.2v	47.4v	48.7v	47.3v	66.4v	98.9v	42.2v	70.5v	645.50v
658	Sgt P Leparo	O	70.5v	63.3v	48.2v	43.4v	47.3v	48.4v	45.2v	71.6v	100.12v	39.1v	71.6v	645.48v
659	Mr R Jackson	O	70.6v	69.4v	47.4v	46.2v	43.4v	39.0v	46.4v	70.8v	101.9v	41.1v	73.3v	645.45v
660	Sgt JE Lawson	T	71.7v	66.6v	49.5v	42.0v	43.1v	47.3v	46.3v	70.5v	101.8v	39.1v	71.6v	645.45v
661	Mr DJ Painting	O	73.7v	64.3v	44.2v	45.3v	47.4v	45.1v	47.3v	70.5v	100.7v	44.3v	66.3v	645.41v
662	Mr PO Oppelt	T	70.3v	68.3v	45.2v	44.2v	41.2v	46.2v	46.4v	66.4v	98.8v	48.3v	73.6v	645.39v
663	Miss JE Lewsey	T	69.5v	63.1v	46.2v	44.1v	47.2v	47.4v	48.1v	69.3v	96.7v	44.3v	72.9v	645.38v
664	Mr PS Calvert	O	71.8v	74.9v	40.1v	45.4v	41.1v	43.2v	48.3v	67.3v	98.8v	46.1v	71.6v	644.46v
665	Cdt E Egge	O	68.5v	62.2v	46.3v	33.0v	50.4v	49.4v	47.3v	70.5v	101.9v	44.0v	74.9v	644.44v
666	Mr JS Chapman	X	72.6v	70.4v	45.2v	46.4v	45.4v	48.3v	45.1v	68.6v	92.6v	43.1v	70.6v	644.43v
667	Mrs RKE Penrose	O	69.5v	73.7v	44.3v	45.3v	42.1v	46.4v	45.1v	67.3v	99.9v	41.0v	73.7v	644.43v
668	Mr JP Hakim	O	69.4v	70.5v	47.3v	47.6v	48.4v	47.2v	46.4v	69.4v	94.6v	38.0v	69.4v	644.42v
669	Mr T Waycott	T	69.1v	63.2v	44.2v	44.4v	49.4v	45.1v	47.4v	68.4v	101.10v	42.0v	72.9v	644.41v
670	Mr FM Evers	O	70.4v	68.4v	45.1v	46.6v	46.3v	41.1v	50.5v	72.6v	101.8v	46.0v	59.0v	644.38v
671	Miss LE Stokes	T	67.5v	60.1v	42.2v	41.2v	47.4v	47.4v	47.3v	74.7v	101.12v	43.1v	74.8v	643.49v
672	Cdt Cpl LM Potter	T	66.4v	69.3v	48.4v	41.2v	47.4v	48.6v	46.2v	67.1v	98.8v	41.2v	72.7v	643.43v
673	Mr ML Easden	T	60.2v	68.2v	37.1v	48.8v	45.2v	47.5v	46.4v	70.7v	103.11v	47.4v	71.7v	642.53v
674	Mr RJ Copeland	T	65.3v	66.3v	40.0v	47.5v	44.3v	48.5v	49.4v	70.5v	100.10v	43.2v	70.6v	642.46v
675	Mr DJ Pay	O	63.3v	69.7v	48.6v	47.5v	45.2v	45.3v	47.3v	72.5v	95.5v	43.2v	68.4v	642.45v
676	Mr PD Le Poidevin	O	67.5v	68.3v	45.4v	47.5v	47.1v	47.5v	47.3v	67.3v	95.7v	45.4v	67.3v	642.43v
677	Miss M Sanders	T	68.6v	69.1v	45.1v	47.3v	48.4v	44.3v	46.4v	69.6v	103.11v	36.1v	67.3v	642.43v
678	Mr ED Carrick	T	71.5v	63.2v	48.0v	41.1v	47.5v	45.2v	47.5v	71.5v	97.4v	43.2v	69.5v	642.36v
679	Mr J Balson	T	70.5v	72.3v	40.1v	42.1v	47.4v	45.3v	47.2v	70.5v	97.5v	42.0v	70.5v	642.34v
680	Mr MD Wright	T	67.4v	75.6v	46.3v	44.0v	45.2v	45.3v	45.0v	69.2v	98.6v	36.0v	72.7v	642.33v
681	Mr T Stevenson	T	68.2v	67.5v	44.3v	46.3v	47.3v	42.1v	48.4v	72.7v	92.6v	45.2v	70.6v	641.42v
682	Mr MK Townsend	O	72.4v	69.3v	46.2v	46.3v	45.2v	43.2v	44.2v	69.4v	98.9v	38.1v	71.8v	641.40v
683	Miss A Calvert	O	72.7v	73.7v	42.1v	45.3v	42.2v	47.3v	46.1v	63.2v	97.6v	44.3v	70.4v	641.39v
684	Mr JA Rowley	O	64.0v	70.4v	46.2v	38.1v	49.5v	45.2v	48.6v	67.5v	100.6v	42.2v	72.4v	641.37v
685	Mr DF Robinson	O	62.1v	65.3v	44.3v	46.1v	46.3v	46.3v	48.5v	69.5v	100.8v	45.1v	70.3v	641.36v
686	Dr NG Jeffs	O	62.0v	65.3v	44.2v	48.4v	40.1v	46.0v	48.7v	70.2v	100.6v	46.2v	72.6v	641.33v
687	Mr MP Perez	O	67.3v	68.4v	46.0v	42.3v	45.2v	48.4v	46.4v	70.4v	95.7v	42.2v	71.4v	640.37v
688	Cdt OJ Rolfe	T	68.2v	72.5v	39.0v	47.3v	45.2v	46.4v	45.1v	68.3v	96.8v	44.2v	70.5v	640.35v
689	Mr MA Houston	T	73.7v	67.5v	46.4v	38.0v	47.5v	42.0v	43.3v	71.7v	102.12v	37.1v	73.11v	639.55v
690	Mr TF Fielder	T	69.3v	70.3v	42.3v	48.3v	46.5v	47.2v	45.3v	73.7v	99.8v	29.0v	71.4v	639.41v
691	Mr LMDC Cheek	T	64.0v	68.1v	47.4v	47.3v	45.1v	45.2v	49.8v	71.7v	93.7v	43.1v	67.4v	639.38v
692	Sgt SP Ireson	T	70.4v	67.3v	47.3v	46.1v	47.2v	47.4v	48.5v	65.2v	98.7v	32.0v	72.3v	639.34v
693	Mr MT Lehmann	T	68.4v	68.2v	44.1v	40.1v	45.2v	43.1v	47.2v	71.5v	97.9v	46.1v	70.5v	639.33v
694	Mr PJ Holden	O	46.4v	65.5v	48.2v	45.2v	48.4v	48.4v	48.5v	68.2v	103.11v	48.3v	71.8v	638.50v
695	Mr NM Taylor	T	68.4v	69.5v	45.7v	45.4v	46.4v	48.3v	46.1v	64.2v	98.9v	39.2v	70.7v	638.48v

696	Mr H Kamp	O	68.3v	66.2v	43.2v	45.3v	48.5v	45.0v	43.1v	72.7v	98.8v	43.2v	67.1v	638.34v
697	Mr DA Wilson	O	60.2v	73.9v	43.2v	48.3v	47.3v	47.2v	47.4v	71.6v	96.11v	36.1v	69.5v	637.48v
698	Miss C Halleran	O	70.8v	70.5v	45.3v	46.4v	48.3v	46.6v	42.0v	67.3v	91.6v	42.2v	70.4v	637.44v
699	Mr MJ Willing	T	72.7v	66.4v	45.3v	41.2v	47.3v	44.3v	46.2v	66.1v	97.8v	45.3v	68.4v	637.40v
700	Cdt NJ Bass	T	69.4v	69.2v	42.1v	45.3v	47.3v	48.3v	47.3v	67.2v	95.4v	37.1v	71.7v	637.33v
701	Mr JC Hambro	O	71.7v	64.5v	43.1v	42.1v	46.4v	45.3v	45.1v	70.4v	95.2v	45.4v	70.7v	636.39v
702	Miss LE Kennedy	T	69.5v	63.2v	47.3v	41.2v	47.5v	44.3v	43.1v	71.6v	100.6v	44.2v	67.4v	636.39v
703	Cdt N McGowan	T	46.0v	69.6v	45.3v	46.5v	48.4v	46.4v	48.3v	72.3v	100.11v	43.6v	72.10v	635.55v
704	Mr JC Cockerill	T	74.8v	68.4v	46.1v	41.2v	41.1v	45.1v	46.6v	70.4v	98.10v	41.2v	65.1v	635.40v
705	Miss EL Sweet	T	69.3v	67.1v	44.3v	46.4v	43.0v	47.5v	44.5v	66.3v	99.11v	42.2v	67.6v	634.43v
706	Mr PS Holmes	O	72.9v	71.6v	50.5v	42.1v	50.6v	46.5v	49.7v	74.11v	104.17v	0.0v	75.10v	633.77v
707	Mr GEH Pilkington-Oates	T	61.4v	66.3v	45.3v	48.6v	47.2v	47.5v	47.5v	73.7v	98.7v	34.0v	67.4v	633.46v
708	Mr G Sarin	T	68.2v	64.3v	45.4v	42.3v	49.5v	47.4v	46.3v	66.3v	96.5v	42.1v	68.1v	633.34v
709	Mr NH Heal	O	69.5v	68.3v	46.3v	42.0v	48.3v	49.5v	29.1v	72.10v	102.10v	34.1v	73.7v	632.48v
710	Mr WT Bridger	O	70.4v	68.2v	40.2v	47.4v	45.2v	43.4v	48.5v	67.5v	93.6v	40.1v	71.8v	632.43v
711	Mr H Buitelaar	O	71.5v	67.3v	42.3v	43.0v	44.2v	44.3v	48.6v	71.5v	92.4v	42.2v	68.5v	632.38v
712	Spr L Rooney	T	67.4v	70.5v	42.1v	38.3v	39.1v	47.6v	46.1v	68.4v	99.7v	45.4v	70.2v	631.38v
713	Cdr MF Jordan	X	66.4v	68.4v	46.2v	48.6v	49.5v	44.1v	46.3v	64.5v	92.2v	42.1v	66.5v	631.38v
714	Miss LG Taylor	T	67.1v	67.2v	45.4v	46.0v	40.3v	47.3v	47.3v	69.3v	96.6v	36.3v	71.9v	631.37v
715	Mr LF Le Breully	T	66.2v	68.4v	43.1v	46.3v	46.5v	38.0v	46.3v	71.3v	99.7v	43.1v	65.5v	631.34v
716	Mr RM Culverwell	O	65.1v	71.2v	46.4v	43.2v	43.3v	44.2v	45.3v	64.1v	99.8v	43.2v	68.2v	631.30v
717	Cdt B McLain	T	67.3v	62.3v	42.2v	42.1v	44.2v	43.1v	47.6v	66.1v	99.8v	45.2v	73.6v	630.35v
718	Sgt RK Littleproud	T	67.4v	63.2v	45.3v	45.1v	43.1v	46.1v	45.0v	67.3v	96.2v	42.2v	71.6v	630.25v
719	Mr GD Moffatt	O	65.2v	64.1v	45.3v	46.4v	42.2v	47.7v	40.1v	72.4v	96.8v	44.4v	68.7v	629.43v
720	Cdt FCD Flanagan	T	65.5v	69.6v	46.3v	42.2v	45.2v	39.1v	41.2v	69.3v	97.9v	46.3v	70.5v	629.41v
721	J Petrie	T	68.5v	68.5v	43.2v	43.1v	45.3v	47.4v	44.4v	65.3v	97.4v	46.2v	63.4v	629.37v
722	Cdt EEP Pomeroy	T	67.4v	68.2v	44.2v	39.0v	48.4v	41.1v	49.4v	64.2v	96.5v	46.4v	67.2v	629.30v
723	Mr CSJ Marlow	O	65.3v	67.6v	40.2v	42.3v	44.3v	45.3v	47.5v	70.6v	94.5v	45.2v	69.4v	628.42v
724	Mr A Alvey	O	70.4v	69.3v	44.3v	37.1v	45.5v	47.5v	43.3v	67.4v	95.4v	40.1v	71.7v	628.40v
725	Cpl J Bell	T	59.4v	68.2v	44.2v	43.1v	37.2v	46.1v	48.2v	67.6v	101.12v	45.2v	70.5v	628.39v
726	Cdt T Matthewson	T	68.3v	69.5v	45.2v	46.2v	44.4v	46.2v	37.0v	67.5v	97.8v	38.4v	70.6v	627.41v
727	Mr A Robertson	O	66.2v	63.4v	46.3v	43.1v	41.1v	46.2v	48.4v	72.7v	93.5v	42.0v	67.4v	627.33v
728	Cpl M Ekiru	O	62.3v	68.3v	48.4v	47.4v	43.2v	45.3v	43.1v	67.3v	99.7v	34.1v	70.5v	626.36v
729	Mr T Horsfield	O	66.3v	67.2v	45.2v	45.1v	44.5v	46.4v	39.2v	72.5v	94.6v	40.0v	68.3v	626.33v
730	Mr GA Astin	T	67.5v	56.2v	49.3v	46.4v	50.8v	48.5v	46.4v	64.6v	97.7v	33.2v	69.6v	625.52v
731	Mr WJD Dineen	T	67.3v	62.1v	48.5v	44.3v	50.7v	46.3v	43.2v	62.4v	94.7v	41.1v	68.4v	625.40v
732	Mr LID Alban-Davies	T	61.1v	66.4v	46.3v	43.2v	44.6v	46.1v	44.1v	68.4v	97.8v	43.2v	67.3v	625.35v
733	Ms SM Williams	O	69.7v	72.9v	45.4v	0.0v	46.5v	50.7v	49.6v	73.8v	102.11v	45.2v	73.9v	624.68v
734	Mr CR Hirst	O	70.8v	69.4v	0.0v	43.4v	50.7v	48.5v	49.3v	71.8v	103.15v	47.3v	74.7v	624.64v
735	Cdt L Yu	T	68.3v	66.6v	43.3v	42.2v	47.3v	43.4v	47.3v	69.6v	92.6v	43.3v	64.2v	624.41v
736	Mr KG Garside	O	68.6v	71.6v	45.4v	42.2v	43.1v	45.3v	42.0v	65.4v	93.6v	43.1v	67.3v	624.36v
737	Miss HA Foster	A	71.5v	67.7v	47.2v	45.2v	48.5v	48.5v	49.4v	69.2v	66.7v	45.1v	68.4v	623.44v
738	W Dooley	T	69.5v	70.5v	39.0v	44.4v	48.3v	37.0v	48.2v	65.6v	93.1v	42.4v	68.4v	623.34v
739	Mr BJ Gradwell	O	72.8v	64.5v	48.6v	49.5v	45.3v	48.7v	49.4v	74.9v	101.10v	0.0v	72.9v	622.66v
740	Cdt S James	T	65.6v	68.4v	49.4v	46.4v	44.5v	47.7v	19.0v	73.8v	99.8v	39.0v	73.8v	622.54v
741	Mr P Wale	O	66.2v	68.4v	44.2v	43.2v	45.4v	44.1v	43.1v	71.10v	96.6v	36.0v	66.5v	622.37v
742	Dr G Stevenson	O	69.6v	66.2v	44.2v	38.2v	42.1v	46.4v	48.2v	66.2v	95.5v	39.1v	69.5v	622.32v
743	Mr G Meijer	O	69.3v	70.6v	46.2v	44.2v	48.3v	49.4v	48.5v	72.7v	60.3v	42.2v	73.10v	622.47v
744	Mr KMS Wong	T	68.4v	67.3v	36.1v	45.2v	41.1v	47.2v	48.4v	64.2v	97.5v	41.0v	67.5v	621.29v
745	Ms SJ Dick	T	70.6v	67.3v	44.2v	47.4v	36.1v	47.6v	49.4v	65.4v	76.1v	47.5v	72.5v	620.41v
746	Mr JHL Longworth	T	67.4v	46.2v	46.1v	48.2v	45.2v	45.2v	45.3v	70.7v	97.6v	41.2v	70.5v	620.36v
747	Mr T Galliers	O	71.2v	65.3v	41.1v	45.3v	43.4v	43.4v	43.1v	68.2v	97.4v	43.5v	61.4v	620.33v
748	Mr JL Poulin	X	70.2v	68.6v	40.1v	47.2v	48.3v	45.4v	37.0v	64.3v	95.7v	39.0v	66.3v	619.31v
749	Miss ZL Latimer	T	72.8v	68.4v	0.0v	48.4v	49.3v	48.5v	48.4v	71.7v	101.12v	40.0v	73.5v	618.52v
750	Cpl L Sawe	O	71.7v	66.1v	43.1v	42.2v	43.1v	46.0v	44.2v	66.2v	96.7v	38.0v	63.2v	618.25v
751	Cdt A Hay	T	69.2v	64.1v	45.3v	48.3v	45.2v	46.2v	48.4v	71.5v	83.7v	47.2v	51.3v	617.34v
752	Mr JY Savage	T	68.5v	68.4v	41.0v	43.2v	48.5v	44.3v	30.0v	63.3v	99.5v	46.2v	66.4v	616.33v
753	Mr RH Young	T	67.5v	65.4v	44.3v	43.3v	44.3v	42.1v	43.3v	64.3v	92.5v	42.3v	68.4v	614.37v
754	Miss DK Upshall	O	67.2v	63.1v	45.2v	41.1v	39.0v	44.0v	50.5v	59.0v	90.5v	44.1v	72.7v	614.24v
755	Miss EP Bryant	T	68.1v	68.4v	41.1v	41.3v	43.5v	46.2v	41.2v	67.5v	100.7v	32.0v	66.4v	613.34v
756	Mr BA Ross	T	66.3v	66.5v	38.1v	40.2v	49.5v	42.1v	41.0v	64.2v	94.5v	45.2v	68.4v	613.30v
757	Sgt AJW Woodward	T	65.4v	62.0v	43.2v	41.0v	43.1v	43.2v	45.3v	66.4v	95.6v	39.1v	70.7v	612.30v
758	Lt Cdr PERD Hunt	T	63.1v	60.4v	44.1v	35.1v	43.2v	45.1v	45.1v	67.3v	97.7v	41.1v	72.5v	612.27v
759	Mr JJ Lunn	T	63.2v	64.1v	44.2v	43.2v	47.2v	43.2v	45.3v	67.3v	88.2v	40.1v	68.5v	612.25v
760	Mr HGM Mooiman	O	70.8v	72.9v	47.5v	43.2v	44.4v	48.4v	48.5v	71.9v	102.11v	0.0v	66.5v	611.62v
761	Sgt AS Davis	T	72.8v	57.1v	40.0v	42.4v	46.4v	42.1v	42.3v	69.5v	101.9v	41.3v	59.2v	611.40v
762	Cdt HL Holah	T	58.0v	64.4v	42.3v	43.1v	45.3v	43.1v	43.2v	66.4v	94.8v	42.3v	71.6v	611.35v
763	Mr CA Venter	T	62.0v	68.7v	43.1v	43.3v	40.1v	37.2v	45.3v	67.3v	94.7v	44.0v	68.5v	611.32v
764	Sgt J McCready	T	68.5v	69.5v	41.0v	44.0v	45.4v	46.3v	36.1v	66.3v	91.5v	43.3v	61.3v	610.32v
765	A McBain	T	68.6v	61.2v	42.2v	44.1v	43.1v	42.3v	46.3v	61.1v	95.7v	40.1v	68.4v	610.31v
766	Mr CB Stone	O	69.2v	65.3v	39.1v	40.0v	45.1v	42.2v	44.3v	70.3v	92.5v	37.2v	66.5v	609.27v

767	Mr RW Hallows	A	0.0v	72.8v	47.2v	48.4v	49.4v	49.6v	49.7v	73.10v	101.13v	45.2v	75.8v	608.64v
768	Mr SA Lippiatt	O	60.1v	71.9v	45.2v	48.6v	45.2v	48.5v	41.1v	60.3v	89.4v	36.0v	65.5v	608.38v
769	Cpl A Drape	T	64.3v	69.5v	46.2v	29.1v	47.4v	44.3v	43.1v	67.4v	97.9v	32.1v	70.4v	608.37v
770	Mr J Huber	A	0.0v	72.7v	47.5v	48.5v	48.4v	49.6v	50.7v	72.4v	101.12v	45.1v	75.8v	607.59v
771	Cdt OG Grazioso	T	69.5v	67.6v	46.4v	46.1v	47.2v	48.4v	0.0v	74.12v	101.10v	40.1v	69.4v	607.49v
772	Mr TR Ward	T	65.2v	67.5v	47.3v	44.3v	48.4v	48.2v	44.5v	57.1v	93.3v	25.0v	69.7v	607.35v
773	Cdt T Dowd	T	62.4v	66.3v	46.5v	31.0v	40.0v	43.2v	43.3v	69.3v	94.6v	44.0v	69.7v	607.33v
774	Mr LK Kucharczyk	T	62.1v	67.2v	44.2v	38.0v	46.4v	43.3v	42.2v	66.4v	99.10v	42.2v	58.1v	607.31v
775	Mr RS Mason	O	70.6v	70.4v	47.2v	0.0v	49.6v	47.5v	45.2v	70.5v	94.10v	44.3v	68.5v	604.48v
776	Mr JN Lowe	T	60.2v	68.2v	40.1v	37.2v	46.4v	46.3v	39.1v	57.4v	95.5v	47.4v	69.5v	604.33v
777	Mr NJ Hall	T	65.1v	62.2v	46.1v	45.2v	41.0v	44.2v	48.3v	54.1v	86.5v	42.2v	71.5v	604.24v
778	Mr AM Norman	O	65.5v	67.4v	43.3v	43.2v	36.1v	44.1v	43.1v	67.2v	91.4v	38.0v	66.1v	603.24v
779	Miss T Smith	T	63.3v	68.4v	41.1v	32.1v	42.2v	39.2v	50.5v	67.7v	90.4v	43.0v	67.2v	602.31v
780	Mr EA Graves	T	69.2v	70.3v	44.3v	44.4v	44.4v	0.0v	50.5v	70.6v	102.9v	37.3v	71.5v	601.44v
781	Mr MAG Woodrow	T	65.0v	59.0v	43.2v	45.3v	43.3v	43.3v	45.2v	65.5v	94.7v	35.2v	64.2v	601.29v
782	Mr AJ Ball	O	66.1v	67.5v	41.0v	45.1v	42.1v	42.3v	42.0v	65.4v	90.5v	37.0v	63.3v	600.23v
783	Mr MP Watkins	O	0.0v	70.7v	44.3v	47.4v	46.6v	50.6v	48.2v	70.9v	104.9v	48.6v	72.6v	599.58v
784	Mr ADWH Wheeler	T	70.6v	66.4v	38.0v	41.1v	46.1v	46.2v	45.2v	68.6v	99.7v	12.0v	68.6v	599.35v
785	Sgt A Todd	T	62.1v	70.8v	34.0v	46.4v	38.2v	41.3v	42.2v	61.0v	98.7v	38.0v	69.4v	599.31v
786	L/Bdr T Rewston	O	68.4v	67.6v	42.4v	41.2v	43.1v	43.2v	34.2v	68.6v	88.3v	38.2v	66.2v	598.34v
787	Sgt J Dixon	T	58.1v	73.7v	46.3v	42.3v	42.2v	43.2v	47.2v	67.5v	99.3v	12.1v	69.5v	598.34v
788	Cdt PA Evans	T	67.4v	68.7v	48.5v	0.0v	45.4v	46.2v	47.2v	66.3v	97.11v	46.2v	67.3v	597.43v
789	Sgt T Biggins	T	63.1v	55.0v	40.2v	40.2v	37.2v	45.2v	35.0v	69.4v	98.6v	43.1v	72.6v	597.26v
790	Sjt C Naumann	T	65.2v	69.1v	37.1v	41.0v	39.3v	48.7v	39.1v	67.3v	92.4v	37.1v	63.1v	597.24v
791	Mr GT Hart	O	64.4v	69.7v	42.3v	45.1v	42.2v	1.0v	47.2v	71.5v	99.10v	44.4v	72.10v	596.48v
792	Mr R Shaw	O	69.4v	66.3v	45.4v	42.0v	46.3v	47.7v	31.1v	68.5v	91.4v	32.0v	59.5v	596.36v
793	Capt D Morris	O	69.5v	72.3v	49.5v	45.2v	47.5v	49.7v	48.5v	70.8v	101.7v	45.2v	0.0v	595.49v
794	Sgt S Pevler	T	67.4v	65.1v	33.0v	41.3v	43.4v	47.4v	45.1v	69.6v	77.3v	42.1v	66.4v	595.31v
795	Mr PHC Costello	T	71.8v	67.3v	45.2v	43.4v	46.2v	45.1v	45.7v	64.1v	97.10v	0.0v	71.7v	594.45v
796	Mr GS Strong	T	66.3v	65.2v	45.4v	31.2v	42.3v	37.0v	44.2v	64.3v	95.11v	38.3v	67.3v	594.36v
797	Mr M Stewart	A	71.7v	68.6v	48.4v	47.4v	47.4v	45.1v	50.7v	0.0v	104.11v	42.2v	71.7v	593.53v
798	Mrs I Pioche	O	69.2v	64.4v	43.3v	0.0v	42.1v	49.4v	47.3v	70.3v	101.9v	40.1v	68.3v	593.33v
799	Cdt THD Dodds	T	67.3v	64.3v	46.3v	40.1v	44.4v	43.1v	44.3v	73.5v	100.9v	0.0v	71.8v	592.40v
800	Mr PJ Amy	O	66.2v	64.2v	40.2v	39.1v	37.3v	45.2v	44.2v	60.1v	94.4v	37.1v	66.3v	592.23v
801	Miss EKB Beech	T	69.4v	63.3v	38.0v	43.2v	44.1v	38.2v	44.4v	65.8v	93.9v	39.1v	55.2v	591.36v
802	LCpl J Gair	T	63.2v	66.0v	41.1v	35.0v	37.0v	42.1v	42.1v	69.6v	97.4v	40.2v	59.1v	591.18v
803	Mr WH Handley	O	68.4v	68.2v	42.1v	42.2v	47.4v	46.2v	0.0v	69.5v	99.6v	38.2v	71.6v	590.34v
804	Mr FJT Puckle Hobbs	A	67.5v	67.4v	48.5v	48.5v	44.0v	50.4v	48.3v	68.7v	104.9v	45.3v	0.0v	589.45v
805	Cpl A Towler	T	65.4v	66.2v	43.2v	42.3v	41.3v	35.1v	35.1v	66.4v	91.2v	40.1v	65.3v	589.26v
806	Mr JSW Hunter	O	67.5v	64.2v	37.0v	43.4v	43.2v	46.4v	49.9v	59.4v	68.3v	43.2v	69.3v	588.38v
807	Mr WA O'Dair	O	60.0v	61.4v	41.2v	45.4v	40.0v	46.5v	40.0v	64.2v	88.3v	34.3v	68.5v	587.28v
808	Cpl M Davidson	T	64.4v	64.3v	44.2v	16.0v	37.3v	46.4v	45.2v	63.2v	95.4v	45.3v	66.3v	585.30v
809	Mr LVW Brand	T	69.5v	0.0v	44.3v	41.3v	45.3v	47.1v	47.5v	73.6v	100.10v	45.4v	73.7v	584.47v
810	Mr HFM Hemsley	O	68.5v	72.7v	47.2v	45.2v	44.3v	45.2v	50.5v	68.3v	99.5v	46.1v	0.0v	584.35v
811	LCpl F Mohammed	O	66.2v	64.5v	38.2v	32.1v	42.1v	49.4v	39.2v	54.5v	90.4v	42.3v	68.1v	584.30v
812	Major RJ Aitken	O	65.3v	69.3v	44.2v	0.0v	42.1v	48.3v	48.4v	66.2v	93.3v	41.1v	68.3v	584.25v
813	Mr CGC Costello	T	67.3v	62.0v	35.1v	44.4v	28.1v	44.1v	43.3v	60.2v	89.3v	46.2v	66.4v	584.24v
814	Mr JPS Bloomfield	X	68.7v	73.6v	47.4v	47.3v	49.5v	46.4v	0.0v	74.8v	103.7v	0.0v	73.10v	580.54v
815	Mr RM Smith	T	64.2v	64.3v	39.2v	35.1v	44.3v	34.0v	44.2v	69.7v	83.3v	41.1v	63.2v	580.26v
816	Miss ME Wicker	O	68.4v	61.4v	43.2v	41.2v	34.1v	43.2v	36.2v	63.2v	90.5v	34.1v	67.1v	580.26v
817	Mr JF Jackman	O	72.9v	72.6v	49.8v	0.0v	48.6v	47.5v	0.0v	73.7v	102.12v	45.2v	71.6v	579.61v
818	Mr SJ Ayres	O	61.2v	66.4v	47.6v	43.2v	43.3v	46.3v	46.3v	65.2v	96.5v	0.0v	66.3v	579.33v
819	Mr DHP Phillips	T	67.4v	71.8v	44.3v	43.2v	48.6v	44.3v	48.3v	67.2v	99.9v	47.4v	0.0v	578.44v
820	Mr NRT Lennon	T	58.1v	70.5v	46.1v	43.2v	47.5v	49.2v	48.4v	0.0v	98.9v	46.2v	71.7v	576.38v
821	Mrs CIM Le Poidevin	O	64.1v	64.2v	43.2v	46.2v	38.2v	40.1v	47.4v	68.3v	97.8v	0.0v	67.8v	574.33v
822	Mr AE Le Page	O	66.4v	66.3v	43.0v	36.0v	47.4v	39.2v	45.3v	63.3v	55.4v	43.0v	66.2v	569.25v
823	Mr JA Horton	O	67.2v	66.3v	44.5v	44.2v	39.1v	37.0v	46.1v	65.4v	54.0v	42.0v	64.1v	568.19v
824	Mr JM de Bruijn	O	71.5v	67.6v	47.3v	0.0v	46.1v	44.3v	0.0v	70.7v	101.10v	45.4v	74.9v	565.48v
825	Mr JJ Jalili	T	70.5v	72.9v	49.5v	44.2v	46.0v	47.3v	49.3v	70.5v	68.7v	47.5v	0.0v	562.44v
826	Cdt AS Voden	T	60.3v	61.0v	39.0v	47.3v	0.0v	42.2v	46.3v	61.2v	94.4v	46.1v	65.2v	561.20v
827	AB IG Elbrow	T	54.0v	61.0v	34.1v	40.3v	38.1v	45.2v	44.2v	52.2v	89.5v	33.1v	68.5v	558.22v
828	Mr LWHR Stewart	T	63.1v	0.0v	35.1v	41.3v	46.4v	47.2v	47.2v	67.4v	103.11v	38.2v	70.7v	557.37v
829	Mr TLB Burton	T	71.4v	68.3v	47.3v	35.0v	0.0v	46.3v	45.2v	71.4v	95.5v	9.0v	70.3v	557.27v
830	Sgt ASW Waterworth	T	62.1v	53.2v	33.0v	39.1v	33.1v	41.0v	40.2v	61.2v	91.6v	38.0v	62.2v	553.17v
831	Mr BJA Parke	O	61.0v	61.0v	41.3v	37.1v	39.0v	39.2v	36.0v	53.0v	86.4v	38.1v	62.1v	553.12v
832	Mr J Gould	O	73.6v	66.4v	46.3v	46.2v	46.7v	48.6v	47.6v	69.8v	0.0v	39.1v	72.6v	552.49v
833	Mr RW Needham	O	69.4v	63.3v	44.4v	45.2v	42.0v	48.5v	0.0v	68.5v	102.9v	0.0v	70.3v	551.35v
834	Mr AW Sainter	O	35.1v	70.5v	43.2v	47.5v	45.2v	45.2v	0.0v	66.1v	82.0v	45.2v	73.7v	551.27v
835	Miss EJ Nuttall	X	73.6v	71.7v	49.3v	48.4v	0.0v	0.0v	50.9v	75.11v	104.13v	0.0v	74.11v	544.64v
836	Mr M Ayling	O	70.4v	70.5v	43.1v	45.4v	41.2v	40.0v	0.0v	53.2v	86.6v	35.0v	60.3v	543.27v
837	Mr P Cameron Taylor	O	1.0v	70.4v	45.4v	0.0v	47.2v	46.1v	50.6v	69.5v	100.11v	42.3v	71.3v	541.39v

