

NRA 148th Imperial Meeting

Grand Aggregate (as at Monday, 17th July 2017)

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW	Total	
1	Mr CJ Watson	X	74.12v	75.10v	50.8v	50.7v	50.9v	50.9v	0.0v	0.0v	0.0v	50.8v	0.0v	399.63v
2	Mr P Patel	X	75.12v	75.14v	50.6v	48.3v	50.8v	50.10v	0.0v	0.0v	0.0v	49.7v	0.0v	397.60v
3	Dr HHG Pollock	X	75.12v	75.12v	49.6v	50.8v	50.8v	50.7v	0.0v	0.0v	0.0v	48.2v	0.0v	397.55v
4	Mr FWA Coetzee	X	75.13v	75.14v	50.8v	49.7v	49.8v	49.6v	0.0v	0.0v	0.0v	49.5v	0.0v	396.61v
5	Mr MRM Millar	X	74.9v	73.10v	50.9v	49.6v	50.7v	50.7v	0.0v	0.0v	0.0v	50.7v	0.0v	396.55v
6	Mr JW Alexander	X	73.10v	75.10v	49.6v	49.6v	50.8v	50.4v	0.0v	0.0v	0.0v	50.5v	0.0v	396.49v
7	Dr JO Ahrens	X	74.11v	74.10v	50.6v	49.5v	50.9v	50.4v	0.0v	0.0v	0.0v	49.4v	0.0v	396.49v
8	Mr DC Luckman	X	75.10v	75.13v	50.8v	49.8v	50.8v	49.9v	0.0v	0.0v	0.0v	47.4v	0.0v	395.60v
9	Mr GCD Barnett	X	74.11v	75.14v	49.5v	50.6v	48.7v	50.10v	0.0v	0.0v	0.0v	49.5v	0.0v	395.58v
10	Mr J Corbett	X	75.13v	75.14v	49.7v	50.6v	50.9v	50.5v	0.0v	0.0v	0.0v	46.3v	0.0v	395.57v
11	Mr ITG Shaw	X	75.13v	75.12v	49.3v	48.6v	50.8v	50.8v	0.0v	0.0v	0.0v	48.5v	0.0v	395.55v
12	Mr DA Richardson	X	75.13v	75.11v	49.7v	50.8v	49.6v	49.6v	0.0v	0.0v	0.0v	48.4v	0.0v	395.55v
13	Wg Cdr DP Calvert	X	74.11v	75.12v	49.7v	50.4v	49.7v	48.6v	0.0v	0.0v	0.0v	50.7v	0.0v	395.54v
14	Mr DR Armstrong	X	75.13v	75.11v	49.6v	49.6v	50.8v	49.4v	0.0v	0.0v	0.0v	48.5v	0.0v	395.53v
15	Mr JRJ Hinde	A	75.13v	74.10v	49.5v	49.4v	50.9v	48.6v	0.0v	0.0v	0.0v	50.5v	0.0v	395.52v
16	Mr WJD Broad	X	75.10v	75.11v	50.6v	49.3v	50.10v	49.7v	0.0v	0.0v	0.0v	47.4v	0.0v	395.51v
17	Mr GE Morris	X	74.10v	74.7v	49.6v	50.7v	50.7v	48.6v	0.0v	0.0v	0.0v	50.4v	0.0v	395.47v
18	Mr NBS Logan	X	75.13v	72.5v	50.4v	50.5v	50.7v	50.7v	0.0v	0.0v	0.0v	48.4v	0.0v	395.45v
19	Miss LAE Crowson	X	75.15v	75.13v	50.8v	49.7v	47.4v	50.6v	0.0v	0.0v	0.0v	48.6v	0.0v	394.59v
20	Mr RSF Shouler	X	75.10v	74.12v	49.8v	49.7v	50.8v	50.4v	0.0v	0.0v	0.0v	47.5v	0.0v	394.54v
21	Mr SA Thomas	X	72.8v	75.11v	50.5v	48.5v	50.7v	49.8v	0.0v	0.0v	0.0v	50.7v	0.0v	394.51v
22	Mr AD Hunter	X	74.9v	74.10v	50.7v	50.8v	50.6v	50.8v	0.0v	0.0v	0.0v	46.3v	0.0v	394.51v
23	Miss JH Messer	X	74.11v	74.8v	49.7v	49.3v	49.8v	50.8v	0.0v	0.0v	0.0v	49.5v	0.0v	394.50v
24	Mr ANR Walker	X	74.11v	74.9v	49.7v	49.7v	50.6v	50.7v	0.0v	0.0v	0.0v	48.3v	0.0v	394.50v
25	Mr JC Underwood	X	74.9v	74.9v	50.9v	50.8v	49.5v	50.4v	0.0v	0.0v	0.0v	47.3v	0.0v	394.47v
26	Mr K Ramsey	X	75.8v	74.11v	48.3v	50.7v	49.6v	50.7v	0.0v	0.0v	0.0v	48.4v	0.0v	394.46v
27	Mr GA Cann	X	73.9v	75.14v	50.6v	48.8v	49.4v	50.5v	0.0v	0.0v	0.0v	48.7v	0.0v	393.53v
28	Mr S Osmond	X	75.8v	75.13v	49.7v	48.4v	49.6v	50.7v	0.0v	0.0v	0.0v	47.5v	0.0v	393.50v
29	Mr J Brooking	X	74.7v	75.12v	49.6v	48.6v	49.5v	50.7v	0.0v	0.0v	0.0v	48.6v	0.0v	393.49v
30	Mr RN Stebbings	A	74.6v	75.9v	49.7v	47.6v	50.8v	50.7v	0.0v	0.0v	0.0v	48.3v	0.0v	393.46v
31	Mr TJD Raincock	X	74.9v	75.13v	50.7v	49.3v	48.7v	49.6v	0.0v	0.0v	0.0v	48.1v	0.0v	393.46v
32	Mr CA Stewart	O	75.6v	74.10v	50.8v	49.4v	48.5v	50.7v	0.0v	0.0v	0.0v	47.5v	0.0v	393.45v
33	Mr S Wingrove	O	75.9v	73.4v	49.5v	50.7v	50.7v	49.6v	0.0v	0.0v	0.0v	47.5v	0.0v	393.43v
34	Mr JAM Paton	X	75.10v	75.9v	50.5v	47.4v	50.7v	50.5v	0.0v	0.0v	0.0v	46.2v	0.0v	393.42v
35	Mr PJ Chapman-Sheath	A	73.9v	75.11v	49.3v	49.3v	50.5v	49.7v	0.0v	0.0v	0.0v	48.3v	0.0v	393.41v
36	Mr C Milton	X	75.10v	74.6v	49.6v	50.3v	48.6v	48.3v	0.0v	0.0v	0.0v	49.5v	0.0v	393.39v
37	Mr NRJ Brasier	X	73.10v	74.12v	49.7v	50.7v	48.8v	49.4v	0.0v	0.0v	0.0v	49.7v	0.0v	392.55v
38	Dr PR Wheeler	X	75.12v	75.9v	48.6v	47.6v	50.8v	49.7v	0.0v	0.0v	0.0v	48.6v	0.0v	392.54v
39	Dr JDS Langley	X	74.11v	75.11v	49.8v	48.7v	50.5v	50.7v	0.0v	0.0v	0.0v	46.3v	0.0v	392.52v
40	Capt N Healy	A	75.12v	75.11v	49.4v	47.2v	50.10v	48.6v	0.0v	0.0v	0.0v	48.6v	0.0v	392.51v
41	Mr RM Hatcher	A	74.9v	75.10v	48.5v	49.7v	50.7v	50.8v	0.0v	0.0v	0.0v	46.3v	0.0v	392.49v
42	Mr T Laing-Baker	X	74.11v	75.9v	50.7v	50.6v	48.4v	47.3v	0.0v	0.0v	0.0v	48.8v	0.0v	392.48v
43	Mr M Cooper	A	74.12v	75.7v	50.5v	50.7v	45.4v	49.6v	0.0v	0.0v	0.0v	49.4v	0.0v	392.45v
44	Mr WCP Richards	X	75.10v	74.8v	50.4v	49.5v	50.7v	48.7v	0.0v	0.0v	0.0v	46.4v	0.0v	392.45v
45	Mr C Fitzpatrick	X	74.10v	75.5v	49.6v	50.8v	49.7v	49.6v	0.0v	0.0v	0.0v	46.3v	0.0v	392.45v
46	Mr MCJ Button	X	74.11v	74.11v	50.6v	49.4v	49.5v	49.4v	0.0v	0.0v	0.0v	47.3v	0.0v	392.44v
47	Mr TM Stevenson	A	75.11v	73.7v	50.5v	49.5v	49.4v	48.3v	0.0v	0.0v	0.0v	48.3v	0.0v	392.38v
48	Mr RJS Clark	A	74.7v	75.5v	49.5v	48.5v	50.5v	47.3v	0.0v	0.0v	0.0v	49.5v	0.0v	392.35v
49	Mr TG Rylands	A	75.13v	74.8v	49.7v	49.9v	48.6v	48.6v	0.0v	0.0v	0.0v	48.5v	0.0v	391.54v
50	Mr ERT Jeens	X	73.9v	75.12v	49.7v	49.7v	48.6v	50.6v	0.0v	0.0v	0.0v	47.4v	0.0v	391.51v
51	Mr AD Le Cheminant	X	74.10v	73.9v	50.7v	50.5v	49.8v	49.8v	0.0v	0.0v	0.0v	46.3v	0.0v	391.50v
52	Mr DE Nuthall	X	75.12v	75.10v	49.2v	48.6v	49.8v	50.6v	0.0v	0.0v	0.0v	45.5v	0.0v	391.49v
53	Mr T Drysdale	X	74.11v	75.11v	47.4v	49.6v	49.4v	48.4v	0.0v	0.0v	0.0v	49.7v	0.0v	391.47v
54	Dr C I Johnston	X	75.11v	75.9v	48.6v	46.3v	50.8v	49.7v	0.0v	0.0v	0.0v	48.3v	0.0v	391.47v
55	Mr M J Ensor	X	74.9v	74.11v	49.7v	49.5v	49.6v	49.5v	0.0v	0.0v	0.0v	47.4v	0.0v	391.47v
56	Mr JP Pugsley	X	75.9v	75.11v	48.4v	48.4v	50.7v	49.7v	0.0v	0.0v	0.0v	46.5v	0.0v	391.47v

57	Mr ORW Russell	X	73.6v	75.9v	48.5v	49.7v	50.9v	50.6v	0.0v	0.0v	0.0v	46.4v	0.0v	391.46v
58	Dr BJ Winney	O	73.8v	74.8v	49.8v	48.5v	50.4v	49.6v	0.0v	0.0v	0.0v	48.6v	0.0v	391.45v
59	Mr LM Peden (G.M.)	X	74.9v	74.11v	49.3v	50.5v	48.3v	50.8v	0.0v	0.0v	0.0v	46.5v	0.0v	391.44v
60	Mr EC Dickson	A	74.9v	75.6v	50.8v	49.4v	49.8v	48.5v	0.0v	0.0v	0.0v	46.4v	0.0v	391.44v
61	Mr PAE Charlton	X	74.9v	74.7v	50.6v	49.3v	46.5v	50.9v	0.0v	0.0v	0.0v	48.4v	0.0v	391.43v
62	Mr B Creane	A	74.6v	74.8v	50.6v	49.6v	49.6v	49.6v	0.0v	0.0v	0.0v	46.4v	0.0v	391.42v
63	Mr RW Sandlant	X	73.6v	75.8v	48.5v	47.2v	50.6v	49.8v	0.0v	0.0v	0.0v	49.6v	0.0v	391.41v
64	Mrs LK Mace	A	74.7v	74.8v	48.4v	48.5v	50.6v	49.6v	0.0v	0.0v	0.0v	48.5v	0.0v	391.41v
65	Mr CES Dickenson	A	72.2v	74.11v	49.6v	49.5v	48.6v	50.6v	0.0v	0.0v	0.0v	49.4v	0.0v	391.40v
66	Miss EJ Nuttall	X	74.13v	74.11v	48.6v	49.8v	50.7v	50.9v	0.0v	0.0v	0.0v	45.4v	0.0v	390.58v
67	Cdt D Shakhman	O	74.8v	74.13v	49.8v	49.5v	50.7v	48.7v	0.0v	0.0v	0.0v	46.4v	0.0v	390.52v
68	Mr MG Whicher	O	73.10v	75.13v	48.5v	49.6v	46.4v	50.8v	0.0v	0.0v	0.0v	49.4v	0.0v	390.50v
69	Mr BJ LeCheminant	X	72.9v	73.9v	49.5v	49.7v	50.7v	50.8v	0.0v	0.0v	0.0v	47.5v	0.0v	390.50v
70	Mr C Mitchell	X	75.9v	73.8v	49.8v	48.6v	49.7v	50.7v	0.0v	0.0v	0.0v	46.3v	0.0v	390.48v
71	Miss SP Ward	X	73.11v	75.11v	47.2v	49.6v	49.5v	48.4v	0.0v	0.0v	0.0v	49.7v	0.0v	390.46v
72	Mr DS Murray	X	74.13v	75.11v	46.5v	47.2v	49.3v	50.7v	0.0v	0.0v	0.0v	49.5v	0.0v	390.46v
73	Mr MJM Black	X	72.7v	75.13v	49.5v	47.3v	50.5v	50.8v	0.0v	0.0v	0.0v	47.5v	0.0v	390.46v
74	Mr R McQuillan	X	74.11v	74.10v	49.6v	49.5v	48.3v	50.8v	0.0v	0.0v	0.0v	46.3v	0.0v	390.46v
75	Miss M Patrick	X	72.7v	75.11v	49.4v	48.4v	50.7v	49.7v	0.0v	0.0v	0.0v	47.5v	0.0v	390.45v
76	Dr GP Nelson	A	74.10v	73.8v	50.7v	49.5v	49.6v	50.7v	0.0v	0.0v	0.0v	45.2v	0.0v	390.45v
77	Mr CA Brook	A	73.5v	75.12v	49.7v	47.5v	50.4v	50.9v	0.0v	0.0v	0.0v	46.2v	0.0v	390.44v
78	Mr CRM Asquith	X	75.7v	73.8v	50.7v	49.7v	49.8v	49.5v	0.0v	0.0v	0.0v	45.2v	0.0v	390.44v
79	Mr CN Tremlett	X	73.7v	75.11v	49.8v	48.5v	48.5v	49.4v	0.0v	0.0v	0.0v	48.3v	0.0v	390.43v
80	Mr GC Childs	X	74.9v	75.11v	49.5v	47.6v	50.5v	46.3v	0.0v	0.0v	0.0v	49.3v	0.0v	390.42v
81	Mr C Rivett-Carnac	X	75.11v	75.11v	48.3v	49.5v	49.5v	48.5v	0.0v	0.0v	0.0v	46.2v	0.0v	390.42v
82	Mr JEM Bellringer	X	75.7v	72.8v	49.5v	47.3v	47.4v	50.9v	0.0v	0.0v	0.0v	50.5v	0.0v	390.41v
83	Mr RCQ Martin	A	73.7v	75.11v	50.7v	47.3v	48.3v	49.5v	0.0v	0.0v	0.0v	48.5v	0.0v	390.41v
84	Mr RJS Curtis	X	73.9v	74.9v	49.3v	49.5v	49.6v	48.5v	0.0v	0.0v	0.0v	48.4v	0.0v	390.41v
85	Mr KO Pugh	X	73.7v	74.9v	49.4v	50.8v	49.5v	48.4v	0.0v	0.0v	0.0v	47.4v	0.0v	390.41v
86	Mr JP Nice	X	75.10v	75.10v	48.4v	48.5v	49.6v	48.2v	0.0v	0.0v	0.0v	47.4v	0.0v	390.41v
87	Mr R W Ramage	O	72.7v	74.8v	50.8v	48.4v	49.4v	50.6v	0.0v	0.0v	0.0v	47.4v	0.0v	390.41v
88	Mr S Belither	X	73.6v	73.6v	50.7v	47.4v	50.5v	49.7v	0.0v	0.0v	0.0v	48.5v	0.0v	390.40v
89	Mr PJ Westlake	X	75.11v	73.6v	49.7v	48.4v	49.7v	49.4v	0.0v	0.0v	0.0v	47.1v	0.0v	390.40v
90	Mr TA Ringer	X	74.9v	75.11v	49.5v	49.5v	48.3v	49.7v	0.0v	0.0v	0.0v	46.0v	0.0v	390.40v
91	Mr N Cole-Hawkins	A	74.10v	74.8v	49.5v	50.2v	47.1v	50.8v	0.0v	0.0v	0.0v	46.5v	0.0v	390.39v
92	Mr DC Crispin	X	73.4v	74.12v	48.4v	47.3v	49.5v	49.4v	0.0v	0.0v	0.0v	50.4v	0.0v	390.36v
93	Mr JP Waite	A	72.9v	73.11v	47.5v	50.6v	49.6v	49.9v	0.0v	0.0v	0.0v	49.6v	0.0v	389.52v
94	Mr NC Mace	X	73.9v	74.12v	50.6v	47.5v	50.7v	49.8v	0.0v	0.0v	0.0v	46.5v	0.0v	389.52v
95	Mr HA Day	X	72.10v	74.10v	48.5v	48.4v	50.9v	49.7v	0.0v	0.0v	0.0v	48.6v	0.0v	389.51v
96	Dr CD Haley	X	75.13v	74.8v	47.7v	48.6v	49.5v	49.4v	0.0v	0.0v	0.0v	47.7v	0.0v	389.50v
97	Mr RM Roberts	X	74.11v	75.9v	49.7v	47.4v	49.5v	48.8v	0.0v	0.0v	0.0v	47.4v	0.0v	389.48v
98	Lt Col AM Bell	X	75.11v	75.10v	48.6v	48.6v	48.5v	49.5v	0.0v	0.0v	0.0v	46.5v	0.0v	389.48v
99	Mr RAP Hebblethwaite	A	72.9v	74.10v	47.7v	48.3v	50.5v	50.7v	0.0v	0.0v	0.0v	48.6v	0.0v	389.47v
100	Mr JP Tapster	X	74.10v	74.8v	46.4v	48.8v	50.7v	50.7v	0.0v	0.0v	0.0v	47.3v	0.0v	389.47v
101	Mr CJ Morton	X	74.7v	74.9v	48.5v	49.5v	50.7v	50.9v	0.0v	0.0v	0.0v	44.4v	0.0v	389.46v
102	Prof. AR Horrocks	A	72.5v	74.10v	49.8v	47.5v	50.5v	50.8v	0.0v	0.0v	0.0v	47.4v	0.0v	389.45v
103	Mr PB Bromley	X	74.12v	73.13v	49.5v	49.3v	49.4v	49.4v	0.0v	0.0v	0.0v	46.4v	0.0v	389.45v
104	Dr AM Jory	X	74.10v	75.11v	49.3v	48.5v	50.7v	47.6v	0.0v	0.0v	0.0v	46.3v	0.0v	389.45v
105	Mr SD Spinney	X	75.5v	73.10v	49.8v	49.5v	50.6v	50.8v	0.0v	0.0v	0.0v	43.3v	0.0v	389.45v
106	Mr LMD Cheek	X	74.11v	75.9v	49.5v	45.4v	50.6v	50.4v	0.0v	0.0v	0.0v	46.5v	0.0v	389.44v
107	Mr GD Palmer	O	73.11v	75.9v	49.5v	48.4v	49.6v	50.6v	0.0v	0.0v	0.0v	45.3v	0.0v	389.44v
108	Mr R Lindsay	O	74.9v	74.7v	49.5v	48.6v	50.7v	49.8v	0.0v	0.0v	0.0v	45.2v	0.0v	389.44v
109	Mr DG Young	X	75.9v	75.10v	46.4v	48.5v	50.7v	48.6v	0.0v	0.0v	0.0v	47.2v	0.0v	389.43v
110	Mr G Jarret	O	73.10v	75.8v	48.6v	49.5v	50.5v	48.6v	0.0v	0.0v	0.0v	46.3v	0.0v	389.43v
111	Mr WR Steward	O	73.9v	75.13v	49.6v	50.5v	49.5v	47.4v	0.0v	0.0v	0.0v	46.1v	0.0v	389.43v
112	Mr NJ Ball	X	72.8v	72.8v	50.8v	48.6v	50.4v	48.4v	0.0v	0.0v	0.0v	49.4v	0.0v	389.42v
113	Mr DR Le Quesne	X	74.10v	73.5v	48.5v	47.5v	48.7v	50.7v	0.0v	0.0v	0.0v	49.3v	0.0v	389.42v
114	Mr AC Morley	X	75.8v	74.7v	48.3v	47.6v	50.7v	49.7v	0.0v	0.0v	0.0v	46.3v	0.0v	389.41v
115	Mr S Glen	O	74.11v	74.10v	48.2v	46.4v	48.2v	49.5v	0.0v	0.0v	0.0v	50.6v	0.0v	389.40v
116	Mr SJ Carson	X	75.8v	72.6v	45.7v	49.4v	50.7v	49.2v	0.0v	0.0v	0.0v	49.5v	0.0v	389.39v
117	Mr G Bendik	X	73.8v	74.9v	45.3v	49.5v	49.4v	50.7v	0.0v	0.0v	0.0v	49.3v	0.0v	389.39v
118	Mr JPM Stevens	O	74.10v	75.12v	48.4v	48.2v	48.1v	49.5v	0.0v	0.0v	0.0v	47.4v	0.0v	389.38v
119	Miss A Southall	A	74.7v	75.10v	49.4v	46.2v	50.6v	48.6v	0.0v	0.0v	0.0v	47.3v	0.0v	389.38v
120	Mr AC Haley	X	75.12v	72.9v	48.3v	46.3v	49.5v	50.1v	0.0v	0.0v	0.0v	49.4v	0.0v	389.37v
121	Mr PA Hatfield	A	73.7v	74.6v	48.5v	49.5v	49.6v	50.5v	0.0v	0.0v	0.0v	46.3v	0.0v	389.37v
122	Mr R Kloosterman	O	73.7v	71.5v	50.7v	50.5v	48.5v	48.4v	0.0v	0.0v	0.0v	49.3v	0.0v	389.36v
123	Mr TLW Kidner	A	72.7v	75.11v	49.6v	47.4v	48.7v	49.8v	0.0v	0.0v	0.0v	48.4v	0.0v	388.47v
124	Mr JR Tuck	A	74.10v	74.8v	50.7v	47.5v	50.8v	47.4v	0.0v	0.0v	0.0v	46.5v	0.0v	388.47v
125	Dr JR Deane	A	73.11v	74.8v	46.4v	49.5v	50.9v	50.8v	0.0v	0.0v	0.0v	46.2v	0.0v	388.47v
126	Capt AG McLean	X	73.8v	73.7v	48.5v	50.8v	48.8v	49.5v	0.0v	0.0v	0.0v	47.4v	0.0v	388.45v
127	Miss JM Rankin	X	74.12v	74.11v	48.4v	49.7v	50.6v	50.3v	0.0v	0.0v	0.0v	43.2v	0.0v	388.45v
128	Mrs N Rossignol	X	75.11v	74.11v	47.4v	50.6v	50.6v	49.6v	0.0v	0.0v	0.0v	43.1v	0.0v	388.45v

129	Miss C Choquette	O	74.6v	73.12v	48.4v	50.10v	49.5v	50.6v	0.0v	0.0v	0.0v	44.1v	0.0v	388.44v
130	Mr JPS Bloomfield	X	75.11v	74.11v	49.6v	50.3v	48.6v	49.5v	0.0v	0.0v	0.0v	43.2v	0.0v	388.44v
131	Mr SM Negus	X	73.10v	70.9v	48.4v	49.3v	50.7v	50.7v	0.0v	0.0v	0.0v	48.3v	0.0v	388.43v
132	Mr J Pepera-Hibbert	O	74.12v	72.9v	49.2v	48.6v	49.6v	49.5v	0.0v	0.0v	0.0v	47.1v	0.0v	388.41v
133	Miss TJ Fitzsimons	A	73.7v	74.5v	45.4v	48.6v	50.6v	49.6v	0.0v	0.0v	0.0v	49.6v	0.0v	388.40v
134	Mr D Rose	X	73.7v	75.11v	48.4v	47.5v	49.7v	48.5v	0.0v	0.0v	0.0v	48.1v	0.0v	388.40v
135	Mr B Mehrstens	A	73.9v	74.5v	48.3v	49.7v	48.4v	49.6v	0.0v	0.0v	0.0v	47.6v	0.0v	388.40v
136	Mr DAJ Talbot	T	75.11v	72.5v	50.7v	49.6v	49.5v	48.4v	0.0v	0.0v	0.0v	45.2v	0.0v	388.40v
137	Miss HA Pugsley	X	73.8v	74.11v	47.5v	48.5v	48.3v	50.3v	0.0v	0.0v	0.0v	48.4v	0.0v	388.39v
138	Mr KB Hill	O	73.8v	73.8v	48.3v	47.2v	50.7v	49.7v	0.0v	0.0v	0.0v	48.4v	0.0v	388.39v
139	Mr AM Sadler	O	73.10v	73.8v	49.4v	48.4v	48.4v	50.6v	0.0v	0.0v	0.0v	47.3v	0.0v	388.39v
140	Mr H Awin	A	74.8v	75.11v	48.4v	46.3v	50.7v	48.1v	0.0v	0.0v	0.0v	47.4v	0.0v	388.38v
141	Mr HM Wong Shui	X	74.6v	73.4v	47.4v	50.6v	49.6v	50.8v	0.0v	0.0v	0.0v	45.3v	0.0v	388.37v
142	Mr MJJ Charlton	A	72.9v	75.8v	47.4v	50.7v	49.2v	50.5v	0.0v	0.0v	0.0v	45.2v	0.0v	388.37v
143	Mr RL Eayrs	X	75.7v	73.8v	49.5v	47.4v	50.5v	47.4v	0.0v	0.0v	0.0v	47.3v	0.0v	388.36v
144	Mr T Keen	A	74.8v	75.3v	47.4v	47.3v	49.4v	48.6v	0.0v	0.0v	0.0v	48.6v	0.0v	388.34v
145	Mr TJ Bullock	A	75.8v	74.9v	48.1v	48.2v	50.8v	49.6v	0.0v	0.0v	0.0v	44.0v	0.0v	388.34v
146	Wg. Cdr. CJ Hockley OBE	X	74.6v	73.8v	48.4v	48.3v	48.1v	49.7v	0.0v	0.0v	0.0v	48.3v	0.0v	388.32v
147	Miss LR Mckerrell	A	74.12v	74.10v	50.8v	49.7v	50.7v	48.6v	0.0v	0.0v	0.0v	42.2v	0.0v	387.52v
148	Mr MJ Barlow	X	74.10v	75.12v	48.6v	48.5v	47.5v	48.4v	0.0v	0.0v	0.0v	47.5v	0.0v	387.47v
149	Mr JN McLaren	X	73.7v	75.12v	48.4v	48.6v	50.7v	47.6v	0.0v	0.0v	0.0v	46.5v	0.0v	387.47v
150	Cdt M Vinarski	T	75.10v	72.9v	49.4v	46.3v	47.6v	50.6v	0.0v	0.0v	0.0v	48.7v	0.0v	387.45v
151	Mr TL Bedwell	A	73.8v	75.13v	49.5v	50.7v	47.4v	48.5v	0.0v	0.0v	0.0v	45.3v	0.0v	387.45v
152	Major AR McLeod	X	74.12v	74.12v	48.4v	50.5v	49.5v	49.7v	0.0v	0.0v	0.0v	43.0v	0.0v	387.45v
153	Mr MF Boucher	O	71.10v	72.6v	50.8v	49.7v	49.4v	50.5v	0.0v	0.0v	0.0v	46.4v	0.0v	387.44v
154	Mr DF Williams	X	74.10v	73.6v	49.6v	50.9v	50.6v	49.4v	0.0v	0.0v	0.0v	42.3v	0.0v	387.44v
155	Mr IW Robertson	X	71.7v	74.10v	49.6v	49.8v	49.4v	45.3v	0.0v	0.0v	0.0v	50.5v	0.0v	387.43v
156	Mr P Holden	X	74.5v	73.8v	49.8v	47.2v	46.5v	50.9v	0.0v	0.0v	0.0v	48.6v	0.0v	387.43v
157	Mr M Hartung	T	74.12v	73.11v	48.3v	48.2v	49.8v	47.5v	0.0v	0.0v	0.0v	48.2v	0.0v	387.43v
158	Mr BA Horwood	X	74.10v	74.8v	49.6v	49.5v	50.7v	49.6v	0.0v	0.0v	0.0v	42.1v	0.0v	387.43v
159	Cdt Z Flavell	T	73.9v	74.8v	48.4v	46.3v	48.5v	48.6v	0.0v	0.0v	0.0v	50.6v	0.0v	387.41v
160	Mr AJ Luckman	X	71.8v	71.6v	48.6v	50.7v	50.6v	48.4v	0.0v	0.0v	0.0v	49.4v	0.0v	387.41v
161	Flt Lt NP Moxon	A	74.12v	72.6v	49.7v	47.4v	49.5v	48.4v	0.0v	0.0v	0.0v	48.3v	0.0v	387.41v
162	Mr M Mann	A	73.8v	73.9v	47.3v	49.8v	50.8v	48.3v	0.0v	0.0v	0.0v	47.2v	0.0v	387.41v
163	Mr J Ford	A	74.8v	74.8v	49.5v	49.6v	48.6v	48.6v	0.0v	0.0v	0.0v	45.2v	0.0v	387.41v
164	Mr H J Golaszewski	X	74.8v	74.12v	48.6v	49.4v	48.4v	50.6v	0.0v	0.0v	0.0v	44.1v	0.0v	387.41v
165	Mr S Dowley	X	72.5v	75.7v	49.6v	48.7v	48.7v	50.6v	0.0v	0.0v	0.0v	45.2v	0.0v	387.40v
166	Mr HAD Howard	X	75.9v	74.7v	47.4v	48.4v	49.6v	48.5v	0.0v	0.0v	0.0v	46.4v	0.0v	387.39v
167	Dr JD Warburton	X	73.4v	73.8v	50.4v	48.6v	48.5v	48.7v	0.0v	0.0v	0.0v	47.4v	0.0v	387.38v
168	LCol PF Cambridge	X	74.9v	73.8v	49.6v	49.4v	50.7v	47.3v	0.0v	0.0v	0.0v	45.0v	0.0v	387.37v
169	Mr TP Hammond	A	74.11v	75.7v	48.4v	49.3v	48.4v	47.4v	0.0v	0.0v	0.0v	46.2v	0.0v	387.35v
170	Mr PJ Chance	X	74.9v	73.5v	49.5v	47.3v	48.5v	49.5v	0.0v	0.0v	0.0v	47.1v	0.0v	387.33v
171	Mr JWE Lothian	A	74.8v	74.10v	42.3v	50.4v	50.6v	49.8v	0.0v	0.0v	0.0v	47.8v	0.0v	386.47v
172	Mr FM Mohideen	X	74.10v	73.8v	48.5v	48.7v	48.5v	48.6v	0.0v	0.0v	0.0v	47.6v	0.0v	386.47v
173	Mr CD Heales	O	75.10v	73.9v	48.5v	47.4v	50.7v	49.6v	0.0v	0.0v	0.0v	44.6v	0.0v	386.47v
174	Mr WF Livesey	O	74.11v	73.9v	48.3v	49.6v	48.4v	47.6v	0.0v	0.0v	0.0v	47.6v	0.0v	386.45v
175	Dr J Mehta	X	75.12v	72.6v	48.6v	50.6v	48.7v	49.6v	0.0v	0.0v	0.0v	44.1v	0.0v	386.44v
176	Mr R Birtwistle	X	74.10v	73.9v	49.5v	47.4v	50.7v	46.4v	0.0v	0.0v	0.0v	47.4v	0.0v	386.43v
177	Miss HNL Butler	T	75.12v	72.8v	48.5v	49.5v	46.5v	49.6v	0.0v	0.0v	0.0v	47.2v	0.0v	386.43v
178	Mr NJ Verduyn	X	73.8v	72.4v	50.8v	48.6v	50.9v	49.5v	0.0v	0.0v	0.0v	44.3v	0.0v	386.43v
179	Mr O Hudson	X	74.11v	74.10v	44.2v	45.3v	50.7v	50.6v	0.0v	0.0v	0.0v	49.3v	0.0v	386.42v
180	Mr M Liversage	X	72.8v	75.10v	48.4v	49.6v	50.8v	45.2v	0.0v	0.0v	0.0v	47.4v	0.0v	386.42v
181	Mr OEJ Spencer	A	74.7v	75.10v	49.4v	48.6v	48.8v	47.3v	0.0v	0.0v	0.0v	45.4v	0.0v	386.42v
182	Mr GA Aitchison	X	75.7v	74.8v	46.6v	50.5v	49.8v	49.5v	0.0v	0.0v	0.0v	43.3v	0.0v	386.42v
183	Mr C Mallett	X	74.9v	73.8v	48.2v	48.7v	50.8v	48.6v	0.0v	0.0v	0.0v	45.1v	0.0v	386.41v
184	Mr MI Buchanan	X	73.8v	73.8v	50.4v	50.7v	49.6v	49.4v	0.0v	0.0v	0.0v	42.4v	0.0v	386.41v
185	Capt J Cook	X	74.11v	71.4v	49.6v	46.3v	48.4v	50.7v	0.0v	0.0v	0.0v	48.5v	0.0v	386.40v
186	Mr PJ Johnson	A	73.8v	71.8v	49.7v	48.6v	48.3v	49.5v	0.0v	0.0v	0.0v	48.3v	0.0v	386.40v
187	Mr GED Hart	O	73.7v	75.9v	49.8v	46.1v	49.6v	47.4v	0.0v	0.0v	0.0v	47.4v	0.0v	386.39v
188	Mr MR Fugeman	A	74.7v	73.8v	46.4v	50.4v	50.7v	48.6v	0.0v	0.0v	0.0v	45.3v	0.0v	386.39v
189	Dr G Stewart	X	75.9v	75.8v	49.5v	48.5v	48.6v	47.2v	0.0v	0.0v	0.0v	44.4v	0.0v	386.39v
190	Mr TJ Bryan	X	74.10v	73.5v	49.6v	47.4v	49.5v	50.6v	0.0v	0.0v	0.0v	44.3v	0.0v	386.39v
191	Mr CA Skellett	A	72.10v	73.6v	49.4v	48.5v	48.5v	48.5v	0.0v	0.0v	0.0v	48.3v	0.0v	386.38v
192	Eur Ing CA Painting	O	73.9v	73.6v	47.2v	50.7v	48.6v	49.6v	0.0v	0.0v	0.0v	46.2v	0.0v	386.38v
193	Mr SNS Penrose	X	73.6v	75.5v	48.4v	49.8v	48.5v	49.7v	0.0v	0.0v	0.0v	44.3v	0.0v	386.38v
194	Mr S Harding	X	72.6v	73.8v	50.5v	47.4v	50.8v	50.5v	0.0v	0.0v	0.0v	44.2v	0.0v	386.38v
195	Mr JB Hull	A	72.4v	73.7v	47.2v	48.4v	50.8v	50.8v	0.0v	0.0v	0.0v	46.4v	0.0v	386.37v
196	Sgt JR Dunbar	O	74.6v	74.9v	46.5v	48.5v	50.5v	47.3v	0.0v	0.0v	0.0v	47.3v	0.0v	386.36v
197	Mr DGM Coleman	X	74.8v	74.9v	46.4v	50.3v	50.7v	48.3v	0.0v	0.0v	0.0v	44.2v	0.0v	386.36v
198	Miss C Halleran	O	75.11v	75.7v	48.4v	48.2v	49.6v	46.4v	0.0v	0.0v	0.0v	45.1v	0.0v	386.35v
199	Mr GK Alexander	X	73.5v	74.7v	49.7v	48.5v	48.5v	47.2v	0.0v	0.0v	0.0v	47.1v	0.0v	386.32v
200	Mr SP O'Brien	O	75.6v	75.8v	49.5v	48.2v	47.5v	48.5v	0.0v	0.0v	0.0v	44.1v	0.0v	386.32v

201	Mr KM Willingale	O	73.9v	72.5v	46.3v	49.3v	50.3v	49.5v	0.0v	0.0v	0.0v	47.3v	0.0v	386.31v
202	Dr AJ Pilgrim	X	70.10v	71.8v	48.5v	49.8v	50.8v	50.8v	0.0v	0.0v	0.0v	47.3v	0.0v	385.50v
203	Mr J Thombora	O	73.10v	74.12v	45.3v	49.6v	49.4v	49.7v	0.0v	0.0v	0.0v	46.4v	0.0v	385.46v
204	Mr AW Lothian	X	74.11v	73.11v	49.3v	47.3v	48.6v	46.5v	0.0v	0.0v	0.0v	48.6v	0.0v	385.45v
205	Mr P S Holmes	O	74.10v	73.11v	49.5v	46.3v	48.8v	49.6v	0.0v	0.0v	0.0v	46.2v	0.0v	385.45v
206	Mr PWG Glen	A	74.10v	75.9v	49.4v	48.3v	44.6v	48.7v	0.0v	0.0v	0.0v	47.5v	0.0v	385.44v
207	Mr B Pepin	X	74.10v	74.10v	47.3v	48.6v	50.6v	49.7v	0.0v	0.0v	0.0v	43.2v	0.0v	385.44v
208	Sgt GM Irish	A	73.9v	74.11v	47.2v	50.9v	49.5v	47.3v	0.0v	0.0v	0.0v	45.3v	0.0v	385.42v
209	Mr PD Griggs	X	75.8v	73.8v	44.3v	47.4v	48.6v	50.7v	0.0v	0.0v	0.0v	48.5v	0.0v	385.41v
210	Miss CE Davies	O	72.9v	71.8v	48.4v	49.4v	47.6v	49.5v	0.0v	0.0v	0.0v	49.4v	0.0v	385.40v
211	Mr TP Clarke	X	74.9v	75.10v	48.5v	48.5v	49.4v	47.3v	0.0v	0.0v	0.0v	44.4v	0.0v	385.40v
212	Mr AP Barnes	A	74.8v	74.8v	47.5v	49.8v	47.1v	48.6v	0.0v	0.0v	0.0v	46.3v	0.0v	385.39v
213	Cdt M Clark	T	72.7v	73.10v	48.3v	47.5v	48.4v	49.6v	0.0v	0.0v	0.0v	48.3v	0.0v	385.38v
214	Mr M Todd	T	75.8v	72.8v	47.4v	48.2v	50.7v	46.4v	0.0v	0.0v	0.0v	47.4v	0.0v	385.37v
215	Mr PA Maher	X	71.5v	74.9v	47.3v	49.7v	49.3v	50.9v	0.0v	0.0v	0.0v	45.1v	0.0v	385.37v
216	Miss HV Southall	O	73.9v	74.10v	45.3v	49.4v	48.3v	49.4v	0.0v	0.0v	0.0v	47.2v	0.0v	385.35v
217	Miss BE Fung	O	75.7v	75.9v	47.2v	46.3v	49.5v	48.5v	0.0v	0.0v	0.0v	45.4v	0.0v	385.35v
218	Mr RC Oxford	X	74.8v	74.6v	48.4v	49.3v	47.3v	49.7v	0.0v	0.0v	0.0v	44.1v	0.0v	385.32v
219	Major DR Thompson	A	75.11v	73.10v	50.7v	47.5v	47.5v	49.7v	0.0v	0.0v	0.0v	43.3v	0.0v	384.48v
220	Mr PR Thompson	O	74.14v	73.10v	48.6v	47.4v	49.4v	49.6v	0.0v	0.0v	0.0v	44.1v	0.0v	384.45v
221	Mr SO Jauncey	O	72.9v	71.9v	48.3v	48.5v	49.7v	50.7v	0.0v	0.0v	0.0v	46.4v	0.0v	384.44v
222	Mr GE Grosskreutz	X	71.9v	73.7v	47.5v	47.3v	50.7v	48.5v	0.0v	0.0v	0.0v	48.6v	0.0v	384.42v
223	Mr JA Haward	A	75.8v	72.7v	47.5v	47.5v	49.6v	47.6v	0.0v	0.0v	0.0v	47.5v	0.0v	384.42v
224	Mr RT MacLeod	X	73.10v	72.6v	48.7v	47.4v	49.3v	49.6v	0.0v	0.0v	0.0v	46.6v	0.0v	384.42v
225	Mr T Smith	A	74.11v	73.9v	48.5v	49.5v	49.3v	48.5v	0.0v	0.0v	0.0v	43.3v	0.0v	384.41v
226	Mr A Welford	A	69.6v	75.11v	47.5v	47.3v	49.7v	49.4v	0.0v	0.0v	0.0v	48.4v	0.0v	384.40v
227	Wg Cdr IA Mollan	O	73.8v	74.11v	49.4v	47.7v	50.5v	48.5v	0.0v	0.0v	0.0v	43.0v	0.0v	384.40v
228	Mr MA Kirkillio-Stacewicz	A	74.7v	74.10v	50.5v	46.4v	49.5v	48.6v	0.0v	0.0v	0.0v	43.2v	0.0v	384.39v
229	Mr JC Evans	O	72.6v	74.11v	45.3v	50.4v	50.6v	47.2v	0.0v	0.0v	0.0v	46.6v	0.0v	384.38v
230	Mr D Kirui	X	75.9v	71.5v	49.6v	46.3v	48.5v	49.5v	0.0v	0.0v	0.0v	46.5v	0.0v	384.38v
231	Mr IP Davison	X	74.8v	74.8v	48.7v	48.2v	49.8v	47.3v	0.0v	0.0v	0.0v	44.2v	0.0v	384.38v
232	Mr AF Donald	A	75.7v	73.10v	48.3v	49.5v	47.5v	49.5v	0.0v	0.0v	0.0v	43.3v	0.0v	384.38v
233	Mr SJ Whitby	O	75.11v	72.10v	50.4v	48.4v	45.3v	48.1v	0.0v	0.0v	0.0v	46.4v	0.0v	384.37v
234	Mr ML Cotillard	A	72.4v	73.11v	47.3v	49.7v	48.5v	50.4v	0.0v	0.0v	0.0v	45.3v	0.0v	384.37v
235	Mr D Lowe	A	73.10v	72.4v	47.6v	49.3v	50.4v	47.5v	0.0v	0.0v	0.0v	46.4v	0.0v	384.36v
236	Mr E Nyagah	X	73.8v	73.5v	49.3v	48.5v	49.7v	48.5v	0.0v	0.0v	0.0v	44.3v	0.0v	384.36v
237	Miss LG Taylor	A	74.7v	74.5v	49.8v	48.4v	48.7v	47.2v	0.0v	0.0v	0.0v	44.3v	0.0v	384.36v
238	Mr MF Martel	A	72.7v	74.7v	46.2v	49.5v	48.4v	47.5v	0.0v	0.0v	0.0v	48.5v	0.0v	384.35v
239	Dr CW Freeman	O	73.9v	72.6v	48.4v	47.4v	47.4v	50.4v	0.0v	0.0v	0.0v	47.3v	0.0v	384.34v
240	Miss EL Hoolahan	O	72.5v	75.10v	47.5v	46.3v	50.5v	49.4v	0.0v	0.0v	0.0v	45.2v	0.0v	384.34v
241	Mr R Kligge	O	72.7v	72.3v	48.4v	49.6v	49.8v	49.1v	0.0v	0.0v	0.0v	45.3v	0.0v	384.32v
242	Miss RL Laird	A	72.7v	71.7v	49.3v	48.2v	47.5v	49.2v	0.0v	0.0v	0.0v	48.4v	0.0v	384.30v
243	Mr CP Weeden	X	75.8v	74.12v	49.4v	48.6v	49.8v	49.8v	0.0v	0.0v	0.0v	39.3v	0.0v	383.49v
244	Mr ND Gomez	O	73.8v	74.12v	47.5v	46.4v	48.5v	48.5v	0.0v	0.0v	0.0v	47.4v	0.0v	383.43v
245	Mr M Persaud	A	74.7v	72.7v	47.5v	48.6v	48.6v	48.6v	0.0v	0.0v	0.0v	46.5v	0.0v	383.42v
246	Mr AN Tongue	O	74.11v	73.8v	47.4v	47.2v	49.6v	48.7v	0.0v	0.0v	0.0v	45.4v	0.0v	383.42v
247	Mr GR Ratcliff	O	72.8v	71.8v	48.5v	50.7v	47.4v	49.6v	0.0v	0.0v	0.0v	46.3v	0.0v	383.41v
248	Mr PM Jory	X	75.13v	72.6v	48.5v	45.2v	50.7v	48.4v	0.0v	0.0v	0.0v	45.4v	0.0v	383.41v
249	Mr BN Craig	A	72.8v	75.10v	44.2v	49.5v	49.6v	46.4v	0.0v	0.0v	0.0v	48.5v	0.0v	383.40v
250	Mr HWR Gilbert	A	75.8v	73.9v	47.5v	45.4v	49.6v	46.5v	0.0v	0.0v	0.0v	48.3v	0.0v	383.40v
251	Mr RJ Booth	X	73.9v	71.8v	49.7v	44.2v	50.6v	49.6v	0.0v	0.0v	0.0v	47.1v	0.0v	383.39v
252	Mr BJ Wood	A	72.9v	73.8v	46.2v	49.6v	49.6v	48.5v	0.0v	0.0v	0.0v	46.3v	0.0v	383.39v
253	Miss JE Ouston	X	73.7v	73.7v	49.6v	49.8v	47.5v	48.4v	0.0v	0.0v	0.0v	44.2v	0.0v	383.39v
254	Mr ATB Tompson	X	73.7v	74.13v	49.4v	47.4v	48.5v	48.6v	0.0v	0.0v	0.0v	44.0v	0.0v	383.39v
255	Mr AJ Sonnenberg	A	75.11v	72.10v	49.5v	47.3v	48.5v	49.4v	0.0v	0.0v	0.0v	43.1v	0.0v	383.39v
256	Mr JMA Thompson	X	73.7v	75.10v	50.5v	48.5v	49.5v	46.4v	0.0v	0.0v	0.0v	42.3v	0.0v	383.39v
257	Mr G Trembath	X	72.7v	75.8v	48.6v	47.4v	50.7v	48.4v	0.0v	0.0v	0.0v	43.2v	0.0v	383.38v
258	Mr RW Shaw	A	72.7v	74.9v	48.4v	47.4v	47.5v	48.4v	0.0v	0.0v	0.0v	47.4v	0.0v	383.37v
259	Mr H Donovan	T	69.4v	75.12v	49.4v	46.2v	48.6v	50.6v	0.0v	0.0v	0.0v	46.3v	0.0v	383.37v
260	Mr S Otundo	X	75.11v	73.6v	49.4v	48.4v	48.5v	48.3v	0.0v	0.0v	0.0v	42.4v	0.0v	383.37v
261	Mr MD Jenvey	A	73.7v	73.7v	50.7v	45.3v	46.2v	48.6v	0.0v	0.0v	0.0v	48.4v	0.0v	383.36v
262	Mr NNT Kerins	A	74.9v	75.10v	49.4v	47.3v	47.5v	46.3v	0.0v	0.0v	0.0v	45.2v	0.0v	383.36v
263	Mr JRW Postle	X	71.6v	74.6v	47.6v	48.5v	48.4v	49.5v	0.0v	0.0v	0.0v	46.3v	0.0v	383.35v
264	Mr PJ Temperley	A	74.5v	72.5v	46.2v	48.8v	49.7v	48.6v	0.0v	0.0v	0.0v	46.2v	0.0v	383.35v
265	Mr CP Goad	X	73.8v	74.9v	49.2v	49.3v	49.6v	46.4v	0.0v	0.0v	0.0v	43.3v	0.0v	383.35v
266	Mr JF Lawrie	X	75.8v	73.9v	46.3v	49.3v	48.6v	50.4v	0.0v	0.0v	0.0v	42.2v	0.0v	383.35v
267	Mr PJS Bysshe	A	70.3v	73.8v	48.5v	49.8v	48.5v	49.2v	0.0v	0.0v	0.0v	46.3v	0.0v	383.34v
268	Mr SH Dickson	O	74.6v	73.8v	47.2v	49.6v	48.5v	50.5v	0.0v	0.0v	0.0v	42.2v	0.0v	383.34v
269	Mr A Jones	O	74.9v	74.7v	47.3v	49.5v	49.7v	48.3v	0.0v	0.0v	0.0v	42.0v	0.0v	383.34v
270	Mr TM Green	A	72.6v	74.8v	47.5v	48.3v	49.5v	50.4v	0.0v	0.0v	0.0v	43.2v	0.0v	383.33v
271	Miss J Hince	T	70.3v	73.4v	49.6v	50.5v	50.7v	45.4v	0.0v	0.0v	0.0v	46.3v	0.0v	383.32v
272	Mr A Thomson	A	70.2v	74.7v	50.6v	49.5v	48.2v	50.6v	0.0v	0.0v	0.0v	42.1v	0.0v	383.29v

273	Mr M Larcombe	T	73.10v	74.11v	47.3v	49.7v	42.4v	50.8v	0.0v	0.0v	0.0v	47.2v	0.0v	382.45v
274	Mr AM Bullen	O	73.9v	73.9v	48.5v	50.6v	47.6v	49.8v	0.0v	0.0v	0.0v	42.2v	0.0v	382.45v
275	Mr JA Watson	X	74.11v	74.9v	48.6v	47.6v	46.3v	49.5v	0.0v	0.0v	0.0v	44.3v	0.0v	382.43v
276	Dr AF Aspin	A	73.11v	72.5v	49.6v	49.7v	47.6v	49.6v	0.0v	0.0v	0.0v	43.2v	0.0v	382.43v
277	Mr RCT Jeens	X	66.1v	75.12v	48.6v	49.7v	47.4v	50.10v	0.0v	0.0v	0.0v	47.2v	0.0v	382.42v
278	Mr RE Ellis	A	73.10v	73.9v	48.5v	46.3v	48.6v	49.8v	0.0v	0.0v	0.0v	45.1v	0.0v	382.42v
279	Mr TJ Johnston	O	72.4v	74.13v	48.6v	50.7v	50.4v	48.7v	0.0v	0.0v	0.0v	40.1v	0.0v	382.42v
280	Mr R Hu	O	73.6v	75.11v	48.5v	48.6v	47.7v	44.3v	0.0v	0.0v	0.0v	47.3v	0.0v	382.41v
281	Mr WC Cowen	O	72.8v	75.10v	46.5v	47.3v	49.4v	49.7v	0.0v	0.0v	0.0v	44.4v	0.0v	382.41v
282	Mr A Eckardt	T	70.8v	75.7v	46.2v	49.5v	48.6v	49.8v	0.0v	0.0v	0.0v	45.4v	0.0v	382.40v
283	Miss CM Jones	A	73.6v	73.12v	46.4v	49.5v	49.4v	49.5v	0.0v	0.0v	0.0v	43.3v	0.0v	382.39v
284	Mr RW Hallows	X	75.11v	74.10v	48.4v	48.4v	50.7v	47.3v	0.0v	0.0v	0.0v	40.0v	0.0v	382.39v
285	Mr P De Voil	A	75.10v	72.6v	49.4v	47.5v	48.5v	47.5v	0.0v	0.0v	0.0v	44.2v	0.0v	382.37v
286	Wg. Cdr. CR Smith	X	74.8v	74.9v	47.3v	49.6v	47.5v	48.4v	0.0v	0.0v	0.0v	43.2v	0.0v	382.37v
287	Mr PD Dudzinski	A	73.9v	71.4v	47.3v	47.5v	50.6v	46.3v	0.0v	0.0v	0.0v	48.6v	0.0v	382.36v
288	Mr R A Webb	O	73.5v	71.6v	45.3v	49.5v	50.8v	48.6v	0.0v	0.0v	0.0v	46.3v	0.0v	382.36v
289	Mr AI Brown	A	73.9v	73.6v	47.6v	49.4v	47.4v	48.5v	0.0v	0.0v	0.0v	45.2v	0.0v	382.36v
290	Mr CMB Bowring	A	73.9v	74.10v	47.2v	45.2v	50.6v	48.5v	0.0v	0.0v	0.0v	45.2v	0.0v	382.36v
291	Miss LE Kennedy	O	74.12v	73.5v	48.3v	47.2v	50.9v	46.2v	0.0v	0.0v	0.0v	44.3v	0.0v	382.36v
292	Mrs MM Norman	X	71.5v	75.10v	47.2v	46.5v	50.5v	47.4v	0.0v	0.0v	0.0v	46.4v	0.0v	382.35v
293	Mr J Bullock	O	73.8v	74.6v	49.5v	46.2v	48.5v	50.7v	0.0v	0.0v	0.0v	42.1v	0.0v	382.34v
294	Mr DJ Curtis	A	70.6v	71.7v	50.1v	49.5v	45.2v	50.6v	0.0v	0.0v	0.0v	47.6v	0.0v	382.33v
295	Mr AR Betts	X	75.10v	73.6v	49.6v	48.2v	47.3v	43.1v	0.0v	0.0v	0.0v	47.5v	0.0v	382.33v
296	Mr WHC Alexander	O	73.8v	75.6v	49.3v	43.3v	48.3v	46.5v	0.0v	0.0v	0.0v	48.4v	0.0v	382.32v
297	Mr MR Ebbetts	X	72.5v	73.9v	48.4v	48.3v	46.1v	48.5v	0.0v	0.0v	0.0v	47.5v	0.0v	382.32v
298	Mr SJ East	A	72.6v	75.9v	46.3v	47.3v	49.5v	48.3v	0.0v	0.0v	0.0v	45.3v	0.0v	382.32v
299	Mr P Cameron Taylor	O	73.8v	74.5v	48.4v	43.2v	48.5v	48.4v	0.0v	0.0v	0.0v	48.3v	0.0v	382.31v
300	Mr AC Griffin	O	72.6v	73.7v	47.4v	49.2v	49.5v	49.3v	0.0v	0.0v	0.0v	43.2v	0.0v	382.29v
301	Mr CM Brooks	A	72.4v	72.8v	49.5v	49.4v	49.3v	47.3v	0.0v	0.0v	0.0v	44.1v	0.0v	382.28v
302	Mr G Oakland	O	71.1v	71.4v	47.6v	47.3v	49.4v	48.5v	0.0v	0.0v	0.0v	49.4v	0.0v	382.27v
303	Mr H Lee	O	72.2v	73.5v	49.4v	48.4v	47.4v	47.2v	0.0v	0.0v	0.0v	46.4v	0.0v	382.25v
304	Capt AW Gill	X	71.9v	75.11v	48.6v	44.3v	50.7v	50.5v	0.0v	0.0v	0.0v	43.4v	0.0v	381.45v
305	Mr JM Taylor	X	73.9v	72.7v	49.9v	49.5v	48.7v	47.5v	0.0v	0.0v	0.0v	43.2v	0.0v	381.44v
306	Mr F Flanagan	A	73.10v	75.11v	48.5v	47.2v	48.5v	50.8v	0.0v	0.0v	0.0v	40.3v	0.0v	381.44v
307	Mr DB Ball	T	70.7v	73.9v	46.5v	46.3v	49.4v	50.8v	0.0v	0.0v	0.0v	47.4v	0.0v	381.40v
308	Mr JA Anderson	A	73.10v	73.8v	47.6v	48.4v	47.4v	48.6v	0.0v	0.0v	0.0v	45.2v	0.0v	381.40v
309	Mr E Sewell	O	71.8v	75.9v	47.5v	48.4v	48.5v	48.5v	0.0v	0.0v	0.0v	44.3v	0.0v	381.39v
310	Mr JA Lindsay III	X	74.9v	74.10v	48.4v	48.5v	47.5v	46.5v	0.0v	0.0v	0.0v	44.1v	0.0v	381.39v
311	Dr JS Rennie	X	73.12v	73.8v	49.6v	48.3v	48.4v	47.5v	0.0v	0.0v	0.0v	43.1v	0.0v	381.39v
312	Mr SC Postins	X	74.10v	74.11v	45.3v	47.4v	49.5v	49.1v	0.0v	0.0v	0.0v	43.2v	0.0v	381.36v
313	Mr RH Gardiner	O	74.8v	72.8v	48.8v	48.3v	49.5v	48.2v	0.0v	0.0v	0.0v	42.2v	0.0v	381.36v
314	Mr RJ Quay	O	74.9v	71.8v	49.2v	48.4v	49.5v	49.6v	0.0v	0.0v	0.0v	41.2v	0.0v	381.36v
315	Mr CPP Brewin	O	73.8v	73.8v	50.5v	44.4v	48.4v	46.2v	0.0v	0.0v	0.0v	47.4v	0.0v	381.35v
316	Mrs G Jarvis	A	74.9v	75.10v	48.3v	48.4v	47.4v	49.5v	0.0v	0.0v	0.0v	40.0v	0.0v	381.35v
317	Mr AJ Leech	A	74.6v	73.6v	49.6v	47.5v	46.2v	49.9v	0.0v	0.0v	0.0v	43.0v	0.0v	381.34v
318	Mrs A Peters	X	72.8v	74.9v	48.5v	49.4v	49.2v	49.5v	0.0v	0.0v	0.0v	40.1v	0.0v	381.34v
319	Air Cdre JA Ford	X	67.5v	73.6v	49.3v	48.5v	49.3v	48.7v	0.0v	0.0v	0.0v	47.4v	0.0v	381.33v
320	Mr JJ Parsons	T	73.6v	70.6v	47.5v	44.3v	50.4v	50.6v	0.0v	0.0v	0.0v	47.3v	0.0v	381.33v
321	Mr THD Dodds	A	75.7v	75.10v	47.5v	45.3v	48.4v	44.3v	0.0v	0.0v	0.0v	47.1v	0.0v	381.33v
322	Cdt Cpl RG Woodger	T	73.11v	74.13v	50.7v	46.5v	49.5v	48.5v	0.0v	0.0v	0.0v	40.2v	0.0v	380.48v
323	Mr JW Page	O	73.7v	71.8v	49.3v	46.6v	47.5v	49.7v	0.0v	0.0v	0.0v	45.5v	0.0v	380.41v
324	Cdt TO Little	O	74.9v	74.9v	47.6v	47.4v	48.5v	46.4v	0.0v	0.0v	0.0v	44.4v	0.0v	380.41v
325	Dr MW Wrigley	X	73.11v	73.7v	49.6v	47.3v	48.6v	49.4v	0.0v	0.0v	0.0v	41.2v	0.0v	380.39v
326	Miss ZN Northam	O	73.10v	74.8v	43.2v	49.4v	47.3v	49.3v	0.0v	0.0v	0.0v	45.3v	0.0v	380.33v
327	Mr WP Hanley	O	68.5v	75.12v	46.1v	48.3v	50.5v	48.4v	0.0v	0.0v	0.0v	45.3v	0.0v	380.33v
328	Mr ND Stangroom	O	74.6v	75.8v	45.2v	48.4v	49.7v	47.4v	0.0v	0.0v	0.0v	42.1v	0.0v	380.32v
329	SSgt. RH Kitson	A	72.6v	73.6v	46.2v	47.4v	50.7v	48.5v	0.0v	0.0v	0.0v	44.1v	0.0v	380.31v
330	Mr N Watson	O	74.9v	73.7v	47.5v	45.2v	47.2v	48.1v	0.0v	0.0v	0.0v	46.3v	0.0v	380.29v
331	Mr L Malcic	O	73.8v	73.5v	47.3v	47.4v	46.1v	46.3v	0.0v	0.0v	0.0v	48.4v	0.0v	380.28v
332	Miss K Fleck	O	72.6v	72.4v	46.3v	45.1v	48.5v	49.3v	0.0v	0.0v	0.0v	48.5v	0.0v	380.27v
333	Mr M Witherley	A	72.3v	75.5v	50.4v	46.2v	46.5v	50.7v	0.0v	0.0v	0.0v	41.0v	0.0v	380.26v
334	Mr PA Goubert	O	71.10v	74.7v	46.5v	49.6v	48.7v	50.5v	0.0v	0.0v	0.0v	41.2v	0.0v	379.42v
335	Mr SE Frost	O	72.9v	72.8v	46.3v	49.7v	48.5v	48.7v	0.0v	0.0v	0.0v	44.2v	0.0v	379.41v
336	Mr AJ Haggerty	X	74.8v	72.10v	44.3v	49.6v	49.5v	48.6v	0.0v	0.0v	0.0v	43.3v	0.0v	379.41v
337	Mr MJ Wood	A	75.9v	72.6v	47.5v	45.4v	42.4v	48.4v	0.0v	0.0v	0.0v	50.8v	0.0v	379.40v
338	Mr MJ Creber	A	73.10v	70.7v	48.5v	45.3v	48.5v	47.4v	0.0v	0.0v	0.0v	48.6v	0.0v	379.40v
339	Mr SL Larter-Whitcher	O	74.7v	74.12v	49.5v	48.4v	49.6v	45.4v	0.0v	0.0v	0.0v	40.2v	0.0v	379.40v
340	Mr DFP Richards G.M.	X	71.7v	71.5v	48.5v	45.2v	48.4v	47.5v	0.0v	0.0v	0.0v	49.9v	0.0v	379.37v
341	Mr JRCSB Stanford-Beale	T	72.6v	68.3v	48.7v	48.5v	48.4v	49.6v	0.0v	0.0v	0.0v	46.5v	0.0v	379.36v
342	Mr JGM Webster	A	73.8v	73.8v	49.6v	49.5v	46.4v	46.4v	0.0v	0.0v	0.0v	43.1v	0.0v	379.36v
343	Mr C Dart	T	73.9v	73.5v	47.5v	49.3v	50.8v	48.6v	0.0v	0.0v	0.0v	39.0v	0.0v	379.36v
344	Mr LT Wicker	A	73.7v	71.5v	49.7v	46.3v	46.3v	49.6v	0.0v	0.0v	0.0v	45.3v	0.0v	379.34v

417	Miss S Cheslyn-Curtis	O	72.9v	73.8v	47.3v	50.5v	47.3v	44.6v	0.0v	0.0v	0.0v	42.2v	0.0v	375.36v
418	Mr JA Curd	X	71.6v	73.9v	47.5v	45.3v	50.7v	48.3v	0.0v	0.0v	0.0v	41.3v	0.0v	375.36v
419	Cdr M Jordan	O	71.7v	73.6v	46.4v	48.4v	44.3v	46.4v	0.0v	0.0v	0.0v	47.6v	0.0v	375.34v
420	Mrs RM Merridew	O	69.7v	72.6v	50.6v	49.5v	47.5v	44.4v	0.0v	0.0v	0.0v	44.1v	0.0v	375.34v
421	Mr J Barlow	O	73.8v	74.10v	47.3v	45.4v	50.4v	47.4v	0.0v	0.0v	0.0v	39.1v	0.0v	375.34v
422	Mr HK Lottritz	O	69.4v	74.11v	47.3v	50.6v	50.5v	48.3v	0.0v	0.0v	0.0v	37.2v	0.0v	375.34v
423	Mr J Purdy	O	69.6v	72.10v	47.2v	46.4v	48.6v	48.4v	0.0v	0.0v	0.0v	45.1v	0.0v	375.33v
424	Mr RG Evans	O	70.7v	70.8v	47.4v	49.6v	48.3v	48.2v	0.0v	0.0v	0.0v	43.2v	0.0v	375.32v
425	Mr B Heatley	X	73.6v	72.8v	49.4v	48.4v	43.3v	48.5v	0.0v	0.0v	0.0v	42.2v	0.0v	375.32v
426	Mr JWE Lewis	X	70.3v	72.7v	46.4v	46.4v	48.6v	47.4v	0.0v	0.0v	0.0v	46.3v	0.0v	375.31v
427	Mr JR Stirland	A	73.8v	72.7v	48.4v	46.2v	48.4v	45.2v	0.0v	0.0v	0.0v	43.3v	0.0v	375.30v
428	Cdt D Hewitt	T	70.5v	70.4v	46.2v	48.6v	45.2v	47.4v	0.0v	0.0v	0.0v	49.6v	0.0v	375.29v
429	Mr W Ross	O	72.7v	72.7v	46.1v	46.3v	49.3v	49.3v	0.0v	0.0v	0.0v	41.4v	0.0v	375.28v
430	Mr J Scambler	T	72.7v	74.12v	46.3v	48.0v	48.2v	48.2v	0.0v	0.0v	0.0v	39.0v	0.0v	375.26v
431	Cdt LCpl S Flanagan	T	68.3v	71.5v	45.3v	48.2v	47.2v	50.5v	0.0v	0.0v	0.0v	46.4v	0.0v	375.24v
432	Miss S Sindoi	T	72.9v	73.9v	46.2v	46.4v	48.4v	48.5v	0.0v	0.0v	0.0v	41.2v	0.0v	374.35v
433	Mrs DA Thompson	O	72.7v	73.8v	47.4v	48.6v	49.5v	41.3v	0.0v	0.0v	0.0v	44.1v	0.0v	374.34v
434	Mr GR Thomas	T	70.7v	71.10v	47.3v	48.3v	48.5v	48.5v	0.0v	0.0v	0.0v	42.1v	0.0v	374.34v
435	Mr MW Silver	X	72.10v	75.8v	47.6v	45.2v	48.6v	49.1v	0.0v	0.0v	0.0v	38.1v	0.0v	374.34v
436	Mr RA Mullin	O	70.7v	73.6v	48.3v	44.5v	50.7v	43.2v	0.0v	0.0v	0.0v	46.3v	0.0v	374.33v
437	Mr I Farbon	T	72.6v	73.9v	46.3v	47.4v	48.5v	48.6v	0.0v	0.0v	0.0v	40.0v	0.0v	374.33v
438	Mr TJ Jones	T	75.7v	72.6v	48.5v	48.5v	46.4v	47.4v	0.0v	0.0v	0.0v	38.1v	0.0v	374.32v
439	Sgt O Money-Kyrle	T	71.3v	69.6v	45.3v	48.4v	49.4v	47.7v	0.0v	0.0v	0.0v	45.4v	0.0v	374.31v
440	Miss O Hutt	T	72.8v	74.8v	45.3v	45.2v	46.4v	49.3v	0.0v	0.0v	0.0v	43.3v	0.0v	374.31v
441	Mr DCW Lloyd	O	70.6v	71.6v	46.4v	47.4v	48.4v	46.4v	0.0v	0.0v	0.0v	46.2v	0.0v	374.30v
442	Ms BM Moore	O	70.6v	72.9v	44.1v	47.2v	48.3v	48.7v	0.0v	0.0v	0.0v	45.2v	0.0v	374.30v
443	Mr S Brewer-Marchant	O	74.8v	73.9v	47.4v	43.1v	47.2v	46.3v	0.0v	0.0v	0.0v	44.3v	0.0v	374.30v
444	C/Smg J Kelly	T	71.6v	71.7v	44.1v	49.5v	48.4v	47.5v	0.0v	0.0v	0.0v	44.2v	0.0v	374.30v
445	Mr BA Young	O	70.7v	70.7v	49.3v	47.3v	49.6v	46.1v	0.0v	0.0v	0.0v	43.3v	0.0v	374.30v
446	Mr A Tucker	O	69.5v	74.7v	47.4v	48.4v	46.1v	47.5v	0.0v	0.0v	0.0v	43.3v	0.0v	374.29v
447	Miss H Bramwell	O	70.4v	74.4v	45.3v	46.4v	50.6v	47.5v	0.0v	0.0v	0.0v	42.1v	0.0v	374.27v
448	Mr JIB Halahan	O	72.5v	72.5v	49.5v	44.2v	48.4v	45.4v	0.0v	0.0v	0.0v	44.1v	0.0v	374.26v
449	Mr MJ Watton	O	73.3v	71.7v	46.3v	47.2v	49.4v	49.3v	0.0v	0.0v	0.0v	39.1v	0.0v	374.23v
450	Miss AJ Clarke	A	73.10v	72.8v	41.1v	47.5v	50.9v	49.6v	0.0v	0.0v	0.0v	41.4v	0.0v	373.43v
451	Mr M Horton-Baker	T	72.6v	74.11v	48.6v	43.4v	48.4v	50.7v	0.0v	0.0v	0.0v	38.2v	0.0v	373.40v
452	Mr M D Joyce	A	72.9v	72.6v	49.5v	45.1v	47.6v	49.6v	0.0v	0.0v	0.0v	39.4v	0.0v	373.37v
453	Mr R Murray	T	75.10v	70.4v	48.7v	45.4v	45.3v	47.5v	0.0v	0.0v	0.0v	43.3v	0.0v	373.36v
454	Mr RP Rosling	O	72.10v	69.6v	44.2v	48.5v	47.3v	48.5v	0.0v	0.0v	0.0v	45.3v	0.0v	373.34v
455	Mr MHH John	O	69.3v	73.10v	45.3v	47.2v	48.8v	45.4v	0.0v	0.0v	0.0v	46.3v	0.0v	373.33v
456	LCpl J Keates	T	68.5v	72.5v	48.4v	47.6v	45.3v	48.6v	0.0v	0.0v	0.0v	45.4v	0.0v	373.33v
457	Mr S Ndambuki	X	73.9v	71.8v	46.3v	47.2v	46.3v	43.3v	0.0v	0.0v	0.0v	47.4v	0.0v	373.32v
458	Mr V Robertshaw	O	72.7v	73.5v	47.3v	44.3v	47.5v	49.6v	0.0v	0.0v	0.0v	41.2v	0.0v	373.31v
459	Mr NW Penn	O	73.7v	73.9v	47.3v	49.6v	46.2v	45.2v	0.0v	0.0v	0.0v	40.2v	0.0v	373.31v
460	Mr B Taylor	O	73.6v	68.4v	46.6v	49.3v	46.5v	45.4v	0.0v	0.0v	0.0v	46.2v	0.0v	373.30v
461	Mr O Henry	X	72.6v	71.2v	49.6v	44.5v	47.3v	45.5v	0.0v	0.0v	0.0v	45.3v	0.0v	373.30v
462	Miss K Milner	O	72.4v	69.5v	47.4v	46.5v	50.8v	44.3v	0.0v	0.0v	0.0v	45.1v	0.0v	373.30v
463	Cdt M Liu	T	73.5v	74.11v	47.3v	41.1v	49.6v	47.2v	0.0v	0.0v	0.0v	42.2v	0.0v	373.30v
464	Mr JR Lindsay	O	71.4v	68.4v	46.3v	48.4v	48.5v	48.6v	0.0v	0.0v	0.0v	44.2v	0.0v	373.28v
465	Mr U Soelzer	O	70.5v	70.3v	48.5v	48.5v	49.5v	47.5v	0.0v	0.0v	0.0v	41.0v	0.0v	373.28v
466	Cdt J Kavanagh	T	75.7v	73.6v	45.0v	48.4v	46.5v	48.4v	0.0v	0.0v	0.0v	38.2v	0.0v	373.28v
467	Mr AW Hellings	T	71.6v	73.5v	43.1v	47.5v	47.4v	47.3v	0.0v	0.0v	0.0v	45.3v	0.0v	373.27v
468	Mr TD De La Cour	T	73.8v	70.3v	46.2v	48.5v	48.3v	46.4v	0.0v	0.0v	0.0v	42.2v	0.0v	373.27v
469	Mr JM de Bruyn	O	71.5v	70.7v	47.2v	44.2v	49.3v	49.3v	0.0v	0.0v	0.0v	43.2v	0.0v	373.24v
470	Cdt A Huang	T	68.6v	73.8v	48.5v	48.6v	47.6v	49.6v	0.0v	0.0v	0.0v	39.2v	0.0v	372.39v
471	Mr TW Harrison	O	71.7v	72.7v	47.5v	44.4v	45.4v	47.5v	0.0v	0.0v	0.0v	46.4v	0.0v	372.36v
472	Lt JW Jenkins	X	72.9v	72.8v	47.3v	49.4v	49.6v	46.5v	0.0v	0.0v	0.0v	37.1v	0.0v	372.36v
473	Cdt M Fata	T	73.6v	71.7v	48.4v	44.3v	50.9v	48.2v	0.0v	0.0v	0.0v	38.2v	0.0v	372.33v
474	Mr C Hughes	O	74.5v	71.8v	47.4v	46.4v	48.6v	48.6v	0.0v	0.0v	0.0v	38.0v	0.0v	372.33v
475	Dr AI Ashworth	A	73.9v	73.7v	47.3v	45.3v	49.4v	45.3v	0.0v	0.0v	0.0v	40.3v	0.0v	372.32v
476	Cdt T Cubitt	T	72.7v	71.6v	43.3v	43.3v	49.6v	49.3v	0.0v	0.0v	0.0v	45.3v	0.0v	372.31v
477	Mr JRJ Kennedy	O	72.6v	72.9v	47.2v	42.2v	48.5v	48.5v	0.0v	0.0v	0.0v	43.2v	0.0v	372.31v
478	Mr I Brechin	A	72.10v	68.3v	44.1v	43.1v	49.7v	50.3v	0.0v	0.0v	0.0v	46.2v	0.0v	372.27v
479	Mr P Reddish	T	72.4v	71.4v	47.2v	39.1v	47.4v	50.8v	0.0v	0.0v	0.0v	46.3v	0.0v	372.26v
480	Sgt JB Wallis	T	69.3v	73.8v	45.1v	46.3v	48.5v	46.3v	0.0v	0.0v	0.0v	45.3v	0.0v	372.26v
481	Mr GAE Larcombe	O	71.9v	73.4v	47.2v	45.4v	47.1v	46.4v	0.0v	0.0v	0.0v	43.2v	0.0v	372.26v
482	Mr AS Smyth	T	73.8v	71.6v	45.3v	46.1v	48.4v	47.3v	0.0v	0.0v	0.0v	42.0v	0.0v	372.25v
483	Mr DA Taylor	A	69.2v	67.3v	46.2v	46.3v	47.4v	47.5v	0.0v	0.0v	0.0v	50.5v	0.0v	372.24v
484	Mr OD De Gruchy	O	73.5v	70.5v	46.2v	42.1v	46.3v	48.5v	0.0v	0.0v	0.0v	47.3v	0.0v	372.24v
485	Mr JA Fox	T	71.3v	74.7v	43.2v	48.5v	48.3v	44.3v	0.0v	0.0v	0.0v	44.1v	0.0v	372.24v
486	Mr AG Harrison	O	72.9v	73.7v	47.5v	48.4v	49.5v	49.5v	0.0v	0.0v	0.0v	33.1v	0.0v	371.36v
487	Mr DAF Parkinson	O	70.6v	71.6v	47.5v	48.5v	45.4v	46.5v	0.0v	0.0v	0.0v	44.3v	0.0v	371.34v
488	Miss S Ponter	O	70.6v	75.9v	47.5v	47.2v	50.8v	43.2v	0.0v	0.0v	0.0v	39.1v	0.0v	371.33v

489	Mr R Bird	O	71.9v	69.6v	48.5v	48.7v	48.1v	42.1v	0.0v	0.0v	0.0v	45.3v	0.0v	371.32v
490	Mr GR Jeal	X	63.1v	74.8v	46.5v	48.7v	50.5v	48.5v	0.0v	0.0v	0.0v	42.1v	0.0v	371.32v
491	Cdt WP Cubitt	T	72.9v	70.5v	47.5v	45.4v	46.2v	44.0v	0.0v	0.0v	0.0v	47.6v	0.0v	371.31v
492	Sqn Ldr CM Fopp	O	70.7v	68.5v	47.5v	46.2v	50.7v	47.2v	0.0v	0.0v	0.0v	43.2v	0.0v	371.30v
493	Mr L Wittenburg	T	69.5v	74.11v	43.2v	47.6v	46.1v	47.3v	0.0v	0.0v	0.0v	45.1v	0.0v	371.29v
494	Mr D Morris	A	70.6v	72.8v	46.2v	45.0v	48.4v	47.6v	0.0v	0.0v	0.0v	43.3v	0.0v	371.29v
495	Mr P Kapkundos	T	67.6v	73.6v	45.6v	48.3v	48.3v	45.3v	0.0v	0.0v	0.0v	45.1v	0.0v	371.28v
496	Mr NJ Burnip	O	72.6v	73.8v	46.1v	45.4v	48.4v	46.4v	0.0v	0.0v	0.0v	41.1v	0.0v	371.28v
497	Mr SJ Comins	O	71.3v	68.4v	46.4v	45.4v	48.5v	47.4v	0.0v	0.0v	0.0v	46.3v	0.0v	371.27v
498	Mr AP Powell	O	68.3v	70.6v	48.7v	48.3v	46.3v	46.4v	0.0v	0.0v	0.0v	45.1v	0.0v	371.27v
499	Mr CS Lamont	O	71.4v	71.6v	43.2v	45.4v	48.7v	48.3v	0.0v	0.0v	0.0v	45.1v	0.0v	371.27v
500	Mr JR Rennie	T	71.5v	70.5v	45.3v	44.3v	49.5v	48.3v	0.0v	0.0v	0.0v	44.3v	0.0v	371.27v
501	Cdt Cpl G Templar	T	72.9v	71.4v	45.2v	45.3v	46.5v	47.2v	0.0v	0.0v	0.0v	45.1v	0.0v	371.26v
502	Mr MD Wright	O	73.6v	71.8v	47.4v	45.1v	44.1v	49.3v	0.0v	0.0v	0.0v	42.3v	0.0v	371.26v
503	Mr PS Gray	A	70.5v	71.5v	46.3v	46.5v	47.3v	49.3v	0.0v	0.0v	0.0v	42.2v	0.0v	371.26v
504	Mr JT Kennedy	O	73.5v	70.2v	43.3v	46.5v	49.5v	48.5v	0.0v	0.0v	0.0v	42.1v	0.0v	371.26v
505	Cdt D Laflamme	T	72.5v	73.6v	44.4v	48.3v	49.4v	46.2v	0.0v	0.0v	0.0v	39.2v	0.0v	371.26v
506	Mr JT Thorp	T	70.6v	71.6v	49.2v	47.2v	44.3v	45.3v	0.0v	0.0v	0.0v	45.1v	0.0v	371.23v
507	Mr C Waldron	O	71.5v	73.5v	46.3v	47.5v	48.2v	45.2v	0.0v	0.0v	0.0v	41.1v	0.0v	371.23v
508	CDT TP Shaw	T	72.6v	71.5v	48.4v	47.2v	47.4v	49.2v	0.0v	0.0v	0.0v	37.0v	0.0v	371.23v
509	Mr RCG Knight	O	75.11v	73.7v	48.6v	46.4v	47.4v	47.5v	0.0v	0.0v	0.0v	34.0v	0.0v	370.37v
510	Wg. Cdr. MJ Gregory	O	71.6v	72.5v	42.3v	42.3v	47.4v	49.3v	0.0v	0.0v	0.0v	47.6v	0.0v	370.30v
511	Mr CAD Flanagan	T	69.6v	74.9v	46.5v	47.2v	42.2v	47.3v	0.0v	0.0v	0.0v	45.3v	0.0v	370.30v
512	Mr CW Slator	O	72.9v	72.7v	49.3v	44.1v	48.6v	45.3v	0.0v	0.0v	0.0v	40.0v	0.0v	370.29v
513	Mr RJ Cade	O	73.7v	71.8v	45.4v	41.1v	48.4v	46.2v	0.0v	0.0v	0.0v	46.1v	0.0v	370.27v
514	Mr M Horrell	O	70.5v	72.6v	47.4v	45.3v	48.2v	44.4v	0.0v	0.0v	0.0v	44.3v	0.0v	370.27v
515	Miss AL Matthews	O	67.3v	75.7v	46.3v	46.2v	47.5v	44.4v	0.0v	0.0v	0.0v	45.2v	0.0v	370.26v
516	CSgt A Wilson	T	67.2v	70.5v	47.3v	42.2v	49.4v	48.6v	0.0v	0.0v	0.0v	47.3v	0.0v	370.25v
517	Mr AJCB de Launay	O	70.6v	70.7v	45.3v	47.1v	46.2v	47.2v	0.0v	0.0v	0.0v	45.4v	0.0v	370.25v
518	Mr MR Clewer	O	70.7v	70.5v	46.3v	46.1v	48.4v	44.2v	0.0v	0.0v	0.0v	46.2v	0.0v	370.24v
519	Mr S Edwards	T	71.6v	72.4v	45.3v	47.3v	48.5v	46.2v	0.0v	0.0v	0.0v	41.1v	0.0v	370.24v
520	Dr KW Genders	O	73.8v	71.4v	45.3v	40.0v	48.2v	47.3v	0.0v	0.0v	0.0v	46.3v	0.0v	370.23v
521	Mr RM Culverwell	O	72.5v	72.8v	44.1v	45.1v	47.2v	45.3v	0.0v	0.0v	0.0v	45.2v	0.0v	370.22v
522	Mr RA Jobson	O	70.3v	74.9v	45.2v	45.1v	49.2v	44.3v	0.0v	0.0v	0.0v	43.2v	0.0v	370.22v
523	Dr NP Tucker	O	69.4v	71.6v	46.1v	49.2v	47.3v	45.0v	0.0v	0.0v	0.0v	43.3v	0.0v	370.19v
524	Cdt J Desjardins	T	73.10v	70.6v	41.4v	47.4v	49.5v	44.3v	0.0v	0.0v	0.0v	45.2v	0.0v	369.34v
525	Dr N Hart	A	72.10v	73.10v	48.3v	43.2v	47.5v	45.3v	0.0v	0.0v	0.0v	41.0v	0.0v	369.33v
526	Mrs T Newbold	O	72.9v	71.5v	46.3v	46.5v	47.6v	45.4v	0.0v	0.0v	0.0v	42.0v	0.0v	369.32v
527	Mr G Meijer	O	72.5v	70.6v	47.5v	43.4v	49.5v	48.5v	0.0v	0.0v	0.0v	40.1v	0.0v	369.31v
528	Cdt H Glawson	T	69.5v	73.6v	43.3v	47.3v	50.8v	46.3v	0.0v	0.0v	0.0v	41.1v	0.0v	369.29v
529	Mr CR Hirst	O	74.8v	68.3v	47.3v	44.4v	45.4v	48.5v	0.0v	0.0v	0.0v	43.1v	0.0v	369.28v
530	Mr GRP Shapland	O	72.9v	69.3v	48.4v	43.1v	48.6v	47.4v	0.0v	0.0v	0.0v	42.1v	0.0v	369.28v
531	Mr ARN Kinross	O	69.7v	69.4v	46.3v	47.7v	48.1v	48.6v	0.0v	0.0v	0.0v	42.0v	0.0v	369.28v
532	Miss K Lindsay	T	68.3v	71.7v	46.2v	47.2v	48.5v	46.4v	0.0v	0.0v	0.0v	43.4v	0.0v	369.27v
533	Mr R Batchelor	T	70.5v	71.7v	49.2v	47.5v	45.4v	43.2v	0.0v	0.0v	0.0v	44.1v	0.0v	369.26v
534	Mr JS Ritchie	O	71.8v	72.6v	45.2v	43.2v	49.6v	46.1v	0.0v	0.0v	0.0v	43.1v	0.0v	369.26v
535	Mr JA Caske	O	70.5v	70.4v	47.4v	46.2v	47.3v	44.2v	0.0v	0.0v	0.0v	45.3v	0.0v	369.23v
536	Mr RK Sheead	A	72.4v	71.4v	43.1v	45.4v	47.2v	47.4v	0.0v	0.0v	0.0v	44.1v	0.0v	369.20v
537	Mr DM Epton	T	74.1v	71.4v	46.3v	40.2v	47.4v	46.1v	0.0v	0.0v	0.0v	45.4v	0.0v	369.19v
538	Mr A Mcconnell	O	72.7v	70.8v	48.4v	48.3v	46.3v	35.1v	0.0v	0.0v	0.0v	49.6v	0.0v	368.32v
539	Mr GH Porter	O	69.5v	71.10v	45.4v	48.4v	45.2v	47.4v	0.0v	0.0v	0.0v	43.3v	0.0v	368.32v
540	Mr C Kiptarus	T	72.5v	72.8v	46.2v	40.3v	45.4v	49.6v	0.0v	0.0v	0.0v	44.3v	0.0v	368.31v
541	Mr RG Faulkner	O	73.9v	71.7v	46.3v	48.5v	49.3v	38.2v	0.0v	0.0v	0.0v	43.1v	0.0v	368.30v
542	Mr R McVeigh	O	69.5v	73.6v	45.2v	48.7v	45.4v	46.2v	0.0v	0.0v	0.0v	42.3v	0.0v	368.29v
543	Mr LP Parkins	T	70.6v	72.7v	43.3v	48.4v	47.3v	47.4v	0.0v	0.0v	0.0v	41.2v	0.0v	368.29v
544	Mr HRM Bailie	O	71.6v	72.9v	47.5v	46.5v	48.3v	43.1v	0.0v	0.0v	0.0v	41.0v	0.0v	368.29v
545	Mr ML Kirkillo-Stacewicz	T	71.4v	74.10v	44.3v	43.1v	45.4v	48.4v	0.0v	0.0v	0.0v	43.2v	0.0v	368.28v
546	Miss CH Cuming	T	67.4v	74.9v	47.1v	43.3v	48.4v	48.6v	0.0v	0.0v	0.0v	41.1v	0.0v	368.28v
547	Mr T S McDowell	O	69.7v	72.5v	48.5v	46.4v	46.3v	44.1v	0.0v	0.0v	0.0v	43.1v	0.0v	368.26v
548	Mr M Raps	T	71.6v	71.7v	48.6v	43.0v	46.2v	47.3v	0.0v	0.0v	0.0v	42.2v	0.0v	368.26v
549	Cadet J Murphy	T	73.5v	74.6v	47.2v	46.4v	44.2v	45.5v	0.0v	0.0v	0.0v	39.2v	0.0v	368.26v
550	NJ Belousov	T	71.8v	72.6v	48.3v	47.2v	46.1v	47.5v	0.0v	0.0v	0.0v	37.1v	0.0v	368.26v
551	Mr A Lloyd	O	67.2v	70.5v	45.2v	48.0v	48.3v	47.4v	0.0v	0.0v	0.0v	43.1v	0.0v	368.17v
552	Mr M Le Vasseur	T	72.9v	73.7v	45.5v	48.5v	49.7v	45.3v	0.0v	0.0v	0.0v	35.0v	0.0v	367.36v
553	Cdt D Zhou	T	70.6v	75.9v	47.6v	48.5v	50.6v	47.2v	0.0v	0.0v	0.0v	30.0v	0.0v	367.34v
554	Mr J Dixon	T	68.5v	72.10v	47.5v	46.1v	47.5v	50.4v	0.0v	0.0v	0.0v	37.2v	0.0v	367.32v
555	Mr NR Wells	O	72.8v	73.6v	47.5v	47.5v	41.2v	43.1v	0.0v	0.0v	0.0v	44.4v	0.0v	367.31v
556	Cdt D Neal	O	71.7v	71.4v	43.3v	44.3v	47.4v	47.6v	0.0v	0.0v	0.0v	44.4v	0.0v	367.31v
557	Mr EM Brice	O	71.8v	68.4v	48.6v	47.4v	45.3v	44.3v	0.0v	0.0v	0.0v	44.3v	0.0v	367.31v
558	Miss DE Andrews	O	72.8v	67.7v	46.4v	48.3v	48.4v	48.4v	0.0v	0.0v	0.0v	38.1v	0.0v	367.31v
559	Mr NC Granger	O	68.4v	70.6v	48.4v	43.4v	49.6v	47.4v	0.0v	0.0v	0.0v	42.1v	0.0v	367.29v
560	Mr T Steele	X	63.8v	73.7v	48.3v	46.5v	46.1v	45.1v	0.0v	0.0v	0.0v	46.3v	0.0v	367.28v

561	Mr RK Jackson	O	68.4v	71.6v	42.3v	45.3v	49.4v	49.6v	0.0v	0.0v	0.0v	43.1v	0.0v	367.27v
562	Miss PL Winter	O	72.4v	68.4v	48.5v	44.3v	47.4v	49.5v	0.0v	0.0v	0.0v	39.1v	0.0v	367.26v
563	Mr B Soelzer	T	71.5v	72.6v	43.2v	47.3v	47.6v	44.2v	0.0v	0.0v	0.0v	43.0v	0.0v	367.24v
564	Miss Z Latimer	O	70.3v	72.6v	43.0v	48.4v	44.2v	47.5v	0.0v	0.0v	0.0v	43.3v	0.0v	367.23v
565	Mr MK Townsend	O	68.5v	67.4v	47.4v	48.5v	48.3v	48.0v	0.0v	0.0v	0.0v	41.2v	0.0v	367.23v
566	Mr PD Pelly	O	69.4v	73.5v	47.4v	44.3v	44.1v	49.5v	0.0v	0.0v	0.0v	41.1v	0.0v	367.23v
567	Cdt HMC Ardern	T	72.5v	72.5v	45.3v	46.2v	47.4v	45.2v	0.0v	0.0v	0.0v	40.2v	0.0v	367.23v
568	Mr P Waldron	O	72.8v	72.7v	44.2v	48.4v	47.3v	44.5v	0.0v	0.0v	0.0v	39.2v	0.0v	366.31v
569	Cdt I Guy	T	70.5v	72.8v	48.4v	37.3v	46.3v	48.4v	0.0v	0.0v	0.0v	45.3v	0.0v	366.30v
570	Col N Stebbings	O	74.6v	70.5v	46.4v	45.4v	44.2v	45.3v	0.0v	0.0v	0.0v	42.3v	0.0v	366.27v
571	Mr DS Goodwin	O	73.4v	71.8v	43.3v	46.3v	49.5v	44.2v	0.0v	0.0v	0.0v	40.1v	0.0v	366.26v
572	Mr CC Mallett Jnr	O	67.7v	73.8v	45.3v	43.0v	47.3v	46.4v	0.0v	0.0v	0.0v	45.0v	0.0v	366.25v
573	Mr MT Dodd	O	69.3v	71.5v	49.6v	45.4v	41.2v	47.2v	0.0v	0.0v	0.0v	44.2v	0.0v	366.24v
574	Mr JRD Clegg	O	69.4v	72.7v	45.3v	45.4v	48.3v	44.1v	0.0v	0.0v	0.0v	43.0v	0.0v	366.22v
575	Dr EL Sweet	O	71.8v	68.6v	41.2v	48.5v	45.4v	46.3v	0.0v	0.0v	0.0v	46.5v	0.0v	365.33v
576	Mr HGM Mooiman	O	74.7v	72.8v	48.3v	42.1v	40.2v	44.1v	0.0v	0.0v	0.0v	45.4v	0.0v	365.26v
577	Mr JM Baldwin	O	69.7v	71.4v	45.2v	48.4v	43.3v	46.2v	0.0v	0.0v	0.0v	43.2v	0.0v	365.24v
578	Sgt J Nicholls	T	65.2v	74.5v	46.1v	46.2v	42.1v	48.5v	0.0v	0.0v	0.0v	44.1v	0.0v	365.17v
579	Cdt A Amoroso	T	70.4v	73.12v	45.4v	43.3v	47.5v	49.4v	0.0v	0.0v	0.0v	37.2v	0.0v	364.34v
580	Mr DA Smith	O	70.7v	70.5v	48.6v	45.3v	47.5v	44.4v	0.0v	0.0v	0.0v	40.2v	0.0v	364.32v
581	Mr CJ Sherratt	O	72.4v	69.6v	49.3v	45.5v	45.6v	47.5v	0.0v	0.0v	0.0v	37.1v	0.0v	364.30v
582	Mr A Booker	T	69.5v	71.6v	46.3v	46.3v	41.4v	49.7v	0.0v	0.0v	0.0v	42.1v	0.0v	364.29v
583	Mr RC Holloway	O	71.7v	71.6v	43.1v	46.4v	47.3v	47.2v	0.0v	0.0v	0.0v	39.4v	0.0v	364.27v
584	Mr P Dobell	X	71.5v	70.6v	45.4v	45.2v	47.4v	47.3v	0.0v	0.0v	0.0v	39.3v	0.0v	364.27v
585	Miss ML Wilkins	O	68.5v	68.4v	45.0v	45.3v	48.6v	47.6v	0.0v	0.0v	0.0v	43.2v	0.0v	364.26v
586	Mr DJ Stewart	O	68.3v	70.4v	42.2v	45.3v	48.3v	47.6v	0.0v	0.0v	0.0v	44.4v	0.0v	364.25v
587	Mr SWM Freeborn	T	68.5v	72.4v	43.2v	44.3v	49.3v	45.3v	0.0v	0.0v	0.0v	43.1v	0.0v	364.21v
588	Miss DJ Armstrong	T	73.8v	72.7v	50.9v	42.2v	49.5v	46.2v	0.0v	0.0v	0.0v	31.0v	0.0v	363.33v
589	Mr CM Moore	T	66.4v	71.8v	46.3v	47.4v	45.3v	48.5v	0.0v	0.0v	0.0v	40.3v	0.0v	363.30v
590	Mr F Cade	T	72.6v	71.6v	44.4v	47.5v	46.2v	46.3v	0.0v	0.0v	0.0v	37.2v	0.0v	363.28v
591	Cdt R Tancred	T	71.6v	68.4v	42.2v	47.6v	48.4v	47.3v	0.0v	0.0v	0.0v	40.2v	0.0v	363.27v
592	Mr TF Kurn	O	69.3v	65.6v	46.4v	47.3v	48.4v	46.3v	0.0v	0.0v	0.0v	42.2v	0.0v	363.25v
593	Mr RBF Fitzsimmons	O	70.5v	68.3v	48.4v	43.2v	46.1v	49.4v	0.0v	0.0v	0.0v	39.1v	0.0v	363.20v
594	Dr G Stevenson	O	73.3v	67.4v	46.5v	44.1v	44.2v	44.2v	0.0v	0.0v	0.0v	45.2v	0.0v	363.19v
595	Mr O Farrell	T	65.1v	71.5v	44.3v	41.1v	47.2v	47.2v	0.0v	0.0v	0.0v	48.4v	0.0v	363.18v
596	Mr RA Benest	A	65.1v	63.3v	46.3v	49.7v	45.5v	48.5v	0.0v	0.0v	0.0v	46.1v	0.0v	362.25v
597	Mr JA Maguire	O	71.3v	68.4v	48.4v	45.0v	43.0v	47.3v	0.0v	0.0v	0.0v	40.2v	0.0v	362.16v
598	Mr BDJ Jones	O	74.8v	72.8v	50.5v	47.5v	49.3v	47.4v	0.0v	0.0v	0.0v	22.0v	0.0v	361.33v
599	Mr IRM Brown	A	69.9v	70.6v	47.4v	43.3v	46.2v	41.1v	0.0v	0.0v	0.0v	45.3v	0.0v	361.28v
600	Mr L Reid	T	69.5v	70.5v	43.3v	46.4v	48.4v	43.2v	0.0v	0.0v	0.0v	42.2v	0.0v	361.25v
601	Mr KG Firth	O	70.6v	68.4v	47.4v	45.3v	46.3v	45.2v	0.0v	0.0v	0.0v	40.0v	0.0v	361.22v
602	SSgt PJ Kenmir	T	70.4v	70.4v	45.4v	46.3v	48.3v	41.3v	0.0v	0.0v	0.0v	41.0v	0.0v	361.21v
603	Mr SA Hunting	O	69.2v	66.2v	46.0v	43.2v	49.5v	42.3v	0.0v	0.0v	0.0v	46.3v	0.0v	361.17v
604	Mr WM Mulholland	T	70.5v	69.4v	47.2v	39.1v	48.4v	47.6v	0.0v	0.0v	0.0v	40.3v	0.0v	360.25v
605	Cdt W/O HL Wigston	T	70.7v	70.5v	45.3v	42.1v	48.4v	42.2v	0.0v	0.0v	0.0v	43.2v	0.0v	360.24v
606	Mr JMS Samke	O	72.6v	67.3v	45.4v	48.4v	46.3v	44.3v	0.0v	0.0v	0.0v	38.0v	0.0v	360.23v
607	LCpl A Egereva	T	70.5v	70.7v	42.1v	38.0v	48.3v	49.4v	0.0v	0.0v	0.0v	43.2v	0.0v	360.22v
608	Miss R Harrison	T	64.0v	70.6v	47.4v	44.4v	47.3v	46.2v	0.0v	0.0v	0.0v	42.3v	0.0v	360.22v
609	Mr T Fermor	O	67.2v	67.4v	44.3v	45.4v	46.2v	48.4v	0.0v	0.0v	0.0v	43.1v	0.0v	360.20v
610	Mr T Baillon	T	72.6v	70.4v	45.5v	45.0v	45.0v	46.3v	0.0v	0.0v	0.0v	37.0v	0.0v	360.18v
611	Maj CP Judge	O	71.7v	71.2v	46.2v	39.2v	49.2v	42.2v	0.0v	0.0v	0.0v	42.0v	0.0v	360.17v
612	Cdt H Vaugh-Johnson	T	68.5v	73.8v	46.4v	45.2v	43.3v	47.6v	0.0v	0.0v	0.0v	37.1v	0.0v	359.29v
613	Miss BJ James	T	71.7v	68.2v	43.3v	48.2v	45.3v	44.5v	0.0v	0.0v	0.0v	40.1v	0.0v	359.23v
614	Mr HEJ Welch	T	63.1v	70.5v	46.4v	41.3v	46.0v	48.7v	0.0v	0.0v	0.0v	45.2v	0.0v	359.22v
615	Mr PG Kelly	O	70.5v	70.6v	43.1v	48.3v	43.4v	42.3v	0.0v	0.0v	0.0v	42.3v	0.0v	358.25v
616	Mr J Robinson	T	70.6v	72.7v	45.2v	43.1v	44.3v	46.4v	0.0v	0.0v	0.0v	38.2v	0.0v	358.25v
617	Mr LRM Irungu	X	68.4v	66.5v	46.2v	45.4v	46.3v	47.4v	0.0v	0.0v	0.0v	40.1v	0.0v	358.23v
618	Mr C Vonchek	T	65.3v	71.4v	45.2v	48.6v	40.2v	45.4v	0.0v	0.0v	0.0v	44.1v	0.0v	358.22v
619	Mr P Kiveleeti	T	69.5v	67.5v	41.1v	47.2v	48.1v	48.4v	0.0v	0.0v	0.0v	38.0v	0.0v	358.18v
620	Mr BG Greasley	T	69.7v	70.4v	47.4v	40.2v	45.3v	47.3v	0.0v	0.0v	0.0v	39.2v	0.0v	357.25v
621	Mr H Percival	T	67.3v	67.4v	46.4v	48.4v	46.5v	42.1v	0.0v	0.0v	0.0v	41.2v	0.0v	357.23v
622	Mr R Johnson	T	72.9v	68.4v	42.0v	45.5v	46.3v	39.0v	0.0v	0.0v	0.0v	45.1v	0.0v	357.22v
623	Mr T Douglas	T	65.3v	69.5v	46.4v	46.3v	46.1v	44.3v	0.0v	0.0v	0.0v	41.1v	0.0v	357.20v
624	Mr C Gray	O	71.7v	70.1v	44.2v	43.0v	46.5v	39.1v	0.0v	0.0v	0.0v	44.2v	0.0v	357.18v
625	Mr DT Taylor	T	71.8v	68.6v	46.1v	39.2v	46.3v	48.5v	0.0v	0.0v	0.0v	38.0v	0.0v	356.25v
626	Miss SJ Dick	O	71.9v	71.6v	44.3v	42.1v	46.2v	46.4v	0.0v	0.0v	0.0v	36.0v	0.0v	356.25v
627	Mr A Bennett-Wallis	T	68.4v	70.3v	45.4v	42.2v	44.1v	47.7v	0.0v	0.0v	0.0v	40.2v	0.0v	356.23v
628	Mr RJ Clegg	T	69.5v	67.4v	43.1v	46.1v	47.2v	45.3v	0.0v	0.0v	0.0v	39.1v	0.0v	356.17v
629	Miss A Burrows	T	70.7v	71.8v	47.3v	36.3v	46.5v	45.3v	0.0v	0.0v	0.0v	40.4v	0.0v	355.33v
630	Mr MRJ Pybus	T	69.3v	70.4v	43.1v	48.4v	41.3v	46.5v	0.0v	0.0v	0.0v	38.0v	0.0v	355.20v
631	Mr JS Chapman	O	70.5v	65.2v	48.1v	45.3v	40.1v	48.5v	0.0v	0.0v	0.0v	39.0v	0.0v	355.17v
632	Mr D Howseman	T	66.4v	68.5v	40.2v	44.4v	44.4v	45.4v	0.0v	0.0v	0.0v	47.3v	0.0v	354.26v

633	Mr PJ Holden	O	71.6v	65.3v	42.1v	44.4v	45.3v	44.5v	0.0v	0.0v	0.0v	43.3v	0.0v	354.25v
634	Mr GFH Nichols	T	70.7v	71.8v	42.2v	49.4v	44.2v	42.1v	0.0v	0.0v	0.0v	36.1v	0.0v	354.25v
635	Mr A Smith	T	69.3v	72.7v	30.1v	48.3v	47.3v	46.2v	0.0v	0.0v	0.0v	42.1v	0.0v	354.20v
636	Mr P Merry	O	72.6v	66.3v	38.0v	42.3v	48.3v	45.7v	0.0v	0.0v	0.0v	42.4v	0.0v	353.26v
637	Miss K Hinkly	T	64.5v	68.6v	46.1v	47.5v	44.2v	43.3v	0.0v	0.0v	0.0v	41.3v	0.0v	353.25v
638	Mr M Palmer	T	58.2v	73.5v	40.3v	44.4v	48.4v	47.3v	0.0v	0.0v	0.0v	43.1v	0.0v	353.22v
639	Miss E Dixon	O	70.7v	68.5v	44.2v	45.3v	44.0v	42.2v	0.0v	0.0v	0.0v	40.2v	0.0v	353.21v
640	Mr S Murray	T	70.4v	73.3v	44.2v	40.2v	45.3v	41.1v	0.0v	0.0v	0.0v	40.2v	0.0v	353.17v
641	Mr JP Beaumont	T	70.6v	64.4v	44.1v	40.0v	46.6v	43.4v	0.0v	0.0v	0.0v	45.2v	0.0v	352.23v
642	Mr TG Garfield-Bennett	T	71.5v	70.3v	38.3v	43.2v	48.7v	43.3v	0.0v	0.0v	0.0v	39.0v	0.0v	352.23v
643	Mr DF Nesbitt	O	71.6v	67.3v	42.2v	47.3v	46.3v	37.1v	0.0v	0.0v	0.0v	42.2v	0.0v	352.20v
644	Mr R Islam	T	70.4v	74.4v	40.1v	39.1v	45.4v	43.1v	0.0v	0.0v	0.0v	41.1v	0.0v	352.16v
645	Cdt BZ Danziger	O	72.8v	73.5v	47.4v	44.3v	49.7v	48.3v	0.0v	0.0v	0.0v	18.1v	0.0v	351.31v
646	Miss CH Hudson	T	68.4v	69.4v	44.2v	41.2v	45.3v	43.4v	0.0v	0.0v	0.0v	41.1v	0.0v	351.20v
647	Mr CM Nunan	O	69.4v	71.3v	43.0v	46.2v	41.1v	44.2v	0.0v	0.0v	0.0v	37.1v	0.0v	351.13v
648	Miss V Bieger	T	68.5v	72.6v	45.6v	40.2v	43.3v	42.2v	0.0v	0.0v	0.0v	40.2v	0.0v	350.26v
649	Cdt AJ Todd	T	70.7v	71.5v	43.4v	38.0v	41.3v	45.0v	0.0v	0.0v	0.0v	42.2v	0.0v	350.21v
650	Mr MS Sayers	T	68.4v	66.5v	42.2v	44.1v	46.4v	37.3v	0.0v	0.0v	0.0v	45.2v	0.0v	348.21v
651	Mr TM Mulholland	T	71.5v	71.8v	44.3v	42.1v	43.0v	37.0v	0.0v	0.0v	0.0v	40.2v	0.0v	348.19v
652	Cdt K Kapustina	T	66.4v	73.5v	43.4v	40.1v	44.1v	45.2v	0.0v	0.0v	0.0v	37.1v	0.0v	348.18v
653	Mr S Giannikas	T	61.3v	72.5v	49.5v	42.6v	47.4v	36.1v	0.0v	0.0v	0.0v	40.1v	0.0v	347.25v
654	Miss S Rorison	T	70.6v	68.4v	45.2v	44.3v	39.1v	44.2v	0.0v	0.0v	0.0v	37.0v	0.0v	347.18v
655	Mr JW Walley	T	71.7v	70.5v	41.0v	40.2v	46.1v	38.2v	0.0v	0.0v	0.0v	41.0v	0.0v	347.17v
656	Mr PM Weston	O	66.5v	69.5v	45.1v	46.3v	43.3v	42.1v	0.0v	0.0v	0.0v	35.2v	0.0v	346.20v
657	Mr S Pigeon	T	65.3v	69.5v	46.0v	45.4v	40.0v	42.1v	0.0v	0.0v	0.0v	39.1v	0.0v	346.14v
658	Cdt M Corkum	T	69.5v	67.5v	46.2v	43.4v	40.2v	44.3v	0.0v	0.0v	0.0v	36.0v	0.0v	345.21v
659	Mr RM Smith	T	68.4v	66.5v	45.3v	44.1v	39.1v	42.2v	0.0v	0.0v	0.0v	41.2v	0.0v	345.18v
660	Mr G Yates	T	68.5v	67.4v	36.1v	45.2v	46.3v	42.0v	0.0v	0.0v	0.0v	41.2v	0.0v	345.17v
661	Mr EWV Feast	O	60.2v	71.7v	41.1v	42.2v	43.2v	47.3v	0.0v	0.0v	0.0v	40.3v	0.0v	344.20v
662	Mr T Galliers	O	65.2v	64.2v	43.1v	42.1v	42.1v	44.3v	0.0v	0.0v	0.0v	44.3v	0.0v	344.13v
663	Miss R Allan	T	68.4v	66.5v	42.2v	45.4v	36.0v	45.1v	0.0v	0.0v	0.0v	41.1v	0.0v	343.17v
664	Mr G Bible	T	68.5v	69.5v	41.1v	48.3v	38.2v	37.1v	0.0v	0.0v	0.0v	41.2v	0.0v	342.19v
665	Mr SJ Bates	O	68.3v	71.6v	44.2v	43.4v	43.3v	41.0v	0.0v	0.0v	0.0v	32.1v	0.0v	342.19v
666	CWO R Melhuish	T	66.1v	67.3v	42.1v	43.3v	39.2v	47.4v	0.0v	0.0v	0.0v	38.1v	0.0v	342.15v
667	Mr DC Crook	T	67.3v	71.6v	45.4v	34.3v	43.1v	48.4v	0.0v	0.0v	0.0v	33.0v	0.0v	341.21v
668	Mr ID Markwell	O	63.3v	66.4v	41.1v	41.2v	43.3v	45.3v	0.0v	0.0v	0.0v	42.0v	0.0v	341.16v
669	Mr G Bramwell	T	67.5v	66.5v	46.5v	35.1v	44.4v	43.1v	0.0v	0.0v	0.0v	39.1v	0.0v	340.22v
670	Mr M Connole	T	67.2v	60.1v	45.3v	36.4v	46.3v	46.3v	0.0v	0.0v	0.0v	40.1v	0.0v	340.17v
671	Mr BJ North	T	68.4v	68.4v	37.2v	45.2v	44.2v	42.1v	0.0v	0.0v	0.0v	36.1v	0.0v	340.16v
672	Cdt T Tancred	T	62.1v	69.1v	45.1v	38.2v	44.4v	36.2v	0.0v	0.0v	0.0v	45.2v	0.0v	339.13v
673	Mr OM Conway	T	59.0v	69.8v	43.4v	40.3v	43.0v	41.4v	0.0v	0.0v	0.0v	43.2v	0.0v	338.21v
674	Mr CB Stone	O	69.3v	66.1v	41.1v	43.2v	40.3v	35.1v	0.0v	0.0v	0.0v	44.4v	0.0v	338.15v
675	Mr S Mason	T	68.4v	65.2v	43.1v	44.0v	41.2v	46.1v	0.0v	0.0v	0.0v	30.2v	0.0v	337.12v
676	Mr W Jowett	O	68.5v	62.5v	44.1v	39.3v	44.1v	47.5v	0.0v	0.0v	0.0v	31.1v	0.0v	335.21v
677	Miss MB Bamford	T	68.3v	68.3v	40.0v	32.4v	38.1v	47.2v	0.0v	0.0v	0.0v	42.2v	0.0v	335.15v
678	Mr J Goss	T	67.5v	68.4v	44.2v	46.2v	46.2v	37.0v	0.0v	0.0v	0.0v	26.0v	0.0v	334.15v
679	Mr SR Sutton	T	63.2v	63.1v	43.0v	48.3v	39.0v	36.2v	0.0v	0.0v	0.0v	42.3v	0.0v	334.11v
680	Mr S Benson	T	64.7v	66.3v	40.0v	41.4v	44.1v	37.0v	0.0v	0.0v	0.0v	37.0v	0.0v	329.15v
681	Mr JW Whitaker	T	52.1v	70.6v	45.2v	43.2v	41.1v	39.0v	0.0v	0.0v	0.0v	37.2v	0.0v	327.14v
682	Mr WO Odhiambo	O	73.10v	73.9v	44.5v	46.2v	0.0v	49.5v	0.0v	0.0v	0.0v	41.3v	0.0v	326.34v
683	Mr J Johnston	T	70.4v	67.3v	45.2v	0.0v	48.0v	46.2v	0.0v	0.0v	0.0v	49.7v	0.0v	325.18v
684	Mr AG Rooney	T	69.3v	61.1v	43.3v	42.2v	37.0v	45.4v	0.0v	0.0v	0.0v	28.0v	0.0v	325.13v
685	Miss KJ Foye	T	68.4v	67.2v	39.0v	45.2v	42.3v	40.0v	0.0v	0.0v	0.0v	24.1v	0.0v	325.12v
686	Mr D Markie	O	68.3v	71.5v	46.2v	44.1v	47.6v	48.2v	0.0v	0.0v	0.0v	0.0v	0.0v	324.19v
687	Mr T Jaggard	O	65.2v	64.2v	23.0v	39.0v	47.3v	45.3v	0.0v	0.0v	0.0v	40.0v	0.0v	323.10v
688	Dr MJ Schwarz	A	69.6v	73.9v	0.0v	45.5v	45.5v	48.3v	0.0v	0.0v	0.0v	42.2v	0.0v	322.30v
689	Miss G Shearer	T	60.2v	67.3v	40.2v	47.4v	22.0v	45.4v	0.0v	0.0v	0.0v	41.0v	0.0v	322.15v
690	Mr LT Taylor	T	63.1v	66.3v	40.0v	41.1v	36.0v	47.3v	0.0v	0.0v	0.0v	29.1v	0.0v	322.9v
691	Mr WT Tiffin	T	68.2v	73.9v	45.3v	0.0v	46.4v	48.6v	0.0v	0.0v	0.0v	41.2v	0.0v	321.26v
692	Mr LO O'Connell	T	65.4v	63.4v	38.2v	44.4v	42.0v	39.0v	0.0v	0.0v	0.0v	30.2v	0.0v	321.16v
693	Miss P Evans	O	70.4v	68.4v	43.3v	49.4v	44.5v	46.3v	0.0v	0.0v	0.0v	0.0v	0.0v	320.23v
694	Cpl EJ Dell	O	73.11v	69.6v	46.2v	44.4v	0.0v	46.4v	0.0v	0.0v	0.0v	41.2v	0.0v	319.29v
695	Miss EF Graham	T	57.2v	62.2v	39.2v	40.1v	39.1v	44.2v	0.0v	0.0v	0.0v	37.2v	0.0v	318.12v
696	Mr MP Sheppard	T	68.4v	71.6v	45.3v	43.4v	42.3v	46.4v	0.0v	0.0v	0.0v	0.0v	0.0v	315.24v
697	Miss EC Colgan	T	67.2v	71.5v	45.6v	46.3v	42.2v	41.1v	0.0v	0.0v	0.0v	3.0v	0.0v	315.19v
698	Miss LT Thomas	T	65.2v	63.4v	41.2v	25.0v	42.2v	38.2v	0.0v	0.0v	0.0v	41.2v	0.0v	315.14v
699	Mr SA Ching	T	67.3v	68.4v	45.2v	46.4v	46.2v	0.0v	0.0v	0.0v	0.0v	42.3v	0.0v	314.18v
700	Cadet AP Clark	T	60.0v	66.3v	40.1v	42.3v	41.1v	42.2v	0.0v	0.0v	0.0v	22.1v	0.0v	313.11v
701	Mr AK Fitch	O	71.3v	65.2v	44.3v	44.3v	41.1v	47.1v	0.0v	0.0v	0.0v	0.0v	0.0v	312.13v
702	Mr A Grainger	T	69.5v	67.4v	46.4v	39.1v	38.2v	50.4v	0.0v	0.0v	0.0v	0.0v	0.0v	309.20v
703	Lt Cdr GMC Hunter	T	72.7v	66.2v	42.2v	42.1v	47.2v	0.0v	0.0v	0.0v	0.0v	40.0v	0.0v	309.14v
704	Mr LR Coventry	T	66.1v	71.8v	45.2v	44.1v	0.0v	44.0v	0.0v	0.0v	0.0v	39.1v	0.0v	309.13v

NRA 148th Imperial Meeting

Grand Aggregate (as at Monday, 17th July 2017)

		Class F Competitors										
		D'gall	Lovell	DT	DM	Alex	DC	Times	Wimb	Corp	Total	
1	Mr I W Boxall	FR	75.14v	71.3v	75.8v	74.7v	72.5v	72.4v	73.6v	75.7v	62.1v	649.55v
2	Dr D Lloyd	FR	75.10v	70.3v	71.6v	73.5v	67.5v	71.3v	74.7v	73.7v	64.3v	638.49v
3	Mr P Eggemann	FR	72.8v	61.3v	71.3v	71.3v	69.5v	72.4v	73.5v	70.7v	63.0v	622.38v
4	Mr DJ Pickering	FR	72.4v	66.1v	75.6v	73.7v	68.3v	63.3v	74.10v	70.5v	59.2v	620.41v
5	Mr GJ James	FR	70.7v	62.3v	72.2v	69.2v	70.6v	70.4v	73.10v	72.6v	61.1v	619.41v
6	Miss SC Yates	FR	71.6v	63.2v	70.6v	74.7v	72.7v	69.5v	71.4v	67.2v	62.1v	619.40v
7	Mr PJ Harkins	FR	74.9v	62.1v	70.7v	71.8v	68.4v	67.6v	74.7v	73.4v	58.2v	617.48v
8	Dr C Wall	FR	74.6v	62.1v	73.6v	71.3v	70.6v	59.1v	75.6v	73.5v	59.2v	616.36v
9	Mr PR Bain	FR	72.5v	61.1v	69.6v	69.3v	67.4v	66.4v	74.4v	67.5v	64.3v	609.35v
10	Mr JA Ambler	FR	74.5v	63.1v	68.7v	70.4v	65.1v	61.2v	73.10v	70.9v	62.2v	606.41v
11	Mrs L Bushell	FR	71.6v	57.0v	71.7v	68.2v	68.5v	62.3v	70.3v	69.6v	65.3v	601.35v
12	Mr M Webb	FR	71.7v	67.2v	72.5v	67.3v	64.1v	64.2v	71.6v	68.5v	56.2v	600.33v
13	Mr A Wahid	FR	71.4v	61.1v	70.4v	69.3v	63.2v	63.1v	70.6v	68.5v	60.1v	595.27v
14	Mr BAI Fraser	FR	71.7v	55.2v	67.4v	59.1v	62.4v	72.7v	72.6v	64.2v	58.2v	580.35v
15	Mr CN McEachran	FR	69.5v	52.0v	72.4v	49.2v	65.2v	66.2v	72.6v	69.4v	60.0v	574.25v
16	Lt. Cdr. PW Drummy	FR	70.3v	38.0v	55.3v	73.6v	64.3v	63.3v	70.4v	72.2v	55.1v	560.25v
17	Mr R Adler	FR	71.7v	0.0v	68.9v	73.1v	69.3v	67.2v	70.4v	65.3v	55.1v	538.30v
18	Mr MJ Jatoi	FR	67.3v	45.0v	64.2v	67.0v	48.0v	52.2v	69.3v	69.4v	42.0v	523.14v
19	Mr CRV Reed	FR	70.5v	42.0v	54.0v	64.3v	59.2v	57.3v	60.3v	54.0v	49.0v	509.16v
20	Mr J Longhurst	FR	61.1v	53.0v	70.6v	64.2v	47.1v	65.2v	0.0v	0.0v	0.0v	360.12v