

NRA 148th Imperial Meeting

Grand Aggregate (as at Tuesday, 18th July 2017)

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	Corp	POW	Total	
1	Mr CJ Watson	X	74.12v	75.10v	50.8v	50.7v	50.9v	50.9v	0.0v	75.13v	0.0v	50.8v	0.0v	474.76v
2	Mr P Patel	X	75.12v	75.14v	50.6v	48.3v	50.8v	50.10v	0.0v	75.13v	0.0v	49.7v	0.0v	472.73v
3	Mr FWA Coetzee	X	75.13v	75.14v	50.8v	49.7v	49.8v	49.6v	0.0v	75.12v	0.0v	49.5v	0.0v	471.73v
4	Dr HHG Pollock	X	75.12v	75.12v	49.6v	50.8v	50.8v	50.7v	0.0v	74.13v	0.0v	48.2v	0.0v	471.68v
5	Mr GCD Barnett	X	74.11v	75.14v	49.5v	50.6v	48.7v	50.10v	0.0v	75.13v	0.0v	49.5v	0.0v	470.71v
6	Mr DC Luckman	X	75.10v	75.13v	50.8v	49.8v	50.8v	49.9v	0.0v	75.10v	0.0v	47.4v	0.0v	470.70v
7	Mr J Corbett	X	75.13v	75.14v	49.7v	50.6v	50.9v	50.5v	0.0v	75.12v	0.0v	46.3v	0.0v	470.69v
8	Mr WJD Broad	X	75.10v	75.11v	50.6v	49.3v	50.10v	49.7v	0.0v	75.14v	0.0v	47.4v	0.0v	470.65v
9	Mr DR Armstrong	X	75.13v	75.11v	49.6v	49.6v	50.8v	49.4v	0.0v	75.10v	0.0v	48.5v	0.0v	470.63v
10	Dr JO Ahrens	X	74.11v	74.10v	50.6v	49.5v	50.9v	50.4v	0.0v	74.10v	0.0v	49.4v	0.0v	470.59v
11	Mr NBS Logan	X	75.13v	72.5v	50.4v	50.5v	50.7v	50.7v	0.0v	75.12v	0.0v	48.4v	0.0v	470.57v
12	Mr RSF Shouler	X	75.10v	74.12v	49.8v	49.7v	50.8v	50.4v	0.0v	75.13v	0.0v	47.5v	0.0v	469.67v
13	Wg Cdr DP Calvert	X	74.11v	75.12v	49.7v	50.4v	49.7v	48.6v	0.0v	74.11v	0.0v	50.7v	0.0v	469.65v
14	Mr ITG Shaw	X	75.13v	75.12v	49.3v	48.6v	50.8v	50.8v	0.0v	74.10v	0.0v	48.5v	0.0v	469.65v
15	Mr SA Thomas	X	72.8v	75.11v	50.5v	48.5v	50.7v	49.8v	0.0v	75.10v	0.0v	50.7v	0.0v	469.61v
16	Mr ANR Walker	X	74.11v	74.9v	49.7v	49.7v	50.6v	50.7v	0.0v	75.8v	0.0v	48.3v	0.0v	469.58v
17	Mr JC Underwood	X	74.9v	74.9v	50.9v	50.8v	49.5v	50.4v	0.0v	75.11v	0.0v	47.3v	0.0v	469.58v
18	Mr GE Morris	X	74.10v	74.7v	49.6v	50.7v	50.7v	48.6v	0.0v	74.8v	0.0v	50.4v	0.0v	469.55v
19	Mr DA Richardson	X	75.13v	75.11v	49.7v	50.8v	49.6v	49.6v	0.0v	73.10v	0.0v	48.4v	0.0v	468.65v
20	Mr MRM Millar	X	74.9v	73.10v	50.9v	49.6v	50.7v	50.7v	0.0v	72.7v	0.0v	50.7v	0.0v	468.62v
21	Miss JH Messer	X	74.11v	74.8v	49.7v	49.3v	49.8v	50.8v	0.0v	74.10v	0.0v	49.5v	0.0v	468.60v
22	Mr TJD Raincock	X	74.9v	75.13v	50.7v	49.3v	48.7v	49.6v	0.0v	75.13v	0.0v	48.1v	0.0v	468.59v
23	Mr JW Alexander	X	73.10v	75.10v	49.6v	49.6v	50.8v	50.4v	0.0v	72.8v	0.0v	50.5v	0.0v	468.57v
24	Mr K Ramsey	X	75.8v	74.11v	48.3v	50.7v	49.6v	50.7v	0.0v	74.10v	0.0v	48.4v	0.0v	468.56v
25	Miss LAE Crowson	X	75.15v	75.13v	50.8v	49.7v	47.4v	50.6v	0.0v	73.10v	0.0v	48.6v	0.0v	467.69v
26	Dr PR Wheeler	X	75.12v	75.9v	48.6v	47.6v	50.8v	49.7v	0.0v	75.12v	0.0v	48.6v	0.0v	467.66v
27	Mr S Osmond	X	75.8v	75.13v	49.7v	48.4v	49.6v	50.7v	0.0v	74.12v	0.0v	47.5v	0.0v	467.62v
28	Mr CA Stewart	O	75.6v	74.10v	50.8v	49.4v	48.5v	50.7v	0.0v	74.12v	0.0v	47.5v	0.0v	467.57v
29	Mr M Cooper	A	74.12v	75.7v	50.5v	50.7v	45.4v	49.6v	0.0v	75.11v	0.0v	49.4v	0.0v	467.56v
30	Mr S Wingrove	O	75.9v	73.4v	49.5v	50.7v	50.7v	49.6v	0.0v	74.8v	0.0v	47.5v	0.0v	467.51v
31	Mr JAM Paton	X	75.10v	75.9v	50.5v	47.4v	50.7v	50.5v	0.0v	74.8v	0.0v	46.2v	0.0v	467.50v
32	Mr RJS Clark	A	74.7v	75.5v	49.5v	48.5v	50.5v	47.3v	0.0v	75.8v	0.0v	49.5v	0.0v	467.43v
33	Mr NRJ Brasier	X	73.10v	74.12v	49.7v	50.7v	48.8v	49.4v	0.0v	74.9v	0.0v	49.7v	0.0v	466.64v
34	Mr GA Cann	X	73.9v	75.14v	50.6v	48.8v	49.4v	50.5v	0.0v	73.9v	0.0v	48.7v	0.0v	466.62v
35	Mr AD Hunter	X	74.9v	74.10v	50.7v	50.8v	50.6v	50.8v	0.0v	72.10v	0.0v	46.3v	0.0v	466.61v
36	Mr DE Nuthall	X	75.12v	75.10v	49.2v	48.6v	49.8v	50.6v	0.0v	75.12v	0.0v	45.5v	0.0v	466.61v
37	Mr ERT Jeens	X	73.9v	75.12v	49.7v	49.7v	48.6v	50.6v	0.0v	75.9v	0.0v	47.4v	0.0v	466.60v
38	Mr M J Ensor	X	74.9v	74.11v	49.7v	49.5v	49.6v	49.5v	0.0v	75.12v	0.0v	47.4v	0.0v	466.59v
39	Mr JRJ Hinde	A	75.13v	74.10v	49.5v	49.4v	50.9v	48.6v	0.0v	71.5v	0.0v	50.5v	0.0v	466.57v
40	Mr J Brooking	X	74.7v	75.12v	49.6v	48.6v	49.5v	50.7v	0.0v	73.7v	0.0v	48.6v	0.0v	466.56v
41	Mr JP Pugsley	X	75.9v	75.11v	48.4v	48.4v	50.7v	49.7v	0.0v	75.9v	0.0v	46.5v	0.0v	466.56v
42	Mr PAE Charlton	X	74.9v	74.7v	50.6v	49.3v	46.5v	50.9v	0.0v	75.11v	0.0v	48.4v	0.0v	466.54v
43	Mr EC Dickson	A	74.9v	75.6v	50.8v	49.4v	49.8v	48.5v	0.0v	75.10v	0.0v	46.4v	0.0v	466.54v
44	Mr RN Stebbings	A	74.6v	75.9v	49.7v	47.6v	50.8v	50.7v	0.0v	73.7v	0.0v	48.3v	0.0v	466.53v
45	Mr MCJ Button	X	74.11v	74.11v	50.6v	49.4v	49.5v	49.4v	0.0v	74.8v	0.0v	47.3v	0.0v	466.52v
46	Mr LM Peden (G.M.)	X	74.9v	74.11v	49.3v	50.5v	48.3v	50.8v	0.0v	75.8v	0.0v	46.5v	0.0v	466.52v
47	Mr WCP Richards	X	75.10v	74.8v	50.4v	49.5v	50.7v	48.7v	0.0v	74.7v	0.0v	46.4v	0.0v	466.52v
48	Mr C Milton	X	75.10v	74.6v	49.6v	50.3v	48.6v	48.3v	0.0v	73.11v	0.0v	49.5v	0.0v	466.50v
49	Mr B Creane	A	74.6v	74.8v	50.6v	49.6v	49.6v	49.6v	0.0v	75.8v	0.0v	46.4v	0.0v	466.50v
50	Mr TM Stevenson	A	75.11v	73.7v	50.5v	49.5v	49.4v	48.3v	0.0v	74.10v	0.0v	48.3v	0.0v	466.48v
51	Mr PJ Chapman-Sheath	A	73.9v	75.11v	49.3v	49.3v	50.5v	49.7v	0.0v	73.4v	0.0v	48.3v	0.0v	466.45v
52	Miss EJ Nuttall	X	74.13v	74.11v	48.6v	49.8v	50.7v	50.9v	0.0v	75.11v	0.0v	45.4v	0.0v	465.69v
53	Capt N Healy	A	75.12v	75.11v	49.4v	47.2v	50.10v	48.6v	0.0v	73.6v	0.0v	48.6v	0.0v	465.57v
54	Miss M Patrick	X	72.7v	75.11v	49.4v	48.4v	50.7v	49.7v	0.0v	75.12v	0.0v	47.5v	0.0v	465.57v
55	Dr C I Johnston	X	75.11v	75.9v	48.6v	46.3v	50.8v	49.7v	0.0v	74.9v	0.0v	48.3v	0.0v	465.56v
56	Mr C Fitzpatrick	X	74.10v	75.5v	49.6v	50.8v	49.7v	49.6v	0.0v	73.11v	0.0v	46.3v	0.0v	465.56v

57	Mr T Drysdale	X	74.11v	75.11v	47.4v	49.6v	49.4v	48.4v	0.0v	74.7v	0.0v	49.7v	0.0v	465.54v
58	Mr DS Murray	X	74.13v	75.11v	46.5v	47.2v	49.3v	50.7v	0.0v	75.8v	0.0v	49.5v	0.0v	465.54v
59	Mr C Rivett-Carnac	X	75.11v	75.11v	48.3v	49.5v	49.5v	48.5v	0.0v	75.12v	0.0v	46.2v	0.0v	465.54v
60	Dr GP Nelson	A	74.10v	73.8v	50.7v	49.5v	49.6v	50.7v	0.0v	75.9v	0.0v	45.2v	0.0v	465.54v
61	Mr N Cole-Hawkins	A	74.10v	74.8v	49.5v	50.2v	47.1v	50.8v	0.0v	75.9v	0.0v	46.5v	0.0v	465.48v
62	Mr TG Rylands	A	75.13v	74.8v	49.7v	49.9v	48.6v	48.6v	0.0v	73.10v	0.0v	48.5v	0.0v	464.64v
63	Mr MG Whicher	O	73.10v	75.13v	48.5v	49.6v	46.4v	50.8v	0.0v	74.12v	0.0v	49.4v	0.0v	464.62v
64	Mr BJ LeCheminant	X	72.9v	73.9v	49.5v	49.7v	50.7v	50.8v	0.0v	74.12v	0.0v	47.5v	0.0v	464.62v
65	Dr JDS Langley	X	74.11v	75.11v	49.8v	48.7v	50.5v	50.7v	0.0v	72.9v	0.0v	46.3v	0.0v	464.61v
66	Mr JP Tapster	X	74.10v	74.8v	46.4v	48.8v	50.7v	50.7v	0.0v	75.13v	0.0v	47.3v	0.0v	464.60v
67	Lt Col AM Bell	X	75.11v	75.10v	48.6v	48.6v	48.5v	49.5v	0.0v	75.11v	0.0v	46.5v	0.0v	464.59v
68	Mr CJ Morton	X	74.7v	74.9v	48.5v	49.5v	50.7v	50.9v	0.0v	75.12v	0.0v	44.4v	0.0v	464.58v
69	Mr SD Spinney	X	75.5v	73.10v	49.8v	49.5v	50.6v	50.8v	0.0v	75.13v	0.0v	43.3v	0.0v	464.58v
70	Mr AD Le Cheminant	X	74.10v	73.9v	50.7v	50.5v	49.8v	49.8v	0.0v	73.7v	0.0v	46.3v	0.0v	464.57v
71	Mr R Lindsay	O	74.9v	74.7v	49.5v	48.6v	50.7v	49.8v	0.0v	75.11v	0.0v	45.2v	0.0v	464.55v
72	Mr ORW Russell	X	73.6v	75.9v	48.5v	49.7v	50.9v	50.6v	0.0v	73.7v	0.0v	46.4v	0.0v	464.53v
73	Mr RJS Curtis	X	73.9v	74.9v	49.3v	49.5v	49.6v	48.5v	0.0v	74.10v	0.0v	48.4v	0.0v	464.51v
74	Mr TA Ringer	X	74.9v	75.11v	49.5v	49.5v	48.3v	49.7v	0.0v	74.11v	0.0v	46.0v	0.0v	464.51v
75	Dr AM Jory	X	74.10v	75.11v	49.3v	48.5v	50.7v	47.6v	0.0v	75.5v	0.0v	46.3v	0.0v	464.50v
76	Mr AC Haley	X	75.12v	72.9v	48.3v	46.3v	49.5v	50.1v	0.0v	75.12v	0.0v	49.4v	0.0v	464.49v
77	Miss A Southall	A	74.7v	75.10v	49.4v	46.2v	50.6v	48.6v	0.0v	75.11v	0.0v	47.3v	0.0v	464.49v
78	Mr CES Dickenson	A	72.2v	74.11v	49.6v	49.5v	48.6v	50.6v	0.0v	73.8v	0.0v	49.4v	0.0v	464.48v
79	Mr RCQ Martin	A	73.7v	75.11v	50.7v	47.3v	48.3v	49.5v	0.0v	74.7v	0.0v	48.5v	0.0v	464.48v
80	Mr DC Crispin	X	73.4v	74.12v	48.4v	47.3v	49.5v	49.4v	0.0v	74.11v	0.0v	50.4v	0.0v	464.47v
81	Mrs LK Mace	A	74.7v	74.8v	48.4v	48.5v	50.6v	49.6v	0.0v	73.6v	0.0v	48.5v	0.0v	464.47v
82	Mr RW Sandlant	X	73.6v	75.8v	48.5v	47.2v	50.6v	49.8v	0.0v	73.2v	0.0v	49.6v	0.0v	464.43v
83	Mr NC Mace	X	73.9v	74.12v	50.6v	47.5v	50.7v	49.8v	0.0v	74.11v	0.0v	46.5v	0.0v	463.63v
84	Mr JP Waite	A	72.9v	73.11v	47.5v	50.6v	49.6v	49.9v	0.0v	74.9v	0.0v	49.6v	0.0v	463.61v
85	Cdt D Shakhman	O	74.8v	74.13v	49.8v	49.5v	50.7v	48.7v	0.0v	73.8v	0.0v	46.4v	0.0v	463.60v
86	Mr SM Negus	X	73.10v	70.9v	48.4v	49.3v	50.7v	50.7v	0.0v	75.15v	0.0v	48.3v	0.0v	463.58v
87	Mrs N Rossignol	X	75.11v	74.11v	47.4v	50.6v	50.6v	49.6v	0.0v	75.13v	0.0v	43.1v	0.0v	463.58v
88	Mr RM Roberts	X	74.11v	75.9v	49.7v	47.4v	49.5v	48.8v	0.0v	74.9v	0.0v	47.4v	0.0v	463.57v
89	Mr C Mitchell	X	75.9v	73.8v	49.8v	48.6v	49.7v	50.7v	0.0v	73.8v	0.0v	46.3v	0.0v	463.56v
90	Mr RAV Hebblethwaite	A	72.9v	74.10v	47.7v	48.3v	50.5v	50.7v	0.0v	74.8v	0.0v	48.6v	0.0v	463.55v
91	Mr DR Le Quesne	X	74.10v	73.5v	48.5v	47.5v	48.7v	50.7v	0.0v	74.12v	0.0v	49.3v	0.0v	463.54v
92	Mr PB Bromley	X	74.12v	73.13v	49.5v	49.3v	49.4v	49.4v	0.0v	74.9v	0.0v	46.4v	0.0v	463.54v
93	Dr BJ Winney	O	73.8v	74.8v	49.8v	48.5v	50.4v	49.6v	0.0v	72.7v	0.0v	48.6v	0.0v	463.52v
94	Mr GC Childs	X	74.9v	75.11v	49.5v	47.6v	50.5v	46.3v	0.0v	73.9v	0.0v	49.3v	0.0v	463.51v
95	Mr J Pepera-Hibbert	O	74.12v	72.9v	49.2v	48.6v	49.6v	49.5v	0.0v	75.10v	0.0v	47.1v	0.0v	463.51v
96	Mr G Jarret	O	73.10v	75.8v	48.6v	49.5v	50.5v	48.6v	0.0v	74.8v	0.0v	46.3v	0.0v	463.51v
97	Mr CA Brook	A	73.5v	75.12v	49.7v	47.5v	50.4v	50.9v	0.0v	73.7v	0.0v	46.2v	0.0v	463.51v
98	Mr S Belither	X	73.6v	73.6v	50.7v	47.4v	50.5v	49.7v	0.0v	73.9v	0.0v	48.5v	0.0v	463.49v
99	Mr KO Pugh	X	73.7v	74.9v	49.4v	50.8v	49.5v	48.4v	0.0v	73.8v	0.0v	47.4v	0.0v	463.49v
100	Mr AM Sadler	O	73.10v	73.8v	49.4v	48.4v	48.4v	50.6v	0.0v	75.10v	0.0v	47.3v	0.0v	463.49v
101	Mr PJ Westlake	X	75.11v	73.6v	49.7v	48.4v	49.7v	49.4v	0.0v	73.9v	0.0v	47.1v	0.0v	463.49v
102	Mr KB Hill	O	73.8v	73.8v	48.3v	47.2v	50.7v	49.7v	0.0v	75.8v	0.0v	48.4v	0.0v	463.47v
103	Mr R W Ramage	O	72.7v	74.8v	50.8v	48.4v	49.4v	50.6v	0.0v	73.6v	0.0v	47.4v	0.0v	463.47v
104	Miss TJ Fitzsimons	A	73.7v	74.5v	45.4v	48.6v	50.6v	49.6v	0.0v	75.6v	0.0v	49.6v	0.0v	463.46v
105	Mr SJ Carson	X	75.8v	72.6v	45.7v	49.4v	50.7v	49.2v	0.0v	74.7v	0.0v	49.5v	0.0v	463.46v
106	Mr PA Hatfield	A	73.7v	74.6v	48.5v	49.5v	49.6v	50.5v	0.0v	74.8v	0.0v	46.3v	0.0v	463.45v
107	Mr HA Day	X	72.10v	74.10v	48.5v	48.4v	50.9v	49.7v	0.0v	73.11v	0.0v	48.6v	0.0v	462.62v
108	Mr R McQuillan	X	74.11v	74.10v	49.6v	49.5v	48.3v	50.8v	0.0v	72.12v	0.0v	46.3v	0.0v	462.58v
109	Mr LMD Cheek	X	74.11v	75.9v	49.5v	45.4v	50.6v	50.4v	0.0v	73.11v	0.0v	46.5v	0.0v	462.55v
110	Miss SP Ward	X	73.11v	75.11v	47.2v	49.6v	49.5v	48.4v	0.0v	72.8v	0.0v	49.7v	0.0v	462.54v
111	Mr CRM Asquith	X	75.7v	73.8v	50.7v	49.7v	49.8v	49.5v	0.0v	72.10v	0.0v	45.2v	0.0v	462.54v
112	Miss C Choquette	O	74.6v	73.12v	48.4v	50.10v	49.5v	50.6v	0.0v	74.10v	0.0v	44.1v	0.0v	462.54v
113	Miss JM Rankin	X	74.12v	74.11v	48.4v	49.7v	50.6v	50.3v	0.0v	74.9v	0.0v	43.2v	0.0v	462.54v
114	Prof. AR Horrocks	A	72.5v	74.10v	49.8v	47.5v	50.5v	50.8v	0.0v	73.8v	0.0v	47.4v	0.0v	462.53v
115	Mr BA Horwood	X	74.10v	74.8v	49.6v	49.5v	50.7v	49.6v	0.0v	75.10v	0.0v	42.1v	0.0v	462.53v
116	Mr H J Golaszewski	X	74.8v	74.12v	48.6v	49.4v	48.4v	50.6v	0.0v	75.11v	0.0v	44.1v	0.0v	462.52v
117	Mr JPS Bloomfield	X	75.11v	74.11v	49.6v	50.3v	48.6v	49.5v	0.0v	74.8v	0.0v	43.2v	0.0v	462.52v
118	Mr S Glen	O	74.11v	74.10v	48.2v	46.4v	48.2v	49.5v	0.0v	73.11v	0.0v	50.6v	0.0v	462.51v
119	Mr HM Wong Shui	X	74.6v	73.4v	47.4v	50.6v	49.6v	50.8v	0.0v	74.14v	0.0v	45.3v	0.0v	462.51v
120	Mr PWG Glen	A	74.10v	75.9v	49.4v	48.3v	49.6v	48.7v	0.0v	72.6v	0.0v	47.5v	0.0v	462.50v
121	Mr JPM Stevens	O	74.10v	75.12v	48.4v	48.2v	48.1v	49.5v	0.0v	73.11v	0.0v	47.4v	0.0v	462.49v
122	Mr AC Morley	X	75.8v	74.7v	48.3v	47.6v	50.7v	49.7v	0.0v	73.8v	0.0v	46.3v	0.0v	462.49v
123	Mr DAJ Talbot	T	75.11v	72.5v	50.7v	49.6v	49.5v	48.4v	0.0v	74.9v	0.0v	45.2v	0.0v	462.49v
124	LCol PF Cambridge	X	74.9v	73.8v	49.6v	49.4v	50.7v	47.3v	0.0v	75.12v	0.0v	45.0v	0.0v	462.49v
125	Mr JEM Bellringer	X	75.7v	72.8v	49.5v	47.3v	47.4v	50.9v	0.0v	72.7v	0.0v	50.5v	0.0v	462.48v
126	Mr R Kloosterman	O	73.7v	71.5v	50.7v	50.5v	48.5v	48.4v	0.0v	73.12v	0.0v	49.3v	0.0v	462.48v
127	Mr G Bendik	X	73.8v	74.9v	45.3v	49.5v	49.4v	50.7v	0.0v	73.8v	0.0v	49.3v	0.0v	462.47v
128	Dr JD Warburton	X	73.4v	73.8v	50.4v	48.6v	48.5v	48.7v	0.0v	75.9v	0.0v	47.4v	0.0v	462.47v

129	Mr H Awin	A	74.8v	75.11v	48.4v	46.3v	50.7v	48.1v	0.0v	74.8v	0.0v	47.4v	0.0v	462.46v
130	Mr RL Eayrs	X	75.7v	73.8v	49.5v	47.4v	50.5v	47.4v	0.0v	74.10v	0.0v	47.3v	0.0v	462.46v
131	Mr MJJ Charlton	A	72.9v	75.8v	47.4v	50.7v	49.2v	50.5v	0.0v	74.8v	0.0v	45.2v	0.0v	462.45v
132	Mr PJ Chance	X	74.9v	73.5v	49.5v	47.3v	48.5v	49.5v	0.0v	75.10v	0.0v	47.1v	0.0v	462.43v
133	Mr TJ Bullock	A	75.8v	74.9v	48.1v	48.2v	50.8v	49.6v	0.0v	74.8v	0.0v	44.0v	0.0v	462.42v
134	Mr RM Hatcher	A	74.9v	75.10v	48.5v	49.7v	50.7v	50.8v	0.0v	69.11v	0.0v	46.3v	0.0v	461.60v
135	Dr CD Haley	X	75.13v	74.8v	47.7v	48.6v	49.5v	49.4v	0.0v	72.7v	0.0v	47.7v	0.0v	461.57v
136	Mr JN McLaren	X	73.7v	75.12v	48.4v	48.6v	50.7v	47.6v	0.0v	74.10v	0.0v	46.5v	0.0v	461.57v
137	Mr JR Tuck	A	74.10v	74.8v	50.7v	47.5v	50.8v	47.4v	0.0v	73.10v	0.0v	46.5v	0.0v	461.57v
138	Mr GD Palmer	O	73.11v	75.9v	49.5v	48.4v	49.6v	50.6v	0.0v	72.12v	0.0v	45.3v	0.0v	461.56v
139	Mr T Laing-Baker	X	74.11v	75.9v	50.7v	50.6v	48.4v	47.3v	0.0v	69.7v	0.0v	48.8v	0.0v	461.55v
140	Mr MJ Barlow	X	74.10v	75.12v	48.6v	48.5v	47.5v	48.4v	0.0v	74.8v	0.0v	47.5v	0.0v	461.55v
141	Dr JR Deane	A	73.11v	74.8v	46.4v	49.5v	50.9v	50.8v	0.0v	73.6v	0.0v	46.2v	0.0v	461.53v
142	Mr NJ Ball	X	72.8v	72.8v	50.8v	48.6v	50.4v	48.4v	0.0v	72.10v	0.0v	49.4v	0.0v	461.52v
143	Mr TLW Kidner	A	72.7v	75.11v	49.6v	47.4v	48.7v	49.8v	0.0v	73.5v	0.0v	48.4v	0.0v	461.52v
144	Mr DF Williams	X	74.10v	73.6v	49.6v	50.9v	50.6v	49.4v	0.0v	74.8v	0.0v	42.3v	0.0v	461.52v
145	Flt Lt NP Moxon	A	74.12v	72.6v	49.7v	47.4v	49.5v	48.4v	0.0v	74.10v	0.0v	48.3v	0.0v	461.51v
146	Dr G Stewart	X	75.9v	75.8v	49.5v	48.5v	48.6v	47.2v	0.0v	75.12v	0.0v	44.4v	0.0v	461.51v
147	Capt J Cook	X	74.11v	71.4v	49.6v	46.3v	48.4v	50.7v	0.0v	75.10v	0.0v	48.5v	0.0v	461.50v
148	Mr M Mann	A	73.8v	73.9v	47.3v	49.8v	50.8v	48.3v	0.0v	74.9v	0.0v	47.2v	0.0v	461.50v
149	Mr WR Steward	O	73.9v	75.13v	49.6v	50.5v	49.5v	47.4v	0.0v	72.6v	0.0v	46.1v	0.0v	461.49v
150	Sgt JR Dunbar	O	74.6v	74.9v	46.5v	48.5v	50.5v	47.3v	0.0v	75.11v	0.0v	47.3v	0.0v	461.47v
151	Mr JP Nice	X	75.10v	75.10v	48.4v	48.5v	49.6v	48.2v	0.0v	71.4v	0.0v	47.4v	0.0v	461.45v
152	Mr T Keen	A	74.8v	75.3v	47.4v	47.3v	49.4v	48.6v	0.0v	73.8v	0.0v	48.6v	0.0v	461.42v
153	Miss LR Mckerrell	A	74.12v	74.10v	50.8v	49.7v	50.7v	48.6v	0.0v	73.8v	0.0v	42.2v	0.0v	460.60v
154	Mr FM Mohideen	X	74.10v	73.8v	48.5v	48.7v	48.5v	48.6v	0.0v	74.9v	0.0v	47.6v	0.0v	460.56v
155	Miss HNL Butler	T	75.12v	72.8v	48.5v	49.5v	46.5v	49.6v	0.0v	74.12v	0.0v	47.2v	0.0v	460.55v
156	Mr P Holden	X	74.5v	73.8v	49.8v	47.2v	46.5v	50.9v	0.0v	73.11v	0.0v	48.6v	0.0v	460.54v
157	Capt AG McLean	X	73.8v	73.7v	48.5v	50.8v	48.8v	49.5v	0.0v	72.9v	0.0v	47.4v	0.0v	460.54v
158	Mr TL Bedwell	A	73.8v	75.13v	49.5v	50.7v	47.4v	48.5v	0.0v	73.8v	0.0v	45.3v	0.0v	460.53v
159	Mr MJM Black	X	72.7v	75.13v	49.5v	47.3v	50.5v	50.8v	0.0v	70.6v	0.0v	47.5v	0.0v	460.52v
160	Mr M Liversage	X	72.8v	75.10v	48.4v	49.6v	50.8v	45.2v	0.0v	74.10v	0.0v	47.4v	0.0v	460.52v
161	Mr TP Clarke	X	74.9v	75.10v	48.5v	48.5v	49.4v	47.3v	0.0v	75.12v	0.0v	44.4v	0.0v	460.52v
162	Dr J Mehta	X	75.12v	72.6v	48.6v	50.6v	48.7v	49.6v	0.0v	74.8v	0.0v	44.1v	0.0v	460.52v
163	Mr PD Griggs	X	75.8v	73.8v	44.3v	47.4v	48.6v	50.7v	0.0v	75.10v	0.0v	48.5v	0.0v	460.51v
164	Mr IW Robertson	X	71.7v	74.10v	49.6v	49.8v	49.4v	45.3v	0.0v	73.7v	0.0v	50.5v	0.0v	460.50v
165	Mr MI Buchanan	X	73.8v	73.8v	50.4v	50.7v	49.6v	49.4v	0.0v	74.9v	0.0v	42.4v	0.0v	460.50v
166	Mr M Hartung	T	74.12v	73.11v	48.3v	48.2v	49.8v	47.5v	0.0v	73.5v	0.0v	48.2v	0.0v	460.48v
167	Mr B Mehrstens	A	73.9v	74.5v	48.3v	49.7v	48.4v	49.6v	0.0v	72.8v	0.0v	47.6v	0.0v	460.48v
168	Mr GED Hart	O	73.7v	75.9v	49.8v	46.1v	49.6v	47.4v	0.0v	74.8v	0.0v	47.4v	0.0v	460.47v
169	Eur Ing CA Painting	O	73.9v	73.6v	47.2v	50.7v	48.6v	49.6v	0.0v	74.9v	0.0v	46.2v	0.0v	460.47v
170	Mr S Dowley	X	72.5v	75.7v	49.6v	48.7v	48.7v	50.6v	0.0v	73.7v	0.0v	45.2v	0.0v	460.47v
171	Mr DGM Coleman	X	74.8v	74.9v	46.4v	50.3v	50.7v	48.3v	0.0v	74.11v	0.0v	44.2v	0.0v	460.47v
172	Mr RC Oxford	X	74.8v	74.6v	48.4v	49.3v	47.3v	49.7v	0.0v	75.14v	0.0v	44.1v	0.0v	460.46v
173	Mr D Rose	X	73.7v	75.11v	48.4v	47.5v	49.7v	48.5v	0.0v	72.5v	0.0v	48.1v	0.0v	460.45v
174	Mr TP Hammond	A	74.11v	75.7v	48.4v	49.3v	48.4v	47.4v	0.0v	73.10v	0.0v	46.2v	0.0v	460.45v
175	Mr SNS Penrose	X	73.6v	75.5v	48.4v	49.8v	48.5v	49.7v	0.0v	74.7v	0.0v	44.3v	0.0v	460.45v
176	Mr SP O'Brien	O	75.6v	75.8v	49.5v	48.2v	47.5v	48.5v	0.0v	74.4v	0.0v	44.1v	0.0v	460.36v
177	Dr AJ Pilgrim	X	70.10v	71.8v	48.5v	49.8v	50.8v	50.8v	0.0v	74.11v	0.0v	47.3v	0.0v	459.61v
178	Mr JWE Lothian	A	74.8v	74.10v	42.3v	50.4v	50.6v	49.8v	0.0v	73.10v	0.0v	47.8v	0.0v	459.57v
179	Mr P S Holmes	O	74.10v	73.11v	49.5v	46.3v	48.8v	49.6v	0.0v	74.11v	0.0v	46.2v	0.0v	459.56v
180	Mr CD Heales	O	75.10v	73.9v	48.5v	47.4v	50.7v	49.6v	0.0v	73.8v	0.0v	44.6v	0.0v	459.55v
181	Mr DG Young	X	75.9v	75.10v	46.4v	48.5v	50.7v	48.6v	0.0v	70.11v	0.0v	47.2v	0.0v	459.54v
182	Mr NJ Verduyn	X	73.8v	72.4v	50.8v	48.6v	50.9v	49.5v	0.0v	73.11v	0.0v	44.3v	0.0v	459.54v
183	Mr SO Jauncey	O	72.9v	71.9v	48.3v	48.5v	49.7v	50.7v	0.0v	75.8v	0.0v	46.4v	0.0v	459.52v
184	Major AR McLeod	X	74.12v	74.12v	48.4v	50.5v	49.5v	49.7v	0.0v	72.7v	0.0v	43.0v	0.0v	459.52v
185	Mr GE Grosskreutz	X	71.9v	73.7v	47.5v	47.3v	50.7v	48.5v	0.0v	75.9v	0.0v	48.6v	0.0v	459.51v
186	Mr OEJ Spencer	A	74.7v	75.10v	49.4v	48.6v	48.8v	47.3v	0.0v	73.9v	0.0v	45.4v	0.0v	459.51v
187	Mr B Pepin	X	74.10v	74.10v	47.3v	48.6v	50.6v	49.7v	0.0v	74.7v	0.0v	43.2v	0.0v	459.51v
188	Cdt Z Flavell	T	73.9v	74.8v	48.4v	46.3v	48.5v	48.6v	0.0v	72.9v	0.0v	50.6v	0.0v	459.50v
189	Mr AJ Luckman	X	71.8v	71.6v	48.6v	50.7v	50.6v	48.4v	0.0v	72.9v	0.0v	49.4v	0.0v	459.50v
190	Mr R Birtwistle	X	74.10v	73.9v	49.5v	47.4v	50.7v	46.4v	0.0v	73.7v	0.0v	47.4v	0.0v	459.50v
191	Mr JC Evans	O	72.6v	74.11v	45.3v	50.4v	50.6v	47.2v	0.0v	75.12v	0.0v	46.6v	0.0v	459.50v
192	Mr J Ford	A	74.8v	74.8v	49.5v	49.6v	48.6v	48.6v	0.0v	72.9v	0.0v	45.2v	0.0v	459.50v
193	Mr IP Davison	X	74.8v	74.8v	48.7v	48.2v	49.8v	47.3v	0.0v	75.12v	0.0v	44.2v	0.0v	459.50v
194	Mr GA Aitchison	X	75.7v	74.8v	46.6v	50.5v	49.8v	49.5v	0.0v	73.8v	0.0v	43.3v	0.0v	459.50v
195	Mr CN Tremlett	X	73.7v	75.11v	49.8v	48.5v	48.5v	49.4v	0.0v	69.5v	0.0v	48.3v	0.0v	459.48v
196	Mr CA Skellett	A	72.10v	73.6v	49.4v	48.5v	48.5v	48.5v	0.0v	73.10v	0.0v	48.3v	0.0v	459.48v
197	Mr JB Hull	A	72.4v	73.7v	47.2v	48.4v	50.8v	50.8v	0.0v	73.11v	0.0v	46.4v	0.0v	459.48v
198	Mr HD Howard	X	75.9v	74.7v	47.4v	48.4v	49.6v	48.5v	0.0v	72.9v	0.0v	46.4v	0.0v	459.48v
199	Mr S Harding	X	72.6v	73.8v	50.5v	47.4v	50.8v	50.5v	0.0v	73.9v	0.0v	44.2v	0.0v	459.47v
200	Mr PA Maher	X	71.5v	74.9v	47.3v	49.7v	49.3v	50.9v	0.0v	74.9v	0.0v	45.1v	0.0v	459.46v

201	Miss LG Taylor	A	74.7v	74.5v	49.8v	48.4v	48.7v	47.2v	0.0v	75.10v	0.0v	44.3v	0.0v	459.46v
202	Miss BE Fung	O	75.7v	75.9v	47.2v	46.3v	49.5v	48.5v	0.0v	74.9v	0.0v	45.4v	0.0v	459.44v
203	Mr KM Willingale	O	73.9v	72.5v	46.3v	49.3v	50.3v	49.5v	0.0v	73.9v	0.0v	47.3v	0.0v	459.40v
204	Wg. Cdr. CJ Hockley OBE	X	74.6v	73.8v	48.4v	48.3v	48.1v	49.7v	0.0v	71.7v	0.0v	48.3v	0.0v	459.39v
205	Mr CP Weeden	X	75.8v	74.12v	49.4v	48.6v	49.8v	49.8v	0.0v	75.12v	0.0v	39.3v	0.0v	458.61v
206	Major DR Thompson	A	75.11v	73.10v	50.7v	47.5v	47.5v	49.7v	0.0v	74.7v	0.0v	43.3v	0.0v	458.55v
207	Mr MF Boucher	O	71.10v	72.6v	50.8v	49.7v	49.4v	50.5v	0.0v	71.10v	0.0v	46.4v	0.0v	458.54v
208	Mr J Thombora	O	73.10v	74.12v	45.3v	49.6v	49.4v	49.7v	0.0v	73.8v	0.0v	46.4v	0.0v	458.54v
209	Mr PR Thompson	O	74.14v	73.10v	48.6v	47.4v	49.4v	49.6v	0.0v	74.9v	0.0v	44.1v	0.0v	458.54v
210	Cdt M Vinarski	T	75.10v	72.9v	49.4v	46.3v	47.6v	50.6v	0.0v	71.7v	0.0v	48.7v	0.0v	458.52v
211	Mr ATB Tompson	X	73.7v	74.13v	49.4v	47.4v	48.5v	48.6v	0.0v	75.11v	0.0v	44.0v	0.0v	458.50v
212	Miss CE Davies	O	72.9v	71.8v	48.4v	49.4v	47.6v	49.5v	0.0v	73.9v	0.0v	49.4v	0.0v	458.49v
213	Mr NNT Kerins	A	74.9v	75.10v	49.4v	47.3v	47.5v	46.3v	0.0v	75.13v	0.0v	45.2v	0.0v	458.49v
214	Mr C Mallett	X	74.9v	73.8v	48.2v	48.7v	50.8v	48.6v	0.0v	72.8v	0.0v	45.1v	0.0v	458.49v
215	Mr M Todd	T	75.8v	72.8v	47.4v	48.2v	50.7v	46.4v	0.0v	73.11v	0.0v	47.4v	0.0v	458.48v
216	Mr RI Coventry	O	72.8v	74.11v	47.2v	48.2v	50.7v	49.5v	0.0v	72.8v	0.0v	46.5v	0.0v	458.48v
217	Mr AP Barnes	A	74.8v	74.8v	47.5v	49.8v	47.1v	48.6v	0.0v	73.9v	0.0v	46.3v	0.0v	458.48v
218	Mr ML Cotillard	A	72.4v	73.11v	47.3v	49.7v	48.5v	50.4v	0.0v	74.11v	0.0v	45.3v	0.0v	458.48v
219	Miss HV Southall	O	73.9v	74.10v	45.3v	49.4v	48.3v	49.4v	0.0v	73.11v	0.0v	47.2v	0.0v	458.46v
220	Mr H Donovan	T	69.4v	75.12v	49.4v	46.2v	48.6v	50.6v	0.0v	75.9v	0.0v	46.3v	0.0v	458.46v
221	Mr MR Fugeman	A	74.7v	73.8v	46.4v	50.4v	50.7v	48.6v	0.0v	72.7v	0.0v	45.3v	0.0v	458.46v
222	Wg Cdr IA Mollan	O	73.8v	74.11v	49.4v	47.7v	50.5v	48.5v	0.0v	74.6v	0.0v	43.0v	0.0v	458.46v
223	Mr D Lowe	A	73.10v	72.4v	47.6v	49.3v	50.4v	47.5v	0.0v	74.8v	0.0v	46.4v	0.0v	458.44v
224	Mr A Jones	O	74.9v	74.7v	47.3v	49.5v	49.7v	48.3v	0.0v	75.9v	0.0v	42.0v	0.0v	458.43v
225	Miss J Hince	T	70.3v	73.4v	49.6v	50.5v	50.7v	45.4v	0.0v	75.10v	0.0v	46.3v	0.0v	458.42v
226	Miss HA Pugsley	X	73.8v	74.11v	47.5v	48.5v	48.3v	50.3v	0.0v	70.2v	0.0v	48.4v	0.0v	458.41v
227	Miss C Halleran	O	75.11v	75.7v	48.4v	48.2v	49.6v	46.4v	0.0v	72.5v	0.0v	45.1v	0.0v	458.40v
228	Mr JF Lawrie	X	75.8v	73.9v	46.3v	49.3v	48.6v	50.4v	0.0v	75.4v	0.0v	42.2v	0.0v	458.39v
229	Mr GK Alexander	X	73.5v	74.7v	49.7v	48.5v	48.5v	47.2v	0.0v	72.4v	0.0v	47.1v	0.0v	458.36v
230	Mr JA Watson	X	74.11v	74.9v	48.6v	47.6v	46.3v	49.5v	0.0v	75.11v	0.0v	44.3v	0.0v	457.54v
231	Miss CM Jones	A	73.6v	73.12v	46.4v	49.5v	49.4v	49.5v	0.0v	75.14v	0.0v	43.3v	0.0v	457.53v
232	Dr AF Aspin	A	73.11v	72.5v	49.6v	49.7v	47.6v	49.6v	0.0v	75.10v	0.0v	43.2v	0.0v	457.53v
233	Mr ND Gomez	O	73.8v	74.12v	47.5v	46.4v	48.5v	48.5v	0.0v	74.9v	0.0v	47.4v	0.0v	457.52v
234	Mr RT MacLeod	X	73.10v	72.6v	48.7v	47.4v	49.3v	49.6v	0.0v	73.9v	0.0v	46.6v	0.0v	457.51v
235	Mr AW Lothian	X	74.11v	73.11v	49.3v	47.3v	48.6v	46.5v	0.0v	72.4v	0.0v	48.6v	0.0v	457.49v
236	Mr TJ Johnston	O	72.4v	74.13v	48.6v	50.7v	50.4v	48.7v	0.0v	75.7v	0.0v	40.1v	0.0v	457.49v
237	Mr AJ Sonnenberg	A	75.11v	72.10v	49.5v	47.3v	48.5v	49.4v	0.0v	74.9v	0.0v	43.1v	0.0v	457.48v
238	Mr RA Welford	A	69.6v	75.11v	47.5v	47.3v	49.7v	49.4v	0.0v	73.7v	0.0v	48.4v	0.0v	457.47v
239	Mr PJ Johnson	A	73.8v	71.8v	49.7v	48.6v	48.3v	49.5v	0.0v	71.7v	0.0v	48.3v	0.0v	457.47v
240	Mr HWR Gilbert	A	75.8v	73.9v	47.5v	45.4v	49.6v	46.5v	0.0v	74.7v	0.0v	48.3v	0.0v	457.47v
241	Mr RW Shaw	A	72.7v	74.9v	48.4v	47.4v	47.5v	48.4v	0.0v	74.10v	0.0v	47.4v	0.0v	457.47v
242	Mr SJ Whitby	O	75.11v	72.10v	50.4v	48.4v	45.3v	48.1v	0.0v	73.10v	0.0v	46.4v	0.0v	457.47v
243	Mr BJ Wood	A	72.9v	73.8v	46.2v	49.6v	49.6v	48.5v	0.0v	74.8v	0.0v	46.3v	0.0v	457.47v
244	Mr MA Kirkillo-Stacewicz	A	74.7v	74.10v	50.5v	46.4v	49.5v	48.6v	0.0v	73.7v	0.0v	43.2v	0.0v	457.46v
245	Mr D Kirui	X	75.9v	71.5v	49.6v	46.3v	48.5v	49.5v	0.0v	73.7v	0.0v	46.5v	0.0v	457.45v
246	Mr AF Donald	A	75.7v	73.10v	48.3v	49.5v	47.5v	49.5v	0.0v	73.6v	0.0v	43.3v	0.0v	457.44v
247	Mr E Nyagah	X	73.8v	73.5v	49.3v	48.5v	49.7v	48.5v	0.0v	73.7v	0.0v	44.3v	0.0v	457.43v
248	Mrs MM Norman	X	71.5v	75.10v	47.2v	46.5v	50.5v	47.4v	0.0v	75.6v	0.0v	46.4v	0.0v	457.41v
249	Dr CW Freeman	O	73.9v	72.6v	48.4v	47.4v	47.4v	50.4v	0.0v	73.6v	0.0v	47.3v	0.0v	457.40v
250	Mr TM Green	A	72.6v	74.8v	47.5v	48.3v	49.5v	50.4v	0.0v	74.7v	0.0v	43.2v	0.0v	457.40v
251	Mr SH Dickson	O	74.6v	73.8v	47.2v	49.6v	48.5v	50.5v	0.0v	74.5v	0.0v	42.2v	0.0v	457.39v
252	Mr PJS Bysshe	A	70.3v	73.8v	48.5v	49.8v	48.5v	49.2v	0.0v	74.3v	0.0v	46.3v	0.0v	457.37v
253	Mr M Witherley	A	72.3v	75.5v	50.4v	46.2v	49.5v	50.7v	0.0v	74.8v	0.0v	41.0v	0.0v	457.34v
254	Capt AW Gill	X	71.9v	75.11v	48.6v	44.3v	50.7v	50.5v	0.0v	75.9v	0.0v	43.4v	0.0v	456.54v
255	Mr M Lacombe	T	73.10v	74.11v	47.3v	49.7v	42.4v	50.8v	0.0v	74.8v	0.0v	47.2v	0.0v	456.53v
256	Mr S Eckardt	T	70.8v	75.7v	46.2v	49.5v	48.6v	49.8v	0.0v	74.11v	0.0v	45.4v	0.0v	456.51v
257	Sgt GM Irish	A	73.9v	74.11v	47.2v	50.9v	49.5v	47.3v	0.0v	71.9v	0.0v	45.3v	0.0v	456.51v
258	Mr RCT Jeens	X	66.1v	75.12v	48.6v	49.7v	47.4v	50.10v	0.0v	74.8v	0.0v	47.2v	0.0v	456.50v
259	Mr PM Jory	X	75.13v	72.6v	48.5v	45.2v	50.7v	48.4v	0.0v	73.9v	0.0v	45.4v	0.0v	456.50v
260	Mr GR Ratcliff	O	72.8v	71.8v	48.5v	50.7v	47.4v	49.6v	0.0v	73.7v	0.0v	46.3v	0.0v	456.48v
261	Mr G Trembath	X	72.7v	75.8v	48.6v	47.4v	50.7v	48.4v	0.0v	73.9v	0.0v	43.2v	0.0v	456.47v
262	Mr MD Jenvey	A	73.7v	73.7v	50.7v	45.3v	46.2v	48.6v	0.0v	73.10v	0.0v	48.4v	0.0v	456.46v
263	Miss LE Kennedy	O	74.12v	73.5v	48.3v	47.2v	50.9v	46.2v	0.0v	74.10v	0.0v	44.3v	0.0v	456.46v
264	Mr P De Voil	A	75.10v	72.6v	49.4v	47.5v	48.5v	47.5v	0.0v	74.9v	0.0v	44.2v	0.0v	456.46v
265	Mr MF Martel	A	72.7v	74.7v	46.2v	49.5v	48.4v	47.5v	0.0v	72.10v	0.0v	48.5v	0.0v	456.45v
266	Mr DB Ball	T	70.7v	73.9v	46.5v	46.3v	49.4v	50.8v	0.0v	75.5v	0.0v	47.4v	0.0v	456.45v
267	Mr P Cameron Taylor	O	73.8v	74.5v	48.4v	43.2v	48.5v	48.4v	0.0v	74.13v	0.0v	48.3v	0.0v	456.44v
268	Mr S Otundo	X	75.11v	73.6v	49.4v	48.4v	48.5v	48.3v	0.0v	73.6v	0.0v	42.4v	0.0v	456.43v
269	Mr JJ Parsons	T	73.6v	70.6v	47.5v	44.3v	50.4v	50.6v	0.0v	75.9v	0.0v	47.3v	0.0v	456.42v
270	Miss EL Hoolahan	O	72.5v	75.10v	47.5v	46.3v	50.5v	49.4v	0.0v	72.8v	0.0v	45.2v	0.0v	456.42v
271	Mr TJ Bryan	X	74.10v	73.5v	49.6v	47.4v	49.5v	50.6v	0.0v	70.3v	0.0v	44.3v	0.0v	456.42v
272	Mr SJ East	A	72.6v	75.9v	46.3v	47.3v	49.5v	48.3v	0.0v	74.9v	0.0v	45.3v	0.0v	456.41v

273	Mr J Bullock	O	73.8v	74.6v	49.5v	46.2v	48.5v	50.7v	0.0v	74.7v	0.0v	42.1v	0.0v	456.41v
274	Mr WHC Alexander	O	73.8v	75.6v	49.3v	43.3v	48.3v	46.5v	0.0v	74.8v	0.0v	48.4v	0.0v	456.40v
275	Mr MR Ebbetts	X	72.5v	73.9v	48.4v	48.3v	46.1v	48.5v	0.0v	74.8v	0.0v	47.5v	0.0v	456.40v
276	Mr R Kligge	O	72.7v	72.3v	48.4v	49.6v	49.8v	49.1v	0.0v	72.7v	0.0v	45.3v	0.0v	456.39v
277	Mr A Thomson	A	70.2v	74.7v	50.6v	49.5v	48.2v	50.6v	0.0v	73.10v	0.0v	42.1v	0.0v	456.39v
278	Mr H Lee	O	72.2v	73.5v	49.4v	48.4v	47.4v	47.2v	0.0v	74.10v	0.0v	46.4v	0.0v	456.35v
279	Mr M Persaud	A	74.7v	72.7v	47.5v	48.6v	48.6v	48.6v	0.0v	72.6v	0.0v	46.5v	0.0v	455.48v
280	Mr JA Anderson	A	73.10v	73.8v	47.6v	48.4v	47.4v	48.6v	0.0v	74.8v	0.0v	45.2v	0.0v	455.48v
281	Mr RW Hallows	X	75.11v	74.10v	48.4v	48.4v	50.7v	47.3v	0.0v	73.9v	0.0v	40.0v	0.0v	455.48v
282	Mr AN Tongue	O	74.11v	73.8v	47.4v	47.2v	49.6v	48.7v	0.0v	72.5v	0.0v	45.4v	0.0v	455.47v
283	Cdt M Clark	T	72.7v	73.10v	48.3v	47.5v	48.4v	49.6v	0.0v	70.8v	0.0v	48.3v	0.0v	455.46v
284	Mr JGM Webster	A	73.8v	73.8v	49.6v	49.5v	46.4v	46.4v	0.0v	74.10v	0.0v	45.1v	0.0v	455.46v
285	Mr O Hudson	X	74.11v	74.10v	44.2v	45.3v	50.7v	50.6v	0.0v	69.3v	0.0v	49.3v	0.0v	455.45v
286	Miss JE Ouston	X	73.7v	73.7v	49.6v	49.8v	47.5v	48.4v	0.0v	72.6v	0.0v	44.2v	0.0v	455.45v
287	Mr SC Postins	X	74.10v	74.11v	45.3v	47.4v	49.5v	49.1v	0.0v	74.9v	0.0v	43.2v	0.0v	455.45v
288	Mr THD Dodds	A	75.7v	75.10v	47.5v	45.3v	48.4v	44.3v	0.0v	74.10v	0.0v	47.1v	0.0v	455.43v
289	Mr R A Webb	O	73.5v	71.6v	45.3v	49.5v	50.8v	48.6v	0.0v	73.7v	0.0v	46.3v	0.0v	455.43v
290	Mr DJ Curtis	A	70.6v	71.7v	50.1v	49.5v	45.2v	50.6v	0.0v	73.9v	0.0v	47.6v	0.0v	455.42v
291	Mr PJ Temperley	A	74.5v	72.5v	46.2v	48.8v	49.7v	48.6v	0.0v	72.6v	0.0v	46.2v	0.0v	455.41v
292	Mr CM Brooks	A	72.4v	72.8v	49.5v	49.4v	49.3v	47.3v	0.0v	73.6v	0.0v	44.1v	0.0v	455.34v
293	Cdt Cpl RG Woodger	T	73.11v	74.13v	50.7v	46.5v	49.5v	48.5v	0.0v	74.9v	0.0v	40.2v	0.0v	454.57v
294	Mr JM Taylor	X	73.9v	72.7v	49.9v	49.5v	48.7v	47.5v	0.0v	73.11v	0.0v	43.2v	0.0v	454.55v
295	Mr AJ Haggerty	X	74.8v	72.10v	44.3v	49.6v	49.5v	48.6v	0.0v	75.11v	0.0v	43.3v	0.0v	454.52v
296	Mr RE Ellis	A	73.10v	73.9v	48.5v	46.3v	48.6v	49.8v	0.0v	72.9v	0.0v	45.1v	0.0v	454.51v
297	Mr BN Craig	A	72.8v	75.10v	44.2v	49.5v	49.6v	46.4v	0.0v	71.9v	0.0v	48.5v	0.0v	454.49v
298	Dr MW Wrigley	X	73.11v	73.7v	49.6v	47.3v	48.6v	49.4v	0.0v	74.9v	0.0v	41.2v	0.0v	454.48v
299	Mr R Hu	O	73.6v	75.11v	48.5v	48.6v	47.7v	44.3v	0.0v	72.5v	0.0v	47.3v	0.0v	454.46v
300	Mr JMA Thompson	X	73.7v	75.10v	50.5v	48.5v	49.5v	46.4v	0.0v	71.7v	0.0v	42.3v	0.0v	454.46v
301	Dr JS Rennie	X	73.12v	73.8v	49.6v	48.3v	48.4v	47.5v	0.0v	73.6v	0.0v	43.1v	0.0v	454.45v
302	Mr SE Young	A	75.9v	73.8v	47.4v	48.3v	50.5v	45.3v	0.0v	75.10v	0.0v	41.2v	0.0v	454.44v
303	Mrs G Jarvis	A	74.9v	75.10v	48.3v	48.4v	47.4v	49.5v	0.0v	73.9v	0.0v	40.0v	0.0v	454.44v
304	Mr JRW Postle	X	71.6v	74.6v	47.6v	48.5v	48.4v	49.5v	0.0v	71.8v	0.0v	46.3v	0.0v	454.43v
305	Miss ZN Northam	O	73.10v	74.8v	43.2v	49.4v	47.3v	49.3v	0.0v	74.10v	0.0v	45.3v	0.0v	454.43v
306	Mr CMB Bowring	A	73.9v	74.10v	47.2v	45.2v	50.6v	48.5v	0.0v	72.7v	0.0v	45.2v	0.0v	454.43v
307	Mr T Smith	A	74.11v	73.9v	48.5v	49.5v	49.3v	48.5v	0.0v	70.2v	0.0v	43.3v	0.0v	454.43v
308	Mr CP Goad	X	73.8v	74.9v	49.2v	49.3v	49.6v	46.4v	0.0v	71.7v	0.0v	43.3v	0.0v	454.42v
309	Mr AR Betts	X	75.10v	73.6v	49.6v	48.2v	47.3v	43.1v	0.0v	72.8v	0.0v	47.5v	0.0v	454.41v
310	Mr N Watson	O	74.9v	73.7v	47.5v	45.2v	47.2v	48.1v	0.0v	74.11v	0.0v	46.3v	0.0v	454.40v
311	Mr WP Hanley	O	68.5v	75.12v	46.1v	48.3v	50.5v	48.4v	0.0v	74.7v	0.0v	45.3v	0.0v	454.40v
312	Mr P Dawes	O	71.6v	71.6v	47.4v	47.5v	47.3v	47.3v	0.0v	75.8v	0.0v	49.4v	0.0v	454.39v
313	Mr AI Brown	A	73.9v	73.6v	47.6v	49.4v	47.4v	48.5v	0.0v	72.3v	0.0v	45.2v	0.0v	454.39v
314	Miss RL Laird	A	72.7v	71.7v	49.3v	48.2v	47.5v	49.2v	0.0v	70.6v	0.0v	48.4v	0.0v	454.36v
315	Mr W Johnson	O	72.5v	73.6v	48.3v	47.5v	48.3v	48.5v	0.0v	75.6v	0.0v	43.3v	0.0v	454.36v
316	Mr L Malcic	O	73.8v	73.5v	47.3v	47.4v	46.1v	46.3v	0.0v	74.6v	0.0v	48.4v	0.0v	454.34v
317	Mr JA Haward	A	75.8v	72.7v	47.5v	47.5v	49.6v	47.6v	0.0v	69.8v	0.0v	47.5v	0.0v	453.50v
318	Mr WF Livesey	O	74.11v	73.9v	48.3v	49.6v	48.4v	47.6v	0.0v	67.4v	0.0v	47.6v	0.0v	453.49v
319	Mr JA Lindsay III	X	74.9v	74.10v	48.4v	48.5v	47.5v	46.5v	0.0v	72.10v	0.0v	44.1v	0.0v	453.49v
320	Mr SL Larter-Whitcher	O	74.7v	74.12v	49.5v	48.4v	49.6v	45.4v	0.0v	74.8v	0.0v	40.2v	0.0v	453.48v
321	Mr RJ Booth	X	73.9v	71.8v	49.7v	44.2v	50.6v	49.6v	0.0v	70.7v	0.0v	47.1v	0.0v	453.46v
322	Mr PM Cranigan	X	72.3v	73.6v	47.5v	49.8v	46.4v	43.3v	0.0v	74.11v	0.0v	49.4v	0.0v	453.44v
323	Wg. Cdr. CR Smith	X	74.8v	74.9v	47.3v	49.6v	47.5v	48.4v	0.0v	71.7v	0.0v	43.2v	0.0v	453.44v
324	Mr CPP Brewin	O	73.8v	73.8v	50.5v	44.4v	48.4v	46.2v	0.0v	72.8v	0.0v	47.4v	0.0v	453.43v
325	Col AJW Sturrock	A	71.8v	73.7v	46.3v	50.3v	48.7v	46.2v	0.0v	74.11v	0.0v	45.2v	0.0v	453.43v
326	Mr HRA Goddard	O	72.11v	71.3v	46.2v	48.5v	47.4v	49.7v	0.0v	75.8v	0.0v	45.0v	0.0v	453.40v
327	Mr ND Stangroom	O	74.6v	75.8v	45.2v	48.4v	49.7v	47.4v	0.0v	73.7v	0.0v	42.1v	0.0v	453.39v
328	Mrs CJ Clifford-Evans	X	73.9v	73.5v	47.3v	47.4v	46.2v	46.5v	0.0v	74.6v	0.0v	47.2v	0.0v	453.36v
329	Mr AC Griffin	O	72.6v	73.7v	47.4v	49.2v	49.5v	49.3v	0.0v	71.6v	0.0v	43.2v	0.0v	453.35v
330	Mr JW Page	O	73.7v	71.8v	49.3v	46.6v	47.5v	49.7v	0.0v	72.10v	0.0v	45.5v	0.0v	452.51v
331	Cdt BG Chamberlain	O	74.10v	74.9v	48.6v	47.5v	48.5v	42.3v	0.0v	74.10v	0.0v	45.3v	0.0v	452.51v
332	Mr AM Bullen	O	73.9v	73.9v	48.5v	50.6v	47.6v	49.8v	0.0v	70.6v	0.0v	42.2v	0.0v	452.51v
333	Mr F Flanagan	A	73.10v	75.11v	48.5v	47.2v	48.5v	50.8v	0.0v	71.7v	0.0v	40.3v	0.0v	452.51v
334	Mrs EG Charlton	A	69.4v	74.12v	45.4v	46.2v	49.8v	49.6v	0.0v	74.10v	0.0v	46.4v	0.0v	452.50v
335	Mr MJ Creber	A	73.10v	70.7v	48.5v	45.3v	48.5v	47.4v	0.0v	73.9v	0.0v	48.6v	0.0v	452.49v
336	Mr RA Dix	A	72.9v	67.4v	47.4v	49.4v	49.6v	48.6v	0.0v	74.11v	0.0v	46.2v	0.0v	452.46v
337	Mr C Dart	T	73.9v	73.5v	47.5v	49.3v	50.8v	48.6v	0.0v	73.10v	0.0v	39.0v	0.0v	452.46v
338	Mr E Sewell	O	71.8v	75.9v	47.5v	48.4v	48.5v	48.5v	0.0v	71.6v	0.0v	44.3v	0.0v	452.45v
339	Mr RH Gardiner	O	74.8v	72.8v	48.8v	48.3v	49.5v	48.2v	0.0v	71.7v	0.0v	42.2v	0.0v	452.43v
340	Mr D de Vere	X	73.10v	73.8v	48.5v	45.1v	48.4v	46.2v	0.0v	74.9v	0.0v	45.2v	0.0v	452.41v
341	Mr AGM Fyfe	O	73.7v	73.7v	48.5v	47.4v	49.6v	44.1v	0.0v	74.10v	0.0v	44.1v	0.0v	452.41v
342	Mr RJ Quay	O	74.9v	71.8v	49.2v	48.4v	49.5v	49.6v	0.0v	71.5v	0.0v	41.2v	0.0v	452.41v
343	Mr PD Dudzinski	A	73.9v	71.4v	47.3v	47.5v	50.6v	46.3v	0.0v	70.4v	0.0v	48.6v	0.0v	452.40v
344	Mr AJ Leech	A	74.6v	73.6v	49.6v	47.5v	46.2v	49.9v	0.0v	71.6v	0.0v	43.0v	0.0v	452.40v

345	Mr DJ Archer	A	72.5v	69.3v	48.5v	47.3v	48.5v	48.5v	0.0v	75.11v	0.0v	45.1v	0.0v	452.38v
346	SSgt. RH Kitson	A	72.6v	73.6v	46.2v	47.4v	50.7v	48.5v	0.0v	72.7v	0.0v	44.1v	0.0v	452.38v
347	Mr MP Watkins	O	74.10v	72.8v	46.0v	48.3v	47.6v	50.3v	0.0v	74.5v	0.0v	41.3v	0.0v	452.38v
348	Miss CA Evans	X	73.9v	73.11v	49.7v	47.4v	50.7v	35.0v	0.0v	75.11v	0.0v	49.6v	0.0v	451.55v
349	Mr SJ Bissonnette	A	75.11v	71.7v	50.5v	46.5v	49.5v	45.4v	0.0v	73.12v	0.0v	42.2v	0.0v	451.51v
350	Mr SE Frost	O	72.9v	72.8v	46.3v	49.7v	48.5v	48.7v	0.0v	72.8v	0.0v	44.2v	0.0v	451.49v
351	Mr MJ Wood	A	75.9v	72.6v	47.5v	45.4v	42.4v	48.4v	0.0v	72.8v	0.0v	50.8v	0.0v	451.48v
352	Mr TAD Lilley	A	73.10v	72.9v	46.2v	48.4v	45.3v	50.8v	0.0v	73.11v	0.0v	44.0v	0.0v	451.47v
353	Mr RDP Knapstein	X	70.9v	73.8v	49.4v	44.4v	47.4v	49.6v	0.0v	73.6v	0.0v	46.3v	0.0v	451.44v
354	Mr DTA Cobb	O	71.5v	72.6v	47.6v	45.1v	49.7v	49.8v	0.0v	73.7v	0.0v	45.4v	0.0v	451.44v
355	Mr WJ Rowland	A	73.7v	71.7v	45.1v	47.2v	49.8v	50.7v	0.0v	74.8v	0.0v	42.1v	0.0v	451.41v
356	Mr PJG Barber	A	71.8v	73.6v	46.1v	48.6v	46.4v	47.4v	0.0v	74.9v	0.0v	46.2v	0.0v	451.40v
357	Mr LT Wicker	A	73.7v	71.5v	49.7v	46.3v	46.3v	49.6v	0.0v	72.6v	0.0v	45.3v	0.0v	451.40v
358	Mr E Atkins	O	73.6v	73.10v	48.4v	43.4v	49.4v	48.2v	0.0v	72.7v	0.0v	45.3v	0.0v	451.40v
359	Mr ADE Grounds	A	70.7v	71.6v	49.5v	49.5v	48.4v	46.2v	0.0v	73.8v	0.0v	45.2v	0.0v	451.39v
360	Mrs A Peters	X	72.8v	74.9v	48.5v	49.4v	49.2v	49.5v	0.0v	70.5v	0.0v	40.1v	0.0v	451.39v
361	Mr PB Cutts	O	69.6v	72.7v	47.4v	47.5v	46.1v	48.6v	0.0v	73.5v	0.0v	49.4v	0.0v	451.38v
362	Mr SC Williamson	A	73.6v	72.1v	47.3v	47.7v	47.3v	50.7v	0.0v	73.8v	0.0v	42.2v	0.0v	451.37v
363	Mr DN Lindsay	A	73.9v	74.8v	46.2v	49.5v	41.2v	48.5v	0.0v	73.10v	0.0v	46.4v	0.0v	450.45v
364	Mr J Purdy	O	69.6v	72.10v	47.2v	46.4v	48.6v	48.4v	0.0v	75.11v	0.0v	45.1v	0.0v	450.44v
365	Mrs RA Wiltshire	O	71.7v	70.6v	48.7v	47.3v	48.6v	48.4v	0.0v	75.6v	0.0v	43.3v	0.0v	450.42v
366	Mr R Winney	X	73.9v	73.6v	44.3v	47.3v	47.5v	47.5v	0.0v	72.7v	0.0v	47.3v	0.0v	450.41v
367	Mr C Saina	X	72.9v	74.7v	46.5v	45.2v	45.5v	48.2v	0.0v	74.7v	0.0v	46.4v	0.0v	450.41v
368	Air Cdre JA Ford	X	67.5v	73.6v	49.3v	48.5v	49.3v	48.7v	0.0v	69.7v	0.0v	47.4v	0.0v	450.40v
369	Mr L O'flynn	T	74.11v	69.4v	49.6v	45.1v	47.5v	45.3v	0.0v	74.6v	0.0v	47.4v	0.0v	450.40v
370	Mr RBC Baker	A	69.8v	71.6v	48.5v	48.3v	49.4v	48.3v	0.0v	72.8v	0.0v	45.3v	0.0v	450.40v
371	Mr GL Clarke	O	70.8v	75.9v	50.2v	46.2v	48.5v	50.5v	0.0v	73.9v	0.0v	38.0v	0.0v	450.40v
372	Mr ISL Dampney	O	72.3v	73.8v	47.3v	42.4v	47.4v	49.4v	0.0v	73.9v	0.0v	47.3v	0.0v	450.38v
373	Mr SW Maris	O	72.9v	72.9v	46.1v	49.3v	48.5v	49.3v	0.0v	72.8v	0.0v	42.0v	0.0v	450.38v
374	Mr J Allum	O	74.10v	73.6v	49.4v	44.2v	47.3v	48.4v	0.0v	74.8v	0.0v	41.1v	0.0v	450.38v
375	Cdt W Lam	T	70.7v	75.3v	46.6v	47.4v	50.5v	46.4v	0.0v	72.7v	0.0v	44.1v	0.0v	450.37v
376	SAC(T) DA Cottrill	A	73.9v	73.10v	45.3v	43.3v	49.3v	49.3v	0.0v	73.2v	0.0v	45.2v	0.0v	450.35v
377	Mr CSJ Marlow	O	74.7v	72.4v	45.2v	48.6v	47.3v	47.3v	0.0v	73.8v	0.0v	44.2v	0.0v	450.35v
378	Mr JPL Sweet	X	71.6v	70.5v	46.3v	48.3v	48.5v	48.3v	0.0v	72.7v	0.0v	47.2v	0.0v	450.34v
379	Miss K Fleck	O	72.6v	72.4v	46.3v	45.1v	48.5v	49.3v	0.0v	70.4v	0.0v	48.5v	0.0v	450.31v
380	Mr S Pearson	A	72.5v	73.8v	48.3v	48.2v	48.5v	44.1v	0.0v	72.4v	0.0v	45.2v	0.0v	450.30v
381	Mr J Hollingdale	T	73.10v	71.8v	48.5v	43.5v	49.5v	50.8v	0.0v	72.6v	0.0v	43.3v	0.0v	449.50v
382	Mr APW Daw	X	73.10v	75.12v	45.4v	49.6v	48.5v	47.3v	0.0v	73.8v	0.0v	39.2v	0.0v	449.50v
383	Mr PA Goubert	A	71.10v	74.7v	46.5v	49.6v	48.7v	50.5v	0.0v	70.2v	0.0v	41.2v	0.0v	449.44v
384	Mr AP Smith	O	73.9v	74.9v	49.5v	46.5v	47.2v	44.3v	0.0v	73.7v	0.0v	43.2v	0.0v	449.42v
385	Mr DFP Richards G.M.	X	71.7v	71.5v	48.5v	45.2v	48.4v	47.5v	0.0v	70.2v	0.0v	49.9v	0.0v	449.39v
386	Mr DH Allen	O	71.9v	71.5v	49.4v	45.3v	49.5v	48.6v	0.0v	71.6v	0.0v	45.1v	0.0v	449.39v
387	Cdt D Hewitt	T	70.5v	70.4v	46.2v	48.6v	45.2v	47.4v	0.0v	74.9v	0.0v	49.6v	0.0v	449.38v
388	Mr JRCSB Stanford-Beale	T	72.6v	68.3v	48.7v	48.5v	48.4v	49.6v	0.0v	70.2v	0.0v	46.5v	0.0v	449.38v
389	Lt. Col. CST Lehmann	O	72.7v	72.6v	47.5v	48.7v	48.1v	47.4v	0.0v	71.5v	0.0v	44.2v	0.0v	449.37v
390	Mr E Lawrence	O	74.9v	74.4v	46.3v	46.2v	48.6v	49.1v	0.0v	70.8v	0.0v	42.2v	0.0v	449.35v
391	Mr J Scambler	T	72.7v	74.12v	46.3v	48.0v	48.2v	48.2v	0.0v	74.9v	0.0v	39.0v	0.0v	449.35v
392	Mr G Oakland	O	71.1v	71.4v	47.6v	47.3v	49.4v	48.5v	0.0v	67.6v	0.0v	49.4v	0.0v	449.33v
393	Mr N Mringie	X	73.8v	72.3v	46.3v	47.0v	46.6v	49.2v	0.0v	73.6v	0.0v	43.2v	0.0v	449.30v
394	Mr A Chown	O	71.5v	72.3v	46.3v	48.5v	48.3v	44.2v	0.0v	70.3v	0.0v	50.3v	0.0v	449.27v
395	Miss AJ Clarke	A	73.10v	72.8v	41.1v	47.5v	50.9v	49.6v	0.0v	75.13v	0.0v	41.4v	0.0v	448.56v
396	Cdt TO Little	O	74.9v	74.9v	47.6v	47.4v	48.5v	46.4v	0.0v	68.5v	0.0v	44.4v	0.0v	448.46v
397	Cdt M Naidu	T	68.4v	72.8v	49.5v	46.3v	48.7v	50.8v	0.0v	72.9v	0.0v	43.2v	0.0v	448.46v
398	Mr WC Cowen	O	72.8v	75.10v	46.5v	47.3v	49.4v	49.7v	0.0v	66.4v	0.0v	44.4v	0.0v	448.45v
399	Mr TR Webster	O	72.9v	73.8v	47.3v	46.1v	47.6v	47.5v	0.0v	71.7v	0.0v	45.4v	0.0v	448.43v
400	Mr GV Feast	A	73.9v	73.5v	47.4v	46.5v	48.5v	45.2v	0.0v	72.8v	0.0v	44.4v	0.0v	448.42v
401	Mr JA Curd	X	71.6v	73.9v	47.5v	45.3v	50.7v	48.3v	0.0v	73.6v	0.0v	41.3v	0.0v	448.42v
402	Mrs DA Thompson	O	72.7v	73.8v	47.4v	48.6v	49.5v	41.3v	0.0v	74.7v	0.0v	44.1v	0.0v	448.41v
403	Mr JWE Lewis	X	70.3v	72.7v	46.4v	46.4v	48.6v	47.4v	0.0v	73.8v	0.0v	46.3v	0.0v	448.39v
404	Mr RA Mullin	O	70.7v	73.6v	48.3v	44.5v	50.7v	43.2v	0.0v	74.6v	0.0v	46.3v	0.0v	448.39v
405	Mr PGW Purdy	O	69.5v	75.8v	46.5v	47.4v	47.3v	48.3v	0.0v	69.6v	0.0v	47.4v	0.0v	448.38v
406	Miss AH Howell	T	71.7v	71.4v	46.4v	48.3v	46.2v	49.6v	0.0v	71.6v	0.0v	46.1v	0.0v	448.33v
407	Mr B Lottritz	O	72.7v	68.3v	49.3v	46.4v	50.3v	47.4v	0.0v	72.3v	0.0v	44.3v	0.0v	448.30v
408	Cdt A Huang	T	68.6v	73.8v	48.5v	48.6v	47.6v	49.6v	0.0v	75.11v	0.0v	39.2v	0.0v	447.50v
409	Miss SG Gould	T	70.6v	70.8v	47.5v	46.4v	49.4v	49.7v	0.0v	71.7v	0.0v	45.4v	0.0v	447.45v
410	Miss S Cheslyn-Curtis	O	72.9v	73.8v	47.3v	50.5v	47.3v	44.6v	0.0v	72.7v	0.0v	42.2v	0.0v	447.43v
411	Miss A J C Carnell	O	69.6v	75.10v	46.2v	44.3v	49.6v	50.7v	0.0v	72.5v	0.0v	42.3v	0.0v	447.42v
412	Lt Col TH Emck MBE	O	75.7v	71.9v	47.1v	48.4v	46.4v	46.7v	0.0v	69.6v	0.0v	45.3v	0.0v	447.41v
413	Mr BA Young	O	70.7v	70.7v	49.3v	47.3v	49.6v	46.1v	0.0v	73.11v	0.0v	43.3v	0.0v	447.41v
414	Dr Al Ashworth	A	73.9v	73.7v	47.3v	45.3v	49.4v	45.3v	0.0v	75.9v	0.0v	40.3v	0.0v	447.41v
415	Mr J Barlow	O	73.8v	74.10v	47.3v	45.4v	50.4v	47.4v	0.0v	72.6v	0.0v	39.1v	0.0v	447.40v
416	Mr HK Lottritz	O	69.4v	74.11v	47.3v	50.6v	50.5v	48.3v	0.0v	72.5v	0.0v	37.2v	0.0v	447.39v

417	Mr AW Hellings	T	71.6v	73.5v	43.1v	47.5v	47.4v	47.3v	0.0v	74.11v	0.0v	45.3v	0.0v	447.38v
418	Mr O Henry	X	72.6v	71.2v	49.6v	44.5v	47.3v	45.5v	0.0v	74.8v	0.0v	45.3v	0.0v	447.38v
419	Mr JR Stirland	A	73.8v	72.7v	48.4v	46.2v	48.4v	45.2v	0.0v	72.8v	0.0v	43.3v	0.0v	447.38v
420	Mr RG Evans	O	70.7v	70.8v	47.4v	49.6v	48.3v	48.2v	0.0v	72.6v	0.0v	43.2v	0.0v	447.38v
421	Mr JL Poulin	O	73.9v	73.7v	46.2v	47.1v	47.4v	47.5v	0.0v	68.5v	0.0v	46.4v	0.0v	447.37v
422	Mr LJ Smith	T	73.5v	73.10v	48.4v	47.4v	46.5v	48.4v	0.0v	69.3v	0.0v	43.1v	0.0v	447.36v
423	Mr W Ross	O	72.7v	72.7v	46.1v	46.3v	49.3v	49.3v	0.0v	72.8v	0.0v	41.4v	0.0v	447.36v
424	Mr OD De Gruchy	O	73.5v	70.5v	46.2v	42.1v	46.3v	48.5v	0.0v	75.11v	0.0v	47.3v	0.0v	447.35v
425	C/Smg J Kelly	T	71.6v	71.7v	44.1v	49.5v	48.4v	47.5v	0.0v	73.5v	0.0v	44.2v	0.0v	447.35v
426	Mr RMR Stearn	O	74.9v	73.8v	47.1v	43.2v	49.7v	49.5v	0.0v	70.3v	0.0v	42.0v	0.0v	447.35v
427	Mr BV Cambray	A	71.8v	75.6v	49.5v	45.3v	49.3v	48.2v	0.0v	68.4v	0.0v	42.3v	0.0v	447.34v
428	Mr TD De La Cour	T	73.8v	70.3v	46.2v	48.5v	48.3v	46.4v	0.0v	74.5v	0.0v	42.2v	0.0v	447.32v
429	Mr M Horton-Baker	T	72.6v	74.11v	48.6v	43.4v	48.4v	50.7v	0.0v	73.8v	0.0v	38.2v	0.0v	446.48v
430	Mr MR Rewston	O	74.10v	74.12v	40.1v	47.5v	49.5v	49.6v	0.0v	70.4v	0.0v	43.4v	0.0v	446.47v
431	Mr M D Joyce	A	72.9v	72.6v	49.5v	45.1v	47.6v	49.6v	0.0v	73.8v	0.0v	39.4v	0.0v	446.45v
432	Mr C Hughes	O	74.5v	71.8v	47.4v	46.4v	48.6v	48.6v	0.0v	74.11v	0.0v	38.0v	0.0v	446.44v
433	Mr MW Silver	X	72.10v	75.8v	47.6v	45.2v	48.6v	49.1v	0.0v	72.8v	0.0v	38.1v	0.0v	446.42v
434	Mr I Farbon	T	72.6v	73.9v	46.3v	47.4v	48.5v	48.6v	0.0v	72.8v	0.0v	40.0v	0.0v	446.41v
435	Mr B Heatley	X	73.6v	72.8v	49.4v	48.4v	43.3v	48.5v	0.0v	71.8v	0.0v	42.2v	0.0v	446.40v
436	Miss S Sindoi	T	72.9v	73.9v	46.2v	46.4v	48.4v	48.5v	0.0v	72.5v	0.0v	41.2v	0.0v	446.40v
437	Cdt M Fata	T	73.6v	71.7v	48.4v	44.3v	50.9v	48.2v	0.0v	74.7v	0.0v	38.2v	0.0v	446.40v
438	Mr JRJ Kennedy	O	72.6v	72.9v	47.2v	42.2v	48.5v	48.5v	0.0v	74.7v	0.0v	43.2v	0.0v	446.38v
439	Ms BM Moore	O	70.6v	72.9v	44.1v	47.2v	48.3v	48.7v	0.0v	72.6v	0.0v	45.2v	0.0v	446.36v
440	Mr A Tucker	O	69.5v	74.7v	47.4v	48.4v	46.1v	47.5v	0.0v	72.7v	0.0v	43.3v	0.0v	446.36v
441	Mr JT Kennedy	O	73.5v	70.2v	43.3v	46.5v	49.5v	48.5v	0.0v	75.10v	0.0v	42.1v	0.0v	446.36v
442	Cdt J Kavanagh	T	75.7v	73.6v	45.0v	48.4v	46.5v	48.4v	0.0v	73.8v	0.0v	38.2v	0.0v	446.36v
443	Mr JIB Malahan	O	72.5v	72.5v	49.5v	44.2v	48.4v	45.4v	0.0v	72.8v	0.0v	44.1v	0.0v	446.34v
444	Mr AS Smyth	T	73.8v	71.6v	45.3v	46.1v	48.4v	47.3v	0.0v	74.9v	0.0v	42.0v	0.0v	446.34v
445	Mr U Soetzer	O	70.5v	70.3v	48.5v	48.5v	49.5v	47.5v	0.0v	73.5v	0.0v	41.0v	0.0v	446.33v
446	Cdt LCpl S Flanagan	T	68.3v	71.5v	45.3v	48.2v	47.2v	50.5v	0.0v	71.8v	0.0v	46.4v	0.0v	446.32v
447	Cdt D Laflamme	T	72.5v	73.6v	44.4v	48.3v	49.4v	46.2v	0.0v	75.6v	0.0v	39.2v	0.0v	446.32v
448	Mr GAE Larcombe	O	71.9v	73.4v	47.2v	45.4v	47.1v	46.4v	0.0v	74.5v	0.0v	43.2v	0.0v	446.31v
449	Mr KR Trowbridge	O	71.4v	73.4v	45.2v	48.3v	48.3v	48.4v	0.0v	70.5v	0.0v	43.1v	0.0v	446.26v
450	Mr MJ Whatton	O	73.3v	71.7v	46.3v	47.2v	49.4v	49.3v	0.0v	72.3v	0.0v	39.1v	0.0v	446.26v
451	Mr RCG Knight	O	75.11v	73.7v	48.6v	46.4v	47.4v	47.5v	0.0v	75.14v	0.0v	34.0v	0.0v	445.51v
452	Mr F Bilton	A	72.9v	74.10v	48.7v	45.3v	48.6v	44.3v	0.0v	69.5v	0.0v	45.3v	0.0v	445.46v
453	Mr AG Harrison	O	72.9v	73.7v	47.5v	48.4v	49.5v	49.5v	0.0v	74.7v	0.0v	33.1v	0.0v	445.43v
454	Cdt T Cubitt	T	72.7v	71.6v	43.3v	43.3v	49.6v	49.3v	0.0v	73.11v	0.0v	45.3v	0.0v	445.42v
455	Mr GR Jeal	X	63.1v	74.8v	46.5v	48.7v	50.5v	48.5v	0.0v	74.10v	0.0v	42.1v	0.0v	445.42v
456	Mr R Bird	O	71.9v	69.6v	48.5v	48.7v	48.1v	42.1v	0.0v	74.7v	0.0v	45.3v	0.0v	445.39v
457	Mr S Ndambuki	X	73.9v	71.8v	46.3v	47.2v	46.3v	43.3v	0.0v	72.6v	0.0v	47.4v	0.0v	445.38v
458	Mr SJA Fielding-Isaacs	O	74.4v	65.7v	49.3v	47.4v	48.5v	46.2v	0.0v	69.6v	0.0v	47.6v	0.0v	445.37v
459	Mr CS Lamont	O	71.4v	71.6v	43.2v	45.4v	48.7v	48.3v	0.0v	74.10v	0.0v	45.1v	0.0v	445.37v
460	Mr S Brewer-Marchant	O	74.8v	73.9v	47.4v	43.1v	47.2v	46.3v	0.0v	71.7v	0.0v	44.3v	0.0v	445.37v
461	Mr B Jones	O	71.7v	72.7v	46.3v	49.4v	48.5v	49.6v	0.0v	68.5v	0.0v	42.0v	0.0v	445.37v
462	Mr JB Wallis	T	69.3v	73.8v	45.1v	46.3v	48.5v	46.3v	0.0v	73.10v	0.0v	45.3v	0.0v	445.36v
463	Miss H Bramwell	O	70.4v	74.4v	45.3v	46.4v	50.6v	47.5v	0.0v	71.9v	0.0v	42.1v	0.0v	445.36v
464	Mr E Stuart-Bamford	O	73.8v	69.5v	48.1v	48.6v	48.2v	47.5v	0.0v	66.1v	0.0v	46.3v	0.0v	445.31v
465	Mr TW Harrison	O	71.7v	72.7v	47.5v	44.4v	45.4v	47.5v	0.0v	72.7v	0.0v	46.4v	0.0v	444.43v
466	Lt JW Jenkins	X	72.9v	72.8v	47.3v	49.4v	49.6v	46.5v	0.0v	72.7v	0.0v	37.1v	0.0v	444.43v
467	Mr JE White	O	69.6v	72.10v	48.6v	49.3v	49.5v	48.6v	0.0v	69.4v	0.0v	40.2v	0.0v	444.42v
468	Miss S Ponter	O	70.6v	75.9v	47.5v	47.2v	50.8v	43.2v	0.0v	73.8v	0.0v	39.1v	0.0v	444.41v
469	Mrs RM Merridew	O	69.7v	72.6v	50.6v	49.5v	47.5v	44.4v	0.0v	69.6v	0.0v	44.1v	0.0v	444.40v
470	Mr CW Slator	O	72.9v	72.7v	49.3v	44.1v	48.6v	45.3v	0.0v	74.10v	0.0v	40.0v	0.0v	444.39v
471	Cdr M Jordan	O	71.7v	73.6v	46.4v	48.4v	44.3v	46.4v	0.0v	69.4v	0.0v	47.6v	0.0v	444.38v
472	Mr RP Rosling	O	72.10v	69.6v	44.2v	48.5v	47.3v	48.5v	0.0v	71.4v	0.0v	45.3v	0.0v	444.38v
473	LCpl J Keates	T	68.5v	72.5v	48.4v	47.6v	45.3v	48.6v	0.0v	71.4v	0.0v	45.4v	0.0v	444.37v
474	Mr GR Thomas	T	70.7v	71.10v	47.3v	48.3v	48.5v	48.5v	0.0v	70.3v	0.0v	42.1v	0.0v	444.37v
475	Mr TJ Jones	T	75.7v	72.6v	48.5v	48.5v	46.4v	47.4v	0.0v	70.5v	0.0v	38.1v	0.0v	444.37v
476	Miss O Hutt	T	72.8v	74.8v	45.3v	45.2v	46.4v	49.3v	0.0v	70.5v	0.0v	43.3v	0.0v	444.36v
477	Mr MD Wright	O	73.6v	71.8v	47.4v	45.1v	44.1v	49.3v	0.0v	73.10v	0.0v	42.3v	0.0v	444.36v
478	Mr SJ Comins	O	71.3v	68.4v	46.4v	45.4v	48.5v	47.4v	0.0v	73.7v	0.0v	46.3v	0.0v	444.34v
479	Mr B Taylor	O	73.6v	68.4v	46.6v	49.3v	46.5v	45.4v	0.0v	71.4v	0.0v	46.2v	0.0v	444.34v
480	Mr P Reddish	T	72.4v	71.4v	47.2v	39.1v	47.4v	50.8v	0.0v	72.7v	0.0v	46.3v	0.0v	444.33v
481	Mr I Brechin	A	72.10v	68.3v	44.1v	43.1v	49.7v	50.3v	0.0v	72.6v	0.0v	46.2v	0.0v	444.33v
482	Cdt M Liu	T	73.5v	74.11v	47.3v	41.1v	49.6v	47.2v	0.0v	71.3v	0.0v	42.2v	0.0v	444.33v
483	Mr DA Taylor	A	69.2v	67.3v	46.2v	46.3v	47.4v	47.5v	0.0v	72.8v	0.0v	50.5v	0.0v	444.32v
484	Dr KW Genders	O	73.8v	71.4v	45.3v	40.0v	48.2v	47.3v	0.0v	74.8v	0.0v	46.3v	0.0v	444.31v
485	Mr RF Burden	O	71.6v	74.5v	49.5v	48.6v	44.2v	48.1v	0.0v	68.5v	0.0v	42.1v	0.0v	444.31v
486	Mr C Waldron	O	71.5v	73.5v	46.3v	47.5v	48.2v	45.2v	0.0v	73.8v	0.0v	41.1v	0.0v	444.31v
487	Mr JM de Bruyn	O	71.5v	70.7v	47.2v	44.2v	49.3v	49.3v	0.0v	71.6v	0.0v	43.2v	0.0v	444.30v
488	Mr MHH John	O	69.3v	73.10v	45.3v	47.2v	48.8v	45.4v	0.0v	70.8v	0.0v	46.3v	0.0v	443.41v

489	Cdt WP Cubitt	T	72.9v	70.5v	47.5v	45.4v	46.2v	44.0v	0.0v	72.9v	0.0v	47.6v	0.0v	443.40v
490	Mr RG Faulkner	O	73.9v	71.7v	46.3v	48.5v	49.3v	38.2v	0.0v	75.8v	0.0v	43.1v	0.0v	443.38v
491	Miss KE Pope	A	70.6v	71.5v	46.5v	45.1v	46.4v	47.2v	0.0v	73.11v	0.0v	45.2v	0.0v	443.36v
492	Mr D Morris	A	70.6v	72.8v	46.2v	45.0v	48.4v	47.6v	0.0v	72.7v	0.0v	43.3v	0.0v	443.36v
493	Mr DCW Lloyd	O	70.6v	71.6v	46.4v	47.4v	48.4v	46.4v	0.0v	69.5v	0.0v	46.2v	0.0v	443.35v
494	Miss K Milner	O	72.4v	69.5v	47.4v	46.5v	50.8v	44.3v	0.0v	70.5v	0.0v	45.1v	0.0v	443.35v
495	Miss CH Cuming	T	67.4v	74.9v	47.1v	43.3v	48.4v	48.6v	0.0v	75.7v	0.0v	41.1v	0.0v	443.35v
496	Mr PS Gray	A	70.5v	71.5v	46.3v	46.5v	47.3v	49.3v	0.0v	72.8v	0.0v	42.2v	0.0v	443.34v
497	CSgt A Wilson	T	67.2v	70.5v	47.3v	42.2v	49.4v	48.6v	0.0v	73.8v	0.0v	47.3v	0.0v	443.33v
498	Mr O Rolfe	X	72.11v	73.8v	47.2v	48.7v	48.4v	46.6v	0.0v	65.4v	0.0v	43.2v	0.0v	442.44v
499	Cdt D Zhou	T	70.6v	75.9v	47.6v	48.5v	50.6v	47.2v	0.0v	75.9v	0.0v	30.0v	0.0v	442.43v
500	Dr N Hart	A	72.10v	73.10v	48.3v	43.2v	47.5v	45.3v	0.0v	73.9v	0.0v	41.0v	0.0v	442.42v
501	Mr DAF Parkinson	O	70.6v	71.6v	47.5v	48.5v	45.4v	46.5v	0.0v	71.7v	0.0v	44.3v	0.0v	442.41v
502	Miss DE Andrews	O	72.8v	67.7v	46.4v	48.3v	48.4v	48.4v	0.0v	75.8v	0.0v	38.1v	0.0v	442.39v
503	Mr NW Penn	O	73.7v	73.9v	47.3v	49.6v	46.2v	45.2v	0.0v	69.6v	0.0v	40.2v	0.0v	442.37v
504	Mr CAD Flanagan	T	69.6v	74.9v	46.5v	47.2v	42.2v	47.3v	0.0v	72.4v	0.0v	45.3v	0.0v	442.34v
505	Mr P Kapkundos	T	67.6v	73.6v	45.6v	48.3v	48.3v	45.3v	0.0v	71.5v	0.0v	45.1v	0.0v	442.33v
506	Mr M Horrell	O	70.5v	72.6v	47.4v	45.3v	48.2v	44.4v	0.0v	72.5v	0.0v	44.3v	0.0v	442.32v
507	Mr JR Lindsay	O	71.4v	68.4v	46.3v	48.4v	48.5v	48.6v	0.0v	69.3v	0.0v	44.2v	0.0v	442.31v
508	Mr JR Rennie	T	71.5v	70.5v	45.3v	44.3v	49.5v	48.3v	0.0v	71.2v	0.0v	44.3v	0.0v	442.29v
509	Cdt J Desjardins	T	73.10v	70.6v	41.4v	47.4v	49.5v	44.3v	0.0v	72.7v	0.0v	45.2v	0.0v	441.41v
510	Mr A Mcconnell	O	72.7v	70.8v	48.4v	48.3v	46.3v	35.1v	0.0v	73.6v	0.0v	49.6v	0.0v	441.38v
511	Mr NC Granger	O	68.4v	70.6v	48.4v	43.4v	49.6v	47.4v	0.0v	74.9v	0.0v	42.1v	0.0v	441.38v
512	Mr R McVeigh	O	69.5v	73.6v	45.2v	48.7v	45.4v	46.2v	0.0v	73.7v	0.0v	42.3v	0.0v	441.36v
513	Mr CC Mallett Jnr	O	67.7v	73.8v	45.3v	43.0v	47.3v	46.4v	0.0v	75.10v	0.0v	45.0v	0.0v	441.35v
514	Mr GRP Shapland	O	72.9v	69.3v	48.4v	43.1v	48.6v	47.4v	0.0v	72.7v	0.0v	42.1v	0.0v	441.35v
515	Mr M Raps	T	71.6v	71.7v	48.6v	43.0v	46.2v	47.3v	0.0v	73.8v	0.0v	42.2v	0.0v	441.34v
516	Mr RJ Cade	O	73.7v	71.8v	45.4v	41.1v	48.4v	46.2v	0.0v	71.6v	0.0v	46.1v	0.0v	441.33v
517	Sqn Ldr CM Fopp	O	70.7v	68.5v	47.5v	46.2v	50.7v	47.2v	0.0v	70.3v	0.0v	43.2v	0.0v	441.33v
518	Mr T S McDowell	O	69.7v	72.5v	48.5v	46.4v	46.3v	44.1v	0.0v	73.7v	0.0v	43.1v	0.0v	441.33v
519	Mr AP Powell	O	68.3v	70.6v	48.7v	48.3v	46.3v	46.4v	0.0v	70.5v	0.0v	45.1v	0.0v	441.32v
520	Mr JA Fox	T	71.3v	74.7v	43.2v	48.5v	48.3v	44.3v	0.0v	69.6v	0.0v	44.1v	0.0v	441.30v
521	Cdt A Perry	T	70.3v	72.4v	46.2v	48.4v	50.5v	49.4v	0.0v	65.6v	0.0v	41.1v	0.0v	441.29v
522	Mr A Lloyd	O	67.2v	70.5v	45.2v	48.0v	48.3v	47.4v	0.0v	73.10v	0.0v	43.1v	0.0v	441.27v
523	Mr DM Epton	T	74.1v	71.4v	46.3v	40.2v	47.4v	46.1v	0.0v	72.5v	0.0v	45.4v	0.0v	441.24v
524	Mr M Le Vasseur	T	72.9v	73.7v	45.5v	48.5v	49.7v	45.3v	0.0v	73.7v	0.0v	35.0v	0.0v	440.43v
525	Mr J Dixon	T	68.5v	72.10v	47.5v	46.1v	47.5v	50.4v	0.0v	73.10v	0.0v	37.2v	0.0v	440.42v
526	Mrs T Newbold	O	72.9v	71.5v	46.3v	46.5v	47.6v	45.4v	0.0v	71.4v	0.0v	42.0v	0.0v	440.36v
527	Mr ARN Kinross	O	69.7v	69.4v	46.3v	47.7v	48.1v	48.6v	0.0v	71.7v	0.0v	42.0v	0.0v	440.35v
528	Mr LP Parkins	T	70.6v	72.7v	43.3v	48.4v	47.3v	47.4v	0.0v	72.6v	0.0v	41.2v	0.0v	440.35v
529	Wg. Cdr. MJ Gregory	O	71.6v	72.5v	42.3v	42.3v	47.4v	49.3v	0.0v	70.3v	0.0v	47.6v	0.0v	440.33v
530	Miss AL Matthews	O	67.3v	75.7v	46.3v	46.2v	47.5v	44.4v	0.0v	70.5v	0.0v	45.2v	0.0v	440.31v
531	Mr JA Caske	O	70.5v	70.4v	47.4v	46.2v	47.3v	44.2v	0.0v	71.6v	0.0v	45.3v	0.0v	440.29v
532	Mr S Edwards	T	71.6v	72.4v	45.3v	47.3v	48.5v	46.2v	0.0v	70.5v	0.0v	41.1v	0.0v	440.29v
533	Mr JT Thorp	T	70.6v	71.6v	49.2v	47.2v	44.3v	45.3v	0.0v	69.4v	0.0v	45.1v	0.0v	440.27v
534	Mr RK Sheead	A	72.4v	71.4v	43.1v	45.4v	47.2v	47.4v	0.0v	71.7v	0.0v	44.1v	0.0v	440.27v
535	CDT TP Shaw	T	72.6v	71.5v	48.4v	47.2v	47.4v	49.2v	0.0v	69.4v	0.0v	37.0v	0.0v	440.27v
536	Mr R Murray	T	75.10v	70.4v	48.7v	45.4v	45.3v	47.5v	0.0v	66.3v	0.0v	43.3v	0.0v	439.39v
537	Mr P Dobell	X	71.5v	70.6v	45.4v	45.2v	47.4v	47.3v	0.0v	75.9v	0.0v	39.3v	0.0v	439.36v
538	Mr JS Ritchie	O	71.8v	72.6v	45.2v	43.2v	49.6v	46.1v	0.0v	70.7v	0.0v	43.1v	0.0v	439.33v
539	Mr L Wittenburg	T	69.5v	74.11v	43.2v	47.6v	46.1v	47.3v	0.0v	68.3v	0.0v	45.1v	0.0v	439.32v
540	Mr RK Jackson	O	68.4v	71.6v	42.3v	45.3v	49.4v	49.6v	0.0v	72.5v	0.0v	43.1v	0.0v	439.32v
541	Mr CR Hirst	O	74.8v	68.3v	47.3v	44.4v	45.4v	48.5v	0.0v	70.4v	0.0v	43.1v	0.0v	439.32v
542	Mr MT Dodd	O	69.3v	71.5v	49.6v	45.4v	41.2v	47.2v	0.0v	73.6v	0.0v	44.2v	0.0v	439.30v
543	NJ Belousov	T	71.8v	72.6v	48.3v	47.2v	46.1v	47.5v	0.0v	71.4v	0.0v	37.1v	0.0v	439.30v
544	Mr RA Jobson	O	70.3v	74.9v	45.2v	45.1v	49.2v	44.3v	0.0v	69.7v	0.0v	43.2v	0.0v	439.29v
545	Mr CJ Sherratt	O	72.4v	69.6v	49.3v	45.5v	45.6v	47.5v	0.0v	74.10v	0.0v	37.1v	0.0v	438.40v
546	Dr EL Sweet	O	71.8v	68.6v	41.2v	48.5v	45.4v	46.3v	0.0v	73.4v	0.0v	46.5v	0.0v	438.37v
547	Cdt I Guy	T	70.5v	72.8v	48.4v	37.3v	46.3v	48.4v	0.0v	72.7v	0.0v	45.3v	0.0v	438.37v
548	Mr GH Porter	O	69.5v	71.10v	45.4v	48.4v	45.2v	47.4v	0.0v	70.5v	0.0v	43.3v	0.0v	438.37v
549	Mr NR Wells	O	72.8v	73.6v	47.5v	47.5v	41.2v	43.1v	0.0v	71.5v	0.0v	44.4v	0.0v	438.36v
550	Mr A Booker	T	69.5v	71.6v	46.3v	46.3v	41.4v	49.7v	0.0v	74.7v	0.0v	42.1v	0.0v	438.36v
551	Mr G Meijer	O	72.5v	70.6v	47.5v	43.4v	49.5v	48.5v	0.0v	69.5v	0.0v	40.1v	0.0v	438.36v
552	Mr HRM Bailie	O	71.6v	72.9v	47.5v	46.5v	48.3v	43.1v	0.0v	70.6v	0.0v	41.0v	0.0v	438.35v
553	Mr P Waldron	O	72.8v	72.7v	44.2v	48.4v	47.3v	44.5v	0.0v	72.4v	0.0v	39.2v	0.0v	438.35v
554	Cdt Cpl G Templar	T	72.9v	71.4v	45.2v	45.3v	46.5v	47.2v	0.0v	67.7v	0.0v	45.1v	0.0v	438.33v
555	Mr V Robertshaw	O	72.7v	73.5v	47.3v	44.3v	47.5v	49.6v	0.0v	65.1v	0.0v	41.2v	0.0v	438.32v
556	Mr AJCB de Launay	O	70.6v	70.7v	45.3v	47.1v	46.2v	47.2v	0.0v	68.6v	0.0v	45.4v	0.0v	438.31v
557	Mr MR Clewer	O	70.7v	70.5v	46.3v	46.1v	48.4v	44.2v	0.0v	68.2v	0.0v	46.2v	0.0v	438.26v
558	Mr RM Culverwell	O	72.5v	72.8v	44.1v	45.1v	47.2v	45.3v	0.0v	68.3v	0.0v	45.2v	0.0v	438.25v
559	Cdt HMC Ardern	T	72.5v	72.5v	45.3v	46.2v	47.4v	45.2v	0.0v	71.2v	0.0v	40.2v	0.0v	438.25v
560	Dr NP Tucker	O	69.4v	71.6v	46.1v	49.2v	47.3v	45.0v	0.0v	68.1v	0.0v	43.3v	0.0v	438.20v

561	Mr DA Smith	O	70.7v	70.5v	48.6v	45.3v	47.5v	44.4v	0.0v	73.7v	0.0v	40.2v	0.0v	437.39v
562	Mr T Steele	X	63.8v	73.7v	48.3v	46.5v	46.1v	45.1v	0.0v	70.7v	0.0v	46.3v	0.0v	437.35v
563	Mr DS Goodwin	O	73.4v	71.8v	43.3v	46.3v	49.5v	44.2v	0.0v	71.8v	0.0v	40.1v	0.0v	437.34v
564	Mr ML Kirkillo-Stacewicz	T	71.4v	74.10v	44.3v	43.1v	45.4v	48.4v	0.0v	69.5v	0.0v	43.2v	0.0v	437.33v
565	Miss ML Wilkins	O	68.5v	68.4v	45.0v	45.3v	48.6v	47.6v	0.0v	73.6v	0.0v	43.2v	0.0v	437.32v
566	Miss Z Latimer	O	70.3v	72.6v	43.0v	48.4v	44.2v	47.5v	0.0v	70.6v	0.0v	43.3v	0.0v	437.29v
567	Mr PD Pelly	O	69.4v	73.5v	47.4v	44.3v	44.1v	49.5v	0.0v	70.4v	0.0v	41.1v	0.0v	437.27v
568	Cdt H Glowson	T	69.5v	73.6v	43.3v	47.3v	50.8v	46.3v	0.0v	67.6v	0.0v	41.1v	0.0v	436.35v
569	Mr RC Holloway	O	71.7v	71.6v	43.1v	46.4v	47.3v	47.2v	0.0v	72.8v	0.0v	39.4v	0.0v	436.35v
570	Miss P Evans	O	70.4v	68.4v	43.3v	49.4v	44.5v	46.3v	0.0v	70.6v	0.0v	46.4v	0.0v	436.33v
571	Cadet J Murphy	T	73.5v	74.6v	47.2v	46.4v	44.2v	45.5v	0.0v	68.6v	0.0v	39.2v	0.0v	436.32v
572	Mr R Batchelor	T	70.5v	71.7v	49.2v	47.5v	45.4v	43.2v	0.0v	67.5v	0.0v	44.1v	0.0v	436.31v
573	Mr NJ Burnip	O	72.6v	73.8v	46.1v	45.4v	48.4v	46.4v	0.0v	65.3v	0.0v	41.1v	0.0v	436.31v
574	Mr EM Brice	O	71.8v	68.4v	48.6v	47.4v	45.3v	44.3v	0.0v	68.5v	0.0v	44.3v	0.0v	435.36v
575	Mr F Cade	T	72.6v	71.6v	44.4v	47.5v	46.2v	46.3v	0.0v	72.6v	0.0v	37.2v	0.0v	435.34v
576	Mr HGM Mooiman	O	74.7v	72.8v	48.3v	42.1v	40.2v	44.1v	0.0v	70.5v	0.0v	45.4v	0.0v	435.31v
577	Miss K Lindsay	T	68.3v	71.7v	46.2v	47.2v	48.5v	46.4v	0.0v	66.3v	0.0v	43.4v	0.0v	435.30v
578	Mr JM Baldwin	O	69.7v	71.4v	45.2v	48.4v	43.3v	46.2v	0.0v	70.5v	0.0v	43.2v	0.0v	435.29v
579	Mr MK Townsend	O	68.5v	67.4v	47.4v	48.5v	48.3v	48.0v	0.0v	68.6v	0.0v	41.2v	0.0v	435.29v
580	Mr RBF Fitzsimmons	O	70.5v	68.3v	48.4v	43.2v	46.1v	49.4v	0.0v	72.8v	0.0v	39.1v	0.0v	435.28v
581	Mr SWM Freeborn	T	68.5v	72.4v	43.2v	44.3v	49.3v	45.3v	0.0v	71.3v	0.0v	43.1v	0.0v	435.24v
582	Cdt D Neal	O	71.7v	71.4v	43.3v	44.3v	47.4v	47.6v	0.0v	67.5v	0.0v	44.4v	0.0v	434.36v
583	Mr TF Kurn	O	69.3v	65.6v	46.4v	47.3v	48.4v	46.3v	0.0v	71.8v	0.0v	42.2v	0.0v	434.33v
584	Mr L Reid	T	69.5v	70.5v	43.3v	46.4v	48.4v	43.2v	0.0v	73.6v	0.0v	42.2v	0.0v	434.31v
585	Miss R Harrison	T	64.0v	70.6v	47.4v	44.4v	47.3v	46.2v	0.0v	74.8v	0.0v	42.3v	0.0v	434.30v
586	Mr KG Firth	O	70.6v	68.4v	47.4v	45.3v	46.3v	45.2v	0.0v	73.8v	0.0v	40.0v	0.0v	434.30v
587	Mr JRD Clegg	O	69.4v	72.7v	45.3v	45.4v	48.3v	44.1v	0.0v	68.6v	0.0v	43.0v	0.0v	434.28v
588	Maj CP Judge	O	71.7v	71.2v	46.2v	39.2v	49.2v	42.2v	0.0v	74.9v	0.0v	42.0v	0.0v	434.26v
589	Mr BDJ Jones	O	74.8v	72.8v	50.5v	47.5v	49.3v	47.4v	0.0v	72.8v	0.0v	22.0v	0.0v	433.41v
590	Mr C Kiptarus	T	72.5v	72.8v	46.2v	40.3v	45.4v	49.6v	0.0v	65.4v	0.0v	44.3v	0.0v	433.35v
591	Mr CM Moore	T	66.4v	71.8v	46.3v	47.4v	45.3v	48.5v	0.0v	70.5v	0.0v	40.3v	0.0v	433.35v
592	Mr JMS Samson	O	72.6v	67.3v	45.4v	48.4v	46.3v	44.3v	0.0v	73.9v	0.0v	38.0v	0.0v	433.32v
593	LCpl A Egereva	T	70.5v	70.7v	42.1v	38.0v	48.3v	49.4v	0.0v	73.8v	0.0v	43.2v	0.0v	433.30v
594	Cdt R Tancred	T	71.6v	68.4v	42.2v	47.6v	48.4v	47.3v	0.0v	70.3v	0.0v	40.2v	0.0v	433.30v
595	Dr G Stevenson	O	73.3v	67.4v	46.5v	44.1v	44.2v	44.2v	0.0v	70.5v	0.0v	45.2v	0.0v	433.24v
596	Miss DJ Armstrong	T	73.8v	72.7v	50.9v	42.2v	49.5v	46.2v	0.0v	69.6v	0.0v	31.0v	0.0v	432.39v
597	Mr RA Benest	A	65.1v	63.3v	46.3v	49.7v	45.5v	48.5v	0.0v	70.7v	0.0v	46.1v	0.0v	432.32v
598	Mr DJ Stewart	O	68.3v	70.4v	42.2v	45.3v	48.3v	47.6v	0.0v	68.5v	0.0v	44.4v	0.0v	432.30v
599	Miss PL Winter	O	72.4v	68.4v	48.5v	44.3v	47.4v	49.5v	0.0v	65.2v	0.0v	39.1v	0.0v	432.28v
600	Mr T Fermor	O	67.2v	67.4v	44.3v	45.4v	46.2v	48.4v	0.0v	72.5v	0.0v	43.1v	0.0v	432.25v
601	Mr WM Mulholland	T	70.5v	69.4v	47.2v	39.1v	48.4v	47.6v	0.0v	71.7v	0.0v	40.3v	0.0v	431.32v
602	Col N Stebbings	O	74.6v	70.5v	46.4v	45.4v	44.2v	45.3v	0.0v	65.4v	0.0v	42.3v	0.0v	431.31v
603	Cdt W/O HL Wigston	T	70.7v	70.5v	45.3v	42.1v	48.4v	42.2v	0.0v	71.6v	0.0v	43.2v	0.0v	431.30v
604	Mr B Soelzer	T	71.5v	72.6v	43.2v	47.3v	47.6v	44.2v	0.0v	64.5v	0.0v	43.0v	0.0v	431.29v
605	SSgt PJ Kenmir	T	70.4v	70.4v	45.4v	46.3v	48.3v	41.3v	0.0v	70.6v	0.0v	41.0v	0.0v	431.27v
606	Sgt J Nicholls	T	65.2v	74.5v	46.1v	46.2v	42.1v	48.5v	0.0v	66.3v	0.0v	44.1v	0.0v	431.20v
607	Mr J Robinson	T	70.6v	72.7v	45.2v	43.1v	44.3v	46.4v	0.0v	71.5v	0.0v	38.2v	0.0v	429.30v
608	Mr HEJ Welch	T	63.1v	70.5v	46.4v	41.3v	46.0v	48.7v	0.0v	70.5v	0.0v	45.2v	0.0v	429.27v
609	Mr RJ Clegg	T	69.5v	67.4v	43.1v	46.1v	47.2v	45.3v	0.0v	73.8v	0.0v	39.1v	0.0v	429.25v
610	Mr SA Hunting	O	69.2v	66.2v	46.0v	43.2v	49.5v	42.3v	0.0v	68.5v	0.0v	46.3v	0.0v	429.22v
611	Mr JA Maguire	O	71.3v	68.4v	48.4v	45.0v	43.0v	47.3v	0.0v	67.4v	0.0v	40.2v	0.0v	429.20v
612	Cdt H Vaughn-Johnson	T	68.5v	73.8v	46.4v	45.2v	43.3v	47.6v	0.0v	69.6v	0.0v	37.1v	0.0v	428.35v
613	Mr BG Greasley	T	69.7v	70.4v	47.4v	40.2v	45.3v	47.3v	0.0v	71.4v	0.0v	39.2v	0.0v	428.29v
614	Mr LRM Irungu	X	68.4v	66.5v	46.2v	45.4v	46.3v	47.4v	0.0v	70.5v	0.0v	40.1v	0.0v	428.28v
615	Miss A Burrows	T	70.7v	71.8v	47.3v	36.3v	46.5v	45.3v	0.0v	72.7v	0.0v	40.4v	0.0v	427.40v
616	Mr A Bennett-Wallis	T	68.4v	70.3v	45.4v	42.2v	44.1v	47.7v	0.0v	71.11v	0.0v	40.2v	0.0v	427.34v
617	Mr IRM Brown	A	69.9v	70.6v	47.4v	43.3v	46.2v	41.1v	0.0v	66.2v	0.0v	45.3v	0.0v	427.30v
618	Mr C Gray	O	71.7v	70.1v	44.2v	43.0v	46.5v	39.1v	0.0v	70.8v	0.0v	44.2v	0.0v	427.26v
619	Mr P Kiveleeti	T	69.5v	67.5v	41.1v	47.2v	48.1v	48.4v	0.0v	69.6v	0.0v	38.0v	0.0v	427.24v
620	Mr T Baillon	T	72.6v	70.4v	45.5v	45.0v	45.0v	46.3v	0.0v	67.3v	0.0v	37.0v	0.0v	427.21v
621	Mr PG Kelly	O	70.5v	70.6v	43.1v	48.3v	43.4v	42.3v	0.0v	68.4v	0.0v	42.3v	0.0v	426.29v
622	Mr R Johnson	T	72.9v	68.4v	42.0v	45.5v	46.3v	39.0v	0.0v	69.4v	0.0v	45.1v	0.0v	426.26v
623	Mr LR Coventry	T	66.1v	71.8v	45.2v	44.1v	45.4v	44.0v	0.0v	72.4v	0.0v	39.1v	0.0v	426.21v
624	Mr O Farrell	T	65.1v	71.5v	44.3v	41.1v	47.2v	47.2v	0.0v	63.2v	0.0v	48.4v	0.0v	426.20v
625	Mr DT Taylor	T	71.8v	68.6v	46.1v	39.2v	46.3v	48.5v	0.0v	69.13v	0.0v	38.0v	0.0v	425.38v
626	Mr M Palmer	T	58.2v	73.5v	40.3v	44.4v	48.4v	47.3v	0.0v	72.10v	0.0v	43.1v	0.0v	425.32v
627	Mr P Merry	O	72.6v	66.3v	38.0v	42.3v	48.3v	45.7v	0.0v	72.4v	0.0v	42.4v	0.0v	425.30v
628	Miss SJ Dick	O	71.9v	71.6v	44.3v	42.1v	46.2v	46.4v	0.0v	69.4v	0.0v	36.0v	0.0v	425.29v
629	Mr GFH Nichols	T	70.7v	71.8v	42.2v	49.4v	44.2v	42.1v	0.0v	71.3v	0.0v	36.1v	0.0v	425.28v
630	Mr JS Chapman	O	70.5v	65.2v	48.1v	45.3v	40.1v	48.5v	0.0v	70.7v	0.0v	39.0v	0.0v	425.24v
631	Mr H Percival	T	67.3v	67.4v	46.4v	48.4v	46.5v	42.1v	0.0v	67.4v	0.0v	41.2v	0.0v	424.27v
632	Miss E Dixon	O	70.7v	68.5v	44.2v	45.3v	44.0v	42.2v	0.0v	71.4v	0.0v	40.2v	0.0v	424.25v

633	Mr A Smith	T	69.3v	72.7v	30.1v	48.3v	47.3v	46.2v	0.0v	70.4v	0.0v	42.1v	0.0v	424.24v
634	Mr R Islam	T	70.4v	74.4v	40.1v	39.1v	45.4v	43.1v	0.0v	72.7v	0.0v	41.1v	0.0v	424.23v
635	Cdt BZ Danziger	O	72.8v	73.5v	47.4v	44.3v	49.7v	48.3v	0.0v	72.5v	0.0v	18.1v	0.0v	423.36v
636	Mr D Howseman	T	66.4v	68.5v	40.2v	44.4v	44.4v	45.4v	0.0v	69.6v	0.0v	47.3v	0.0v	423.32v
637	Mr TG Garfield-Bennett	T	71.5v	70.3v	38.3v	43.2v	48.7v	43.3v	0.0v	71.7v	0.0v	39.0v	0.0v	423.30v
638	Miss BJ James	T	71.7v	68.2v	43.3v	48.2v	45.3v	44.5v	0.0v	64.3v	0.0v	40.1v	0.0v	423.26v
639	Miss V Bieger	T	68.5v	72.6v	45.6v	40.2v	43.3v	42.2v	0.0v	72.8v	0.0v	40.2v	0.0v	422.34v
640	Mr C Vonchek	T	65.3v	71.4v	45.2v	48.6v	40.2v	45.4v	0.0v	64.4v	0.0v	44.1v	0.0v	422.26v
641	Mr DF Nesbitt	O	71.6v	67.3v	42.2v	47.3v	46.3v	37.1v	0.0v	70.6v	0.0v	42.2v	0.0v	422.26v
642	Mr T Douglas	T	65.3v	69.5v	46.4v	46.3v	46.1v	44.3v	0.0v	65.3v	0.0v	41.1v	0.0v	422.23v
643	Cdt AJ Todd	T	70.7v	71.5v	43.4v	38.0v	41.3v	45.0v	0.0v	71.2v	0.0v	42.2v	0.0v	421.23v
644	Mr JW Walley	T	71.7v	70.5v	41.0v	40.2v	46.1v	38.2v	0.0v	73.7v	0.0v	41.0v	0.0v	420.24v
645	Cdt K Kapustina	T	66.4v	73.5v	43.4v	40.1v	44.1v	45.2v	0.0v	72.5v	0.0v	37.1v	0.0v	420.23v
646	Mr PJ Hudson	O	71.6v	65.3v	42.1v	44.4v	45.3v	44.5v	0.0v	65.4v	0.0v	43.3v	0.0v	419.29v
647	Miss CH Hudson	T	68.4v	69.4v	44.2v	41.2v	45.3v	43.4v	0.0v	68.4v	0.0v	41.1v	0.0v	419.24v
648	Mr S Murray	T	70.4v	73.3v	44.2v	40.2v	45.3v	41.1v	0.0v	66.5v	0.0v	40.2v	0.0v	419.22v
649	Mr CM Nunan	O	69.4v	71.3v	43.0v	46.2v	41.1v	44.2v	0.0v	68.4v	0.0v	37.1v	0.0v	419.17v
650	Miss K Hinkly	T	64.5v	68.6v	46.1v	47.5v	44.2v	43.3v	0.0v	65.4v	0.0v	41.3v	0.0v	418.29v
651	Mr JP Beaumont	T	70.6v	64.4v	44.1v	40.0v	46.6v	43.4v	0.0v	66.4v	0.0v	45.2v	0.0v	418.27v
652	Mr MS Sayers	T	68.4v	66.5v	42.2v	44.1v	46.4v	37.3v	0.0v	68.4v	0.0v	45.2v	0.0v	416.25v
653	Mr MRJ Pybus	T	69.3v	70.4v	43.1v	48.4v	41.3v	46.5v	0.0v	60.4v	0.0v	38.0v	0.0v	415.24v
654	Mr G Bible	T	68.5v	69.5v	41.1v	48.3v	38.2v	37.1v	0.0v	72.7v	0.0v	41.2v	0.0v	414.26v
655	Mr EWV Feast	O	60.2v	71.7v	41.1v	42.2v	43.2v	47.3v	0.0v	69.5v	0.0v	40.3v	0.0v	413.25v
656	Cdt M Corkum	T	69.5v	67.5v	46.2v	43.4v	40.2v	44.3v	0.0v	68.3v	0.0v	36.0v	0.0v	413.24v
657	Mr PM Weston	O	66.5v	69.5v	45.1v	46.3v	43.3v	42.1v	0.0v	67.4v	0.0v	35.2v	0.0v	413.24v
658	Mr S Giannikas	T	61.3v	72.5v	49.5v	42.6v	47.4v	36.1v	0.0v	65.1v	0.0v	40.1v	0.0v	412.26v
659	Mr SJ Bates	O	68.3v	71.6v	44.2v	43.4v	43.3v	41.0v	0.0v	70.6v	0.0v	32.1v	0.0v	412.25v
660	Mr DC Crook	T	67.3v	71.6v	45.4v	34.3v	43.1v	48.4v	0.0v	70.3v	0.0v	33.0v	0.0v	411.24v
661	Mr RM Smith	T	68.4v	66.5v	45.3v	44.1v	39.1v	42.2v	0.0v	65.5v	0.0v	41.2v	0.0v	410.23v
662	Mr TM Mulholland	T	71.5v	71.8v	44.3v	42.1v	43.0v	37.0v	0.0v	62.4v	0.0v	40.2v	0.0v	410.23v
663	Mr S Pigeon	T	65.3v	69.5v	46.0v	45.4v	40.0v	42.1v	0.0v	63.4v	0.0v	39.1v	0.0v	409.18v
664	Mr T Galliers	O	65.2v	64.2v	43.1v	42.1v	42.1v	44.3v	0.0v	65.1v	0.0v	44.3v	0.0v	409.14v
665	Mr OM Conway	T	59.0v	69.8v	43.4v	40.3v	43.0v	41.4v	0.0v	69.9v	0.0v	43.2v	0.0v	407.30v
666	Mr ID Markwell	O	63.3v	66.4v	41.1v	41.2v	43.3v	45.3v	0.0v	66.4v	0.0v	42.0v	0.0v	407.20v
667	Miss R Allan	T	68.4v	66.5v	42.2v	45.4v	36.0v	45.1v	0.0v	63.4v	0.0v	41.1v	0.0v	406.21v
668	Mr BJ North	T	68.4v	68.4v	37.2v	45.2v	44.2v	42.1v	0.0v	66.3v	0.0v	36.1v	0.0v	406.19v
669	Mr W Jowett	O	68.5v	62.5v	44.1v	39.3v	44.1v	47.5v	0.0v	70.5v	0.0v	31.1v	0.0v	405.26v
670	Miss S Rorison	T	70.6v	68.4v	45.2v	44.3v	39.1v	44.2v	0.0v	58.2v	0.0v	37.0v	0.0v	405.20v
671	CWO R Melhuish	T	66.1v	67.3v	42.1v	43.3v	39.2v	47.4v	0.0v	63.2v	0.0v	38.1v	0.0v	405.17v
672	Mr G Yates	T	68.5v	67.4v	36.1v	45.2v	46.3v	42.0v	0.0v	59.2v	0.0v	41.2v	0.0v	404.19v
673	Mr J Goss	T	67.5v	68.4v	44.2v	46.2v	46.2v	37.0v	0.0v	69.4v	0.0v	26.0v	0.0v	403.19v
674	Mr S Mason	T	68.4v	65.2v	43.1v	44.0v	41.2v	46.1v	0.0v	66.6v	0.0v	30.2v	0.0v	403.18v
675	Mr G Bramwell	T	67.5v	66.5v	46.5v	35.1v	44.4v	43.1v	0.0v	62.1v	0.0v	39.1v	0.0v	402.23v
676	Mr M Conolle	T	67.2v	60.1v	45.3v	36.4v	46.3v	46.3v	0.0v	62.3v	0.0v	40.1v	0.0v	402.20v
677	Mr SR Sutton	T	63.2v	63.1v	43.0v	48.3v	39.0v	36.2v	0.0v	68.5v	0.0v	42.3v	0.0v	402.16v
678	Mr CB Stone	O	69.3v	66.1v	41.1v	43.2v	40.3v	35.1v	0.0v	63.3v	0.0v	44.4v	0.0v	401.18v
679	Cdt T Tancred	T	62.1v	69.1v	45.1v	38.2v	44.4v	36.2v	0.0v	61.2v	0.0v	45.2v	0.0v	400.15v
680	Mr WO Odhiambo	O	73.10v	73.9v	44.5v	46.2v	0.0v	49.5v	0.0v	73.11v	0.0v	41.3v	0.0v	399.45v
681	Mr WT Tiffin	T	68.2v	73.9v	45.3v	0.0v	46.4v	48.6v	0.0v	75.6v	0.0v	41.2v	0.0v	396.32v
682	Mr J Johnston	T	70.4v	67.3v	45.2v	0.0v	48.0v	46.2v	0.0v	71.5v	0.0v	49.7v	0.0v	396.23v
683	Mr S Benson	T	64.7v	66.3v	40.0v	41.4v	44.1v	37.0v	0.0v	66.4v	0.0v	37.0v	0.0v	395.19v
684	Mr D Markie	O	68.3v	71.5v	46.2v	44.1v	47.6v	48.2v	0.0v	69.5v	0.0v	0.0v	0.0v	393.24v
685	Mr LT Taylor	T	63.1v	66.3v	40.0v	41.1v	36.0v	47.3v	0.0v	70.9v	0.0v	29.1v	0.0v	392.18v
686	Miss MB Bamford	T	68.3v	68.3v	40.0v	32.4v	38.1v	47.2v	0.0v	55.2v	0.0v	42.2v	0.0v	390.17v
687	Mr JW Whitaker	T	52.1v	70.6v	45.2v	43.2v	41.1v	39.0v	0.0v	61.6v	0.0v	37.2v	0.0v	388.20v
688	Cpl EJ Dell	O	73.11v	69.6v	46.2v	44.4v	0.0v	46.4v	0.0v	68.4v	0.0v	41.2v	0.0v	387.33v
689	Miss EC Colgan	T	67.2v	71.5v	45.6v	46.3v	42.2v	41.1v	0.0v	72.5v	0.0v	3.0v	0.0v	387.24v
690	Mr SA Ching	T	67.3v	68.4v	45.2v	46.4v	46.2v	0.0v	0.0v	72.6v	0.0v	42.3v	0.0v	386.24v
691	Miss G Shearer	T	60.2v	67.3v	40.2v	47.4v	22.0v	45.4v	0.0v	60.2v	0.0v	41.0v	0.0v	382.17v
692	Miss KJ Foye	T	68.4v	67.2v	39.0v	45.2v	42.3v	40.0v	0.0v	57.3v	0.0v	24.1v	0.0v	382.15v
693	Mr AG Rooney	T	69.3v	61.1v	43.3v	42.2v	37.0v	45.4v	0.0v	57.1v	0.0v	28.0v	0.0v	382.14v
694	Lt Cdr GMC Hunter	T	72.7v	66.2v	42.2v	42.1v	47.2v	0.0v	0.0v	72.5v	0.0v	40.0v	0.0v	381.19v
695	Mr T Jaggard	O	65.2v	64.2v	23.0v	39.0v	47.3v	45.3v	0.0v	57.0v	0.0v	40.0v	0.0v	380.10v
696	Mr MP Sheppard	T	68.4v	71.6v	45.3v	43.4v	42.3v	46.4v	0.0v	64.5v	0.0v	0.0v	0.0v	379.29v
697	Mr AK Fitch	O	71.3v	65.2v	44.3v	44.3v	41.1v	47.1v	0.0v	66.4v	0.0v	0.0v	0.0v	378.17v
698	Miss LT Thomas	T	65.2v	63.4v	41.2v	25.0v	42.2v	38.2v	0.0v	62.4v	0.0v	41.2v	0.0v	377.18v
699	Mr LO O'Connell	T	65.4v	63.4v	38.2v	44.4v	42.0v	39.0v	0.0v	55.0v	0.0v	30.2v	0.0v	376.16v
700	Miss EF Graham	T	57.2v	62.2v	39.2v	40.1v	39.1v	44.2v	0.0v	57.0v	0.0v	37.2v	0.0v	375.12v
701	Sgt O Money-Kyrle	T	71.3v	69.6v	45.3v	48.4v	49.4v	47.7v	0.0v	0.0v	0.0v	45.4v	0.0v	374.31v
702	Cadet AP Clark	T	60.0v	66.3v	40.1v	42.3v	41.1v	42.2v	0.0v	61.0v	0.0v	22.1v	0.0v	374.11v
703	Mr A Grainger	T	69.5v	67.4v	46.4v	39.1v	38.2v	50.4v	0.0v	64.2v	0.0v	0.0v	0.0v	373.22v
704	Cpl A Fantozzi	T	58.0v	62.2v	38.1v	39.1v	37.1v	41.3v	0.0v	62.4v	0.0v	33.1v	0.0v	370.13v

